


FILE NAME: US Gypsum (USG)

DATE: February 1969

DOC#: USG105

DOCUMENT DESCRIPTION: 1969 Letter from USG regarding asbestos labeling

USG-90-01



Re: F156 Chicago - Mr. C. P. Lipp
F111-4 Chicago - Mr. E. E. Deakin
F170-2 Chicago - Mr. V. G. Hansen
F151 Research - Mr. J. W. Harrison
F251 S. Plainfield - Mr. C. E. Settlert
F170-1 Chicago - Mr. E. C. Barker

February 29, 1969

Mr. Richard Kephorne
Sprayon Research Corporation
1101 E. L. 110th Street
Miami, Florida 33161

Subject: Asbestos Labeling

Dear Sirs:

Upon the advice of our Insurance and Legal Departments, we are making arrangements to make the following changes the next time Spraydon bags are printed. These changes would be in only the Spraydon products were asbestos is used. The printing will include a reference to advise caution label pertaining to asbestos.

ONE

CAUTION: This product contains asbestos

END

"CAUTION"

"One of the ingredients of the material in this bag is asbestos and persons exposed to dust that contains asbestos should take adequate precautions as inhalation of asbestos fibres may be harmful."

We ask for your formal approval of this procedural change.

FILE COPY

Yours very truly,

UNITED STATES GUNSEN COMPANY

D. K. Hansen, Sales Manager
Industrial Metal Sales

DEK:lb