

FILE NAME: Longview Fibre (LF)

DATE: 1978 Sept 28

DOC#: LF007

DOCUMENT DESCRIPTION: Dept of Labor Inspection Report with Citations



STATE OF WASHINGTON - DEPARTMENT OF LABOR & INDUSTRIES
DIVISION OF INDUSTRIAL SAFETY AND HEALTH
OLYMPIA, WASHINGTON 98504



CITATION & NOTICE

FORM NO. LI 418-9 (REV. 10/76)

ACTIVITY	REASON	REGION	COUNTY	IND. INSURANCE NO.	DATE OF ACTIVITY	SIC	REPORT NO.
HEALTH SURVEY	SPECIAL ENPH.	3	-08	700,116 000	09/28/77	26115	083226

LOCATION OF ESTABLISHMENT (SITE OF ACTIVITY)	DATE OF ACTIVITY	NO. EMPLOYED IN ESTABLISHMENT	NO. AFFECTED BY INSPECTION
K STREET LONGVIEW	09/09/77	2000	2000

MANAGEMENT OFFICIAL CONTACTED AND TITLE	CLOSING CONFERENCE EMPLOYER REP.
MILL JR	N H ANDERSON

EMPLOYER / ADDRESS / CITY	EMPLOYER WALK AROUND REP/TITLE
---------------------------	--------------------------------

LONGVIEW FIBRE CO
FIBER WAY - attn: Glen Rondeau
LONGVIEW WA 98632

GLEN RONDEAU
SAFE DIR

ASSISTANT DIRECTOR FOR
DIVISION OF INDUSTRIAL
SAFETY & HEALTH

WERE EMPLOYEE WALK AROUND
PRIVILEGES EXERCISED?
YES

WERE EMPLOYEES
INTERVIEWED?
YES

A copy of this Citation must be prominently posted immediately upon receipt at or near each place a violation referred to in the Citation occurred. (RCW 49.17.120) It must remain posted until all violations cited therein are corrected, or for three (3) working days, whichever period is longer.
Failure to correct alleged violations by the abatement date may result in a proposed penalty assessment. (RCW 49.17.140)

EMPLOYER: SEE REVERSE SIDE OF THIS FORM FOR NOTICE OF RIGHTS AND DUTIES REGARDING THIS CITATION.

NATURE OF ALLEGED VIOLATIONS OBSERVED DURING INSPECTION UNLESS OTHERWISE NOTED ALL CITATIONS ARE TO TITLE 296 WAC

ALLEGED CODE VIOLATIONS										DESCRIPTION OF ALLEGED VIOLATIONS / LOCATION		ABATEMENT DATE
NO.	TYPE	CHAP	SEC.	SUB DIV	SUB DIV	ITEM	SUB ITEM	SEG.				
1	N	024	08101	03				0		FAILURE TO REQUIRE EMPLOYEES USE OF ADEQUATE RESPIRATORS AS AN INTERIM CONTROL MEASURE WHEN EXPOSED TO EXCESSIVE CHLORINE GAS DURING THE OPERATION OF ACID FILTRATION SYSTEM AT THE BLEACH PLANT.		
										01. TESTER-1.42 X PEL		COMPLIED
										02. #1 PLANT OPERATOR-1.2 X PEL		COMPLIED
2	N	024	08109	05	A			0		FAILURE TO PROVIDE FITTING INSTRUCTIONS FOR EMPLOYEES TO COMPLY WITH THE FACEPIECE FITTING REQUIREMENT FOR RESPIRATORS. EMPLOYEES HAVE BEARD OR SIDEBURN WHICH WILL PREVENT A GOOD FACE SEAL OF RESPIRATORS.		
										01. BLEACH PLANT OPERATOR		12/29/77
										02. SULFATE DIGESTER OPERATOR		12/29/77
3	N	024	08103	03				0		FAILURE TO INSTRUCT AND TRAIN EMPLOYEES IN THE PROPER USE OF RESPIRATORS AND THEIR LIMITATION.		
										01. SULFATE DIGESTER OPERATOR		12/29/77
4	N	024	03101	02				0		FAILURE TO PROVIDE ADEQUATE RESPIRATORS TO PROTECT THE HEALTH OF THE EMPLOYEE IN CASE OF EMERGENCY AT THE FOLLOWING LOCATIONS:		
										01. SEMI-CHEM CONTROL ROOM		10/30/77

CONTINUED ON NEXT PAGE PAGE 1

TYPE CODES - D - De minimus N - Non Serious
S - Serious I - Immediate Restraint Ordered
(Any Of The Above Can Be Sufficient With)
W - For Willful or R - For Repeated Violations

SUB DIV - Appears As A Lower Case (Small) Alpha Character In The Washington Administrative Code.
ITEM - Appears As A Lower Case (Small) Roman Numeral In The Washington Administrative Code.
SEG - Appears As A Double Lower Case (Small) Alpha Character In The Washington Administrative Code.

RIGHTS OF EMPLOYEES OR REPRESENTATIVES OF EMPLOYEES: The Washington Industrial Safety and Health Act, Chapter 49.17 RCW, provides that an employee or representative of employees may appeal any time period set for abatement of conditions cited as violations in this notice. Such Notice of Appeal must refer to this CITATION & NOTICE and include the name of the employer and the date of the inspection and specify the violation and the abatement date appealed. The Notice of Appeal must be received by the Assistant Director for Industrial Safety and Health, Department of Labor and Industries, P.O. Box 207, Olympia, Washington 98504, within 15 working days of "communication of the notice." No person shall discharge or discriminate against any employee because such employee has exercised rights guaranteed him by the Act.

LF3 005344

ORIGINAL - EMPLOYER



DIVISION OF INDUSTRIAL SAFETY AND HEALTH
OLYMPIA, WASHINGTON 98504



CITATION & NOTICE

FORM NO. 11 4189 (REV. 10/76)

APPLY TO NO.	ACTIVITY	REASON	REGION	COUNTY	IND. INSURANCE NO.	DATE SENT TO EMPLOYER	SIC	REPORT NO.
W4335	FIELD INSPECTION	SPECIAL EMPH.	3	926	700,115,000	09/24/77	26115	083226

LOCATION OF ESTABLISHMENT (SITE OF ACTIVITY)

DATE OF ACTIVITY

NO. EMPLOYED

NO. AFFECTED

MANAGEMENT OFFICIAL CONTACTED AND TITLE

CLOSING CONFERENCE EMPLOYER REP.

EMPLOYER / ADDRESS / CITY

LONGVIEW FIBRE CO

CONTINUED FROM PAGE 1

EMPLOYER WALK AROUND REP/TITLE

GLEN RONDEAU

James P. Sullivan
ASSISTANT DIRECTOR FOR
DIVISION OF INDUSTRIAL
SAFETY & HEALTH

WERE EMPLOYEE WALK
AROUND PRIVILEGES EXERCISED?

WERE EMPLOYEES
INTERVIEWED?

A copy of this Citation must be prominently posted immediately upon receipt at or near each place a violation referred to in the Citation occurred. (RCW 49.17.120) It must remain posted until all violations cited therein are corrected, or for three (3) working days, whichever period is longer.
Failure to correct alleged violations by the abatement date may result in a proposed penalty assessment. (RCW 49.17.140)

EMPLOYER: SEE REVERSE SIDE OF THIS FORM FOR NOTICE OF RIGHTS AND DUTIES REGARDING THIS CITATION.

NATURE OF ALLEGED VIOLATIONS OBSERVED DURING INSPECTION UNLESS OTHERWISE NOTED ALL CITATIONS ARE TO TITLE 296 WAC									
ALLEGED CODE VIOLATIONS									
NO.	TYPE	CHAP.	SEC.	SUB-DIV.	ITEM	SUB-ITEM	DESCRIPTION OF ALLEGED VIOLATIONS / LOCATION	ABATEMENT DATE	
5	N	062	00130	02	D		02. NO. 14 RECOVERY FURNACE CONTROL ROOM	COMPLIED	
							03. OLD DIGESTER OPERATING DECK	10/30/77	
							04. CHIP BIN (OLD DIGESTER) CONTROL ROOM.	10/30/77	
							FAILURE TO PROVIDE ACCEPTABLE EMERGENCY WASHING FACILITIES WHERE WORKERS MAY BE EXPOSED TO HAZARDOUS CHEMICAL AGENTS		
							01. NO. 4 & NO. 5 MACHINE BEATER AREA WHERE SULFURIC ACID, HYDROCHLORIC ACID, AND SLIMICIDE ARE STORED.	01/28/78	
6	N	024	07801	01	O		02. OPERATING FLOOR OF OLD DIGESTER BUILDING LOCATED BY OPERATING PANEL ABOUT 5 FEET FROM CAUSTIC FEED.	01/28/78	
							FAILURE TO PROVIDE AND REQUIRE EMPLOYEES' USE OF EYE PROTECTIVE DEVICES WHERE THERE IS A REASONABLE PROBABILITY OF EYE INJURY.		
7	N	024	56531	01	O		01. MAINTENANCE MAN USED MASONRY SAW TO CUT BRICKS AT NO. 16 BOILER DECK	COMPLIED	
							02. AREA OR AISLE WAY OF NO. 12, 13, 16, 17, 20 AND 21 RECOVERY BOILERS	10/30/77	
							FAILURE TO MARK EXITS BY A READILY VISIBLE SIGN AT THE FOLLOWING LOCATIONS		
							01. SCREEN ROOM	11/29/77	

CONTINUED ON NEXT PAGE PAGE 2

TYPE CODES -- D - De minimus N - Non Serious
S - Serious I - Immediate Restrictant Ordered
(Any Of The Above Can Be Sulfixed With)
W - For Willfull or R - For Repeated Violations

SUB-DIV - Appears As A Lower Case (Small) Alpha Character In The Washington Administrative Code.
ITEM - Appears As A Lower Case (Small) Roman Numeral In The Washington Administrative Code.
SEC - Appears As A Double Lower Case (Small) Alpha Character In The Washington Administrative Code.

RIGHTS OF EMPLOYEES OR REPRESENTATIVES OF EMPLOYEES: The Washington Industrial Safety and Health Act, Chapter 49.17 RCW, provides that an employee or representative of employees may appeal any time period set for abatement of conditions cited as violations in this notice. Such Notice of Appeal must refer to this CITATION & NOTICE and include the name of the employer and the date of the inspection and specify the violation and the abatement date appealed. The Notice of Appeal must be received by the Assistant Director for Industrial Safety and Health, Department of Labor and Industries, P.O. Box 207, Olympia, Washington 98504, within 15 working days of "communication of the notice." No person shall discharge or discriminate against any employee because such employee has exercised rights guaranteed him by the Act.

LF3 005345

ORIGINAL - EMPLOYER



DIVISION OF INDUSTRIAL SAFETY AND HEALTH
OLYMPIA, WASHINGTON 98504



CITATION & NOTICE

FORM NO. L1 4189 (REV. 10/78)

ACTIVITY NO.	ACTIVITY	REASON	REGION	COUNTY	IND. INSURANCE NO.	NOTICE SENT TO EMPLOYEE	SIC	REPORT NO.
W4335	INDUSTRIAL SURVEY	SPECIAL EMPH.	3	003	700,116,000	09/23/77	26115	083226

LOCATION OF ESTABLISHMENT (SITE OF ACTIVITY)	DATE OF ACTIVITY	NO. EMPLOYED AT ESTABLISHMENT	NO. AFFECTED BY INSPECTION

MANAGEMENT OFFICIAL CONTACTED AND TITLE

CLOSING CONFERENCE EMPLOYER REP.

EMPLOYER / ADDRESS / CITY

LONGVIEW FIBRE CO

EMPLOYER WALK AROUND REP/TITLE

GLEN RONDEAU

CONTINUED FROM PAGE 2

James P. Sullivan
ASSISTANT DIRECTOR FOR
DIVISION OF INDUSTRIAL
SAFETY & HEALTH

WERE EMPLOYEE WALK AROUND
PRIVILEGES EXERCISED?

WERE EMPLOYEES
INTERVIEWED?

A copy of this Citation must be prominently posted immediately upon receipt at or near each place a violation referred to in the Citation occurred. (RCW 49.17.120) It must remain posted until all violations cited therein are corrected, or for three (3) working days, whichever period is longer.
Failure to correct alleged violations by the abatement date may result in a proposed penalty assessment. (RCW 49.17.140)

EMPLOYER: SEE REVERSE SIDE OF THIS FORM FOR NOTICE OF RIGHTS AND DUTIES REGARDING THIS CITATION.
NATURE OF ALLEGED VIOLATIONS OBSERVED DURING INSPECTION - UNLESS OTHERWISE NOTED ALL CITATIONS ARE TO TITLE 296 WAC

ALLEGED CODE VIOLATIONS										DESCRIPTION OF ALLEGED VIOLATIONS / LOCATION	ABATEMENT DATE
NO.	TYPE	CHAP.	SEC.	SUB SEC.	SUB DIV.	ITEM	SUB ITEM	SEG.			
										02. SULFATE DIGESTER BUILDING	11/29/77
										03. SULFATE DIGESTER WASHED ROOM	11/29/77
										04. SOUTH END SHOP-INSTRUMENT ROOM	11/29/77
8	N	024	73505	01		0				FAILURE TO MAINTAIN A CLEAR AISLE AND/OR PASSAGEWAY AT NO. 4 RECOVERY FURNACES BASEMENT TO PROVIDE READILY AVAILABLE USE OF EMERGENCY WASHING FACILITIES	COMPLIED
9	N	024	73507	0		0				FAILURE TO PROVIDE ACCEPTABLE GUARDRAIL ON PART OF THE WALKWAY NEAR TOP OF THE OPEN CHIP BIN IN THE OLD DIGESTER HOUSE. (ALSO SEE WAC 296-79-280(1)(E))	01/28/78
10	N	024	75003	08	A	0				FAILURE TO PROVIDE RAILING OR POST BARRICADING LOCATED BETWEEN MAIN STREET AND SULFUR BURNER AT NO. 6 WHITE MUD THICKENER AREA TO PREVENT PERSONNEL FROM FALLING INTO THE OPEN PIT.	COMPLIED
11	N	104	00125	0		0				FAILURE TO POST THE CERTIFICATION OF COMPRESSED AIR TANK LOCATED AT THE SANDBLASTING ROOM.	10/30/77
12	N	062	14517	01	C	0				FAILURE TO POST OR BARRICADE AREAS TO PREVENT UNAUTHORIZED PERSONNEL FROM ENTRY INTO CONFINED SPACES (PAPER SIDE SULFATE DIGESTER) WHILE THE DIGESTER WAS UNDER REPAIR	12/29/77
13	N	062	14525	07		0				FAILURE TO PROVIDE EMERGENCY LIGHTING FOR ENTRY INTO CONFINED SPACES.	12/29/77

CONTINUED ON NEXT PAGE PAGE 3

* TYPE CODES - D - De minimus S - Serious (Any Of The Above Can Be Suffix With) W - For Willful or R - For Repeated Violations	N - Non Serious I - Immediate Restraint Ordered	* SUB DIV - Appears As A Lower Case (Small) Alpha Character In The Washington Administrative Code * ITEM - Appears As A Lower Case (Small) Roman Numeral In The Washington Administrative Code. * SEG - Appears As A Double Lower Case (Small) Alpha Character In The Washington Administrative Code.
---	--	---

RIGHTS OF EMPLOYEES OR REPRESENTATIVES OF EMPLOYEES: The Washington Industrial Safety and Health Act, Chapter 49.17 RCW, provides that an employee or representative of employees may appeal any time period set for abatement of conditions cited as violations in this notice. Such Notice of Appeal must refer to this CITATION & NOTICE and include the name of the employer and the date of the inspection and specify the violation and the abatement date appealed. The Notice of Appeal must be received by the Assistant Director for Industrial Safety and Health, Department of Labor and Industries, P.O. Box 207, Olympia, Washington 98504, within 15 working days of "communication of the notice." No person shall discharge or discriminate against any employee because such employee has exercised rights guaranteed him by the Act.

ORIGINAL - EMPLOYER

LF3 005346



DIVISION OF INDUSTRIAL SAFETY AND HEALTH
OLYMPIA, WASHINGTON 98504



CITATION & NOTICE

FORM NO. LI 4189 (REV. 10/76)

ALTY ID NO.	ACTIVITY	REASON	REGION	COUNTY	IND INSURANCE NO	NOTICE SENT TO EMPLOYER	SIC	REPORT NO.	
W-3-3	HEALTH SURVEY	SPECIAL EMPH.	3	003	700,110	000	09/23/77	26115	033226

LOCATION OF ESTABLISHMENT (SITE OF ACTIVITY)

DATE OF ACTIVITY

NO. EMPLOYED BY ESTABLISHMENT

NO. AFFECTED BY INSPECTION

MANAGEMENT OFFICIAL CONTACTED AND TITLE

CLOSING CONFERENCE EMPLOYER REP.

EMPLOYER / ADDRESS / CITY

EMPLOYER WALK AROUND REP/TITLE

LONGVIEW FIBRE CO

GLEN RONDEAU

CONTINUED FROM PAGE 3

James Sullivan
ASSISTANT DIRECTOR FOR
DIVISION OF INDUSTRIAL
SAFETY & HEALTH

WERE EMPLOYEE WALK AROUND
PRIVILEGES EXERCISED?

WERE EMPLOYEES
INTERVIEWED?

A copy of this Citation must be prominently posted immediately upon receipt at or near each place a violation referred to in the Citation occurred. (RCW 49.17.120) It must remain posted until all violations cited therein are corrected, or for three (3) working days, whichever period is longer.
Failure to correct alleged violations by the abatement date may result in a proposed penalty assessment. (RCW 49.17.140)

EMPLOYER: SEE REVERSE SIDE OF THIS FORM FOR NOTICE OF RIGHTS AND DUTIES REGARDING THIS CITATION.

STATE OF WASHINGTON: NATURE OF ALLEGED VIOLATIONS OBSERVED DURING INSPECTION: UNLESS OTHERWISE NOTED ALL CITATIONS ARE TO TITLE 296 WAC.

ALLEGED CODE VIOLATIONS										DESCRIPTION OF ALLEGED VIOLATIONS / LOCATION	ABATEMENT DATE
NO	TYPE	CHAP.	SEC.	SUB SEC	SUB DIV	ITEM	SUB ITEM	SEG			
14	N	079	00050	03	C	0				NOT IN WRITTEN PROCEDURES FAILURE TO REQUIRE EMPLOYEE USE OF PERSONAL HEARING PROTECTIVE EQUIPMENT WHEN EXPOSED TO EXCESSIVE NOISE (ALSO WAC 296-62-09011(1)) 01.BOX PLANT-NO.1 FLEXO-FOLDER GLUER (AUG. 95DBA).	COMPLIED
15	N	079	00050	03	B	0				FAILURE TO IMPLEMENT AND/OR REQUIRE THE USE OF FEASIBLE ENGINEERING OR ADMINISTRATIVE CONTROLS TO PROTECT EMPLOYEES FROM EXPOSURE TO EXCESSIVE NOISE 01.ROLL GRINDER OF #10 MACHINE BASEMENT GRINDING A THINWALL STEEL FELT ROLL FOR WHICH WATER MAY BE USED TO FILL HOLLOW ROLL AND THEREBY REDUCE NOISE (AUG. 94DBA)	COMPLIED
16	N	062	07005	0		0				FAILURE TO PROVIDE SPLASH GUARDS AT H2SO4 GRAVITY FEED LINES TO CONTROL HAZARDOUS CHEMICAL AGENTS 01.HEAD END OF NO. 5 PAPER MACHINE 02.LEFT SIDE OF NO. 1 PAPER MACHINE	COMPLIED COMPLIED
17	N	062	07517	06	A	0				FAILURE TO COMPLY WITH ASBESTOS MONITORING REQUIREMENTS IN THAT INITIAL DETERMINATIONS WERE NOT	COMPLIED

CONTINUED ON NEXT PAGE PAGE 4

TYPE CODES - D - De minimus N - Non Serious
S - Serious I - Immediate Restraint Ordered
(Any Of The Above Can Be Suffix With)
W - For Waiver or R - For Repeated Violations

SUB DIV - Appears As A Lower Case (Small) Alpha Character In The Washington Administrative Code.
ITEM - Appears As A Lower Case (Small) Roman Numeral In The Washington Administrative Code.
SEG - Appears As A Double Lower Case (Small) Alpha Character In The Washington Administrative Code.

RIGHTS OF EMPLOYEES OR REPRESENTATIVES OF EMPLOYEES: The Washington Industrial Safety and Health Act, Chapter 49.17 RCW, provides that an employee or representative of employees may appeal any time period set for abatement of conditions cited as violations in this notice. Such Notice of Appeal must refer to this CITATION & NOTICE and include the name of the employer and the date of the inspection and specify the violation and the abatement date appealed. The Notice of Appeal must be received by the Assistant Director for Industrial Safety and Health, Department of Labor and Industries, P.O. Box 207, Olympia, Washington 98504, within 15 working days of "communication of the notice." No person shall discharge or discriminate against any employee because such employee has exercised rights guaranteed him by the Act.

LF3 005347

ORIGINAL - EMPLOYER



DIVISION OF INDUSTRIAL SAFETY AND HEALTH
OLYMPIA, WASHINGTON 98504



CITATION & NOTICE

FORM NO. LI 418-9 (REV. 10/76)

ALLEGED NO.	ACTIVITY	REASON	REGION	COUNTY	IND. INSURANCE NO.	DATE SENT TO EMPLOYER	SIC	REPORT NO.
W435	HEAVY DUTY	SP. CIAL ENPH.	3	03	700,115,000	09/28/77	2611	033226

LOCATION OF ESTABLISHMENT (SITE OF ACTIVITY)

MANAGEMENT OFFICIAL CONTACTED AND TITLE

CLOSING CONFERENCE EMPLOYER REP.

EMPLOYER / ADDRESS / CITY

LONGVIEW FIBRE CO

EMPLOYER WALK AROUND REP/TITLE

GLEN RONDEAU

CONTINUED FROM PAGE 4

James P. Sullivan
ASSISTANT DIRECTOR FOR
DIVISION OF INDUSTRIAL
SAFETY & HEALTH

WERE EMPLOYEE WALK AROUND
PRIVILEGES EXERCISED?

WERE EMPLOYEES
INTERVIEWED?

A copy of this Citation must be prominently posted immediately upon receipt at or near each place a violation referred to in the Citation occurred. (RCW 49.17.120) It must remain posted until all violations cited therein are corrected, or for three (3) working days, whichever period is longer.
Failure to correct alleged violations by the abatement date may result in a proposed penalty assessment. (RCW 49.17.140)

EMPLOYER: SEE REVERSE SIDE OF THIS FORM FOR NOTICE OF RIGHTS AND DUTIES REGARDING THIS CITATION.

NATURE OF ALLEGED VIOLATIONS OBSERVED DURING INSPECTION UNLESS OTHERWISE NOTED ALL CITATIONS ARE TO TITLE 296 WAC

ALLEGED CODE VIOLATIONS										DESCRIPTION OF ALLEGED VIOLATIONS / LOCATION	ABATEMENT DATE
NO	TYPE	CHAP	SEC	SUB SEC	SUB DIV	ITEM	SUB ITEM	SEG			
18	N	062	07517	10	A	0				MADE FOR ASBESTOS AT THE DRY END OF NO. 10 PAPER MACHINE	
										FAILURE TO PROVIDE A COMPREHENSIVE MEDICAL EXAMINATION, AS REQUIRED BY THIS SECTION, TO EMPLOYEES HAVING OCCUPATIONAL EXPOSURE TO AIRBORNE CONCENTRATIONS OF ASBESTOS FIBERS AT THE DRY END OF NO. 10 PAPER MACHINE ($> OR = 0.1F/CC$)	01/28/78
19	NR	079	00020	01		0				FAILURE TO KEEP AISLE WAYS AND WALKWAYS CLEAR OF OIL, GREASE, AND WATER, ETC THAT MAY CAUSE SLIPPING OR FALLING, IN THE FOLLOWING AREAS:	
										01. SLIPPERY SURFACE IN #2 KILN SLAKER AREA WHERE THE NON-CONDENSABLE WHITE LIQUOR HAS DRAINED	COMPLIED
										02. OILY SURFACE IN THE CENTRAL MILL UNLOADING DECK AREA.	COMPLIED
										* 010106401006003006018J	
										* 14148110N117117117999J	
										* 00008110A017017017034J	
										* 06069130F004004004066J	
										* 00009210F001001003003J	
										* 00000560001001002006J	

CONTINUED ON NEXT PAGE PAGE 5

• TYPE CODES - D - De minimus N - Non Serious
S - Serious I - Immediate Restraint Ordered
(Any Of The Above Can Be Satisfied With)
W - For Willful or R - For Repeated Violations

• SUB DIV - Appears As A Lower Case (Small) Alpha Character In The Washington Administrative Code
• ITEM - Appears As A Lower Case (Small) Roman Numeral In The Washington Administrative Code
• SEG - Appears As A Double Lower Case (Small) Alpha Character In The Washington Administrative Code

RIGHTS OF EMPLOYEES OR REPRESENTATIVES OF EMPLOYEES: The Washington Industrial Safety and Health Act, Chapter 49.17 RCW, provides that an employee or representative of employees may appeal any time period set for abatement of conditions cited as violations in this notice. Such Notice of Appeal must refer to this CITATION & NOTICE and include the name of the employer and the date of the inspection and specify the violation and the abatement date appealed. The Notice of Appeal must be received by the Assistant Director for Industrial Safety and Health, Department of Labor and Industries, P.O. Box 207, Olympia, Washington 98504, within 15 working days of "communication of the notice." No person shall discharge or discriminate against any employee because such employee has exercised rights guaranteed him by the Act.

LF3 005348

ORIGINAL - EMPLOYER



DIVISION OF INDUSTRIAL SAFETY AND HEALTH
OLYMPIA, WASHINGTON 98504



CITATION & NOTICE

FORM NO. L1 418-9 (REV. 10/76)

APPLY TO NO.	ACTIVITY	REASON	REGION	COUNTY	IND. INSURANCE NO.	NOTICE SENT TO EMPLOYER	SIC	REPORT NO.
W4395	IN SUPPLY	SPECIAL ENCL.	5	008	700,116	000	09/28/77	26115 083226

LOCATION OF ESTABLISHMENT (SITE OF ACTIVITY)	DATE OF ACTIVITY	NO. EMPLOYED IN ESTABLISHMENT	NO. AFFECTED BY INSPECTION
--	------------------	-------------------------------	----------------------------

MANAGEMENT OFFICIAL CONTACTED AND TITLE	CLOSING CONFERENCE EMPLOYER REP.
---	----------------------------------

EMPLOYER / ADDRESS / CITY	EMPLOYER WALK AROUND REP./TITLE
LONGVIEW FIBRE CO	GLEN RUNDEAU

CONTINUED FROM PAGE 5

James Sullivan

ASSISTANT DIRECTOR FOR
DIVISION OF INDUSTRIAL
SAFETY & HEALTH

WERE EMPLOYEE WALK AROUND
PRIVILEGES EXERCISED?

WERE EMPLOYEES
INTERVIEWED?

A copy of this Citation must be prominently posted immediately upon receipt at or near each place a violation referred to in the Citation occurred. (RCW 49.17.120) It must remain posted until all violations cited therein are corrected, or for three (3) working days, whichever period is longer.
Failure to correct alleged violations by the abatement date may result in a proposed penalty assessment. (RCW 49.17.140)

EMPLOYER: SEE REVERSE SIDE OF THIS FORM FOR NOTICE OF RIGHTS AND DUTIES REGARDING THIS CITATION.

NOTE: NATURE OF ALLEGED VIOLATIONS OBSERVED DURING INSPECTION UNLESS OTHERWISE NOTED ARE CITATIONS ARE 103 TITLE 29B WAC.

ALLEGED CODE VIOLATIONS										DESCRIPTION OF ALLEGED VIOLATIONS / LOCATION	ABATEMENT DATE
NO.	TYPE	CHAP.	SEC.	SUB-SEC.	SUB-DIV.	ITEM	SUB-ITEM	SEQ.			
										* 00001480D003003003012J	
										* 05052310J0000000012099J	
										* 00002290D001001003012J	
										* 05051405J0000000012099J	
										* 05052260J0000000012099J	
										* 04040640D0001001004016J	
										* 00000614J0000000012012J	
										* 00005180N015003012012J	
										* 00000530J0000000002009J	
										* 00001989J0000000001004J	
										* 00008290J0000000005005J	
										* 00008340R0000000004004J	
										* ITEM NUMBER 19 IS CITED AS A REPEAT OF THAT VIOLATION CITED AS ITEM NUMBER 1 ON CITATION AND NOTICE NUMBER 107494 ISSUED ON 01/17/77.	
										* PEL MEANS PERMISSIBLE EXPOSURE LIMIT	
										* THE FOLLOWING INFORMATION IS PROVIDED FOR YOUR REFERENCE:	
										* 1. EFFORTS MUST BE MAINTAINED REGARDING FURTHER IMPLEMENTATION OF ENGINEERING CONTROLS FOR	

CONTINUED ON NEXT PAGE PAGE 6

* TYPE CODES - D - De minimus N - Non Serious
S - Serious I - Immediate Restraint Ordered
(Any Of The Above Can Be Sullied With)
W - For Willful or R - For Repeated Violations

* SUB DIV - Appears As A Lower Case (Small) Alpha Character In The Washington Administrative Code
* ITEM - Appears As A Lower Case (Small) Roman Numeral In The Washington Administrative Code
* SEQ. - Appears As A Double Lower Case (Small) Alpha Character In The Washington Administrative Code

RIGHTS OF EMPLOYEES OR REPRESENTATIVES OF EMPLOYEES: The Washington Industrial Safety and Health Act, Chapter 49.17 RCW, provides that an employee or representative of employees may appeal any time period set for abatement of conditions cited as violations in this notice. Such Notice of Appeal must refer to this CITATION & NOTICE and include the name of the employer and the date of the inspection and specify the violation and the abatement date appealed. The Notice of Appeal must be received by the Assistant Director for Industrial Safety and Health, Department of Labor and Industries, P.O. Box 207, Olympia, Washington 98504, within 15 working days of "communication of the notice." No person shall discharge or discriminate against any employee because such employee has exercised rights guaranteed him by the Act.

LP3 005349

ORIGINAL - EMPLOYER



DIVISION OF INDUSTRIAL SAFETY AND HEALTH
OLYMPIA, WASHINGTON 98504



CITATION & NOTICE

FORM NO. LI 418-9 (REV. 10/78)

SAFETY NO.	ACTIVITY	REASON	REGION	COUNTY	IND. INSURANCE NO.	NOTICE SENT TO EMPLOYER	SIC	REPORT NO.
W4330	HAZARDOUS	SPECIAL ENPH.	3	NO	700,110	09/23/77	28115	083220

LOCATION OF ESTABLISHMENT (SITE OF ACTIVITY)

MANAGEMENT OFFICIAL CONTACTED AND TITLE

CLOSING CONFERENCE EMPLOYER REP.

EMPLOYER / ADDRESS / CITY

LUNGVIER FIBRE CO

EMPLOYER WALK AROUND REP/TITLE

GLEN RONDEAU

CONTINUED FROM PAGE 6

James Sullivan
ASSISTANT DIRECTOR FOR
DIVISION OF INDUSTRIAL
SAFETY & HEALTH

WERE EMPLOYEE WALK AROUND
PRIVILEGES EXERCISED?
WERE EMPLOYEES
INTERVIEWED?

A copy of this Citation must be prominently posted immediately upon receipt at or near each place a violation referred to in the Citation occurred. (RCW 49.17.120) It must remain posted until all violations cited therein are corrected, or for three (3) working days, whichever period is longer.
Failure to correct alleged violations by the abatement date may result in a proposed penalty assessment. (RCW 49.17.140)

EMPLOYER: SEE REVERSE SIDE OF THIS FORM FOR NOTICE OF RIGHTS AND DUTIES REGARDING THIS CITATION.

NATURE OF ALLEGED VIOLATIONS OBSERVED DURING INSPECTION: UNLESS OTHERWISE NOTED, ALL CITATIONS ARE TO TITLE 296 WAC.

ALLEGED CODE VIOLATIONS										DESCRIPTION OF ALLEGED VIOLATIONS / LOCATION	ABATEMENT DATE
NO.	TYPE	CHAP.	SEC.	SUB-SEC.	SUB-DIV.	ITEM	SUB-ITEM	SEC.			
										* NOISE. AT SUCH TIME AS * FEASIBLE TECHNOLOGY DEVELOPS * AND BECOMES AVAILABLE, * FURTHER COMPLIANCE ACTIVITY * WILL BE INITIATED. * * 2. MAINTENANCE PERSONNEL MUST * BE INCLUDED IN THE COMPANY'S * HEARING CONSERVATION PROGRAM * IN THAT THEY ARE SOMETIMES * AT RISK WHEN WORKING IN * EXCESSIVELY NOISY AREAS. * PROPER SUPERVISORY RESPONSIBILITIES * MUST BE DEFINED FOR * MANAGEMENT AND FOLLOWED * BY EMPLOYEES IN WEARING EAR PROTECTION * * 3. ALL EMPLOYEES SHOULD RECEIVE * PROPER INSTRUCTION AND TRAINING * ON THE HAZARDS AND SAFE USES * OF THE CHEMICALS RELATED * TO THEIR WORK AND WORKING * ENVIRONMENT. * * THE ASSISTANCE OF BOTH LABOR * AND MANAGEMENT WAS GREATLY * APPRECIATED BY THE DEPARTMENT * IN COMPLETING THIS SURVEY * * THE TYPES OF VIOLATIONS ON THIS * CITATION ARE IDENTIFIED AND / OR * DEFINED IN RCW 49.17.180.	

PAGE 7

TYPE CODES - 0 - De minimis N - Non Serious
1 - Serious I - Immediate Restriction Ordered
(Any Of The Above Can Be Sullied With)
W - For Willful or R - For Repeated Violations

SUB DIV - Appears As A Lower Case (Small) Alpha Character In The Washington Administrative Code.
ITEM - Appears As A Lower Case (Small) Roman Numeral In The Washington Administrative Code.
SEC - Appears As A Double Lower Case (Small) Alpha Character In The Washington Administrative Code.

RIGHTS OF EMPLOYEES OR REPRESENTATIVES OF EMPLOYEES: The Washington Industrial Safety and Health Act, Chapter 49.17 RCW, provides that an employee or representative of employees may appeal any time period set for abatement of conditions cited as violations in this notice. Such Notice of Appeal must refer to this CITATION & NOTICE and include the name of the employer and the date of the inspection and specify the violation and the abatement date appealed. The Notice of Appeal must be received by the Assistant Director for Industrial Safety and Health, Department of Labor and Industries, P.O. Box 207, Olympia, Washington 98504, within 15 working days of "communication of the notice." No person shall discharge or discriminate against any employee because such employee has exercised rights guaranteed him by the Act.

LF3 005350

ORIGINAL - EMPLOYER