




GLD34749



*ENDURANCE EXTERIOR BASECOAT Y-1851

Exterior primer for new wood and previously painted wood that is badly weathered or chalked. Use it to spot-prime bare spots resulting from peeling and flaking. Made from specially prepared oils to produce the elasticity, adhesion and control penetration necessary for finest exterior paint jobs

APPLICATION—Brush, Spray

DRYING TIME—48 hours for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—450 to 500 Sq. Ft. per gallon

*ENDURANCE HOUSE PAINT Y-1800 LINE

For Siding, Trim and Shutters

Contains more heavy-bodied, pure linseed oil per gallon for longer life; pure white lead for added strength, water-resistance and extra durability; titanium for whiteness and hiding; zinc oxide to combat mildew, magnesium silicate for protection against cracking and checking. The exclusive Glidden formula makes this the finest, longest-lasting, self-cleaning exterior house paint manufactured. May be tinted with DRAMATONE Tinting Colors.

Outside White, Y1800	—	—	—	—
Regular Colors and Black, Y1800 Line	—	—	—	—
Non-Chalking Trim White, Y1892	—	—	—	—
Crylite Green, Y1828	—	—	—	—
Deep Turquoise, Y1870	13.04	3.79	2.04	—
Shutter Green, Y1861	9.04	2.75	1.54	—
Dark Walnut; Dark Blue, Y1872, Y1871	7.74	2.40	1.40	—

APPLICATION—Brush, Spray, Roller

DRYING TIME—16 hours; recoat in 72 hours

THINNER—Mineral Spirits or Turpentine

COVERAGE—550 Sq. Ft. per gallon

*ENDURANCE HOUSE PAINT Y-1850

Mildew and Fume-Resistant

A deluxe, Super White House Paint—ideal for the finest homes. Excellent for exterior wood, masonry and metal in any climate. A Non-staining House Paint that stays white and bright for years. Especially suited for industrial areas, where homes are subjected to chemical fumes, heavy smog and smoke. Its formulation makes it ideal for farm buildings and fences. Combats mold, mildew and the roughest year-round weather

APPLICATION—Brush, Spray

THINNER—Mineral Spirits or Turpentine

DRYING TIME—16 hours; 72 hours for recoating

COVERAGE—Up to 550 Sq. Ft. per gallon

ENDURANCE HOUSE PAINT, PASTEL COLORS Y-1800 line

Pastel colors are easily obtained by tinting existing colors of ENDURANCE HOUSE PAINT or NON-CHALKING TRIM WHITE Y1892 with DRAMATONE Tinting Colors. See ENDURANCE HOUSE PAINT Color Card.

* AVAILABLE IN 3-GAL. CANS
AT 15¢ PER GALLON LESS THAN 1-GAL. PRICES.

GLD34750



*FLORENAMEL (Alkyd) Y-850 line

An alkyd enamel with extra durability, for use on porches, floors of wood and concrete, canvas decks, railings — inside and outside. Will not waterspot; standing pools of water do not affect it. FLORENAMEL gives concrete basement floors and walls a mirror-like enamel finish. It's scrubbable. FLORENAMEL is made to take the roughest wear and weather. May be tinted with DRAMATONE Tinting Colors. All colors

APPLICATION—Brush, Spray

DRYING TIME—12 hours

THINNER—Turpentine or Mineral Spirits

COVERAGE—500 to 600 Sq. Ft. per gallon

Gals.

Qts.

Pts.

½ Pts.

7.65

2.45

—

—

*GLIDDENCOAT (White Enamel Undercoat) Y-555

A perfect enamel undercoat for woodwork. Produces a firm opaque film to hold out succeeding coats of finishing enamel, making it possible to secure full luster and depth of gloss. Works easily, flows evenly without showing brush marks and requires only light sanding. Can be tinted with Colors-In-Oil or DRAMATONE Tinting Colors

APPLICATION—Brush, Spray

DRYING TIME—Overnight for sanding and recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—500 Sq. Ft. per gallon

6.50

2.10

1.22

.83

GLIDE-ON, SPRED

See: SPRED Products Section

GLID STRIP (Non-Flammable) Y-74

Wash Away Paint and Varnish Remover

A non-flammable, water-rush paint and varnish remover that stays wet longer and permits working on larger areas. Has less tendency to run and sag on upright surfaces due to its heavy body. Easy to use. Just brush it on, wait a few minutes, then wash it off with water. GLID STRIP also acts as a cleaner for old, hardened nylon and pure bristle paint and varnish brushes. Will soften latex paints for easy removal

6.94

2.32

1.27

.82

GLID-TONE CRYSTALACQ (Brushing Lacquer) Y-2840

A crystal clear, quick-drying, water and wear-resistant lacquer finish for brush application. Easy to use. Excellent for floors, woodwork, furniture, linoleum, etc.

APPLICATION—Brush

DRYING TIME—1 to 6 hours, depending on surface

THINNER—Glid-Tone Crystalacq Reducer

COVERAGE—300 Sq. Ft. per gallon

GLID-TONE CRYSTALACQ REDUCER, Y2822

Special Thinner for Crystalacq

7.70

2.39

1.37

—

—

—

1.10

—

* AVAILABLE IN 5-GAL. CANS
AT 15¢ PER GALLON LESS THAN 1-GAL. PRICES.

GLD34751



GLID-TONE SPAR VARNISH Y-48

Extra durable spar varnish for exterior surfaces exposed to weather. Recommended as the finest varnish available for exterior use — spars, hulls, decks, house sidings, paneling, porch ceilings, outdoor furniture, etc. Makes perfect finish over Glid-Tone Stain on exterior surfaces

APPLICATION—Brush

DRYING TIME—8 hours; 48 hours for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—650 Sq. Ft. per gallon

GLID-TONE VARNISH STAIN Y-1201-02-03

Stains and varnishes in one operation. Dries quickly, to a high lustre. For use on furniture, woodwork and floors. Unusually waterproof

APPLICATION—Brush, Spray

DRYING TIME—4 to 6 hours; 24 hours for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—600 Sq. Ft. per gallon

GLID-TONE WOOD STAIN Y-242 line

An all-purpose, pigmented wiping stain for all types of wood, plywood and veneer, exterior and interior surfaces. Especially suitable for knotty pine wood paneling in recreation rooms. Excellent for use on new or old furniture, woodwork, cabinets, wall paneling and floors. GLID-TONE Stain heightens the beauty of the wood grain. Holds color evenly. May be coated with varnish, shellac or lacquer. May be tinted with DRAMATONE Tinting Colors to produce additional beautiful colors.

APPLICATION—Wiping Cloth, Brush

DRYING TIME—12 hours Stains, All Colors

THINNER—Glid-Tone Stain Reducer

GLID-TONE STAIN REDUCER Y-251

Gals.	Qts.	Pts.	½ Pts.
9.55	2.80	1.57	1.01
7.55	2.35	1.33	.88
5.90	1.95	1.16	.78
3.65	1.35	.85	.66



***SPRED HOUSE PAINT Y-3600 line**
(100% Latex Exterior Paint)

A new blister-resistant house paint for exterior wood and masonry. May be applied without primer over sound previously painted surfaces which are in good condition. Has a remarkable fast drying time of thirty minutes, which practically eliminates damage from bugs, rain and dust. May be applied over damp surfaces. Has long lasting velvet-like sheen. Once the Spred House Paint system is used on a house, future paintings will require only one coat.

White and Colors

APPLICATION—Brush, Roller, Spray Gun

DRYING TIME—4 hours for recoating

THINNER—Water

COVERAGE—Approx. 450 Sq. Ft. per gal. on smooth surface

***SPRED HOUSE PAINT WHITE TINT BASE—Y3625**

***SPRED PRIMECOAT #1 Y-3651**
(Thin With Mineral Spirits)

Spred Primecoat #1 provides a firm foundation on new or unpainted exterior surfaces. The ideal undercoat that creates the finest possible two coat paint job when used under Spred House Paint. Excellent also for recoating badly weathered or porous surfaces that have been previously painted. This primecoat has been especially formulated for Spred House Paint

APPLICATION—Brush, Roller, Spray Gun

DRYING TIME—48 Hours

THINNER—Turpentine or Mineral Spirits

COVERAGE—450-550 Sq. Ft. per gallon

***SPRED GLIDE-ON Y-3500 line**
(Vinyl-Latex Exterior Masonry Paint)

An exterior vinyl-latex masonry paint, unaffected by the alkalinity found in all masonry surfaces. Designed for use on stucco, concrete, brick, concrete block, cinder block, asbestos shingle and panel siding, unglazed tile and primed metal. Keeps out moisture yet the surface "breathes" to let vapor escape from inside. A tough vinyl film that resists driving rains, hottest sunshine, mildew, snow and ice, sea air and salt water spray, strongest smog, dust and chemical fumes. Resists cracking, peeling, fading, blistering, acid and alkali action.

White and Colors

APPLICATION—Brush, Roller, Spray

DRYING TIME—Overnight for recoating

THINNER—Water

COVERAGE—Up to 400 Sq. Ft. per gallon

*AVAILABLE IN 5-GAL. CANS
AT 15¢ PER GALLON LESS THAN 1-GAL. PRICES.

	Gals.	Qts.	Pts.	½ Pts.
	7.98	2.45	—	—
	7.98	2.45	—	—
	7.98	2.45	—	—
	7.05	2.20	—	—

GLD34753



SPRED PATCH Y-3475

(100% Latex Spackling Compound)

A ready-to-use spackling compound. Will not bleed through paint, or flash. Does not shrink. Dries to a "puff" which may be easily sanded. Does not clog sandpaper. Excellent adhesion

APPLICATION—Putty Knife

DRYING TIME—30 minutes

THINNER—Water

SPRED FLAT Y-3000

(Oil-Emulsion Interior Paint)

One gallon makes six quarts of paint when mixed with two quarts of water. Easy to apply over wallpaper, new or old plaster, wallboard, painted surfaces, cement and rough tile walls. Has limited washability.

White

APPLICATION—Brush, Roller, Spray

DRYING TIME—30 minutes; recoat 4 to 12 hours, depending upon surface

THINNER—Water

COVERAGE—Up to 650 Sq. Ft. per gallon

Gals.	Qts.	Pts.	½ Pts.
4.75	1.70	4 oz. Tube .51	.70
4.95	1.73	—	—

GLD34754



JAPALAC SPRAY ENAMEL Y-4000 line

In Ready-To-Spray Cans

All-purpose, interior-exterior enamel in pressurized, aerosol cans ready for immediate spraying. Extra-durable, quick-drying enamel of brilliant beauty. Gives professional appearance to porch and lawn furniture, bicycles, toys, tables, chairs, etc. Ideal for wickerwork. Colors match regular JAPALAC Alkyd Enamel colors. In addition, JAPALAC SPRAY ENAMEL is available in ready-to-spray interior-exterior Aluminum, rich Gold, and a clear finish.

White, All Colors, and Clear

APPLICATION—Spray

DRYING TIME—Ten minutes

Gals.

Qts.

Pts.

½ Pts.

16 Av. Oz.
Can

1.59

LACQUER

See: Glid-Tone Crystalacq (Brushing Lacquer)

LATEX PAINTS

See: SPRED Products Section

LINOLEUM COATING

See: Glid-Tone Crystalacq

*LIQUID RED LEAD (Modified) Y-506

Recommended whenever a shop coat of red lead is specified. Comes ready to apply, is extremely elastic and is an excellent rust preventative

APPLICATION—Brush, Spray

DRYING TIME—16 hours; 48 hours for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—500 to 600 Sq. Ft. per gallon

8.90

2.73

1.57

1.01

MACHINERY ENAMEL

See: Rustmaster Enamel; Japalac

MASONRY FINISHES

See: SPRED House Paint; Silicone Driwall; SPRED Glide-On

*METALLITE ALL PURPOSE ALUMINUM Y-592

An extremely smooth, chrome-like aluminum finish for use on radiators, furnace jackets, airducts, hot water tanks and heaters, pipes and other interior surfaces. Will not tarnish under ordinary conditions. It maintains its brilliance. Makes an excellent sealer over asphalt. Retards corrosion caused by fumes and moisture. Withstands heat up to 500°F. Hides with one coat. Easily cleaned. Reflects light

APPLICATION—Brush, Roller, Spray

DRYING TIME—2 to 4 hours; 24 hours for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—650 Sq. Ft. per gallon

7.04

2.22

1.30

.84

*AVAILABLE IN 5-GAL. CANS

AT 13¢ PER GALLON LESS THAN 1-GAL. PRICES.

GLD34755



RIPOLIN UNDERCOAT Y-2555

A perfect first coat for new wood or previously painted surfaces. Dries to a firm opaque film. Especially designed for use with Ripolin Semi-Gloss and Gloss Enamels. Completely hides and seals a surface so that finishing coats of Ripolin Enamel produce full luster and depth of gloss. Requires only light sanding. May be tinted with Colors-In-Oil or DRAMATONE Tinting Colors

APPLICATION—Brush, Spray

DRYING TIME—Overnight for sanding and recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—500 Sq. Ft. per gallon

Gals.

Qts.

Pts.

½ Pts.

7.40

2.35

1.37

—

RIPOLIN YACHTING FINISHES

(PRICES UPON REQUEST)

*ROCKSPAR VARNISH Y-50

Heavy bodied varnish for all interior surfaces. One coat equivalent to two coats of ordinary varnish. No shrinkage on drying. Dries with deep high gloss

APPLICATION—Brush

DRYING TIME—Overnight; 24 hours for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—Up to 700 Sq. Ft. per gallon

8.10

2.50

1.44

.92

RUSTMASTER GLOSS ENAMEL Y-470 line

A high quality versatile enamel of excellent quality. It has exceptional ease of application and may be applied by brushing, or spraying as a finish coat over metal with Y470 or Y471 Rustmaster Primer. Rustmaster Gloss Enamel guards against rusting of machinery and equipment in the factory and on the farm as well as metal surfaces around the home and schools such as metal window frames and casings, iron fences, railings, bicycles, lawn mowers, playground equipment, etc.

Royal Blue, Greenfield, Slate, Gloss Black, Flat Black, Aluminum.....

Suntone, Flame Red

White

APPLICATION—Brush or Spray

DRYING TIME—Overnight

THINNER—Turpentine or Mineral Spirits for Brushing; VM & P

Naphtha for Spraying

COVERAGE—Up to 500 Sq. Ft. per gallon

8.85

2.70

1.54

.98

8.85

2.70

1.54

.98

8.85

2.70

1.54

.98

RUSTMASTER METAL PRIMER Y-470

A new, unexcelled, fast drying corrosion resistant exterior and interior metal primer containing revolutionary Phenolic Resin Penetrating Liquid (U.S. Patent No. 2978424) that cuts through rust and seals metal pores, locking out air and corrosive moisture. A finish coat of Rustmaster Enamel will provide an exceptionally durable coating

APPLICATION—Brush or Spray

DRYING TIME—Overnight

THINNER—Turpentine or Mineral Spirits for brushing; VM & P

Naphtha for spraying

COVERAGE—Up to 500 Sq. Ft. per gallon

8.85

2.70

1.54

.98

*AVAILABLE IN 5-GAL. CANS
AT 15¢ PER GALLON LESS THAN 1-GAL. PRICES.

GLD34756



*STOCK FARM WHITE PAINT Y-596

An excellent low cost exterior paint for use on wood surfaces such as fences, barns, outbuildings, sheds, etc. This material, produced for use in stock farms, is formulated without lead pigments, and contains wood preservatives. The creosote-like odor tends to repel livestock.

APPLICATION—Brush, Spray

DRYING TIME—Overnight; 24 hours for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—Up to 450 Sq. Ft. per gallon depending upon surface condition

Gals.

Qts.

Pts.

½ Pts.

6.25

—

—

—

STOVE AND IRON ENAMEL

See: Japalac Screen and Iron Enamel

SURFACE CONDITIONER

See: SPRED Surfocene; Surface Bond

TILE ROOF PAINT

See: SPRED Glide-On

TINTING COLORS

See: Dramatone Multi-Purpose Tinting Colors; Colors-In-Oil

TRIM AND SHUTTER COLORS

See: Endurance House Paint

TUBE COLORS

See: Dramatone Multi-Purpose Tinting Colors; Colors-In-Oil

UNDERCOATERS

See: Gliddencoat; Ripolin Undercoat; Surface Bond; Speed-Wall Interior Basecoat; SPRED Primer-Sealer; Endurance Exterior Basecoat; Rustmaster Metal Primer 470; Rustmaster Galvanized Primer 471.

VAPOR BARRIER

See: SPRED Primer-Sealer

VARNISHES

See: Glid-Tone Spar; Glid-Tone Satin Sheen; Glid-Tone Gloss; Rockspar, Xpert

VARNISH REMOVER

See: Ad-El-It; Glid-Strip

VINYL-LATEX PAINT

See: SPRED Glide-On

VISMATIC GREEN CHALKBOARD COATING Y-594

A lusterless matte finish, green in color. Extremely popular in a large number of America's finest school, college and university classrooms. It is used to paint black chalkboards in a new light-reflecting color that is easy on the eyes. This green finish achieves maximum visibility and minimum light wave vibration of chalk lines and letters. Easy to apply.

APPLICATION—Brush, Spray

DRYING TIME—Overnight for recoating

THINNER—Mineral Spirits

COVERAGE—Up to 500 Sq. Ft. per gallon

9.20

2.71

1.56

—

*AVAILABLE IN 5-GAL. CANS
AT 15¢ PER GALLON LESS THAN 1-GAL. PRICES.

GLD34757

[illegible]

COL. NUMBER AND DESCRIPTION

Y-1 Glid-Tone Gloss Varnish	Y-1270 Japalac Lemon Yellow	Y-3053 .. Craftsman Latex Pt. Azalea	Y-4016 Japalac Spray Enamel Greenbrier
Y-30 Glid-Tone Redwood Clear Finish	Y-1271 Japalac Greenbrier	Y-3054 Craftsman Latex Pt. Pewter Gray	Y-4017 Japalac Spray Flat White
Y-31 Glid-Tone Redwood Stain	Y-1502 Neva-Rot Green	Y-3055 Craftsman Latex Pt. Aqua	Y-4018 Japalac Spray Blue Turquoise
Y-37 Xpert Satin Sheen	Y-1701 Colors in Oil Yellow Ochre	Y-3056 Craftsman Latex Pt. Hemp	Y-4019 Japalac Spray Tan Bark
Y-47 Glid-Tone Satin Sheen Varnish	Y-1702 Colors in Oil Burnt Sienna	Y-3057 Craftsman Latex Pt. Brook Blue	Y-4030 Rustmaster Primer
Y-48 Glid-Tone Spar Varnish	Y-1703 Colors in Oil Burnt Umber	Y-3058 .. Craftsman Latex Pt. Maytime	Y-4516 Interior Base Coat
Y-50 Rockspar Varnish	Y-1705 Colors in Oil Med. Chrome Green	Y-3059 Craftsman Latex Pt. Bone White	Y-4550 Speedenamel White
Y-51 Xpert Clear Gloss	Y-1706 Colors in Oil Lt. Chrome Yellow	Y-3090 Spred Stipple Text. Bone White	Y-4551 Speedenamel Black
Y-55 Surface Bond	Y-1707 Colors in Oil Med. Chrome Yel.	Y-3401 Spred Satin Pale Ivory	Y-4552 Speedenamel Orange
Y-56 Silicone Slick Spray	Y-1708 Colors in Oil Raw Umber	Y-3405 .. Spred Satin Confetti Yellow	Y-4553 Speedenamel Deep Green
Y-66 Spred Surfacecane	Y-1709 Colors in Oil Ivory Black	Y-3406 Spred Satin Light Apricot	Y-4554 Speedenamel Med. Green
Y-67 Black Asphaltum	Y-1711 Colors in Oil Prussian Blue	Y-3407 Spred Satin Pinefrost Green	Y-4556 Speedenamel Fire Red
Y-70 Adelite Paint & Varnish Remover	Y-1716 Colors in Oil Lt. Chrome Yellow	Y-3409 Spred Satin Tropic Green	Y-4560 Speedenamel Med. Yellow
Y-74 Glid-Strip Paint & Var. Remover	Y-1717 .. Colors in Oil Amer. Vermilion	Y-3410 Spred Satin Spray Blue	Y-4561 Speedenamel Light Gray
Y-242 Glid-Tone Stain—Honey Maple	Y-1718 Colors in Oil Venetian Red	Y-3412 Spred Satin Blue Azure	Y-4562 Speedenamel Machine Gray
Y-243 Glid-Tone Stain—Fr. Provincial	Y-1719 Colors in Oil Raw Sienna	Y-3413 Spred Satin Bone White	Y-4564 Speedenamel Imperial Blue
Y-244 Glid-Tone Stain—Mod. Red Mah.	Y-1720 Colors in Oil Lamplack	Y-3414 Spred Satin Moonmist	Y-4565 Speedenamel Bright Red
Y-245 Glid-Tone Stain—Walnut	Y-1742 Colors in Oil Dark Chrome Yel.	Y-3415 Spred Satin Blossom Pink	Y-4569 Speedenamel Hydro Blue
Y-246 Glid-Tone Stain—Wheat	Y-1745 Colors in Oil Perma Green	Y-3416 Spred Primer Sealer	Y-4570 Speedenamel Red Oxide
Y-247 Glid-Tone Stain—Blonde	Y-1746 Colors in Oil Perma Blue	Y-3418 Spred Satin Decorator White	 Metal Primer
Y-248 Glid-Tone Stain—Brown Mah.	Y-1781 Dramatone Blue	Y-3434 Spred Satin Charcoal Black	Y-4571 Speedenamel Spring Green
Y-249 Glid-Tone Stain—Platinum	Y-1782 Dramatone Lamplack	Y-3441 Spred Satin Cheer	Y-4572 Speedenamel Neutral Gray
Y-250 Glid-Tone Stain—Suntan	Y-1783 Dramatone Umber Brown	Y-3443 Spred Satin Cotton Candy	Y-4573 Speedenamel ETC Green
Y-251 Glid-Tone Stain—Reducer	Y-1784 Dramatone Green	Y-3447 Spred Satin Sandy Beige	Y-4574 Speedenamel School Bus Yel.
Y-252 Glid-Tone Stain—Maple	Y-1786 Dramatone Red Oxide	Y-3448 Spred Satin Silver Turquoise	Y-4575 Speedenamel Tint White
Y-254 Glid-Tone Stain—Cherry	Y-1787 Dramatone Ruby Red	Y-3449 Spred Satin Oyster White	Y-4576 Speedenamel Deep Orange
Y-255 Glid-Tone Stain—Ebony	Y-1788 Dramatone Ferrite Yellow	Y-3467 Spred Satin Pebble Beach	Y-4577 Speedenamel Mah. Brown
Y-257 Glid-Tone Stain—Driftwood	Y-1791 Dramatone Hansa Yellow	Y-3470 Spred Satin Ceiling Flat White	Y-4600 Spred Lustre White
Y-258 Glid-Tone Stain—Fruitwood	Y-1792 Dramatone Light Green	Y-3472 Spred Satin Medallion Gold	Y-4605 Spred Lustre Peach Glow
Y-259 Glid-Tone Stain—Butternut	Y-1793 Dramatone Bright Orange	Y-3475 Spred Patch	Y-4618 Spred Lustre Tinting White
Y-260 Glid-Tone Regrain Ground Coat	Y-1800 Endurance House Paint White	Y-3477 Spred Satin Biscayne Blue	Y-4641 Spred Lustre Crocus Yellow
Y-470 Rustmaster Primer	Y-1802 Endurance House Paint Black	Y-3478 Spred Satin Aquaglow	Y-4643 Spred Lustre Cotton Candy
Y-471 Rustmaster Galvanized Primer	Y-1813 End. H.P. Tobacco Brown	Y-3479 Spred Satin Sherwood Green	Y-4647 Spred Lustre Sahara
Y-472 Rustmaster Aluminum	Y-1828 End. H.P. Crylite Green	Y-3480 Spred Satin Dramatone	Y-4648 Spred Lustre Caribbean
Y-475 Rustmaster White	Y-1850 End. H.P. Mildew & Fume	 Tint. Base	Y-4649 Spred Lustre Oyster White
Y-476 Rustmaster Black	 Res. White	Y-3487 Spred Satin Int. Tinting Base	Y-4651 Spred Lustre Conge Ivory
Y-477 Rustmaster Flat Black	Y-1851 End. Basecoat Mildew &	Y-3501 Spred Glide-On Bamboo	Y-4655 Spred Lustre Springtime
Y-478 Rustmaster Suntone	 Fume Res.	Y-3504 Spred Glide-On Silver Smoke	Y-4657 Spred Lustre Woodland
Y-479 Rustmaster Royal Blue	Y-1855 End. H.P. Castle Red	Y-3506 Spred Glide-On Tang Red	Y-4659 Spred Lustre Meadow Green
Y-480 Rustmaster Greenfield	Y-1856 End. H.P. Ivory	Y-3507 Spred Glide-On Sunflower	Y-4660 Spred Lustre Zircon
Y-481 Rustmaster Flare Red	Y-1857 End. H.P. Cream	Y-3510 Spred Glide-On Jewel Green	Y-4662 Spred Lustre Blue Ice
Y-482 Rustmaster Slate	Y-1859 End. H.P. Light Gray	Y-3513 Spred Glide-On Gray Velvet	Y-4663 Spred Lustre Smoky White
Y-500 Endurance House Paint Barn Red	Y-1860 End. H.P. Medium Gray	Y-3515 Spred Glide-On Lt. Tangerine	Y-4664 Spred Lustre Plaza Gray
Y-506 Ready Mixed Red Lead	Y-1861 End. H.P. Shutter Green	Y-3516 Spred Glide-On Mist Brown	Y-4665 Spred Lustre Pink Haze
Y-534 Silicone Driwall Clear	Y-1867 End. H.P. Imperial White	Y-3519 Spred Glide-On Cascade	Y-4667 Spred Lustre Pebble Beach
Y-555 Glidencocast Enamel Und. White	Y-1870 End. H.P. Deep Turquoise	Y-3525 Spred Glide-On Tinting White	Y-4672 Spred Lustre Medallion Gold
Y-592 All-Purpose Metallite Alum. Paint	Y-1871 End. H.P. Dark Blue	Y-3600 Spred Latex H.P. White	Y-4677 Spred Lustre Biscayne Blue
Y-594 Vismatic Green Chalkbd. Coating	Y-1872 End. H.P. Dark Walnut	Y-3602 Spred Latex H.P. Sunbeam Yel.	Y-4678 Spred Lustre Aquaglow
Y-596 Stock Farm Paint White	Y-1886 End. H.P. Light Canary	Y-3603 Spred Latex H.P. Taffy	Y-4679 Spred Lustre Sherwood Green
Y-635 Aluminum Asphalt Roof Paint	Y-1887 End. H.P. Pastel Green	Y-3606 Spred Latex H.P. Dover Gray	Y-4680 Spred Lustre Dramatone
Y-700 Glid-Tone Natural Wood Filler	Y-1892 End. H.P. Non-Chalking White	Y-3607 Spred Latex H.P. Bavberry	 Tinting Base
Y-854 Florenamel Tile Red	Y-2200 Everon House Paint White	Y-3608 Spred Latex H.P. Bark	Y-4687 Spred Lustre Int. Tinting Base
Y-871 Florenamel Tile Green	Y-2218 Craftsman House Paint White	Y-3612 Spred Latex H.P. Evergreen	Y-5701 Brush-Day-Lite A.
Y-874 Florenamel Harbor Gray	Y-2555 Ripolin Undercoat White	Y-3613 Spred Latex H.P. Onyx	 Flat Dutch Ivory
Y-875 Florenamel Chateau Gray	Y-2750 End. Velvet H.P. White	Y-3615 Spred Latex H.P. Fiesta	Y-5705 Brush-Day-Lite A. Flat Jaconet
Y-876 Florenamel Spice Wood	Y-2751 End. Velvet H.P. Mayflower Yel.	Y-3616 Spred Latex H.P. Pine Tan	Y-5707 Brush-Day-Lite A. Flat Mint Green
Y-1201 Glid-Tone Var. Stain, Dark Oak	Y-2752 End. Velvet H.P. Sterling Gray	Y-3620 Spred Latex H.P. Cape Cod Red	Y-5710 Brush-Day-Lite A.
Y-1202 Glid-Tone Varnish Stain Walnut	Y-2754 End. Velvet H.P. Gunmetal	Y-3625 Spred H.P. Tinting White	 Flat Ocean Spray
Y-1203 Glid-Tone Varnish, Stain Mah.	Y-2755 End. Velvet H.P. Cottage Ivory	Y-3651 Spred Prime Coat No. 1	Y-5712 Brush-Day-Lite A.
Y-1207 Japalac Brilliant Black	Y-2758 End. Velvet H.P. Granada Red	Y-4000 Japalac Spray Enamel White	 Flat Chelsea Blue
Y-1208 Japalac Flat Black	Y-2759 End. Velvet H.P. Shrub Green	Y-4001 Japalac Spray Enamel Flat Black	Y-5713 Brush-Day-Lite A. Flat Buhrstone
Y-1212 Japalac Bud Green	Y-2761 End. Velvet H.P. Brown Antique	Y-4002 Japalac Spray Enamel Gloss Blk.	Y-5714 Brush-Day-Lite A. Flat Smokeytone
Y-1217 Japalac Ultra White	Y-2764 End. Velvet Shadow Green	Y-4003 Japalac Spray Enamel	Y-5718 Brush-Day-Lite A.
Y-1219 Japalac Dawn Gray	Y-2822 Glid-Tone Crystalacq Reducer	 Delphinium	 Flat Tinting White
Y-1222 Japalac Screen Black	Y-2840 Glid-Tone Crystalacq	Y-4004 Japalac Spray Enamel Dawn Gray	Y-5743 Brush-Day-Lite A. Cloud Pink
Y-1246 Japalac Rich Blue	Y-2842 Xpert Clear Wood Finish	Y-4005 Japalac Spray Enamel Bud Green	Y-5747 Brush-Day-Lite A. Flat Taupe
Y-1250 Japalac Delphinium	Y-2900 Ripolin Ultra White	Y-4006 Japalac Spray Enamel Vermilion	Y-5767 Brush-Day-Lite A. Flat Beige
Y-1255 Japalac Light Ivory	Y-2950 Ripolin Semi-Gloss Enamel White	Y-4008 Japalac Spray Aluminum	Y-5778 Brush-Day-Lite A. Flat Aqua Surf
Y-1256 Japalac Vermilion	Y-3000 Spred Flat White	Y-4009 Japalac Spray Gold	Y-5780 Brush-Day-Lite A. Flat
Y-1260 Japalac Rose Pink	Y-3050 Craftsman Latex Pt.	Y-4010 Japalac Spray Clear Plastic	 Dramatone Tinting Base
Y-1263 Japalac Botany Brown	 Alaska White	Y-4011 Japalac Spray Copper Tone	Y-5787 Brush-Day-Lite A.
Y-1267 Japalac Ribbon Blue	Y-3051 Craftsman Latex Pt. Tusk Ivory	Y-4013 Japalac Spray Enamel Rose Pink	 Intermediate Tinting Base
Y-1269 Japalac Blue Turquoise	Y-3052 Craftsman Latex Pt. Spearmint	Y-4015 Japalac Spray Enamel Lemon Yel.	

THE GLIDDEN COMPANY

National Headquarters
900 Union Commerce Building
Cleveland 14, Ohio

SALES OFFICES AND FACTORIES: New York • San Francisco • Los Angeles
Minneapolis • Dallas • Chicago • St. Louis • New Orleans • Cleveland
Atlanta • Portland • Reading • Canada: Toronto and Montreal

Branches in principal cities throughout the United States and Canada.