

Industrial Hygiene

Test Results

Sample Date Range 7/21/81 8/27/01
Concentration Range
Action Level 100%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 002 A/S - MONOMERS SOUTH TANK FARM - GENERAL									
9/22/82	39001	331	Z			C-8/FC-143	0.17	MPB	30.4%
9/22/82	39002	331	Z			C-8/FC-143	0.09	MPB	16.1%
9/22/82	39003	327	Z			C-8/FC-143	<0.03	MPB	5.4%
9/22/82	39004	335	Z			C-8/FC-143	0.09	MPB	16.1%
9/22/82	39005	328	Z			C-8/FC-143	<0.03	MPB	5.4%
9/22/82	39006	336	Z			C-8/FC-143	0.04	MPB	7.1%
BTO: 08 TEFLON@									
LOC: 042 ACIDNEUT PIT-GENERAL									
5/4/88	40895	1440	Z			C-8/FC-143	<0.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 045 B-162 ROOF 2nd Level - General & H&V Units									
8/20/91	814	480	A			C-8/FC-143	0.341	MPB	60.9%
11/4/93	2310	450	A			C-8/FC-143	<.03	MPB	5.4%
7/9/97	7137	362	A			C-8/FC-143	0.1	MPB	17.9%
7/9/97	7138	362	A			C-8/FC-143	0.13	MPB	23.2%
7/21/97	7139	370	A			C-8/FC-143	0.15	MPB	26.8%

AJP006984

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

7/21/97	7219	371	A	C-8/FC-143	0.113	MPB	20.2%
7/21/97	7225	368	A	C-8/FC-143	0.26	MPB	46.4%
7/22/97	7140	370	A	C-8/FC-143	0.07	MPB	12.5%
7/22/97	7220	374	A	C-8/FC-143	0.17	MPB	30.4%
7/22/97	7226	375	A	C-8/FC-143	1.21	MPB	216.1% **
7/22/97	7232	384	A	C-8/FC-143	0.19	MPB	33.9%
7/23/97	7141	396	A	C-8/FC-143	0.11	MPB	19.6%
7/23/97	7221	400	A	C-8/FC-143	0.16	MPB	28.6%
7/23/97	7227	374	A	C-8/FC-143	1.08	MPB	192.9% **
7/23/97	7233	391	A	C-8/FC-143	0.51	MPB	91.1%
7/24/97	7142	362	A	C-8/FC-143	0.14	MPB	25.0%
7/24/97	7222	361	A	C-8/FC-143	0.39	MPB	69.6%
7/24/97	7228	335	A	C-8/FC-143	2.13	MPB	380.4% **
7/24/97	7234	366	A	C-8/FC-143	0.98	MPB	171.4% **
7/25/97	7223	354	A	C-8/FC-143	0.34	MPB	60.7%

Tuesday, August 28, 2001 3:20:56 PM

Page 1 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/25/97	7229	351	A			C-8/FC-143	0.69	MPB	123.2% **
7/25/97	7235	351	A			C-8/FC-143	2.9	MPB	517.9% **

AJP006985

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

7/29/97	7230	376	A	C-8/FC-143	2.17	MPB	387.5% **
8/5/97	7224	376	A	C-8/FC-143	0.07	MPB	12.5%
8/5/97	7231	371	A	C-8/FC-143	0.19	MPB	33.0%
8/5/97	7236	370	A	C-8/FC-143	0.3	MPB	53.6%
6/8/99	9098	255	A	C-8/FC-143	0.31	MPB	55.4%
8/17/99	9165	360	A	C-8/FC-143	0.14	MPB	25.0%
8/17/99	9166	360	A	C-8/FC-143	0.2	MPB	35.7%
8/18/99	9167	360	A	C-8/FC-143	0.1	MPB	17.9%
11/3/99	9267	360	A	C-8/FC-143	0.09	MPB	16.1%
2/3/00	9393	360	A	C-8/FC-143	<0.01	MPB	1.8%
5/12/00	9498	360	A	C-8/FC-143	0.139	MPB	24.8%
8/7/00	9611	360	A	C-8/FC-143	0.17	MPB	30.4%
11/13/00	9742	360	A	C-8/FC-143	0.0372	MPB	6.6%
2/7/01	9866	360	A	C-8/FC-143	<0.01	MPB	1.8%
5/16/01	10027	360	A	C-8/FC-143	0.0008	MPB	0.1%

BTO: 08 TEFLON@

LOC: 048 B-162 OUTSIDE SMOKING AREA - 2ND LEVEL

7/9/97	7143	362	A	C-8/FC-143	0.43	MPB	76.8%
7/10/97	7144	387	A	C-8/FC-143	0.26	MPB	46.4%
7/11/97	7145	370	A	C-8/FC-143	0.32	MPB	57.1%
7/21/97	7146	365	A	C-8/FC-143	0.17	MPB	30.4%
7/22/97	7147	377	A	C-8/FC-143	0.15	MPB	26.8%
7/23/97	7148	390	A	C-8/FC-143	0.23	MPB	

AJP006986

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

									41.1%
7/24/97	7149	352	A		C-8/FC-143	0.22	MPB		39.3%
7/25/97	7150	351	A		C-8/FC-143	0.23	MPB		41.1%
8/4/97	7151	354	A		C-8/FC-143	0.05	MPB		8.9%
8/7/97	7152	367	A		C-8/FC-143	0.06	MPB		10.7%
1/26/98	7719	360	A		C-8/FC-143	<.01	MPB		1.8%
1/30/98	7718	360	A		C-8/FC-143	0.63	MPB		112.5% **
2/5/98	7721	360	A		C-8/FC-143	0.2	MPB		35.7%
4/3/98	8019	360	A		C-8/FC-143	<.05	MPB		8.9%
5/18/98	8020	360	A		C-8/FC-143	0.87	MPB		155.4% **
8/7/98	8192	240	A		C-8/FC-143	0.27	MPB		48.2%
8/14/98	8222	360	A		C-8/FC-143	0.05	MPB		8.9%
8/14/98	8223	360	A		C-8/FC-143	0.05	MPB		8.9%
9/4/98	8247	360	A		C-8/FC-143	0.21	MPB		37.5%
11/16/98	8401	360	A		C-8/FC-143	0.006	MPB		1.1%

Tuesday, August 28, 2001 3:20:56 PM

Page 2 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
1/25/99	8581	390	A			C-8/FC-143	0.06	MPB	10.7%
4/12/99	8686	360	A			C-8/FC-143	<0.01	MPB	1.8%
4/14/99	8692	360	A			C-8/FC-143	<0.01	MPB	

AIP006987

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

7/13/99	9104	360	A	C-8/FC-143	<0.01	MPB	1.8%
11/3/99	9268	360	A	C-8/FC-143	0.07	MPB	1.8%
12/15/99	9318	360	A	C-8/FC-143	<0.01	MPB	12.5%
1/6/00	9358	360	A	C-8/FC-143	<0.01	MPB	1.8%
2/3/00	9394	360	A	C-8/FC-143	0.027	MPB	1.8%
3/6/00	9443	360	A	C-8/FC-143	<0.01	MPB	4.8%
5/12/00	9499	360	A	C-8/FC-143	0.063	MPB	1.8%
8/7/00	9612	360	A	C-8/FC-143	0.13	MPB	11.3%
11/9/00	9724	360	A	C-8/FC-143	0.0421	MPB	23.2%
2/7/01	9867	360	A	C-8/FC-143	0.03	MPB	7.5%
5/18/01	10028	360	A	C-8/FC-143	0.0135	MPB	5.4%
							2.4%

BTO: 08 TEFLON@

LOC: 050 B-162 Roof 3rd Level General & H&V Units

3/27/01	9949	720	A	C-8/FC-143	0.0191	MPB	3.4%
4/3/01	9957	720	A	C-8/FC-143	0.0601	MPB	10.7%
4/3/01	9958	720	A	C-8/FC-143	0.036	MPB	6.4%
4/10/01	9982	720	A	C-8/FC-143	0.1018	MPB	18.2%
4/10/01	9984	720	A	C-8/FC-143	0.0539	MPB	9.6%
4/17/01	9990	720	A	C-8/FC-143	0.0699	MPB	12.5%
4/17/01	9992	720	A	C-8/FC-143	0.1698	MPB	30.3%
4/24/01	10057	720	A	C-8/FC-143	0.1183	MPB	21.1%
4/24/01	10059	720	A	C-8/FC-143	0.0302	MPB	5.4%

AJP006988

5/29/01	10062	720	A	C-8/FC-143	0.0422	MPB	7.5%
5/29/01	10064	720	A	C-8/FC-143	0.0234	MPB	4.2%
6/19/01	10094	720	A	C-8/FC-143	0.1114	MPB	18.9%
6/19/01	10100	720	A	C-8/FC-143	0.1021	MPB	18.2%
6/26/01	10102	720	A	C-8/FC-143	0.0577	MPB	10.3%

BTO: 08 TEFLON@

LOC: 100 P/S - MONOMER OPERATOR CONTROL ROOM (08PA/PB/PC)

7/21/97	7207	372	A	C-8/FC-143	<0.01	MPB	1.8%
7/22/97	7208	351	A	C-8/FC-143	<0.01	MPB	1.8%
7/23/97	7209	398	A	C-8/FC-143	0.02	MPB	3.6%
7/24/97	7210	352	A	C-8/FC-143	<0.01	MPB	1.8%
7/25/97	7211	355	A	C-8/FC-143	0.02	MPB	3.6%
7/28/97	7212	3375	A	C-8/FC-143	0.05	MPB	8.9%

Tuesday, August 28, 2001 3:20:56 PM

Page 3 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/4/97	7213	356	A			C-8/FC-143	<0.01	MPB	1.8%
8/5/97	7214	376	A			C-8/FC-143	0.13	MPB	23.2%
8/7/97	7215	367	A			C-8/FC-143	<0.01	MPB	1.8%
8/8/97	7216	307	A			C-8/FC-143	<0.01	MPB	1.8%
8/12/97	7217	458	A			C-8/FC-143	<0.01	MPB	

AJP006989

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

							1.8%	
8/13/97	7218	335	A		C-8/FC-143	<0.01	MPB	1.8%
5/10/99	33692	360	P	08PH	C-8/FC-143	<0.01	MPB	1.8%
								1.8%
BTO: 08 TEFLON@								
LOC: 101 P/S - TFE FIELD OPERATOR (08PA)								
1/30/98	27147	360	P	08PA	C-8/FC-143	0.05	MPB	8.9%
2/5/98	27150	360	P	08PA	C-8/FC-143	0.27	MPB	48.2%
8/10/98	27989	360	P	08PA	C-8/FC-143	0.03	MPB	5.4%
11/18/98	28543	360	P	08PA	C-8/FC-143	0.02	MPB	3.6%
2/8/99	28855	360	P	08PA	C-8/FC-143	0.1	MPB	17.9%
6/3/99	33689	360	P	08PA	C-8/FC-143	<0.01	MPB	1.8%
9/9/99	34048	360	P	08PA	C-8/FC-143	<0.01	MPB	1.8%
12/15/99	34415	360	P	08PA	C-8/FC-143	<0.01	MPB	1.8%
3/6/00	34707	360	P	08PA	C-8/FC-143	<0.01	MPB	1.8%
7/10/00	35087	360	P	08PA	C-8/FC-143	<0.01	MPB	1.8%
10/19/00	35395	360	P	08PA	C-8/FC-143	<0.01	MPB	1.8%
1/10/01	35641	360	P	08PA	C-8/FC-143	1.69	MPB	283.9% **
4/9/01	35986	360	P	08PA	C-8/FC-143	0.0102	MPB	1.8%
7/3/01	36279	360	P	08PA	C-8/FC-143	0.0132	MPB	2.4%

BTO: 08 TEFLON@
LOC: 102 P/S - HFP FIELD OPERATOR (08PB)

1/30/98	27146	360	P	08PB	C-8/FC-143	0.34	MPB	60.7%
2/5/98	27151	360	P	08PB	C-8/FC-143	0.24	MPB	42.9%
5/27/98	27714	360	P	08PB	C-8/FC-143	<.05	MPB	

AJP006990

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/11/98	28002	360	P		10PC	C-8/FC-143	0.09	MPB	8.9%
11/18/98	28544	360	P		08PB	C-8/FC-143	<0.05	MPB	16.1%
2/8/99	28856	360	P		08PB	C-8/FC-143	0.12	MPB	8.9%
5/12/99	33690	360	P		08PB	C-8/FC-143	0.076	MPB	21.4%
8/11/99	33940	360	P		08PB	C-8/FC-143	0.08	MPB	13.6%
11/5/99	34284	360	P		08PB	C-8/FC-143	0.01	MPB	14.3%
2/2/00	34583	360	P		08PB	C-8/FC-143	<0.01	MPB	1.8%
5/12/00	34880	360	P		08PB	C-8/FC-143	<0.01	MPB	1.8%
8/7/00	35134	360	P		08PB	C-8/FC-143	<0.01	MPB	1.8%
11/9/00	35488	360	P		08PB	C-8/FC-143	0.0519	MPB	1.8%
									9.3%

Tuesday, August 28, 2001 3:20:56 PM

Page 4 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/9/01	35761	360	P		08PB	C-8/FC-143	0.12	MPB	21.4%
5/16/01	36121	360	P		08PB	C-8/FC-143	0.0124	MPB	2.2%

BTO: 08 TEFLON@
 LOC: 106 P/S - TFE/HFP NORTH TANK FARM OPERATOR (08PC)

1/26/98	27148	360	P		08PA	C-8/FC-143	0.08	MPB	14.3%
8/10/98	27990	360	P		08PA	C-8/FC-143	0.01	MPB	1.8%
9/10/98	28097	360	P		08PA	C-8/FC-143	<0.056	MPB	10.0%

AJP006991

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

11/18/98	28542	360	P	08PA C-8/FC-143	<0.05	MPB	8.9%
1/25/99	28848	210	P	08PA C-8/FC-143	0.05	MPB	8.9%
4/12/99	29096	360	P	08PA C-8/FC-143	0.0436	MPB	7.8%
7/14/99	33826	360	P	08PC C-8/FC-143	<0.01	MPB	1.8%
11/5/99	34285	360	P	08PC C-8/FC-143	0.008	MPB	1.4%
2/2/00	34584	360	P	08PC C-8/FC-143	<0.01	MPB	1.8%
5/12/00	34881	360	P	08PC C-8/FC-143	0.072	MPB	12.9%
8/7/00	35135	360	P	08PC C-8/FC-143	<0.01	MPB	1.8%
11/9/00	35489	360	P	08PC C-8/FC-143	0.0538	MPB	9.6%
2/9/01	35782	360	P	08PC C-8/FC-143	0.08	MPB	14.3%
5/16/01	36122	360	P	08PC C-8/FC-143	<0.01	MPB	1.8%

BTO: 08 TEFLON@

LOC: 109 P/S - DAY POLY/MON E&I MECH (COMB W/TMO108)

7/27/88	14397	420	P	none C-8/FC-143	<0.03	MPB	5.4%
---------	-------	-----	---	-----------------	-------	-----	------

BTO: 08 TEFLON@

LOC: 110 P/S-DAY/SHIFT STLHOUSE/N TNKFRM MECH (58MA/MD)

8/12/98	28003	360	P	58MA C-8/FC-143	0.53	MPB	94.6%
9/4/98	28078	360	P	58MA C-8/FC-143	0.006	MPB	1.1%
1/25/99	28849	390	P	58MA C-8/FC-143	0.09	MPB	16.1%
4/12/99	29097	360	P	58MA C-8/FC-143	0.016	MPB	2.9%
5/11/99	33687	360	P	58MA C-8/FC-143	0.009	MPB	1.6%
8/18/99	33959	360	P	58MA C-8/FC-143	0.02	MPB	3.6%
11/5/99	34291	360	P	58MA C-8/FC-143	0.03	MPB	5.4%

AJP006992

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

2/2/00	34586	360	P	58MA C-8/FC-143	<0.01	MPB	1.8%
5/12/00	34882	360	P	58MA C-8/FC-143	<0.01	MPB	1.8%
8/7/00	35138	360	P	58MA C-8/FC-143	0.05	MPB	8.9%
11/13/00	35493	360	P	58MA C-8/FC-143	0.0631	MPB	11.3%
2/8/01	35752	360	P	58MA C-8/FC-143	0.09	MPB	16.1%
5/22/01	36150	360	P	58MA C-8/FC-143	0.0071	MPB	1.3%

Tuesday, August 28, 2001 3:20:56 PM

Page 5 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08	TEFLON@								
LOC: 111	P/S-DY/SHFT S-TNKFRM/DIS SCBR MCH(58MA/MD)								
4/8/99	29095	360	P			58MA C-8/FC-143	<0.01	MPB	1.8%
7/15/99	33835	360	P			58MA C-8/FC-143	0.1646	MPB	29.4%
11/9/99	34315	360	P			58MA C-8/FC-143	0.02	MPB	3.6%
2/3/00	34589	360	P			58MA C-8/FC-143	<0.01	MPB	1.8%
5/12/00	34883	360	P			58MA C-8/FC-143	0.104	MPB	18.6%
8/7/00	35139	360	P			58MA C-8/FC-143	<0.01	MPB	1.8%
11/13/00	35494	360	P			58MA C-8/FC-143	0.0488	MPB	8.7%
2/9/01	35773	360	P			58MA C-8/FC-143	0.04	MPB	7.1%
5/17/01	36128	360	P			58MA C-8/FC-143	0.0217	MPB	3.9%

AJP006993

8/28/2001 4:46 PM

EID140235

BTO: 08 TEFLON@

LOC: 113 P/S - SHIFT MECHANIC (58MD)

11/16/93	19224	360	P	58MD C-8/FC-143	<.03	MPB	5.4%
2/2/94	19405	360	P	58MD C-8/FC-143	<.03	MPB	5.4%
5/17/94	19813	390	P	58MD C-8/FC-143	<.03	MPB	5.4%
8/28/94	20160	360	P	58MD C-8/FC-143	0.1	MPB	17.9%
12/13/94	20672	380	P	58MD C-8/FC-143	0.09	MPB	16.1%
4/4/95	21087	420	P	58MD C-8/FC-143	0.11	MPB	19.6%
1/10/96	22569	330	P	58MD C-8/FC-143	0.019	MPB	3.4%
8/28/96	24210	360	P	58MD C-8/FC-143	0.03	MPB	5.4%
3/13/97	25282	390	P	55MD C-8/FC-143	0.37	MPB	66.1%
6/25/97	25793	370	P	58MD C-8/FC-143	0.14	MPB	25.0%
10/21/97	26712	360	P	58MD C-8/FC-143	0.03	MPB	5.4%
1/30/98	27145	360	P	58MD C-8/FC-143	0.17	MPB	30.4%
4/2/98	27708	360	P	58MD C-8/FC-143	0.22	MPB	39.3%
8/12/98	28004	360	P	58MD C-8/FC-143	0.22	MPB	39.3%
11/18/98	28545	360	P	58MD C-8/FC-143	0.07	MPB	12.5%
2/4/99	28853	360	P	58MD C-8/FC-143	0.03	MPB	5.4%

BTO: 08 TEFLON@

LOC: 701 FINE POWDER DRYER-EAST SIDE #2

7/30/81	62679	Z	C-8/FC-143	0.98	MPB	171.4% **
7/30/81	62680	Z	C-8/FC-143	1.18	MPB	210.7% **
9/26/81	62681	Z	C-8/FC-143	2.53	MPB	451.8% **
10/9/81	62682	Z	C-8/FC-143	0.67	MPB	

AP006994

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

10/9/81	62683	Z	C-8/FC-143	0.36	MPB	119.6%	**
						64.3%	
10/9/81	62684	Z	C-8/FC-143	0.68	MPB	121.4%	**
						769.6%	**
10/20/81	62685	Z	C-8/FC-143	4.31	MPB		

Tuesday, August 28, 2001 3:20:56 PM

Page 6 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/20/81	62686		Z			C-8/FC-143	1.48	MPB	264.3% **
10/20/81	62687		Z			C-8/FC-143	1.13	MPB	201.8% **
10/27/81	62688		Z			C-8/FC-143	0.69	MPB	123.2% **
10/28/81	62689		Z			C-8/FC-143	0.27	MPB	48.2%
10/28/81	62690		Z			C-8/FC-143	0.18	MPB	32.1%
10/30/81	62691		Z			C-8/FC-143	1.91	MPB	341.1% **
10/31/81	62692		Z			C-8/FC-143	2.91	MPB	519.6% **
10/31/81	62693		Z			C-8/FC-143	1.25	MPB	223.2% **
11/1/81	62694		Z			C-8/FC-143	0.31	MPB	55.4%
11/4/81	62695		Z			C-8/FC-143	0.69	MPB	123.2% **
11/4/81	62696		Z			C-8/FC-143	0.31	MPB	55.4%
11/4/81	62697		Z			C-8/FC-143	0.41	MPB	73.2%
11/11/81	62698		Z			C-8/FC-143	0.77	MPB	137.5% **

ALP006995

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

11/13/81	62699	Z	C-8/FC-143	3.18	MPB	567.9%	**
11/16/81	62700	Z	C-8/FC-143	0.97	MPB	173.2%	**
11/16/81	62701	Z	C-8/FC-143	0.93	MPB	166.1%	**
11/19/81	62702	Z	C-8/FC-143	1.06	MPB	189.3%	**
11/20/81	62703	Z	C-8/FC-143	4.54	MPB	810.7%	**
11/20/81	62704	Z	C-8/FC-143	3.93	MPB	701.8%	**
12/9/81	62705	Z	C-8/FC-143	2.16	MPB	385.7%	**
12/9/81	62706	Z	C-8/FC-143	1.02	MPB	182.1%	**
12/9/81	62707	Z	C-8/FC-143	1.21	MPB	216.1%	**
12/20/81	62708	Z	C-8/FC-143	2.69	MPB	480.4%	**
12/22/81	62709	Z	C-8/FC-143	1.42	MPB	253.6%	**
12/28/81	62710	Z	C-8/FC-143	0.55	MPB	98.2%	
12/29/81	62711	Z	C-8/FC-143	3.05	MPB	544.6%	**
1/7/82	62712	Z	C-8/FC-143	0.59	MPB	105.4%	**
1/7/82	62713	Z	C-8/FC-143	0.14	MPB	25.0%	
1/19/82	62714	Z	C-8/FC-143	0.24	MPB	42.9%	
1/25/82	62715	Z	C-8/FC-143	0.18	MPB	32.1%	
1/26/82	62716	Z	C-8/FC-143	0.08	MPB	14.3%	
1/26/82	62717	Z	C-8/FC-143	0.08	MPB	14.3%	
1/26/82	62718	Z	C-8/FC-143	0.07	MPB	12.5%	
2/1/82	62719	Z	C-8/FC-143	0.04	MPB	7.1%	
2/1/82	62720	Z	C-8/FC-143	0.08	MPB	14.3%	
2/5/82	62721	Z	C-8/FC-143	0.16	MPB		

AJF006996

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

						28.6%
2/5/82	62722	Z		C-8/FC-143	0.25 MPB	44.6%
2/7/82	62723	Z		C-8/FC-143	0.19 MPB	33.9%
2/7/82	62724	Z		C-8/FC-143	0.15 MPB	26.8%

Tuesday, August 28, 2001 3:20:56 PM

Page 7 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/8/82	62725		Z			C-8/FC-143	0.21	MPB	37.5%
2/8/82	62726		Z			C-8/FC-143	0.17	MPB	30.4%
2/14/82	62727		Z			C-8/FC-143	0.47	MPB	83.9%
2/14/82	62728		Z			C-8/FC-143	0.61	MPB	108.9% **
2/24/82	62729		Z			C-8/FC-143	3.18	MPB	567.9% **
3/2/82	62730		Z			C-8/FC-143	3.12	MPB	557.1% **
3/2/82	62731		Z			C-8/FC-143	1.1	MPB	196.4% **
3/2/82	62732		Z			C-8/FC-143	1.58	MPB	282.1% **
3/3/82	62733		Z			C-8/FC-143	1.88	MPB	335.7% **
3/5/82	62734		Z			C-8/FC-143	1.78	MPB	317.9% **
3/5/82	62735		Z			C-8/FC-143	1.88	MPB	335.7% **
3/8/82	62736		Z			C-8/FC-143	0.79	MPB	141.1% **
3/8/82	62737		Z			C-8/FC-143	0.26	MPB	46.4%

AIP006997

8/28/2001 4:46 PM

EID140239

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

3/8/82	62738	Z	C-8/FC-143	0.15	MPB	26.8%	
3/10/82	62739	Z	C-8/FC-143	1.28	MPB	228.6%	**
3/10/82	62740	Z	C-8/FC-143	0.2	MPB	35.7%	
3/11/82	62741	Z	C-8/FC-143	2.72	MPB	485.7%	**
3/11/82	62742	Z	C-8/FC-143	1.45	MPB	258.9%	**
3/11/82	62743	Z	C-8/FC-143	1.83	MPB	326.8%	**
3/15/82	62744	Z	C-8/FC-143	1.08	MPB	192.9%	**
3/15/82	62745	Z	C-8/FC-143	0.2	MPB	35.7%	
3/15/82	62746	Z	C-8/FC-143	0.04	MPB	7.1%	
3/16/82	62747	Z	C-8/FC-143	1.19	MPB	212.5%	**
3/16/82	62748	Z	C-8/FC-143	1.13	MPB	201.8%	**
3/16/82	62749	Z	C-8/FC-143	1.45	MPB	258.9%	**
3/18/82	62750	Z	C-8/FC-143	1.89	MPB	337.5%	**
3/18/82	62751	Z	C-8/FC-143	0.99	MPB	176.8%	**
3/18/82	62752	Z	C-8/FC-143	0.52	MPB	92.9%	
3/20/82	62753	Z	C-8/FC-143	0.44	MPB	78.6%	
3/20/82	62754	Z	C-8/FC-143	0.08	MPB	14.3%	
3/21/82	62755	Z	C-8/FC-143	0.12	MPB	21.4%	
3/21/82	62756	Z	C-8/FC-143	0.13	MPB	23.2%	
3/21/82	62757	Z	C-8/FC-143	0.04	MPB	7.1%	
3/23/82	62758	Z	C-8/FC-143	0.4	MPB	71.4%	
3/23/82	62759	Z	C-8/FC-143	0.18	MPB	32.1%	
3/23/82	62760	Z	C-8/FC-143	0.53	MPB		

AJP006998

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

3/24/82	46110	390	Z	C-8/FC-143	0.33	MPB	94.6%
							58.9%
3/24/82	46111	390	Z	C-8/FC-143	0.48	MPB	85.7%
							142.9% **
3/24/82	46112	390	Z	C-8/FC-143	0.8	MPB	

Tuesday, August 28, 2001 3:20:56 PM

Page 8 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/24/82	62761		Z			C-8/FC-143	0.33	MPB	58.9%
3/24/82	62762		Z			C-8/FC-143	0.48	MPB	85.7%
3/24/82	62763		Z			C-8/FC-143	0.8	MPB	142.9% **
3/26/82	46113	345	Z			C-8/FC-143	0.17	MPB	30.4%
3/26/82	46114	345	Z			C-8/FC-143	0.04	MPB	7.1%
3/26/82	46115	345	Z			C-8/FC-143	0.04	MPB	7.1%
3/26/82	62764		Z			C-8/FC-143	0.17	MPB	30.4%
3/26/82	62765		Z			C-8/FC-143	0.04	MPB	7.1%
3/26/82	62766		Z			C-8/FC-143	0.04	MPB	7.1%
3/30/82	46116	441	Z			C-8/FC-143	0.77	MPB	137.5% **
3/30/82	46117	432	Z			C-8/FC-143	1.29	MPB	230.4% **
3/30/82	46118	434	Z			C-8/FC-143	0.38	MPB	67.9%
3/30/82	62767		Z			C-8/FC-143	0.77	MPB	137.5% **

AJP006999

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

3/30/82	62768		Z	C-8/FC-143	1.29	MPB	230.4%	**
3/30/82	62769		Z	C-8/FC-143	0.38	MPB	67.9%	
4/6/82	46119	345	Z	C-8/FC-143	<0.03	MPB	5.4%	
4/8/82	46120	330	Z	C-8/FC-143	<0.03	MPB	5.4%	
4/8/82	46121	330	Z	C-8/FC-143	0.18	MPB	32.1%	
4/8/82	46122	330	Z	C-8/FC-143	<0.03	MPB	5.4%	
4/12/82	46123	330	Z	C-8/FC-143	0.09	MPB	16.1%	
4/13/82	46124	315	Z	C-8/FC-143	0.18	MPB	32.1%	
4/16/82	46125	374	Z	C-8/FC-143	0.16	MPB	28.6%	
4/16/82	46126	365	Z	C-8/FC-143	0.21	MPB	37.5%	
4/16/82	46127	385	Z	C-8/FC-143	0.19	MPB	33.9%	
4/19/82	46128	360	Z	C-8/FC-143	0.29	MPB	51.8%	
4/21/82	46129	271	Z	C-8/FC-143	2.1	MPB	375.0%	**
4/21/82	46130	272	Z	C-8/FC-143	0.16	MPB	28.6%	
4/22/82	46131	376	Z	C-8/FC-143	0.86	MPB	153.6%	**
4/22/82	46132	402	Z	C-8/FC-143	0.11	MPB	19.6%	
4/22/82	46133	385	Z	C-8/FC-143	<0.03	MPB	5.4%	
5/25/82	46134	360	Z	C-8/FC-143	0.24	MPB	42.9%	
5/25/82	46135	360	Z	C-8/FC-143	0.2	MPB	35.7%	
5/25/82	46136	360	Z	C-8/FC-143	0.48	MPB	85.7%	
5/25/82	46137	360	Z	C-8/FC-143	0.45	MPB	80.4%	
6/3/82	46138	360	Z	C-8/FC-143	0.04	MPB	7.1%	
6/3/82	46139	360	Z	C-8/FC-143	0.29	MPB		

AJP007000

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

6/3/82	46140	360	Z	C-8/FC-143	0.1	MPB	51.8%
							17.9%
6/3/82	46141	360	Z	C-8/FC-143	0.45	MPB	80.4%
							7.1%
6/8/82	46142	400	Z	C-8/FC-143	0.04	MPB	

Tuesday, August 28, 2001 3:20:56 PM

Page 9 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/8/82	46143	375	Z			C-8/FC-143	0.15	MPB	26.8%
6/9/82	46144	355	Z			C-8/FC-143	1.1	MPB	196.4% **
6/17/82	46145	394	Z			C-8/FC-143	2.47	MPB	441.1% **
6/29/82	46146	300	Z			C-8/FC-143	0.2	MPB	35.7%
7/1/82	46147	300	Z			C-8/FC-143	0.56	MPB	100.0% **
7/1/82	46148	300	Z			C-8/FC-143	1.81	MPB	323.2% **
7/1/82	46149	300	Z			C-8/FC-143	0.68	MPB	121.4% **
7/10/82	46150	425	Z			C-8/FC-143	0.22	MPB	39.3%
7/10/82	46151	425	Z			C-8/FC-143	0.49	MPB	87.5%
7/10/82	46152	425	Z			C-8/FC-143	0.99	MPB	176.8% **
7/15/82	46153	390	Z			C-8/FC-143	0.57	MPB	101.8% **
7/15/82	46154	390	Z			C-8/FC-143	0.83	MPB	148.2% **
7/15/82	46155	390	Z			C-8/FC-143	0.25	MPB	44.6%

AJP007001

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

8/2/82	46156	375	Z	C-8/FC-143	0.28	MPB	50.0%
8/4/82	46157	390	Z	C-8/FC-143	0.33	MPB	58.9%
8/4/82	46158	390	Z	C-8/FC-143	0.63	MPB	112.5% **
8/5/82	46159	390	Z	C-8/FC-143	0.35	MPB	62.5%
8/5/82	46160	390	Z	C-8/FC-143	0.92	MPB	164.3% **
8/12/82	46161	390	Z	C-8/FC-143	0.11	MPB	19.6%
8/12/82	46162	390	Z	C-8/FC-143	0.15	MPB	26.8%
8/25/82	46163	275	Z	C-8/FC-143	0.1	MPB	17.9%
8/25/82	46164	285	Z	C-8/FC-143	0.16	MPB	28.6%
8/25/82	46165	295	Z	C-8/FC-143	0.15	MPB	26.8%
9/7/82	46166	420	Z	C-8/FC-143	0.14	MPB	25.0%
9/7/82	46167	420	Z	C-8/FC-143	0.1	MPB	17.9%
9/7/82	46168	420	Z	C-8/FC-143	0.07	MPB	12.5%
9/8/82	46169	340	Z	C-8/FC-143	0.13	MPB	23.2%
9/8/82	46170	340	Z	C-8/FC-143	0.08	MPB	14.3%
9/8/82	46171	340	Z	C-8/FC-143	<0.03	MPB	5.4%
9/10/82	46172	360	Z	C-8/FC-143	0.08	MPB	14.3%
9/10/82	46173	360	Z	C-8/FC-143	0.28	MPB	50.0%
9/10/82	46174	360	Z	C-8/FC-143	0.54	MPB	96.4%
9/11/82	46175	325	Z	C-8/FC-143	0.09	MPB	16.1%
9/11/82	46176	332	Z	C-8/FC-143	0.41	MPB	73.2%
9/11/82	46177	333	Z	C-8/FC-143	0.18	MPB	32.1%
9/12/82	46178	390	Z	C-8/FC-143	0.3	MPB	

AJP007002

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

9/12/82	46179	390	Z	C-8/FC-143	0.3	MPB	53.6%
9/12/82	46180	390	Z	C-8/FC-143	0.23	MPB	53.6%
9/13/82	46181	360	Z	C-8/FC-143	0.08	MPB	41.1%
							14.3%

Tuesday, August 28, 2001 3:20:56 PM

Page 10 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/27/82	46182	351	Z			C-8/FC-143	0.04	MPB	7.1%
9/27/82	46183	349	Z			C-8/FC-143	<0.03	MPB	5.4%
9/27/82	46184	350	Z			C-8/FC-143	<0.03	MPB	5.4%
9/28/82	46185	297	Z			C-8/FC-143	<0.03	MPB	5.4%
10/11/82	46186	390	Z			C-8/FC-143	0.23	MPB	41.1%
10/12/82	46187	395	Z			C-8/FC-143	0.24	MPB	42.9%
10/14/82	46188	133	Z			C-8/FC-143	0.87	MPB	155.4% **
10/14/82	46189	138	Z			C-8/FC-143	0.92	MPB	164.3% **
10/15/82	46190	148	Z			C-8/FC-143	2.82	MPB	503.6% **
10/15/82	46191	150	Z			C-8/FC-143	0.76	MPB	135.7% **
10/15/82	46192	149	Z			C-8/FC-143	0.7	MPB	125.0% **
10/18/82	46193	345	Z			C-8/FC-143	0.12	MPB	21.4%
10/25/82	46194	360	Z			C-8/FC-143	0.04	MPB	7.1%

AJP007003

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

10/26/82	46195	371	Z	C-8/FC-143	0.35	MPB	62.5%
10/26/82	46196	370	Z	C-8/FC-143	0.76	MPB	135.7% **
10/27/82	46197	360	Z	C-8/FC-143	<0.03	MPB	5.4%
11/1/82	46198	97	Z	C-8/FC-143	1.32	MPB	235.7% **
11/1/82	46199	94	Z	C-8/FC-143	0.78	MPB	139.3% **
11/1/82	46200	96	Z	C-8/FC-143	2.01	MPB	358.9% **
11/13/82	46201	300	Z	C-8/FC-143	0.49	MPB	87.5%
11/13/82	46202	300	Z	C-8/FC-143	0.1	MPB	17.9%
11/13/82	46203	300	Z	C-8/FC-143	0.15	MPB	26.8%
11/13/82	46204	300	Z	C-8/FC-143	0.08	MPB	14.3%
11/16/82	46205	390	Z	C-8/FC-143	0.43	MPB	76.8%
11/16/82	46206	390	Z	C-8/FC-143	0.3	MPB	53.6%
11/16/82	46207	390	Z	C-8/FC-143	0.38	MPB	67.9%
11/16/82	46208	424	Z	C-8/FC-143	1.06	MPB	187.5% **
11/16/82	46209	417	Z	C-8/FC-143	0.47	MPB	83.9%
11/27/82	46210	420	Z	C-8/FC-143	<0.03	MPB	5.4%
11/27/82	46211	420	Z	C-8/FC-143	<0.03	MPB	5.4%
11/28/82	46212	369	Z	C-8/FC-143	0.1	MPB	17.9%
12/7/82	46213	316	Z	C-8/FC-143	0.05	MPB	8.9%
12/7/82	46214	316	Z	C-8/FC-143	0.05	MPB	8.9%
12/7/82	46215	317	Z	C-8/FC-143	0.09	MPB	16.1%
1/3/83	46216	360	Z	C-8/FC-143	<0.03	MPB	5.4%

AJP007004

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

1/4/83	46217	360	Z	C-8/FC-143	0.12	MPB	21.4%
1/4/83	46218	355	Z	C-8/FC-143	0.08	MPB	14.3%
1/17/83	46219	360	Z	C-8/FC-143	<0.03	MPB	5.4%
1/17/83	46220	360	Z	C-8/FC-143	<0.03	MPB	5.4%

Tuesday, August 28, 2001 3:20:56 PM

Page 11 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
1/18/83	46221	400	Z			C-8/FC-143	0.04	MPB	7.1%
2/8/83	46222	360	Z			C-8/FC-143	0.04	MPB	7.1%
3/1/83	46223	310	Z			C-8/FC-143	<0.03	MPB	5.4%
3/4/83	46224	300	Z			C-8/FC-143	0.62	MPB	110.7% **
3/4/83	46225	300	Z			C-8/FC-143	0.86	MPB	153.6% **
3/7/83	46226	360	Z			C-8/FC-143	0.19	MPB	33.9%
3/8/83	46227	300	Z			C-8/FC-143	<0.03	MPB	5.4%
4/10/83	46228	360	Z			C-8/FC-143	<0.03	MPB	5.4%
4/20/83	46229	300	Z			C-8/FC-143	0.2	MPB	35.7%
4/20/83	46230	270	Z			C-8/FC-143	0.06	MPB	10.7%
5/18/83	46231	360	Z			C-8/FC-143	1.58	MPB	282.1% **
5/18/83	46232	360	Z			C-8/FC-143	0.03	MPB	5.4%
5/18/83	46233	360	Z			C-8/FC-143	3.75	MPB	

AJP007005

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

							669.6%	**
6/4/83	46234	400	Z	C-8/FC-143	0.47	MPB	83.9%	
6/4/83	46235	395	Z	C-8/FC-143	0.03	MPB	5.4%	
6/4/83	46236	390	Z	C-8/FC-143	0.39	MPB	69.6%	
6/7/83	46237	255	Z	C-8/FC-143	0.19	MPB	33.9%	
6/8/83	46238	370	Z	C-8/FC-143	0.41	MPB	73.2%	
6/8/83	46239	365	Z	C-8/FC-143	0.3	MPB	53.6%	
7/3/83	46240	325	Z	C-8/FC-143	0.49	MPB	87.5%	
8/15/83	46241	390	Z	C-8/FC-143	0.16	MPB	28.6%	
8/15/83	46242	360	Z	C-8/FC-143	2.06	MPB	367.9%	**
8/15/83	46243	375	Z	C-8/FC-143	0.86	MPB	153.6%	**
10/9/83	46244	420	Z	C-8/FC-143	0.17	MPB	30.4%	
11/22/83	46245	340	Z	C-8/FC-143	0.07	MPB	12.5%	
11/23/83	46246	440	Z	C-8/FC-143	0.19	MPB	33.9%	
1/8/84	46247	390	Z	C-8/FC-143	82	MPB	14642.9%	**
1/13/84	46248	380	Z	C-8/FC-143	0.19	MPB	33.9%	
3/11/84	46249	360	Z	C-8/FC-143	0.31	MPB	55.4%	
4/10/84	46250	395	Z	C-8/FC-143	0.21	MPB	37.5%	
5/7/84	46251	390	Z	C-8/FC-143	0.47	MPB	83.9%	
6/3/84	46252	380	Z	C-8/FC-143	0.29	MPB	51.8%	
7/2/84	46253	360	Z	C-8/FC-143	<0.03	MPB	5.4%	
7/30/84	46254	360	Z	C-8/FC-143	0.28	MPB	50.0%	
8/24/84	46255	330	Z	C-8/FC-143	0.53	MPB	94.6%	

ALP007006

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

9/23/84	46256	420	Z	C-8/FC-143	0.62	MPB	110.7%	**
10/21/84	46257	360	Z	C-8/FC-143	0.36	MPB	64.3%	
12/17/84	46258	370	Z	C-8/FC-143	0.39	MPB	69.6%	
5/26/85	46259	330	Z	C-8/FC-143	1.58	MPB	282.1%	**

Tuesday, August 28, 2001 3:20:56 PM

Page 12 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/1/85	46260	345	Z			C-8/FC-143	0.36	MPB	64.3%
9/16/85	46261	390	Z			C-8/FC-143	0.137	MPB	24.5%
9/22/85	46262	330	Z			C-8/FC-143	0.335	MPB	59.8%
3/5/86	46263	990	Z			C-8/FC-143	1.181	MPB	212.7%
6/4/86	46264	360	Z			C-8/FC-143	3.017	MPB	538.8%
6/29/86	46265	330	Z			C-8/FC-143	1.67	MPB	298.2%
8/8/86	46273	390	Z			C-8/FC-143	0.231	MPB	41.3%
8/9/86	46272	390	Z			C-8/FC-143	0.355	MPB	63.4%
8/10/86	46271	360	Z			C-8/FC-143	0.341	MPB	60.9%
8/11/86	46270	390	Z			C-8/FC-143	0.299	MPB	53.4%
8/12/86	46269	390	Z			C-8/FC-143	0.49	MPB	87.5%
8/13/86	46268	390	Z			C-8/FC-143	0.211	MPB	37.7%
8/16/86	46267	390	Z			C-8/FC-143	0.3	MPB	

AJP007007

									53.6%
8/25/86	46266	330	Z	C-8/FC-143	0.21	MPB			37.5%
9/12/86	46275	360	Z	C-8/FC-143	2.601	MPB		464.5%	**
9/15/86	46274	360	Z	C-8/FC-143	0.314	MPB			56.1%
11/9/86	46276	330	Z	C-8/FC-143	0.213	MPB			38.0%
11/22/86	46277	375	Z	C-8/FC-143	0.114	MPB			20.4%
1/11/87	46278	360	Z	C-8/FC-143	0.153	MPB			27.3%
3/2/87	46279	360	Z	C-8/FC-143	0.204	MPB			52.5%
5/23/87	46280	360	Z	C-8/FC-143	0.118	MPB			21.1%
6/6/87	46281	330	Z	C-8/FC-143	0.131	MPB			23.4%
8/15/87	46282	420	Z	C-8/FC-143	0.065	MPB			11.6%
12/17/87	46284	450	Z	C-8/FC-143	0.388	MPB			69.3%
12/18/87	46283	450	Z	C-8/FC-143	0.159	MPB			28.4%
2/21/88	46285	366	Z	C-8/FC-143	0.183	MPB			32.7%
4/16/88	46286	393	Z	C-8/FC-143	<0.005	MPB			0.9%
6/14/88	46287	450	Z	C-8/FC-143	0.107	MPB			19.1%
9/5/88	46289	450	Z	C-8/FC-143	0.11	MPB			19.6%
9/25/88	46288	390	Z	C-8/FC-143	0.53	MPB			94.6%
11/13/88	46290	300	Z	C-8/FC-143	0.32	MPB			57.1%
4/7/89	8728	330	A	C-8/FC-143	0.21	MPB			37.5%
8/14/89	8737	360	A	C-8/FC-143	0.98	MPB			175.0%
8/15/89	8736	420	A	C-8/FC-143	1.84	MPB			328.6%
11/17/89	8743	330	A	C-8/FC-143	3.83	MPB			

AJP007008

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

							648.2%	**
1/5/90	8747	405	A		C-8/FC-143	0.67	MPB	
							119.6%	**
1/5/91	8756	420	A		C-8/FC-143	0.177	MPB	
							31.6%	
6/22/91	8780	360	A		C-8/FC-143	1.514	MPB	
							270.4%	**
2/26/92	8805	345	A		C-8/FC-143	0.214	MPB	
							38.2%	

Tuesday, August 28, 2001 3:20:56 PM

Page 13 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/17/92	8810	465	A			C-8/FC-143	0.22	MPB	39.3%
5/5/92	8812	480	A			C-8/FC-143	0.146	MPB	26.1%
1/21/93	8818	445	A			C-8/FC-143	2.94	MPB	525.0% **
6/14/93	8823	360	A			C-8/FC-143	0.31	MPB	55.4%
6/29/93	8825	440	A			C-8/FC-143	0.23	MPB	41.1%
9/8/93	8832	360	A			C-8/FC-143	0.39	MPB	69.6%

BTO : 08 TEFLON@

LOC : 702 FINE POWDER DRYER CONTROL ROOM (ALSO SEE TTF031)

9/21/81	57258		Z			C-8/FC-143	0.12	MPB	21.4%
9/23/81	57259		Z			C-8/FC-143	1.64	MPB	292.9% **
9/24/81	57260		Z			C-8/FC-143	1.04	MPB	185.7% **
9/27/81	57261		Z			C-8/FC-143	4.6	MPB	821.4% **
9/27/81	57262		Z			C-8/FC-143	0.47	MPB	

AJP007009

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

						83.9%
9/30/81	57263	Z	C-8/FC-143	0.46	MPB	82.1%
9/30/81	57264	Z	C-8/FC-143	1.03	MPB	183.9% **
9/30/81	57265	Z	C-8/FC-143	0.46	MPB	82.1%
10/19/81	57266	Z	C-8/FC-143	0.13	MPB	23.2%
11/9/81	57267	Z	C-8/FC-143	0.7	MPB	125.0% **
11/9/81	57268	Z	C-8/FC-143	0.56	MPB	100.0% **
11/9/81	57269	Z	C-8/FC-143	0.54	MPB	96.4%
11/11/81	57270	Z	C-8/FC-143	3.01	MPB	537.5% **
11/12/81	57271	Z	C-8/FC-143	0.66	MPB	117.9% **
11/12/81	57272	Z	C-8/FC-143	0.57	MPB	101.8% **
11/12/81	57273	Z	C-8/FC-143	0.52	MPB	92.9%
11/18/81	57274	Z	C-8/FC-143	0.65	MPB	116.1% **
11/18/81	57275	Z	C-8/FC-143	1.33	MPB	237.5% **
11/18/81	57276	Z	C-8/FC-143	1.18	MPB	210.7% **
11/19/81	57277	Z	C-8/FC-143	0.07	MPB	12.5%
12/2/81	57278	Z	C-8/FC-143	0.12	MPB	21.4%
12/14/81	57279	Z	C-8/FC-143	0.24	MPB	42.9%
12/21/81	57280	Z	C-8/FC-143	0.54	MPB	96.4%
12/21/81	57281	Z	C-8/FC-143	0.55	MPB	98.2%
12/21/81	57282	Z	C-8/FC-143	0.36	MPB	64.3%
12/22/81	57283	Z	C-8/FC-143	0.13	MPB	23.2%
12/28/81	57284	Z	C-8/FC-143	0.13	MPB	23.2%

ALP007010

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

1/5/82	57285	Z	C-8/FC-143	0.37	MPB	66.1%
1/5/82	57286	Z	C-8/FC-143	0.3	MPB	53.6%
1/5/82	57287	Z	C-8/FC-143	0.49	MPB	67.5%
1/25/82	57288	Z	C-8/FC-143	0.19	MPB	33.9%

Tuesday, August 28, 2001 3:20:56 PM

Page 14 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
1/30/82	57289		Z			C-8/FC-143	0.34	MPB	60.7%
2/1/82	57290		Z			C-8/FC-143	0.29	MPB	51.8%
2/5/82	57291		Z			C-8/FC-143	0.27	MPB	48.2%
2/7/82	57292		Z			C-8/FC-143	0.15	MPB	28.8%
2/13/82	57293		Z			C-8/FC-143	0.98	MPB	175.0% **
2/13/82	57294		Z			C-8/FC-143	0.13	MPB	23.2%
2/23/82	57295		Z			C-8/FC-143	0.34	MPB	60.7%
3/1/82	57296		Z			C-8/FC-143	0.48	MPB	85.7%
3/2/82	57297		Z			C-8/FC-143	0.31	MPB	55.4%
3/6/82	57298		Z			C-8/FC-143	2.76	MPB	492.8% **
3/6/82	57299		Z			C-8/FC-143	0.25	MPB	44.6%
3/6/82	57300		Z			C-8/FC-143	0.62	MPB	110.7% **
3/6/82	57301		Z			C-8/FC-143	0.98	MPB	175.0% **

AJP007011

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

3/6/82	57302		Z	C-8/FC-143	1.19	MPB	212.5% **
3/20/82	57303		Z	C-8/FC-143	0.24	MPB	42.9%
3/23/82	57304		Z	C-8/FC-143	0.15	MPB	25.8%
3/23/82	57305		Z	C-8/FC-143	0.14	MPB	25.0%
3/24/82	36481	390	Z	C-8/FC-143	0.15	MPB	26.8%
3/24/82	36482	390	Z	C-8/FC-143	0.22	MPB	39.3%
3/24/82	57306		Z	C-8/FC-143	0.15	MPB	26.8%
3/24/82	57307		Z	C-8/FC-143	0.22	MPB	39.3%
3/26/82	36483	345	Z	C-8/FC-143	0.04	MPB	7.1%
3/26/82	57308		Z	C-8/FC-143	0.04	MPB	7.1%
4/5/82	36464	306	Z	C-8/FC-143	0.38	MPB	67.9%
4/5/82	36465	300	Z	C-8/FC-143	0.37	MPB	66.1%
4/5/82	36466	306	Z	C-8/FC-143	0.38	MPB	67.9%
4/26/82	36467	390	Z	C-8/FC-143	0.26	MPB	46.4%
4/26/82	36468	390	Z	C-8/FC-143	0.07	MPB	12.5%
4/29/82	36469	249	Z	C-8/FC-143	0.17	MPB	30.4%
4/30/82	36470	330	Z	C-8/FC-143	0.06	MPB	10.7%
5/3/82	36471	302	Z	C-8/FC-143	0.05	MPB	8.9%
5/3/82	36472	292	Z	C-8/FC-143	2.22	MPB	396.4% **
5/3/82	36473	322	Z	C-8/FC-143	0.04	MPB	7.1%
5/3/82	36474	303	Z	C-8/FC-143	0.09	MPB	16.1%
6/1/82	36475	420	Z	C-8/FC-143	0.24	MPB	42.9%

AJP007012

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

6/1/82	36476	420	Z	C-8/FC-143	0.24	MPB	42.9%
6/1/82	36477	420	Z	C-8/FC-143	0.14	MPB	25.0%
6/1/82	36478	420	Z	C-8/FC-143	0.03	MPB	5.4%
6/1/82	36479	420	Z	C-8/FC-143	0.41	MPB	73.2%

Tuesday, August 28, 2001 3:20:56 PM

Page 15 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/1/82	36480	420	Z			C-8/FC-143	<0.03	MPB	5.4%
6/6/82	36481	360	Z			C-8/FC-143	0.2	MPB	35.7%
6/7/82	36482	300	Z			C-8/FC-143	0.08	MPB	14.3%
6/7/82	36483	300	Z			C-8/FC-143	0.22	MPB	39.3%
6/7/82	36484	300	Z			C-8/FC-143	0.19	MPB	33.9%
6/14/82	36485	320	Z			C-8/FC-143	0.88	MPB	157.1% **
6/14/82	36486	320	Z			C-8/FC-143	0.32	MPB	57.1%
6/14/82	36487	320	Z			C-8/FC-143	0.25	MPB	44.6%
6/17/82	36488	386	Z			C-8/FC-143	0.15	MPB	26.8%
6/28/82	36489	331	Z			C-8/FC-143	0.14	MPB	25.0%
6/28/82	36490	330	Z			C-8/FC-143	0.67	MPB	119.6% **
7/11/82	36491	360	Z			C-8/FC-143	0.28	MPB	50.0%
7/12/82	36492	420	Z			C-8/FC-143	0.21	MPB	

ALP007013

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

									37.5%
7/12/82	36493	420	Z		C-8/FC-143	0.21	MPB		37.5%
7/13/82	36494	370	Z		C-8/FC-143	0.24	MPB		42.9%
7/28/82	36495	420	Z		C-8/FC-143	0.39	MPB		69.6%
8/2/82	36496	375	Z		C-8/FC-143	0.42	MPB		75.0%
8/2/82	36497	375	Z		C-8/FC-143	0.67	MPB	119.8%	**
8/6/82	36498	450	Z		C-8/FC-143	0.2	MPB		35.7%
8/9/82	36499	390	Z		C-8/FC-143	0.19	MPB		33.9%
8/9/82	36500	390	Z		C-8/FC-143	0.16	MPB		28.6%
8/9/82	36501	390	Z		C-8/FC-143	0.21	MPB		37.5%
9/20/82	36502	300	Z		C-8/FC-143	0.35	MPB		62.5%
9/20/82	36503	300	Z		C-8/FC-143	0.39	MPB		69.6%
9/20/82	36504	300	Z		C-8/FC-143	0.2	MPB		35.7%
10/19/82	36505	360	Z		C-8/FC-143	0.08	MPB		14.3%
11/1/82	36506	285	Z		C-8/FC-143	0.3	MPB		53.6%
11/1/82	36507	285	Z		C-8/FC-143	0.2	MPB		35.7%
11/1/82	36508	285	Z		C-8/FC-143	0.3	MPB		53.6%
11/16/82	36509	419	Z		C-8/FC-143	0.77	MPB	137.5%	**
11/29/82	36510	393	Z		C-8/FC-143	0.06	MPB		10.7%
12/14/82	36511	360	Z		C-8/FC-143	0.04	MPB		7.1%
12/14/82	36512	360	Z		C-8/FC-143	0.04	MPB		7.1%
12/14/82	36513	360	Z		C-8/FC-143	0.08	MPB		14.3%
2/1/83	36514	560	Z		C-8/FC-143	0.17	MPB		30.4%

AP007014

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

3/2/83	36515	390	Z	C-8/FC-143	0.45	MPB	80.4%
3/2/83	36516	390	Z	C-8/FC-143	0.36	MPB	64.3%
3/6/83	36517	360	Z	C-8/FC-143	0.83	MPB	148.2% **
3/7/83	36518	360	Z	C-8/FC-143	0.09	MPB	16.1%

Tuesday, August 28, 2001 3:20:56 PM

Page 16 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/7/83	36519	360	Z			C-8/FC-143	0.05	MPB	8.9%
3/7/83	36520	360	Z			C-8/FC-143	0.07	MPB	12.5%
3/9/83	36521	375	Z			C-8/FC-143	<0.03	MPB	5.4%
3/14/83	36522	393	Z			C-8/FC-143	1.64	MPB	292.9% **
3/14/83	36523	396	Z			C-8/FC-143	1.78	MPB	317.9% **
3/14/83	36524	396	Z			C-8/FC-143	1.54	MPB	275.0% **
4/10/83	36525	360	Z			C-8/FC-143	0.37	MPB	66.1%
4/18/83	36526	360	Z			C-8/FC-143	0.08	MPB	14.3%
4/18/83	36527	420	Z			C-8/FC-143	0.04	MPB	7.1%
4/18/83	36528	360	Z			C-8/FC-143	0.04	MPB	7.1%
4/25/83	36529	357	Z			C-8/FC-143	0.1	MPB	17.9%
4/25/83	36530	352	Z			C-8/FC-143	0.1	MPB	17.9%
4/25/83	36531	360	Z			C-8/FC-143	0.1	MPB	

AJP007015

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

							17.9%
5/17/83	36532	420	Z	C-8/FC-143	0.49	MPB	87.5%
5/17/83	36533	420	Z	C-8/FC-143	0.47	MPB	83.9%
6/2/83	36534	325	Z	C-8/FC-143	0.71	MPB	126.8% **
6/2/83	36535	325	Z	C-8/FC-143	0.54	MPB	96.4%
6/2/83	36536	334	Z	C-8/FC-143	0.44	MPB	78.6%
6/6/83	36537	365	Z	C-8/FC-143	0.4	MPB	71.4%
6/8/83	36538	480	Z	C-8/FC-143	0.26	MPB	46.4%
6/8/83	36539	430	Z	C-8/FC-143	0.41	MPB	73.2%
6/13/83	36540	310	Z	C-8/FC-143	0.38	MPB	67.9%
6/13/83	36541	315	Z	C-8/FC-143	0.39	MPB	68.6%
6/13/83	36542	310	Z	C-8/FC-143	<0.03	MPB	5.4%
7/11/83	36543	360	Z	C-8/FC-143	0.55	MPB	98.2%
7/11/83	36544	360	Z	C-8/FC-143	0.62	MPB	110.7% **
7/11/83	36545	360	Z	C-8/FC-143	0.49	MPB	87.5%
8/10/83	36546	360	Z	C-8/FC-143	0.27	MPB	48.2%
8/10/83	36547	360	Z	C-8/FC-143	0.14	MPB	25.0%
8/10/83	36548	360	Z	C-8/FC-143	0.54	MPB	96.4%
9/1/83	36549	360	Z	C-8/FC-143	0.54	MPB	96.4%
9/1/83	36550	360	Z	C-8/FC-143	0.45	MPB	80.4%
9/1/83	36551	360	Z	C-8/FC-143	0.46	MPB	82.1%
9/8/83	36552	390	Z	C-8/FC-143	0.62	MPB	110.7% **
9/8/83	36553	30	Z	C-8/FC-143	3.96	MPB	707.1% **

AJP007016

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

10/4/83	36554	360	Z	C-8/FC-143	0.34	MPB	60.7%
10/4/83	36555	360	Z	C-8/FC-143	0.17	MPB	30.4%
10/9/83	36556	390	Z	C-8/FC-143	0.11	MPB	19.6%
10/9/83	36557	400	Z	C-8/FC-143	0.19	MPB	33.9%

Tuesday, August 28, 2001 3:20:56 PM

Page 17 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/9/83	36558	405	Z			C-8/FC-143	0.35	MPB	62.5%
10/30/83	36559	350	Z			C-8/FC-143	0.52	MPB	92.9%
10/30/83	36560	345	Z			C-8/FC-143	0.51	MPB	91.1%
10/30/83	36561	345	Z			C-8/FC-143	0.53	MPB	94.6%
11/14/83	36562	405	Z			C-8/FC-143	0.39	MPB	69.6%
11/29/83	36563	360	Z			C-8/FC-143	0.43	MPB	76.8%
11/30/83	36564	360	Z			C-8/FC-143	0.22	MPB	39.3%
11/30/83	36565	360	Z			C-8/FC-143	0.25	MPB	44.6%
1/23/84	36566	345	Z			C-8/FC-143	0.62	MPB	110.7% **
1/27/84	36567	420	Z			C-8/FC-143	0.51	MPB	91.1%
2/20/84	36568	360	Z			C-8/FC-143	0.38	MPB	67.9%
3/17/84	36569	360	Z			C-8/FC-143	0.37	MPB	66.1%
6/12/84	36570	385	Z			C-8/FC-143	0.53	MPB	

AJP007017

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

								94.6%
7/8/84	36571	340	Z	C-8/FC-143	0.15	MPB		25.8%
8/4/84	36572	420	Z	C-8/FC-143	0.38	MPB		67.9%
10/2/84	36573	360	Z	C-8/FC-143	0.77	MPB		137.5% **
11/24/84	36574	350	Z	C-8/FC-143	0.26	MPB		46.4%
12/23/84	36575	340	Z	C-8/FC-143	0.23	MPB		41.1%
2/19/85	36576	300	Z	C-8/FC-143	0.48	MPB		85.7%
3/18/85	36577	320	Z	C-8/FC-143	0.36	MPB		64.3%
4/15/85	36578	380	Z	C-8/FC-143	0.06	MPB		10.7%
6/11/85	36596	360	Z	C-8/FC-143	0.56	MPB		100.0% **
7/4/85	36595	390	Z	C-8/FC-143	10.04	MPB		1792.9% **
9/17/85	36597	360	Z	C-8/FC-143	2.997	MPB		535.2% **
8/12/86	36601	390	Z	C-8/FC-143	0.08	MPB		14.3%
8/13/86	36600	390	Z	C-8/FC-143	0.096	MPB		17.1%
8/16/86	36599	390	Z	C-8/FC-143	0.173	MPB		30.9%
10/24/86	36602	300	Z	C-8/FC-143	0.116	MPB		20.7%
11/13/86	36604	255	Z	C-8/FC-143	0.292	MPB		52.1%
1/11/87	36605	360	Z	C-8/FC-143	0.172	MPB		30.7%
3/1/87	36606	360	Z	C-8/FC-143	0.106	MPB		18.9%
5/14/87	36608	510	Z	C-8/FC-143	0.074	MPB		13.2%
6/6/87	36609	330	Z	C-8/FC-143	0.131	MPB		23.4%
8/15/87	36607	420	Z	C-8/FC-143	0.028	MPB		5.0%
10/31/87	36610	347	Z	C-8/FC-143	0.027	MPB		4.8%

AJP007018

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

12/19/87	36611	331	Z	C-8/FC-143	0.18	MPB	32.1%
2/10/88	36612	330	Z	C-8/FC-143	0.072	MPB	12.9%
6/24/88	36615	420	Z	C-8/FC-143	<0.03	MPB	5.4%
6/25/88	36614	420	Z	C-8/FC-143	<0.03	MPB	5.4%

Tuesday, August 28, 2001 3:20:56 PM

Page 18 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/20/88	36616	330	Z			C-8/FC-143	0.04	MPB	7.1%
10/14/88	36617	330	Z			C-8/FC-143	<0.03	MPB	5.4%
4/7/89	105	330	A			C-8/FC-143	<0.03	MPB	5.4%
8/14/89	190	360	A			C-8/FC-143	<.03	MPB	5.4%
11/17/89	255	340	A			C-8/FC-143	0.52	MPB	92.9%
1/5/90	294	398	A			C-8/FC-143	0.04	MPB	7.1%
2/14/90	320	416	A			C-8/FC-143	1.29	MPB	230.4% **
2/14/90	323	374	A			C-8/FC-143	0.06	MPB	10.7%
3/12/90	369	360	A			C-8/FC-143	0.1	MPB	17.9%
7/11/90	509	480	A			C-8/FC-143	<0.03	MPB	5.4%
6/22/91	783	360	A			C-8/FC-143	0.126	MPB	22.5%
2/26/92	1300	345	A			C-8/FC-143	0.088	MPB	15.7%
3/17/92	1311	465	A			C-8/FC-143	0.1	MPB	

AJP007019

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

								17.9%
5/6/92	1400	470	A		C-8/FC-143	0.194	MPB	34.6%
1/21/93	1801	445	A		C-8/FC-143	0.07	MPB	12.5%
6/17/93	2135	450	A		C-8/FC-143	0	MPB	0.0%
6/29/93	2140	440	A		C-8/FC-143	0.1	MPB	17.9%
BTO:	08	TEFLON@						
LOC:	703	FINE POWDER PACKOUT ROOM						
8/25/81	31236		P	none	C-8/FC-143	0.04	MPB	7.1%
9/22/81	49740		Z		C-8/FC-143	<0.03	MPB	5.4%
10/2/81	49741		Z		C-8/FC-143	<0.03	MPB	5.4%
8/6/82	34491	450	Z		C-8/FC-143	0.07	MPB	12.5%
9/22/82	9395	360	P	none	C-8/FC-143	<0.03	MPB	5.4%
10/4/83	34492	360	Z		C-8/FC-143	0.33	MPB	58.9%
3/27/85	34493	390	Z		C-8/FC-143	0.2	MPB	35.7%
2/26/86	34534	390	Z		C-8/FC-143	0.346	MPB	61.8%
5/21/86	34537	375	Z		C-8/FC-143	0.141	MPB	25.2%
5/23/86	34536	360	Z		C-8/FC-143	0.069	MPB	12.3%
6/16/86	34538	480	Z		C-8/FC-143	0.219	MPB	39.1%
1/18/87	34549	300	Z		C-8/FC-143	<0.03	MPB	5.4%
2/13/87	34550	390	Z		C-8/FC-143	0.234	MPB	41.8%
3/5/87	34551	390	Z		C-8/FC-143	0.167	MPB	29.8%
4/3/87	34552	369	Z		C-8/FC-143	0.068	MPB	12.1%
5/23/87	34554	360	Z		C-8/FC-143	0.04	MPB	7.1%

AP007020

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

6/13/87	34555	360	Z	C-8/FC-143	0.057	MPB	10.2%
8/12/87	34556	360	Z	C-8/FC-143	0.051	MPB	9.1%
8/19/87	34557	450	Z	C-8/FC-143	0.054	MPB	9.6%
10/16/87	34559	300	Z	C-8/FC-143	0.011	MPB	2.0%

Tuesday, August 28, 2001 3:20:56 PM

Page 19 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
12/18/87	34562	450	Z			C-8/FC-143	0.109	MPB	19.5%
1/17/88	34561	450	Z			C-8/FC-143	0.065	MPB	11.6%
1/18/88	34560	360	Z			C-8/FC-143	0.1	MPB	17.9%
2/29/88	34563	360	Z			C-8/FC-143	0.068	MPB	12.1%
4/5/88	40678	420	Z			C-8/FC-143	0.034	MPB	6.1%
4/26/88	34564	450	Z			C-8/FC-143	0.006	MPB	1.1%
6/21/88	40903	381	Z			C-8/FC-143	<0.03	MPB	5.4%
6/23/88	40901	420	Z			C-8/FC-143	<0.03	MPB	5.4%
6/24/88	40902	420	Z			C-8/FC-143	<0.03	MPB	5.4%
8/23/88	41082	370	Z			C-8/FC-143	<0.03	MPB	5.4%
9/5/88	41097	450	Z			C-8/FC-143	<0.03	MPB	5.4%
10/1/88	41108	401	Z			C-8/FC-143	<0.03	MPB	5.4%
10/31/88	41124	339	Z			C-8/FC-143	<0.03	MPB	5.4%

AJP007021

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

1/8/89	28	420	A	C-8/FC-143	<0.03	MPB	5.4%
4/12/89	109	285	A	C-8/FC-143	<0.03	MPB	5.4%
8/18/89	189	322	A	C-8/FC-143	0.42	MPB	75.0%
1/10/90	15515	355	P	08PJ C-8/FC-143	<0.03	MPB	5.4%
7/11/90	511	480	A	C-8/FC-143	<0.03	MPB	5.4%
8/10/90	538	330	A	C-8/FC-143	0.08	MPB	14.3%
1/2/91	623	420	A	C-8/FC-143	<0.03	MPB	5.4%
4/1/91	712	365	A	C-8/FC-143	<0.03	MPB	5.4%
6/24/91	787	260	A	C-8/FC-143	0.083	MPB	14.8%
9/8/91	844	420	A	C-8/FC-143	0.118	MPB	21.1%
2/26/92	1301	345	A	C-8/FC-143	0.078	MPB	13.9%
3/17/92	1310	465	A	C-8/FC-143	0.05	MPB	8.9%
4/26/92	1397	550	A	C-8/FC-143	0.098	MPB	17.5%
8/26/93	2172	375	A	C-8/FC-143	<.03	MPB	5.4%
8/31/93	2173	360	A	C-8/FC-143	<.03	MPB	5.4%
9/13/93	2216	375	A	C-8/FC-143	<.03	MPB	5.4%
10/20/93	2271	375	A	C-8/FC-143	<.03	MPB	5.4%
11/8/93	2306	360	A	C-8/FC-143	<.03	MPB	5.4%
1/27/94	19338	370	P	08PJ C-8/FC-143	<.03	MPB	5.4%

BTO: 08 TEFLON@
LOC: 704 A/S - FINE POWDER C-8 WEIGH HOOD

12/3/81	51474	Z	C-8/FC-143	0.74	MPB	132.1% *
12/14/81	51475	Z	C-8/FC-143	1	MPB	178.6% **

AJP007022

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

12/28/81	51476	Z	C-8/FC-143	5.31	MPB	948.2%	**
1/6/82	51477	Z	C-8/FC-143	8.83	MPB	1576.8%	**
1/7/82	51478	Z	C-8/FC-143	0.11	MPB	19.6%	

Tuesday, August 28, 2001 3:20:56 PM

Page 20 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
1/26/82	51479		Z			C-8/FC-143	0.08	MPB	14.3%
7/10/82	34850	425	Z			C-8/FC-143	10.81	MPB	1930.4% **
7/10/82	34851	425	Z			C-8/FC-143	1.08	MPB	192.9% **
7/13/82	34852	370	Z			C-8/FC-143	0.69	MPB	123.2% **
7/13/82	34853	370	Z			C-8/FC-143	4.74	MPB	848.4% **
7/15/82	34854	390	Z			C-8/FC-143	0.63	MPB	112.5% **
12/15/82	34855	330	Z			C-8/FC-143	0.22	MPB	39.3%
6/26/83	34856	300	Z			C-8/FC-143	0.84	MPB	150.0% **
7/4/83	34857	300	Z			C-8/FC-143	0.79	MPB	141.1% **
8/1/83	34858	330	Z			C-8/FC-143	0.18	MPB	32.1%
8/16/83	34859	370	Z			C-8/FC-143	0.17	MPB	30.4%
8/27/83	34860	360	Z			C-8/FC-143	1.14	MPB	203.6% **
11/12/83	34861	360	Z			C-8/FC-143	0.26	MPB	46.4%
11/22/83	34862	330	Z			C-8/FC-143	0.1	MPB	17.9%

AIP007023

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

1/8/84	34863	390	Z	C-8/FC-143	0.17	MPB	30.4%
3/12/84	34864	375	Z	C-8/FC-143	0.15	MPB	26.8%
7/25/84	34865	360	Z	C-8/FC-143	0.8	MPB	142.9% **
5/26/85	34866	330	Z	C-8/FC-143	5.45	MPB	973.2% **
8/20/85	34963	360	Z	C-8/FC-143	1.1	MPB	196.4% **
1/30/86	34965	375	Z	C-8/FC-143	0.228	MPB	40.7%
9/15/86	34969	360	Z	C-8/FC-143	0.42	MPB	75.0%
9/18/86	34968	240	Z	C-8/FC-143	1.122	MPB	200.4% **
11/9/86	34972	330	Z	C-8/FC-143	0.581	MPB	103.8% **
11/14/86	34971	345	Z	C-8/FC-143	0.137	MPB	24.5%
1/12/87	34973	360	Z	C-8/FC-143	0.774	MPB	138.2% **
3/5/87	34975	330	Z	C-8/FC-143	4.945	MPB	883.0% **
4/29/87	34976	331	S	C-8/FC-143	0.148	MPB	26.4%
5/21/87	34978	310	Z	C-8/FC-143	0.12	MPB	21.4%
6/14/87	34980	360	Z	C-8/FC-143	0.392	MPB	70.0%
9/12/87	34981	360	Z	C-8/FC-143	0.211	MPB	37.7%
12/20/87	34984	360	Z	C-8/FC-143	0.216	MPB	38.6%
1/17/88	34983	450	Z	C-8/FC-143	0.396	MPB	70.7%
6/13/88	34988	420	Z	C-8/FC-143	0.07	MPB	12.5%
9/5/88	34990	450	Z	C-8/FC-143	>1.0	MPB	178.6% **
9/25/88	34989	390	Z	C-8/FC-143	>1.0	MPB	178.6% **
1/8/89	27	420	A	C-8/FC-143	0.52	MPB	92.9%

AJP007024

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

4/7/89	104	290	A	C-8/FC-143	<0.03	MPB	5.4%
8/18/89	191	321	A	C-8/FC-143	0.53	MPB	94.6%
12/5/89	273	377	A	C-8/FC-143	0.55	MPB	98.2%

Tuesday, August 28, 2001 3:20:56 PM

Page 21 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/14/90	322	383	A			C-8/FC-143	3.11	MPB	555.4% **
3/12/90	368	360	A			C-8/FC-143	0.55	MPB	98.2%
10/20/98	8369	360	A			C-8/FC-143	0.02	MPB	3.6%
11/12/98	8400	360	A			C-8/FC-143	<0.05	MPB	8.9%
1/27/99	8582	330	A			C-8/FC-143	0.1	MPB	17.9%
4/13/99	8687	360	A			C-8/FC-143	0.0315	MPB	5.6%
7/13/99	9105	360	A			C-8/FC-143	2.1335	MPB	381.0% **
11/4/99	9269	300	A			C-8/FC-143	0.08	MPB	14.3%
2/4/00	9407	360	A			C-8/FC-143	<0.01	MPB	1.8%
5/11/00	9495	360	A			C-8/FC-143	0.181	MPB	32.3%
8/8/00	9626	360	A			C-8/FC-143	0.2	MPB	35.7%
11/13/00	9735	360	A			C-8/FC-143	0.1354	MPB	24.2%
2/7/01	9861	360	A			C-8/FC-143	0.03	MPB	5.4%
5/24/01	10049	360	A			C-8/FC-143	0.1132	MPB	20.2%

ALP007025

BTO: 08 TEFLON@
LOC: 705 DISPERSION PACK OUT AREA

8/13/81	60500	Z	C-8/FC-143	0.04	MPB	7.1%
9/5/81	60501	Z	C-8/FC-143	<0.03	MPB	5.4%
9/6/81	60502	Z	C-8/FC-143	0.06	MPB	10.7%
9/22/81	60503	Z	C-8/FC-143	0.64	MPB	114.3% **
10/2/81	60504	Z	C-8/FC-143	0.04	MPB	7.1%
12/2/81	60505	Z	C-8/FC-143	0.16	MPB	28.6%
12/19/81	60506	Z	C-8/FC-143	0.12	MPB	21.4%
12/29/81	60507	Z	C-8/FC-143	0.09	MPB	16.1%
1/18/82	33217	P	none C-8/FC-143	0.14	MPB	25.0%
3/4/82	60508	Z	C-8/FC-143	0.18	MPB	32.1%
6/12/82	11658	360 P	none C-8/FC-143	0.05	MPB	8.9%
6/17/82	37341	371 Z	C-8/FC-143	0.12	MPB	21.4%
6/20/82	11659	420 P	none C-8/FC-143	0.1	MPB	17.9%
9/28/82	37342	281 Z	C-8/FC-143	<0.03	MPB	5.4%
10/5/82	37343	405 Z	C-8/FC-143	0.18	MPB	32.1%
2/8/83	37344	360 Z	C-8/FC-143	0.15	MPB	26.8%
6/8/83	37345	355 Z	C-8/FC-143	0.06	MPB	10.7%
7/11/83	37346	360 Z	C-8/FC-143	0.11	MPB	19.6%
8/10/83	37347	360 Z	C-8/FC-143	0.11	MPB	19.6%
9/1/83	37348	360 Z	C-8/FC-143	0.08	MPB	14.3%
9/11/83	37349	360 Z	C-8/FC-143	0.05	MPB	

ALP007026

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

10/5/83	37350	340	Z	C-8/FC-143	0.05	MPB	8.9%
10/9/83	37351	420	Z	C-8/FC-143	0.05	MPB	8.9%

Tuesday, August 28, 2001 3:20:56 PM

Page 22 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/30/83	37352	340	Z			C-8/FC-143	0.12	MPB	21.4%
11/22/83	37353	330	Z			C-8/FC-143	0.04	MPB	7.1%
11/30/83	37354	360	Z			C-8/FC-143	0.04	MPB	7.1%
1/8/84	37355	390	Z			C-8/FC-143	0.04	MPB	7.1%
7/25/84	37356	360	Z			C-8/FC-143	0.13	MPB	23.2%
8/20/85	37361	360	Z			C-8/FC-143	0.083	MPB	14.8%
1/30/86	37363	375	Z			C-8/FC-143	0.072	MPB	12.9%
8/12/86	37369	390	Z			C-8/FC-143	0.194	MPB	34.6%
8/13/86	37368	390	Z			C-8/FC-143	0.322	MPB	57.5%
8/16/86	37367	390	Z			C-8/FC-143	0.232	MPB	41.4%
12/17/86	37370	345	Z			C-8/FC-143	0.081	MPB	14.5%
3/1/87	37373	360	Z			C-8/FC-143	0.197	MPB	35.2%
5/19/87	37375	360	Z			C-8/FC-143	0.111	MPB	19.8%
12/17/87	37380	450	Z			C-8/FC-143	0.038	MPB	6.8%
12/19/87	37379	325	Z			C-8/FC-143	0.072	MPB	

ALP007027

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

							12.9%	
3/29/88	37381	450	Z	C-8/FC-143	0.04	MPB	7.1%	
8/18/88	37383	360	Z	C-8/FC-143	0.3	MPB	53.6%	
3/24/89	14882	435	P	none	C-8/FC-143	<.03	MPB	5.4%
3/27/89	14881	435	P	none	C-8/FC-143	<.03	MPB	5.4%
6/20/89	150	360	A	C-8/FC-143	0.22	MPB	39.3%	
8/6/90	540	480	A	C-8/FC-143	<0.03	MPB	5.4%	
1/5/91	627	420	A	C-8/FC-143	<0.03	MPB	5.4%	
6/24/91	785	360	A	C-8/FC-143	0.308	MPB	55.0%	
10/3/91	1029	375	A	C-8/FC-143	0.006	MPB	1.1%	
3/17/92	1312	465	A	C-8/FC-143	0.09	MPB	16.1%	

BTO: 08 TEFLON@
LOC: 706 FINE POWDER DRYER #3

9/2/81	48748	Z	C-8/FC-143	12.5	MPB	2232.1%	**
9/23/81	48749	Z	C-8/FC-143	2.08	MPB	371.4%	**
9/25/81	48750	Z	C-8/FC-143	5.66	MPB	1010.7%	**
9/29/81	48751	Z	C-8/FC-143	0.42	MPB	75.0%	
10/8/81	48752	Z	C-8/FC-143	1.39	MPB	248.2%	**
11/1/81	48753	Z	C-8/FC-143	2.21	MPB	394.6%	**
11/4/81	48754	Z	C-8/FC-143	0.12	MPB	21.4%	
11/4/81	48755	Z	C-8/FC-143	0.98	MPB	175.0%	**
11/4/81	48756	Z	C-8/FC-143	0.58	MPB	103.6%	**
11/6/81	48757	Z	C-8/FC-143	1.48	MPB	264.3%	**

AJP007028

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

11/10/81	48758	Z	C-8/FC-143	0.13	MPB	23.2%
11/10/81	48759	Z	C-8/FC-143	0.56	MPB	100.0% **

Tuesday, August 28, 2001 3:20:56 PM

Page 23 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
11/13/81	48760		Z			C-8/FC-143	0.38	MPB	67.9%
11/14/81	48761		Z			C-8/FC-143	0.42	MPB	75.0%
11/14/81	48762		Z			C-8/FC-143	0.35	MPB	62.5%
11/18/81	48763		Z			C-8/FC-143	0.56	MPB	100.0% **
11/18/81	48764		Z			C-8/FC-143	0.96	MPB	171.4% **
11/18/81	48765		Z			C-8/FC-143	1	MPB	178.6% **
11/19/81	48766		Z			C-8/FC-143	0.56	MPB	100.0% **
12/3/81	48767		Z			C-8/FC-143	0.09	MPB	16.1%
12/4/81	48768		Z			C-8/FC-143	0.35	MPB	62.5%
12/5/81	48769		Z			C-8/FC-143	0.44	MPB	78.6%
12/8/81	48770		Z			C-8/FC-143	0.09	MPB	16.1%
12/8/81	48771		Z			C-8/FC-143	0.17	MPB	30.4%
12/8/81	48772		Z			C-8/FC-143	0.18	MPB	32.1%
12/8/81	48773		Z			C-8/FC-143	0.22	MPB	39.3%
12/15/81	48774		Z			C-8/FC-143	0.22	MPB	39.3%

AJP007029

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

12/21/81	48775	Z	C-8/FC-143	0.52	MPB	92.9%
12/21/81	48776	Z	C-8/FC-143	0.43	MPB	76.8%
12/22/81	48777	Z	C-8/FC-143	0.04	MPB	7.1%
1/5/82	48778	Z	C-8/FC-143	0.34	MPB	60.7%
1/5/82	48779	Z	C-8/FC-143	0.37	MPB	66.1%
1/6/82	48780	Z	C-8/FC-143	0.5	MPB	89.3%
1/19/82	48781	Z	C-8/FC-143	0.2	MPB	35.7%
1/19/82	48782	Z	C-8/FC-143	0.38	MPB	67.9%
1/25/82	48783	Z	C-8/FC-143	0.21	MPB	37.5%
1/25/82	48784	Z	C-8/FC-143	0.17	MPB	30.4%
1/25/82	48785	Z	C-8/FC-143	0.32	MPB	57.1%
1/25/82	48786	Z	C-8/FC-143	0.21	MPB	37.5%
1/28/82	48787	Z	C-8/FC-143	0.31	MPB	55.4%
2/1/82	48788	Z	C-8/FC-143	0.37	MPB	66.1%
2/1/82	48789	Z	C-8/FC-143	0.04	MPB	7.1%
2/5/82	48790	Z	C-8/FC-143	0.05	MPB	8.9%
2/5/82	48791	Z	C-8/FC-143	0.08	MPB	14.3%
2/7/82	48792	Z	C-8/FC-143	0.15	MPB	26.8%
2/7/82	48793	Z	C-8/FC-143	0.19	MPB	33.9%
2/8/82	48794	Z	C-8/FC-143	0.24	MPB	42.9%
2/13/82	48795	Z	C-8/FC-143	0.31	MPB	55.4%
2/13/82	48796	Z	C-8/FC-143	0.31	MPB	55.4%
2/13/82	48797	Z	C-8/FC-143	0.4	MPB	

AJP007030

2/14/82 48798

Z

C-8/FC-143

1.39 MPB

71.4%

248.2% **

Tuesday, August 28, 2001 3:20:56 PM

Page 24 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/14/82	48799		Z			C-8/FC-143	0.43	MPB	76.8%
2/22/82	48800		Z			C-8/FC-143	0.2	MPB	35.7%
3/1/82	48801		Z			C-8/FC-143	0.61	MPB	108.9% **
3/1/82	48802		Z			C-8/FC-143	1.5	MPB	267.9% **
3/1/82	48803		Z			C-8/FC-143	0.48	MPB	85.7%
3/6/82	48804		Z			C-8/FC-143	0.81	MPB	144.6% **
3/6/82	48805		Z			C-8/FC-143	0.75	MPB	133.9% **
3/6/82	48806		Z			C-8/FC-143	0.17	MPB	30.4%
3/6/82	48807		Z			C-8/FC-143	0.17	MPB	30.4%
3/10/82	48808		Z			C-8/FC-143	0.28	MPB	50.0%
3/10/82	48809		Z			C-8/FC-143	0.58	MPB	103.6% **
3/11/82	48810		Z			C-8/FC-143	0.58	MPB	103.6% **
3/15/82	48811		Z			C-8/FC-143	0.78	MPB	139.3% **
3/15/82	48812		Z			C-8/FC-143	0.16	MPB	28.6%
3/16/82	48813		Z			C-8/FC-143	0.82	MPB	146.4% **

ALP007031

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

3/16/82	48814		Z		C-8/FC-143	0.82	MPB	146.4%	**
3/20/82	48815		Z		C-8/FC-143	0.29	MPB	51.8%	
3/21/82	48816		Z		C-8/FC-143	0.05	MPB	8.9%	
3/21/82	48817		Z		C-8/FC-143	0.37	MPB	66.1%	
3/25/82	34082	352	Z		C-8/FC-143	0.55	MPB	98.2%	
3/25/82	34083	355	Z		C-8/FC-143	0.37	MPB	66.1%	
3/25/82	48818		Z		C-8/FC-143	0.55	MPB	98.2%	
3/25/82	48819		Z		C-8/FC-143	0.37	MPB	66.1%	
3/30/82	34084	457	Z		C-8/FC-143	0.1	MPB	17.9%	
3/30/82	34085	453	Z		C-8/FC-143	0.1	MPB	17.9%	
3/30/82	34086	445	Z		C-8/FC-143	0.23	MPB	41.1%	
3/30/82	48820		Z		C-8/FC-143	0.1	MPB	17.9%	
3/30/82	48821		Z		C-8/FC-143	0.1	MPB	17.9%	
3/30/82	48822		Z		C-8/FC-143	0.23	MPB	41.1%	
3/31/82	34087	368	Z		C-8/FC-143	0.08	MPB	14.3%	
3/31/82	34088	367	Z		C-8/FC-143	0.08	MPB	14.3%	
3/31/82	34089	367	Z		C-8/FC-143	0.08	MPB	14.3%	
3/31/82	48823		Z		C-8/FC-143	0.08	MPB	14.3%	
3/31/82	48824		Z		C-8/FC-143	0.08	MPB	14.3%	
3/31/82	48825		Z		C-8/FC-143	0.08	MPB	14.3%	
4/6/82	34090	345	Z		C-8/FC-143	0.04	MPB	7.1%	
4/6/82	34100	345	Z		C-8/FC-143	0.04	MPB	7.1%	
4/12/82	34101	330	Z		C-8/FC-143	<0.03	MPB		

AJP007032

4/13/82 34102 315 Z C-8/FC-143 0.28 MPB 5.4%
50.0%

Tuesday, August 28, 2001 3:20:56 PM

Page 25 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/19/82	34103	360	Z			C-8/FC-143	0.36	MPB	64.3%
4/21/82	34104	379	Z			C-8/FC-143	3.52	MPB	628.6% **
4/21/82	34105	287	Z			C-8/FC-143	1.45	MPB	258.9% **
4/21/82	34106	389	Z			C-8/FC-143	0.65	MPB	116.1% **
4/26/82	34107	390	Z			C-8/FC-143	0.04	MPB	7.1%
4/26/82	34108	390	Z			C-8/FC-143	0.15	MPB	26.8%
4/27/82	34109	365	Z			C-8/FC-143	0.28	MPB	50.0%
4/27/82	34110	376	Z			C-8/FC-143	0.47	MPB	83.9%
4/28/82	34111	312	Z			C-8/FC-143	0.27	MPB	48.2%
4/29/82	34112	247	Z			C-8/FC-143	<0.03	MPB	5.4%
5/25/82	34113	360	Z			C-8/FC-143	0.2	MPB	35.7%
5/25/82	34114	360	Z			C-8/FC-143	0.12	MPB	21.4%
5/25/82	34115	360	Z			C-8/FC-143	0.03	MPB	5.4%
5/25/82	34116	360	Z			C-8/FC-143	0.03	MPB	5.4%
6/1/82	34117	420	Z			C-8/FC-143	0.07	MPB	12.5%

AJP007033

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

6/2/82	34118	360	Z	C-8/FC-143	0.68	MPB	121.4%	**
6/2/82	34119	360	Z	C-8/FC-143	0.16	MPB	28.6%	
6/2/82	34120	360	Z	C-8/FC-143	0.79	MPB	141.1%	**
6/2/82	34121	360	Z	C-8/FC-143	0.4	MPB	71.4%	
6/2/82	34122	360	Z	C-8/FC-143	0.5	MPB	89.3%	
6/2/82	34123	360	Z	C-8/FC-143	<0.03	MPB	5.4%	
6/2/82	34124	360	Z	C-8/FC-143	0.39	MPB	69.6%	
6/7/82	34125	300	Z	C-8/FC-143	0.38	MPB	67.9%	
6/7/82	34126	300	Z	C-8/FC-143	0.26	MPB	46.4%	
6/7/82	34127	300	Z	C-8/FC-143	0.24	MPB	42.9%	
6/8/82	34128	360	Z	C-8/FC-143	0.13	MPB	23.2%	
6/28/82	34129	300	Z	C-8/FC-143	0.39	MPB	69.6%	
6/28/82	34130	300	Z	C-8/FC-143	0.4	MPB	71.4%	
6/29/82	34131	300	Z	C-8/FC-143	0.31	MPB	55.4%	
6/29/82	34132	300	Z	C-8/FC-143	0.3	MPB	53.6%	
7/11/82	34133	360	Z	C-8/FC-143	0.36	MPB	64.3%	
7/11/82	34134	360	Z	C-8/FC-143	<0.03	MPB	5.4%	
7/11/82	34135	360	Z	C-8/FC-143	0.45	MPB	80.4%	
7/12/82	34136	420	Z	C-8/FC-143	0.22	MPB	39.3%	
7/12/82	34137	420	Z	C-8/FC-143	0.26	MPB	46.4%	
7/12/82	34138	420	Z	C-8/FC-143	0.4	MPB	71.4%	
7/28/82	34139	420	Z	C-8/FC-143	0.26	MPB	46.4%	
7/28/82	34140	420	Z	C-8/FC-143	0.28	MPB		

AIP007034

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

8/2/82 34141 375 Z C-8/FC-143 0.4 MPB 50.0%
71.4%

Tuesday, August 28, 2001 3:20:56 PM

Page 26 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/3/82	34142	254	Z			C-8/FC-143	0.47	MPB	83.9%
8/3/82	34143	254	Z			C-8/FC-143	0.3	MPB	53.6%
8/9/82	34144	390	Z			C-8/FC-143	0.18	MPB	32.1%
8/11/82	34145	360	Z			C-8/FC-143	0.08	MPB	14.3%
8/11/82	34146	360	Z			C-8/FC-143	<0.03	MPB	5.4%
8/11/82	34147	360	Z			C-8/FC-143	0.12	MPB	21.4%
9/13/82	34148	360	Z			C-8/FC-143	0.28	MPB	50.0%
9/20/82	34149	300	Z			C-8/FC-143	0.03	MPB	5.4%
10/4/82	34150	325	Z			C-8/FC-143	0.22	MPB	39.3%
10/4/82	34151	325	Z			C-8/FC-143	0.22	MPB	39.3%
10/5/82	34152	405	Z			C-8/FC-143	0.22	MPB	39.3%
10/11/82	34153	390	Z			C-8/FC-143	0.11	MPB	19.6%
10/18/82	34154	345	Z			C-8/FC-143	0.51	MPB	91.1%
10/19/82	34155	360	Z			C-8/FC-143	0.33	MPB	58.9%
10/25/82	34156	360	Z			C-8/FC-143	0.16	MPB	28.6%

ALP007035

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

11/3/82	34157	360	Z	C-8/FC-143	0.12	MPB	21.4%
11/3/82	34158	360	Z	C-8/FC-143	0.27	MPB	48.2%
11/16/82	34159	390	Z	C-8/FC-143	0.64	MPB	114.3% **
11/27/82	34160	420	Z	C-8/FC-143	<0.03	MPB	5.4%
11/27/82	34161	420	Z	C-8/FC-143	<0.03	MPB	5.4%
11/29/82	34162	390	Z	C-8/FC-143	0.11	MPB	19.6%
11/29/82	34163	389	Z	C-8/FC-143	0.06	MPB	10.7%
11/29/82	34164	408	Z	C-8/FC-143	<0.03	MPB	5.4%
11/29/82	34165	375	Z	C-8/FC-143	0.07	MPB	12.5%
12/2/82	34166	390	Z	C-8/FC-143	0.12	MPB	21.4%
12/7/82	34167	313	Z	C-8/FC-143	0.04	MPB	7.1%
12/14/82	34168	360	Z	C-8/FC-143	0.08	MPB	14.3%
12/14/82	34169	360	Z	C-8/FC-143	0.2	MPB	35.7%
12/15/82	34170	330	Z	C-8/FC-143	0.04	MPB	7.1%
1/10/83	34171	330	Z	C-8/FC-143	0.17	MPB	30.4%
1/10/83	34172	330	Z	C-8/FC-143	0.34	MPB	60.7%
1/10/83	34173	330	Z	C-8/FC-143	0.64	MPB	114.3% **
1/10/83	34174	330	Z	C-8/FC-143	1.29	MPB	230.4% **
1/10/83	34175	330	Z	C-8/FC-143	0.47	MPB	83.9%
1/12/83	34176	360	Z	C-8/FC-143	1.78	MPB	317.9% **
1/17/83	34177	360	Z	C-8/FC-143	0.14	MPB	25.0%
3/1/83	34178	339	Z	C-8/FC-143	0.09	MPB	16.1%
3/1/83	34179	329	Z	C-8/FC-143	<0.03	MPB	

ALP007036

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

3/4/83 34180 300 Z

C-8/FC-143 1.73 MPB

5.4%

308.9% **

Tuesday, August 28, 2001 3:20:56 PM

Page 27 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/4/83	34181	300	Z			C-8/FC-143	0.36	MPB	64.3%
3/6/83	34182	360	Z			C-8/FC-143	0.8	MPB	142.9% **
3/7/83	34183	360	Z			C-8/FC-143	0.04	MPB	7.1%
3/8/83	34184	300	Z			C-8/FC-143	<0.03	MPB	5.4%
3/8/83	34185	300	Z			C-8/FC-143	<0.03	MPB	5.4%
3/14/83	34186	394	Z			C-8/FC-143	2.14	MPB	382.1% **
3/15/83	34187	378	Z			C-8/FC-143	1.17	MPB	208.9% **
3/15/83	34188	377	Z			C-8/FC-143	0.92	MPB	164.3% **
3/29/83	34189	380	Z			C-8/FC-143	0.06	MPB	10.7%
4/18/83	34190	420	Z			C-8/FC-143	0.03	MPB	5.4%
4/20/83	34191	270	Z			C-8/FC-143	0.08	MPB	14.3%
4/20/83	34192	270	Z			C-8/FC-143	0.04	MPB	7.1%
4/25/83	34193	338	Z			C-8/FC-143	0.11	MPB	19.6%
5/18/83	34194	360	Z			C-8/FC-143	0.63	MPB	112.5% **
6/2/83	34195	330	Z			C-8/FC-143	0.63	MPB	112.5% **

AJP007037

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

6/4/83	34196	410	Z	C-8/FC-143	0.52	MPB	92.9%
6/7/83	34197	285	Z	C-8/FC-143	0.25	MPB	44.6%
6/7/83	34198	270	Z	C-8/FC-143	0.2	MPB	35.7%
6/26/83	34199	360	Z	C-8/FC-143	0.55	MPB	98.2%
7/3/83	34200	325	Z	C-8/FC-143	0.7	MPB	125.0% **
7/3/83	34201	320	Z	C-8/FC-143	0.58	MPB	103.6% **
7/3/83	34202	360	Z	C-8/FC-143	1.02	MPB	182.1% **
7/17/83	34203	340	Z	C-8/FC-143	0.61	MPB	108.9% **
7/17/83	34204	320	Z	C-8/FC-143	0.94	MPB	167.9% **
7/31/83	34205	330	Z	C-8/FC-143	0.18	MPB	32.1%
8/26/83	34206	360	Z	C-8/FC-143	0.52	MPB	92.9%
9/11/83	34207	360	Z	C-8/FC-143	0.85	MPB	151.8% **
10/10/83	34208	390	Z	C-8/FC-143	0.17	MPB	30.4%
1/13/84	34209	390	Z	C-8/FC-143	0.5	MPB	89.3%
2/20/84	34210	360	Z	C-8/FC-143	0.93	MPB	166.1% **
3/11/84	34211	360	Z	C-8/FC-143	0.34	MPB	60.7%
4/19/84	34212	370	Z	C-8/FC-143	0.09	MPB	16.1%
5/7/84	34213	390	Z	C-8/FC-143	0.48	MPB	85.7%
6/3/84	34214	380	Z	C-8/FC-143	0.7	MPB	125.0% **
6/12/84	34215	360	Z	C-8/FC-143	0.46	MPB	82.1%
7/30/84	34216	360	Z	C-8/FC-143	0.36	MPB	64.3%
8/5/84	34217	360	Z	C-8/FC-143	0.54	MPB	96.4%

ALP007038

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

9/26/84	34218	360	Z	C-8/FC-143	0.65	MPB	116.1%	**
10/2/84	34219	360	Z	C-8/FC-143	0.91	MPB	162.5%	**

Tuesday, August 28, 2001 3:20:56 PM

Page 28 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
12/23/84	34220	340	Z			C-8/FC-143	0.25	MPB	44.6%
2/19/85	34221	300	Z			C-8/FC-143	0.28	MPB	50.0%
3/27/85	34222	410	Z			C-8/FC-143	0.14	MPB	25.0%
3/27/85	34223	420	Z			C-8/FC-143	0.33	MPB	58.9%
4/14/85	34224	380	Z			C-8/FC-143	0.06	MPB	10.7%
4/15/85	34225	375	Z			C-8/FC-143	0.12	MPB	21.4%
4/22/85	34226	420	Z			C-8/FC-143	0.18	MPB	32.1%
6/11/85	34245	360	Z			C-8/FC-143	0.88	MPB	157.1% **
7/3/85	34244	320	Z			C-8/FC-143	8.77	MPB	1566.1% **
9/17/85	34246	360	Z			C-8/FC-143	1.711	MPB	305.5% **
9/25/85	34247	330	Z			C-8/FC-143	0.953	MPB	170.2% **
10/20/85	34248	360	Z			C-8/FC-143	3.827	MPB	683.4% **
3/20/86	34249	390	Z			C-8/FC-143	0.849	MPB	151.6% **
5/20/86	34250	420	Z			C-8/FC-143	2.834	MPB	506.1% **
6/15/86	34251	360	Z			C-8/FC-143	4.021	MPB	

AJP007039

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

							718.0%	**
8/6/86	34256	330	Z	C-8/FC-143	2.219	MPB	396.3%	**
8/8/86	34255	390	Z	C-8/FC-143	2.503	MPB	447.0%	**
8/9/86	34254	390	Z	C-8/FC-143	2.359	MPB	421.3%	**
8/10/86	34253	360	Z	C-8/FC-143	2.297	MPB	410.2%	**
8/11/86	34252	390	Z	C-8/FC-143	5.014	MPB	895.4%	**
9/6/86	34258	390	Z	C-8/FC-143	8.605	MPB	1536.6%	**
9/7/86	34257	390	Z	C-8/FC-143	6.914	MPB	1234.6%	**
10/8/86	34260	360	Z	C-8/FC-143	5.702	MPB	1018.2%	**
10/14/86	34259	330	Z	C-8/FC-143	0.293	MPB	52.3%	
11/9/86	34261	330	Z	C-8/FC-143	0.343	MPB	61.3%	
11/22/86	34263	375	Z	C-8/FC-143	0.156	MPB	27.9%	
11/29/86	34262	360	Z	C-8/FC-143	0.36	MPB	64.3%	
3/5/87	34264	330	Z	C-8/FC-143	0.184	MPB	34.6%	
5/17/87	34266	330	Z	C-8/FC-143	0.677	MPB	120.9%	**
8/12/87	34267	360	Z	C-8/FC-143	0.195	MPB	34.8%	
10/31/87	34268	349	Z	C-8/FC-143	0.103	MPB	18.4%	
12/19/87	34269	331	Z	C-8/FC-143	0.313	MPB	55.9%	
3/27/88	34271	360	Z	C-8/FC-143	0.072	MPB	12.9%	
4/25/88	34270	360	Z	C-8/FC-143	0.144	MPB	25.7%	
8/20/88	34273	330	Z	C-8/FC-143	<0.03	MPB	5.4%	
8/28/88	34272	450	Z	C-8/FC-143	0.04	MPB	7.1%	
10/25/88	34276	420	Z	C-8/FC-143	0.16	MPB	28.6%	

AJP007040

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

11/11/88	34274	330	Z	C-8/FC-143	0.1	MPB	17.9%
11/11/88	34275	330	Z	C-8/FC-143	0.07	MPB	12.5%

Tuesday, August 28, 2001 3:20:56 PM

Page 29 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
1/31/89	45	300	A			C-8/FC-143	>1.0	MPB	178.6% **
1/31/89	46	300	A			C-8/FC-143	0.29	MPB	51.8%
12/2/89	270	387	A			C-8/FC-143	1.34	MPB	239.3% **
1/10/90	297	355	A			C-8/FC-143	1.51	MPB	269.6% **
2/14/90	321	387	A			C-8/FC-143	0.04	MPB	7.1%
1/5/91	626	420	A			C-8/FC-143	<0.03	MPB	5.4%
3/18/91	43734	390	S			C-8/FC-143	>6.0	MPB	1071.4% **
3/18/91	43735	390	S			C-8/FC-143	>6.0	MPB	1071.4% **
3/18/91	43736	390	S			C-8/FC-143	0.152	MPB	27.1%
3/18/91	43737	390	S			C-8/FC-143	>6.0	MPB	1071.4% **
3/22/91	43738	390	S			C-8/FC-143	>6.0	MPB	1071.4% **
3/22/91	43739	390	S			C-8/FC-143	1.693	MPB	302.3% **
3/22/91	43740	390	S			C-8/FC-143	>6.0	MPB	1071.4% **
3/22/91	43741	390	S			C-8/FC-143	0.097	MPB	17.3%
3/22/91	43742	390	S			C-8/FC-143	0.187	MPB	

AJP007041

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

							33.4%
3/22/91	43743	390	S	C-8/FC-143	0.79	MPB	141.1% **
3/22/91	43744	390	S	C-8/FC-143	0.134	MPB	23.9%
6/22/91	782	360	A	C-8/FC-143	0.283	MPB	50.5%
4/3/92	1375	480	A	C-8/FC-143	0.16	MPB	28.6%
1/21/93	1800	440	A	C-8/FC-143	0.1	MPB	17.9%
6/14/93	2138	360	A	C-8/FC-143	0.08	MPB	14.3%
6/29/93	2139	440	A	C-8/FC-143	0	MPB	0.0%

BTO: 08 TEFLON@
LOC: 707 FINE POWDER DRYER #2

7/21/81	60319	Z	C-8/FC-143	66.7	MPB	11910.7% **
7/21/81	60320	Z	C-8/FC-143	4.44	MPB	792.9% **
9/23/81	60321	Z	C-8/FC-143	4.04	MPB	721.4% **
9/24/81	60322	Z	C-8/FC-143	1.08	MPB	192.9% **
9/26/81	60323	Z	C-8/FC-143	5.15	MPB	919.6% **
9/29/81	60324	Z	C-8/FC-143	0.72	MPB	128.6% **
9/29/81	60325	Z	C-8/FC-143	0.56	MPB	100.0% **
11/4/81	60326	Z	C-8/FC-143	0.12	MPB	21.4%
12/3/81	60327	Z	C-8/FC-143	0.26	MPB	46.4%
12/4/81	60328	Z	C-8/FC-143	0.7	MPB	125.0% **
12/5/81	60329	Z	C-8/FC-143	1.31	MPB	233.9% **
12/9/81	60330	Z	C-8/FC-143	0.63	MPB	112.5% **
12/16/81	60331	Z	C-8/FC-143	0.47	MPB	83.9%

AJP007042

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

12/17/81	60332	Z	C-8/FC-143	0.78	MPB	139.3%	**
12/18/81	60333	Z	C-8/FC-143	2.68	MPB	478.6%	**

Tuesday, August 28, 2001 3:20:56 PM

Page 30 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
12/22/81	60334		Z			C-8/FC-143	1.3	MPB	232.1% **
3/5/82	60335		Z			C-8/FC-143	0.86	MPB	153.6% **
4/1/82	37266	360	Z			C-8/FC-143	0.08	MPB	14.3%
4/1/82	37267	360	Z			C-8/FC-143	<0.03	MPB	5.4%
9/16/82	37268	360	Z			C-8/FC-143	0.04	MPB	7.1%
9/20/82	37269	300	Z			C-8/FC-143	0.99	MPB	176.8% **
9/22/82	37270	360	Z			C-8/FC-143	<0.03	MPB	5.4%
9/27/82	37271	353	Z			C-8/FC-143	<0.03	MPB	5.4%
8/31/93	2174	375	A			C-8/FC-143	0.32	MPB	57.1%

BTO : 08 TEFLON@

LOC : 708 P/S - FINE POWDER PACKOUT (08PJ)

8/3/81	49689		Z			C-8/FC-143	0.12	MPB	21.4%
8/6/81	31233		P		none	C-8/FC-143	<0.03	MPB	5.4%
8/8/81	31234		P		none	C-8/FC-143	0.05	MPB	8.9%
8/19/81	31235		P		none	C-8/FC-143	0.9	MPB	160.7% **
8/24/82	9385	360	P		none	C-8/FC-143	<0.03	MPB	

AIP007043

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

								5.4%
8/25/82	9386	390	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/26/82	9387	350	P	none	C-8/FC-143	0.08	MPB	14.3%
8/29/82	9388	360	P	none	C-8/FC-143	0.32	MPB	57.1%
8/29/82	9389	360	P	none	C-8/FC-143	0.32	MPB	57.1%
8/29/82	34490	360	Z		C-8/FC-143	0.09	MPB	16.1%
10/27/82	9390	417	P	none	C-8/FC-143	0.03	MPB	5.4%
9/8/83	9391	390	P	none	C-8/FC-143	0.06	MPB	10.7%
6/12/84	9392	380	P	none	C-8/FC-143	0.06	MPB	10.7%
7/2/84	9393	360	P	none	C-8/FC-143	0.06	MPB	10.7%
7/3/84	9394	345	P	none	C-8/FC-143	0.14	MPB	25.0%
6/2/85	9397	300	P	none	C-8/FC-143	0.8	MPB	142.9% **
6/26/85	9396	360	P	none	C-8/FC-143	0.3	MPB	53.6%
6/4/86	9405	380	P	none	C-8/FC-143	0.187	MPB	33.4%
6/15/86	9403	360	P	none	C-8/FC-143	0.292	MPB	52.1%
6/15/86	9404	360	P	none	C-8/FC-143	0.202	MPB	36.1%
12/16/86	9408	330	P	none	C-8/FC-143	0.097	MPB	17.3%
6/13/87	9410	360	P	none	C-8/FC-143	0.12	MPB	21.4%
12/18/87	9413	450	P	none	C-8/FC-143	0.1	MPB	17.9%
4/14/88	14135	420	P	none	C-8/FC-143	0.178	MPB	31.8%
4/29/88	14147	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
6/23/88	14195	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/7/88	14349	420	P	none	C-8/FC-143	<0.03	MPB	5.4%

AJP007044

7/18/88 14403 420 P

none C-8/FC-143 <0.03 MPB

5.4%

Tuesday, August 28, 2001 3:20:56 PM

Page 31 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/27/88	14399	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/10/88	14394	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
3/14/89	14875	420	P		none	C-8/FC-143	<.03	MPB	5.4%
4/7/89	14943	430	P		08PJ	C-8/FC-143	<0.03	MPB	5.4%
4/20/89	14963	435	P		08PJ	C-8/FC-143	<0.03	MPB	5.4%
12/2/89	15475	374	P		08PJ	C-8/FC-143	0.98	MPB	175.0% **
3/16/90	371	480	A			C-8/FC-143	1.18	MPB	210.7% **
5/12/90	460	480	A			C-8/FC-143	<.03	MPB	5.4%
4/1/91	16722	370	P		08PJ	C-8/FC-143	<0.03	MPB	5.4%
4/3/92	17586	465	P		08PJ	C-8/FC-143	0.01	MPB	1.8%
8/26/93	18878	360	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
8/26/93	18879	375	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
8/31/93	18880	360	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
9/13/93	18950	375	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
9/13/93	18951	340	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
10/20/93	19022	375	P		08PJ	C-8/FC-143	<.03	MPB	5.4%

AJP007045

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

11/8/93	19094	360	P	08PJ	C-8/FC-143	<.03	MPB	5.4%
1/27/94	2546	375	A		C-8/FC-143	<.03	MPB	5.4%
8/25/94	20153	390	P	08PJ	C-8/FC-143	<.03	MPB	5.4%
3/8/95	20988	405	P	none	C-8/FC-143	0.02	MPB	3.6%
3/8/95	20989	405	P	08PJ	C-8/FC-143	0.02	MPB	3.6%
3/11/96	23060	360	P	08PJ	C-8/FC-143	0.07	MPB	12.5%
12/5/96	24677	420	P	08PJ	C-8/FC-143	0.026	MPB	4.6%
6/24/97	25792	360	P	08PJ	C-8/FC-143	0.07	MPB	12.5%
10/6/97	26426	390	P	08PJ	C-8/FC-143	<.01	MPB	1.8%
4/3/98	27708	360	P	08PJ	C-8/FC-143	<.05	MPB	8.9%
9/10/98	8248	360	A		C-8/FC-143	<0.056	MPB	10.0%
9/10/98	28098	360	P	08PJ	C-8/FC-143	<0.056	MPB	10.0%
3/1/99	28983	360	P	08PJ	C-8/FC-143	<0.01	MPB	1.8%
8/12/99	33942	360	P	08PJ	C-8/FC-143	<0.01	MPB	1.8%
2/4/00	34594	360	P	08PJ	C-8/FC-143	<0.01	MPB	1.8%
8/8/00	35151	360	P	08PJ	C-8/FC-143	<0.01	MPB	1.8%
2/7/01	35743	360	P	08PJ	C-8/FC-143	<0.01	MPB	1.8%

BTO: 08 TEFLON@
LOC: 709 DRYER FLOATATION TANK

10/8/81	49142	Z	C-8/FC-143	0.79	MPB	141.1%	**
10/13/81	49143	Z	C-8/FC-143	0.48	MPB	85.7%	
10/13/81	49144	Z	C-8/FC-143	1.28	MPB	228.6%	**
10/22/81	49145	Z	C-8/FC-143	2.11	MPB	376.8%	**

AP007046

Tuesday, August 28, 2001 3:20:56 PM

Page 32 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/22/81	49146		Z			C-8/FC-143	0.37	MPB	68.1%
10/24/81	49147		Z			C-8/FC-143	1.58	MPB	282.1% **
10/25/81	49148		Z			C-8/FC-143	0.16	MPB	28.6%
10/27/81	49149		Z			C-8/FC-143	0.25	MPB	44.6%
10/29/81	49150		Z			C-8/FC-143	0.2	MPB	35.7%
10/29/81	49151		Z			C-8/FC-143	0.21	MPB	37.5%
10/30/81	49152		Z			C-8/FC-143	0.92	MPB	164.3% **
10/31/81	49153		Z			C-8/FC-143	0.32	MPB	57.1%
11/1/81	49154		Z			C-8/FC-143	1.55	MPB	276.8% **
11/10/81	49155		Z			C-8/FC-143	2.78	MPB	496.4% **
11/11/81	49156		Z			C-8/FC-143	0.85	MPB	151.8% **
11/14/81	49157		Z			C-8/FC-143	1.14	MPB	203.6% **
11/19/81	49158		Z			C-8/FC-143	0.16	MPB	28.6%
12/8/81	49159		Z			C-8/FC-143	0.19	MPB	33.9%
12/9/81	49160		Z			C-8/FC-143	0.91	MPB	162.5% **
12/22/81	49161		Z			C-8/FC-143	0.87	MPB	155.4% **
12/22/81	49162		Z			C-8/FC-143	0.22	MPB	39.3%

AJP007047

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

1/6/82	49163		Z	C-8/FC-143	0.37	MPB	66.1%
1/6/82	49164		Z	C-8/FC-143	1.63	MPB	291.1% **
2/23/82	49165		Z	C-8/FC-143	1.08	MPB	192.9% **
4/1/82	34286	360	Z	C-8/FC-143	0.37	MPB	66.1%
6/2/82	34287	360	Z	C-8/FC-143	0.55	MPB	98.2%
6/8/82	34288	350	Z	C-8/FC-143	0.3	MPB	53.6%
6/16/82	34289	390	Z	C-8/FC-143	2.07	MPB	369.6% **
7/13/82	34290	370	Z	C-8/FC-143	0.08	MPB	14.3%
8/3/82	34291	254	Z	C-8/FC-143	0.52	MPB	92.9%
8/3/82	34292	254	Z	C-8/FC-143	0.74	MPB	132.1% **
8/11/82	34293	360	Z	C-8/FC-143	0.2	MPB	35.7%
4/15/85	34294	350	Z	C-8/FC-143	1.53	MPB	273.2% **

BTO: 08 TEFLON@
LOC: 710 FP&D AUTOCLAVE CONTROL ROOM

12/2/81	62614		Z	C-8/FC-143	0.04	MPB	7.1%
12/7/81	62615		Z	C-8/FC-143	0.2	MPB	35.7%
12/7/81	62616		Z	C-8/FC-143	0.84	MPB	150.0% **
12/14/81	62617		Z	C-8/FC-143	0.09	MPB	16.1%
12/28/81	62618		Z	C-8/FC-143	0.44	MPB	78.6%
9/7/82	46012	420	Z	C-8/FC-143	0.03	MPB	5.4%
9/8/82	46013	325	Z	C-8/FC-143	<0.03	MPB	5.4%
9/13/82	46014	360	Z	C-8/FC-143	0.16	MPB	28.6%

Tuesday, August 28, 2001 3:20:56 PM

Page 33 of 80

AJP007048

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/22/82	46015	360	Z			C-8/FC-143	0.04	MPB	7.1%
10/4/82	46016	409	Z			C-8/FC-143	<0.03	MPB	5.4%
10/4/82	46017	409	Z			C-8/FC-143	<0.03	MPB	5.4%
10/12/82	46018	375	Z			C-8/FC-143	0.22	MPB	39.3%
11/11/82	46019	300	Z			C-8/FC-143	<0.03	MPB	5.4%
11/17/82	46020	300	Z			C-8/FC-143	<0.03	MPB	5.4%
2/7/83	46021	360	Z			C-8/FC-143	0.26	MPB	46.4%
7/17/83	46022	334	Z			C-8/FC-143	0.03	MPB	5.4%
11/14/83	46023	390	Z			C-8/FC-143	0.04	MPB	7.1%
3/11/84	46024	360	Z			C-8/FC-143	0.06	MPB	10.7%
3/29/84	46025	390	Z			C-8/FC-143	0.04	MPB	7.1%
3/29/84	46026	390	Z			C-8/FC-143	0.04	MPB	7.1%
8/16/86	46032	360	Z			C-8/FC-143	0.282	MPB	50.4%
8/17/86	46031	360	Z			C-8/FC-143	0.338	MPB	60.4%
8/18/86	46030	330	Z			C-8/FC-143	0.152	MPB	27.1%
8/19/86	46029	345	Z			C-8/FC-143	0.154	MPB	27.5%
8/22/86	46028	390	Z			C-8/FC-143	0.298	MPB	53.2%
8/23/86	46027	360	Z			C-8/FC-143	0.619	MPB	

ALP007049

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

							110.5% **
9/12/86	46034	360	Z	C-8/FC-143	0.256	MPB	45.7%
9/17/86	46033	330	Z	C-8/FC-143	0.249	MPB	44.5%
1/18/87	46035	300	Z	C-8/FC-143	0.091	MPB	16.3%
2/13/87	46036	380	Z	C-8/FC-143	0.116	MPB	20.7%
3/5/87	46037	390	Z	C-8/FC-143	0.146	MPB	26.1%
4/3/87	46038	370	Z	C-8/FC-143	0.068	MPB	12.1%
5/21/87	46039	300	Z	C-8/FC-143	0.078	MPB	13.9%
6/7/87	46040	450	Z	C-8/FC-143	0.046	MPB	8.2%
8/1/87	46041	465	Z	C-8/FC-143	0.023	MPB	4.1%
8/15/87	46042	420	Z	C-8/FC-143	0.03	MPB	5.4%
10/16/87	46044	300	Z	C-8/FC-143	0.013	MPB	2.3%
10/17/87	46043	300	Z	C-8/FC-143	0.032	MPB	5.7%
12/20/87	46045	360	Z	C-8/FC-143	0.056	MPB	10.0%
2/9/88	46046	330	Z	C-8/FC-143	0.413	MPB	73.8%
2/9/88	46047	330	Z	C-8/FC-143	0.095	MPB	17.0%
6/1/88	46049	435	Z	C-8/FC-143	0.177	MPB	31.6%
6/13/88	46048	420	Z	C-8/FC-143	0.08	MPB	14.3%
6/24/88	46050	420	Z	C-8/FC-143	<0.03	MPB	5.4%
8/28/88	46051	450	Z	C-8/FC-143	0.03	MPB	5.4%
10/19/88	46052	480	Z	C-8/FC-143	0.06	MPB	10.7%
10/19/88	46053	480	Z	C-8/FC-143	0.1	MPB	17.9%

ALP007050

Tuesday, August 26, 2001 3:20:56 PM

Page 34 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
1/8/89	8721	420	A			C-8/FC-143	<0.03	MPB	5.4%
6/20/89	8731	360	A			C-8/FC-143	0.04	MPB	7.1%
10/3/89	8740	450	A			C-8/FC-143	0.28	MPB	50.0%
10/3/89	8741	450	A			C-8/FC-143	0.09	MPB	16.1%
8/6/90	8754	480	A			C-8/FC-143	<0.03	MPB	5.4%
3/3/91	8761	390	A			C-8/FC-143	<0.03	MPB	5.4%
6/25/91	8782	360	A			C-8/FC-143	0.142	MPB	25.4%
9/8/91	8792	420	A			C-8/FC-143	0.183	MPB	32.7%
7/9/97	8862	363	A			C-8/FC-143	<.01	MPB	1.8%
7/10/97	8863	388	A			C-8/FC-143	<0.01	MPB	1.8%
7/11/97	8864	370	A			C-8/FC-143	0.05	MPB	8.9%
7/21/97	8865	365	A			C-8/FC-143	<0.01	MPB	1.8%
7/22/97	8866	380	A			C-8/FC-143	<0.01	MPB	1.8%
7/23/97	8867	388	A			C-8/FC-143	0.02	MPB	3.6%
7/24/97	8868	359	A			C-8/FC-143	0.02	MPB	3.6%
7/25/97	8869	350	A			C-8/FC-143	0.04	MPB	7.1%
7/28/97	8870	378	A			C-8/FC-143	0.01	MPB	1.8%
8/4/97	8871	354	A			C-8/FC-143	<0.01	MPB	

ALP007051

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

						1.8%	
8/5/97	8872	376	A	C-8/FC-143	<0.01	MPB	1.8%
8/7/97	8873	366	A	C-8/FC-143	0.02	MPB	3.6%
8/8/97	8874	319	A	C-8/FC-143	<0.01	MPB	1.8%
8/12/97	8875	455	A	C-8/FC-143	<0.01	MPB	1.8%
8/13/97	8876	337	A	C-8/FC-143	<0.01	MPB	1.8%
12/8/97	8877	360	A	C-8/FC-143	<.01	MPB	1.8%

BTO: 08 TEFLON@
LOC: 711 CLAVE AREA - GENERAL

9/22/81	62829		Z	C-8/FC-143	<0.03	MPB	5.4%
9/22/81	62830		Z	C-8/FC-143	0.31	MPB	55.4%
9/16/82	46296	360	Z	C-8/FC-143	0.04	MPB	7.1%
4/24/91	8763	450	A	C-8/FC-143	0.663	MPB	118.4% **
4/24/91	8764	450	A	C-8/FC-143	0.116	MPB	20.7%
4/29/91	8765	450	A	C-8/FC-143	0.273	MPB	48.8%
5/2/91	8766	480	A	C-8/FC-143	0.616	MPB	110.0% **
5/2/91	8767	480	A	C-8/FC-143	0.232	MPB	41.4%
5/2/91	8768	960	A	C-8/FC-143	0.81	MPB	108.9% **
7/2/91	8784	435	A	C-8/FC-143	1.961	MPB	350.2% **
7/2/91	8785	1440	A	C-8/FC-143	0.801	MPB	143.0% **
7/3/91	8786	480	A	C-8/FC-143	1.536	MPB	274.3% **
7/3/91	8787	450	A	C-8/FC-143	0.819	MPB	146.3% **

Tuesday, August 28, 2001 3:20:56 PM

Page 35 of 80

AJP007052

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/3/91	8788	440	A			C-8/FC-143	1.141	MPB	203.8% **
8/20/91	8789	465	A			C-8/FC-143	0.473	MPB	84.5%
8/20/91	8790	418	A			C-8/FC-143	0.418	MPB	74.6%
8/20/91	8791	415	A			C-8/FC-143	0.795	MPB	142.0% **
9/11/91	8794	460	A			C-8/FC-143	0.476	MPB	85.0%
9/11/91	8795	435	A			C-8/FC-143	0.661	MPB	118.0% **
9/11/91	8796	458	A			C-8/FC-143	1.129	MPB	201.6% **
9/12/91	8801	435	A			C-8/FC-143	0.728	MPB	130.0% **
9/12/91	8802	495	A			C-8/FC-143	0.556	MPB	99.3%
9/12/91	8803	495	A			C-8/FC-143	0.46	MPB	82.1%

BTO: 08 TEFLON@
LOC: 712 NORTH END OF DRYER #3

7/30/81	62842	Z		C-8/FC-143	5.23	MPB	933.9% **
7/30/81	62843	Z		C-8/FC-143	0.22	MPB	39.3%
7/30/81	62844	Z		C-8/FC-143	0.04	MPB	7.1%
9/26/81	62845	Z		C-8/FC-143	4.4	MPB	785.7% **
9/29/81	62846	Z		C-8/FC-143	0.17	MPB	30.4%
10/8/81	62847	Z		C-8/FC-143	0.22	MPB	39.3%
10/9/81	62848	Z		C-8/FC-143	0.34	MPB	60.7%

AIP007053

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

11/4/81	62849		Z		C-8/FC-143	0.24	MPB	42.9%
11/4/81	62850		Z		C-8/FC-143	0.18	MPB	32.1%
11/10/81	62851		Z		C-8/FC-143	0.27	MPB	48.2%
11/13/81	62852		Z		C-8/FC-143	0.83	MPB	148.2% **
4/5/82	46297	296	Z		C-8/FC-143	1.03	MPB	183.9% **
4/12/82	46298	330	Z		C-8/FC-143	0.35	MPB	62.5%
4/12/82	46299	330	Z		C-8/FC-143	0.04	MPB	7.1%
4/12/82	46300	330	Z		C-8/FC-143	0.13	MPB	23.2%
4/12/82	46301	330	Z		C-8/FC-143	0.13	MPB	23.2%
4/19/82	46302	360	Z		C-8/FC-143	0.36	MPB	64.3%
4/19/82	46303	360	Z		C-8/FC-143	0.56	MPB	100.0% **
5/3/82	29568	289	P	none	C-8/FC-143	0.45	MPB	80.4%
6/1/82	46304	420	Z		C-8/FC-143	0.03	MPB	5.4%
6/28/82	46305	330	Z		C-8/FC-143	0.6	MPB	107.1% **
7/11/82	46306	360	Z		C-8/FC-143	0.27	MPB	48.2%
11/1/82	46307	285	Z		C-8/FC-143	0.31	MPB	55.4%
3/14/83	46308	388	Z		C-8/FC-143	5.2	MPB	928.6% **
4/18/83	46309	420	Z		C-8/FC-143	<0.03	MPB	5.4%
4/25/83	46310	340	Z		C-8/FC-143	0.08	MPB	14.3%
6/2/83	46311	325	Z		C-8/FC-143	0.53	MPB	94.6%

Tuesday, August 28, 2001 3:20:56 PM

Page 36 of 80

AJP007054

8/28/2001 4:46 PM

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/4/83	46312	410	Z			C-8/FC-143	0.94	MPB	167.9% **
6/6/83	46313	370	Z			C-8/FC-143	0.33	MPB	58.9%
7/17/83	46314	365	Z			C-8/FC-143	0.67	MPB	119.6% **
9/11/83	46315	360	Z			C-8/FC-143	0.49	MPB	87.5%
1/27/84	46316	420	Z			C-8/FC-143	0.26	MPB	46.4%
7/4/85	46317	400	Z			C-8/FC-143	3.63	MPB	648.2% **
9/17/85	46318	390	Z			C-8/FC-143	0.61	MPB	108.9% **
3/20/86	46319	390	Z			C-8/FC-143	0.728	MPB	130.0% **
8/6/86	46323	330	Z			C-8/FC-143	1.053	MPB	188.0% **
8/8/86	46322	400	Z			C-8/FC-143	0.592	MPB	105.7% **
8/9/86	46321	390	Z			C-8/FC-143	0.614	MPB	108.6% **
8/10/86	46320	360	Z			C-8/FC-143	0.97	MPB	173.2% **
9/8/86	46325	390	Z			C-8/FC-143	0.439	MPB	78.4%
9/17/86	46324	315	Z			C-8/FC-143	0.545	MPB	97.3%
11/14/86	46326	375	Z			C-8/FC-143	0.128	MPB	22.9%
3/2/87	46327	360	Z			C-8/FC-143	0.238	MPB	42.5%
5/24/87	46328	450	Z			C-8/FC-143	0.038	MPB	6.8%
6/14/87	46329	360	Z			C-8/FC-143	0.171	MPB	30.5%
8/14/87	46330	360	Z			C-8/FC-143	0.165	MPB	29.5%

AJP007055

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

10/18/87	46331	300	Z	C-8/FC-143	0.014	MPB	2.5%
1/18/88	46332	360	Z	C-8/FC-143	0.155	MPB	27.7%
6/13/88	46333	420	Z	C-8/FC-143	0.087	MPB	15.5%
8/24/88	46334	375	Z	C-8/FC-143	0.05	MPB	8.9%
10/25/88	46335	420	Z	C-8/FC-143	0.1	MPB	17.9%
4/7/89	8725	310	A	C-8/FC-143	<0.03	MPB	5.4%
10/3/89	8742	450	A	C-8/FC-143	0.08	MPB	14.3%
12/2/89	8744	368	A	C-8/FC-143	1.11	MPB	198.2% **
1/9/90	8749	405	A	C-8/FC-143	0.05	MPB	8.9%
2/14/90	8751	398	A	C-8/FC-143	0.03	MPB	5.4%
3/16/90	8752	480	A	C-8/FC-143	>5.0	MPB	892.9% **
4/12/90	8753	480	A	C-8/FC-143	<0.03	MPB	5.4%
1/6/91	8758	420	A	C-8/FC-143	<0.03	MPB	5.4%
6/25/91	8781	360	A	C-8/FC-143	0.177	MPB	31.6%
3/7/92	8807	490	A	C-8/FC-143	0.15	MPB	26.8%
3/17/92	8811	465	A	C-8/FC-143	0.08	MPB	14.3%
5/6/92	8813	480	A	C-8/FC-143	0.114	MPB	20.4%
1/21/93	8817	440	A	C-8/FC-143	0.44	MPB	78.6%
6/14/93	8820	360	A	C-8/FC-143	0.26	MPB	46.4%
6/29/93	8826	430	A	C-8/FC-143	0.01	MPB	1.8%

Tuesday, August 28, 2001 3:20:56 PM

Page 37 of 80

ALP007056

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/8/93	8833	360	A			C-8/FC-143	<.03	MPB	5.4%

BTO : 08 TEFLON@

LOC : 713 FINE POWDER OFFICE AREA-GENERAL

6/13/84	48336	375	Z			C-8/FC-143	0.09	MPB	16.1%
3/17/89	29775	420	P		none	C-8/FC-143	0.1	MPB	17.9%
3/22/89	29776	420	P		none	C-8/FC-143	0.07	MPB	12.5%
3/28/89	29777	420	P		none	C-8/FC-143	0.07	MPB	12.5%
9/1/93	8831	360	A			C-8/FC-143	<.03	MPB	5.4%
9/13/93	8842	375	A			C-8/FC-143	<.03	MPB	5.4%

BTO : 08 TEFLON@

LOC : 714 C-8 STORAGE ROOM

11/5/81	33533		P		none	C-8/FC-143	0.03	MPB	5.4%
11/6/81	62654		Z			C-8/FC-143	0.04	MPB	7.1%
7/7/85	46093	420	Z			C-8/FC-143	0.45	MPB	80.4%

BTO : 08 TEFLON@

LOC : 715 SOUTH END DRYER #2

8/27/81	62533		Z			C-8/FC-143	<0.03	MPB	5.4%
9/21/81	62534		Z			C-8/FC-143	1.24	MPB	221.4% **
9/25/81	62535		Z			C-8/FC-143	6.06	MPB	1082.1% **
9/28/81	62536		Z			C-8/FC-143	4.01	MPB	716.1% **
9/29/81	62537		Z			C-8/FC-143	2.34	MPB	

AJP007057

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

								417.9%	**
10/8/81	62538	Z		C-8/FC-143	1.11	MPB		198.2%	**
10/12/81	62539	Z		C-8/FC-143	0.57	MPB		101.8%	**
10/20/81	62540	Z		C-8/FC-143	2.11	MPB		376.8%	**
10/20/81	62541	Z		C-8/FC-143	2.07	MPB		369.6%	**
10/22/81	62542	Z		C-8/FC-143	1.71	MPB		305.4%	**
10/25/81	62543	Z		C-8/FC-143	1.96	MPB		350.0%	**
10/26/81	62544	Z		C-8/FC-143	1.92	MPB		342.9%	**
10/27/81	62545	Z		C-8/FC-143	0.1	MPB		17.9%	
10/27/81	62546	Z		C-8/FC-143	0.33	MPB		58.9%	
10/29/81	62547	Z		C-8/FC-143	0.08	MPB		14.3%	
10/30/81	62548	Z		C-8/FC-143	<0.03	MPB		5.4%	
11/1/81	62549	Z		C-8/FC-143	0.32	MPB		57.1%	
11/2/81	62550	Z		C-8/FC-143	0.29	MPB		51.8%	
11/10/81	62551	Z		C-8/FC-143	0.24	MPB		42.9%	
11/11/81	62552	Z		C-8/FC-143	0.9	MPB		160.7%	**
11/12/81	62553	Z		C-8/FC-143	0.23	MPB		41.1%	

Tuesday, August 28, 2001 3:20:56 PM

Page 38 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
-----------	----------	----------	------	---------------	------	----------	------	------	---------

AJP007058

11/16/81	62554	Z	C-8/FC-143	1.54	MPB	275.0% **
11/18/81	62555	Z	C-8/FC-143	0.41	MPB	73.2%
11/19/81	62556	Z	C-8/FC-143	0.99	MPB	176.8% **
12/1/81	62557	Z	C-8/FC-143	1.02	MPB	182.1% **
12/8/81	62558	Z	C-8/FC-143	0.36	MPB	64.3%
1/6/82	62559	Z	C-8/FC-143	0.16	MPB	28.6%
1/6/82	62560	Z	C-8/FC-143	0.17	MPB	30.4%
1/7/82	62561	Z	C-8/FC-143	0.07	MPB	12.5%
1/19/82	62562	Z	C-8/FC-143	0.12	MPB	21.4%
2/5/82	62563	Z	C-8/FC-143	0.2	MPB	35.7%
2/7/82	62564	Z	C-8/FC-143	0.15	MPB	26.8%
2/8/82	62565	Z	C-8/FC-143	0.22	MPB	39.3%
2/14/82	62566	Z	C-8/FC-143	0.15	MPB	26.8%
2/14/82	62567	Z	C-8/FC-143	0.47	MPB	83.9%
2/23/82	62568	Z	C-8/FC-143	0.16	MPB	28.6%
2/23/82	62569	Z	C-8/FC-143	0.76	MPB	135.7% **
2/23/82	62570	Z	C-8/FC-143	0.84	MPB	150.0% **
3/2/82	62571	Z	C-8/FC-143	2.29	MPB	408.9% **
3/2/82	62572	Z	C-8/FC-143	3.12	MPB	557.1% **
3/5/82	62573	Z	C-8/FC-143	0.62	MPB	110.7% **
3/5/82	62574	Z	C-8/FC-143	0.7	MPB	125.0% **
3/8/82	62575	Z	C-8/FC-143	0.5	MPB	89.3%
3/11/82	62576	Z	C-8/FC-143	0.39	MPB	

ALP007059

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
									69.6%
3/16/82	62577		Z			C-8/FC-143	0.78	MPB	139.3% **
3/18/82	62578		Z			C-8/FC-143	0.1	MPB	17.9%
3/20/82	62579		Z			C-8/FC-143	0.16	MPB	28.6%
3/23/82	62580		Z			C-8/FC-143	0.11	MPB	19.6%
3/24/82	45915	390	Z			C-8/FC-143	0.19	MPB	33.9%
3/24/82	62581		Z			C-8/FC-143	0.19	MPB	33.9%
3/26/82	45916	345	Z			C-8/FC-143	0.04	MPB	7.1%
3/26/82	62582		Z			C-8/FC-143	0.04	MPB	7.1%
4/1/82	45917	360	Z			C-8/FC-143	0.08	MPB	14.3%
4/6/82	45918	345	Z			C-8/FC-143	0.08	MPB	14.3%
4/6/82	45919	345	Z			C-8/FC-143	<0.03	MPB	5.4%
4/13/82	45920	310	Z			C-8/FC-143	0.09	MPB	16.1%
4/20/82	45921	375	Z			C-8/FC-143	0.04	MPB	7.1%
4/20/82	45922	375	Z			C-8/FC-143	0.04	MPB	7.1%
4/20/82	45923	375	Z			C-8/FC-143	0.04	MPB	7.1%
4/27/82	45924	362	Z			C-8/FC-143	0.08	MPB	14.3%

Tuesday, August 28, 2001 3:20:56 PM

Page 39 of 80

Sample Dt Sample #
Duration Type Employee Name Pers Chemical Conc Unit Percent

AIP007060

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

4/27/82	45925	361	Z	C-8/FC-143	0.12	MPB	21.4%
4/29/82	45926	244	Z	C-8/FC-143	<0.03	MPB	5.4%
6/3/82	45927	360	Z	C-8/FC-143	0.08	MPB	14.3%
6/8/82	45928	360	Z	C-8/FC-143	0.04	MPB	7.1%
6/8/82	45929	370	Z	C-8/FC-143	<0.03	MPB	5.4%
6/16/82	45930	420	Z	C-8/FC-143	0.31	MPB	55.4%
6/16/82	45931	420	Z	C-8/FC-143	0.14	MPB	25.0%
6/16/82	45932	390	Z	C-8/FC-143	0.55	MPB	98.2%
6/16/82	45933	420	Z	C-8/FC-143	0.25	MPB	44.6%
6/29/82	45934	300	Z	C-8/FC-143	0.21	MPB	37.5%
8/4/82	45935	390	Z	C-8/FC-143	<0.03	MPB	5.4%
8/12/82	45936	390	Z	C-8/FC-143	0.08	MPB	14.3%
8/12/82	45937	390	Z	C-8/FC-143	0.07	MPB	12.5%
9/13/82	45938	360	Z	C-8/FC-143	0.28	MPB	50.0%
9/27/82	45939	353	Z	C-8/FC-143	<0.03	MPB	5.4%
10/11/82	45940	390	Z	C-8/FC-143	0.07	MPB	12.5%
10/11/82	45941	390	Z	C-8/FC-143	0.09	MPB	16.1%
10/25/82	45942	360	Z	C-8/FC-143	<0.03	MPB	5.4%
11/9/82	45943	322	Z	C-8/FC-143	0.04	MPB	7.1%
11/9/82	45944	315	Z	C-8/FC-143	0.14	MPB	25.0%
11/9/82	45945	322	Z	C-8/FC-143	0.27	MPB	48.2%
11/16/82	45946	390	Z	C-8/FC-143	<0.03	MPB	5.4%
11/27/82	45947	420	Z	C-8/FC-143	0.04	MPB	

AJP007061

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
									7.1%
12/7/82	45948	315	Z			C-8/FC-143	0.32	MPB	57.1%
1/3/83	45949	360	Z			C-8/FC-143	<0.03	MPB	5.4%
1/3/83	45950	360	Z			C-8/FC-143	0.04	MPB	7.1%
1/3/83	45951	360	Z			C-8/FC-143	0.28	MPB	50.0%
1/17/83	45952	360	Z			C-8/FC-143	0.14	MPB	25.0%
1/17/83	45953	360	Z			C-8/FC-143	0.04	MPB	7.1%
3/1/83	45954	305	Z			C-8/FC-143	<0.03	MPB	5.4%
3/6/83	45955	360	Z			C-8/FC-143	0.36	MPB	64.3%
3/8/83	45956	300	Z			C-8/FC-143	<0.03	MPB	5.4%
3/15/83	45957	371	Z			C-8/FC-143	1.27	MPB	226.8% **
3/15/83	45958	369	Z			C-8/FC-143	0.79	MPB	141.1% **
3/29/83	45959	376	Z			C-8/FC-143	<0.03	MPB	5.4%
3/29/83	45960	351	Z			C-8/FC-143	0.05	MPB	8.9%
3/29/83	45961	363	Z			C-8/FC-143	<0.03	MPB	5.4%
4/20/83	45962	300	Z			C-8/FC-143	0.05	MPB	8.9%
4/20/83	45963	270	Z			C-8/FC-143	0.06	MPB	10.7%

Tuesday, August 28, 2001 3:20:56 PM

Page 40 of 80

Sample Dt Sample #

Duration Type Employee Name Pers Chemical Conc Unit Percent

AJP007062

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

5/18/83	45964	360	Z	C-8/FC-143	0.16	MPB	28.6%
6/7/83	45965	275	Z	C-8/FC-143	0.24	MPB	42.9%
6/7/83	45966	270	Z	C-8/FC-143	0.16	MPB	28.6%
6/28/83	45967	360	Z	C-8/FC-143	0.5	MPB	89.3%
6/26/83	45968	360	Z	C-8/FC-143	0.52	MPB	92.9%
7/3/83	45969	310	Z	C-8/FC-143	0.64	MPB	114.3% **
7/3/83	45970	325	Z	C-8/FC-143	0.63	MPB	112.5% **
7/3/83	45971	360	Z	C-8/FC-143	0.67	MPB	119.6% **
7/3/83	45972	360	Z	C-8/FC-143	0.83	MPB	148.2% **
7/31/83	45973	330	Z	C-8/FC-143	0.18	MPB	32.1%
7/31/83	45974	330	Z	C-8/FC-143	0.11	MPB	19.6%
8/15/83	45975	360	Z	C-8/FC-143	0.37	MPB	66.1%
8/26/83	45976	360	Z	C-8/FC-143	0.84	MPB	150.0% **
8/27/83	45977	360	Z	C-8/FC-143	0.51	MPB	91.1%
10/10/83	45978	376	Z	C-8/FC-143	0.1	MPB	17.9%
10/10/83	45979	360	Z	C-8/FC-143	0.09	MPB	16.1%
11/22/83	45980	365	Z	C-8/FC-143	0.05	MPB	8.9%
4/8/84	45981	395	Z	C-8/FC-143	0.03	MPB	5.4%
4/20/84	45982	420	Z	C-8/FC-143	0.11	MPB	19.6%
7/2/84	45983	390	Z	C-8/FC-143	0.16	MPB	28.6%
8/24/84	45984	330	Z	C-8/FC-143	2.03	MPB	362.5% **
10/21/84	45985	360	Z	C-8/FC-143	0.21	MPB	37.5%
12/17/84	45986	370	Z	C-8/FC-143	0.18	MPB	

AJP007063

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

								32.1%
2/11/85	45987	340	Z		C-8/FC-143	0.33	MPB	58.9%
4/22/85	45988	420	Z		C-8/FC-143	0.15	MPB	26.8%
8/26/85	45989	330	Z		C-8/FC-143	1.855	MPB	331.3% **
6/4/86	45990	360	Z		C-8/FC-143	1.144	MPB	204.3% **
8/6/86	45999	330	Z		C-8/FC-143	0.287	MPB	51.3%
8/8/86	45998	390	Z		C-8/FC-143	0.55	MPB	98.2%
8/9/86	45997	390	Z		C-8/FC-143	0.78	MPB	139.3% **
8/10/86	45996	360	Z		C-8/FC-143	1.427	MPB	254.8% **
8/11/86	45995	390	Z		C-8/FC-143	0.707	MPB	126.3% **
8/12/86	45994	390	Z		C-8/FC-143	0.162	MPB	28.9%
8/13/86	45993	390	Z		C-8/FC-143	0.271	MPB	48.4%
8/16/86	45992	390	Z		C-8/FC-143	0.289	MPB	51.6%
8/25/86	45991	330	Z		C-8/FC-143	0.195	MPB	34.8%
9/12/86	46001	360	Z		C-8/FC-143	0.328	MPB	58.6%
9/20/86	46000	385	Z		C-8/FC-143	0.702	MPB	125.4% **
11/22/86	46002	375	Z		C-8/FC-143	0.382	MPB	68.2%

Tuesday, August 28, 2001 3:20:56 PM

Page 41 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
-----------	----------	----------	------	---------------	------	----------	------	------	---------

AJP007064

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

1/12/87	46003	360	Z	C-8/FC-143	0.238	MPB	42.5%
3/7/87	46004	375	Z	C-8/FC-143	0.09	MPB	16.1%
5/24/87	46005	450	Z	C-8/FC-143	0.124	MPB	22.1%
8/23/87	46006	360	Z	C-8/FC-143	0.732	MPB	130.7% **
9/12/87	46007	360	Z	C-8/FC-143	0.076	MPB	13.6%
12/16/87	46009	450	Z	C-8/FC-143	0.149	MPB	26.6%
1/23/88	46008	357	Z	C-8/FC-143	0.252	MPB	45.0%
6/13/88	46010	420	Z	C-8/FC-143	0.135	MPB	24.1%
8/24/88	46011	360	Z	C-8/FC-143	<0.03	MPB	5.4%
10/14/88	46347	330	Z	C-8/FC-143	0.35	MPB	62.5%
1/8/89	8720	420	A	C-8/FC-143	0.54	MPB	96.4%
4/7/89	8726	291	A	C-8/FC-143	0.51	MPB	91.1%
8/6/90	8755	480	A	C-8/FC-143	0.12	MPB	21.4%
1/6/91	8757	420	A	C-8/FC-143	0.15	MPB	26.6%
6/22/91	8779	360	A	C-8/FC-143	0.135	MPB	24.1%
3/19/92	8809	540	A	C-8/FC-143	0.115	MPB	20.5%
5/6/92	8814	465	A	C-8/FC-143	0.287	MPB	51.3%
6/17/93	8822	450	A	C-8/FC-143	0.39	MPB	66.6%
6/29/93	8824	440	A	C-8/FC-143	0.38	MPB	67.9%
8/31/93	8828	375	A	C-8/FC-143	0.06	MPB	10.7%

BTO: 08 TEFLON@
LOC: 716 FINE POWDER C-8 PUMP AREA
9/22/81 62648 Z

C-8/FC-143 0.78 MPB 139.3% **

AJP007065

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

10/2/81	62649		Z		C-8/FC-143	0.43	MPB	76.8%
12/3/81	62650		Z		C-8/FC-143	0.26	MPB	46.4%
12/14/81	62651		Z		C-8/FC-143	0.9	MPB	160.7% **
12/29/81	62652		Z		C-8/FC-143	0.54	MPB	96.4%
1/26/82	62653		Z		C-8/FC-143	0.11	MPB	19.6%
9/28/82	46091	280	Z		C-8/FC-143	0.26	MPB	46.4%
11/28/82	46092	358	Z		C-8/FC-143	0.32	MPB	57.1%

BTO: 08 TEFLON@

LOC: 717 ROOF AREA-GENERAL

9/23/81	62619		Z		C-8/FC-143	<0.03	MPB	5.4%
3/9/86	46054	360	Z		C-8/FC-143	0.524	MPB	93.6%
4/11/86	46059	281	Z		C-8/FC-143	0.363	MPB	64.8%
4/11/86	46060	290	Z		C-8/FC-143	0.382	MPB	68.2%
4/11/86	46063	290	Z		C-8/FC-143	0.382	MPB	68.2%
4/11/86	46064	281	Z		C-8/FC-143	0.363	MPB	64.8%

Tuesday, August 28, 2001 3:20:56 PM

Page 42 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/12/86	46057	250	Z			C-8/FC-143	0.272	MPB	48.6%
4/12/86	46058	240	Z			C-8/FC-143	0.271	MPB	48.4%

AJP007066

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

4/12/86	46065	240	Z	C-8/FC-143	0.271	MPB	48.4%
4/12/86	46066	250	Z	C-8/FC-143	0.272	MPB	48.6%
4/13/86	46055	345	Z	C-8/FC-143	0.181	MPB	32.3%
4/13/86	46056	345	Z	C-8/FC-143	0.17	MPB	30.4%
4/13/86	46067	345	Z	C-8/FC-143	0.17	MPB	30.4%
4/13/86	46068	345	Z	C-8/FC-143	0.181	MPB	32.3%
5/20/86	46061	420	Z	C-8/FC-143	1.83	MPB	326.8% **
6/15/86	46082	360	Z	C-8/FC-143	0.804	MPB	143.6% **
6/29/86	46069	330	Z	C-8/FC-143	2.092	MPB	373.6% **
8/22/86	46072	390	Z	C-8/FC-143	0.463	MPB	82.7%
8/22/86	46073	390	Z	C-8/FC-143	0.377	MPB	67.3%
8/23/86	46070	360	Z	C-8/FC-143	2.654	MPB	473.9% **
8/23/86	46071	360	Z	C-8/FC-143	0.999	MPB	178.4% **
9/6/86	46075	390	Z	C-8/FC-143	0.236	MPB	42.1%
9/20/86	46074	370	Z	C-8/FC-143	0.912	MPB	162.9% **
10/8/86	46076	360	Z	C-8/FC-143	0.442	MPB	78.9%
11/29/86	46077	360	Z	C-8/FC-143	0.63	MPB	112.5% **
1/18/87	46078	300	Z	C-8/FC-143	0.093	MPB	16.6%
3/7/87	46079	370	Z	C-8/FC-143	0.04	MPB	7.1%
5/24/87	46080	450	Z	C-8/FC-143	0.126	MPB	22.5%
8/23/87	46081	360	Z	C-8/FC-143	0.082	MPB	14.6%
10/18/87	46082	300	Z	C-8/FC-143	0.048	MPB	8.6%
1/3/88	46083	330	Z	C-8/FC-143	<0.03	MPB	

AJP007067

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

									5.4%
6/1/88	46084	435	Z		C-8/FC-143	0.196	MPB		35.0%
8/23/88	46085	350	Z		C-8/FC-143	<0.03	MPB		5.4%
10/31/88	46086	344	Z		C-8/FC-143	0.2	MPB		35.7%
4/16/89	8729	276	A		C-8/FC-143	<0.03	MPB		5.4%
8/17/89	8734	360	A		C-8/FC-143	<.03	MPB		5.4%
12/2/89	8745	345	A		C-8/FC-143	<0.03	MPB		5.4%
2/14/90	8750	476	A		C-8/FC-143	<0.03	MPB		5.4%
6/25/91	8783	360	A		C-8/FC-143	0.16	MPB		28.6%
9/9/91	8793	420	A		C-8/FC-143	0.522	MPB		93.2%
9/11/91	8797	460	A		C-8/FC-143	1.558	MPB		278.2% **
9/11/91	8798	460	A		C-8/FC-143	0.463	MPB		82.7%
9/12/91	8799	435	A		C-8/FC-143	0.523	MPB		93.4%
9/12/91	8800	410	A		C-8/FC-143	2.004	MPB		357.9% **
10/3/91	8804	375	A		C-8/FC-143	0.006	MPB		1.1%

Tuesday, August 28, 2001 3:20:56 PM

Page 43 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/8/92	8806	440	A			C-8/FC-143	0.15	MPB	26.8%
3/19/92	8808	720	A			C-8/FC-143	0.06	MPB	10.7%

AJP007068

8/28/2001 4:46 PM

EID140310

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

5/6/92	8815	465	A	C-8/FC-143	1.43	MPB	255.4%	**
1/21/93	8819	435	A	C-8/FC-143	0.18	MPB	32.1%	
6/17/93	8821	450	A	C-8/FC-143	2.72	MPB	485.7%	**
6/29/93	8827	435	A	C-8/FC-143	3.86	MPB	689.3%	**
9/13/93	8843	345	A	C-8/FC-143	3.6	MPB	642.9%	**
10/8/93	8844	295	A	C-8/FC-143	<.03	MPB	5.4%	
1/28/94	8845	380	A	C-8/FC-143	<.03	MPB	5.4%	

BTO: 08 TEFLON@
LOC: 718 FINE POWDER DRYER AREA

7/30/81	62783		Z	C-8/FC-143	0.7	MPB	125.0%	**
7/30/81	62784		Z	C-8/FC-143	0.04	MPB	7.1%	
7/30/81	62785		Z	C-8/FC-143	0.13	MPB	23.2%	
8/31/81	62786		Z	C-8/FC-143	0.65	MPB	116.1%	**
9/2/81	62787		Z	C-8/FC-143	4.54	MPB	810.7%	**
9/4/81	62788		Z	C-8/FC-143	0.99	MPB	176.6%	**
9/9/81	62789		Z	C-8/FC-143	1.62	MPB	289.3%	**
9/21/81	62790		Z	C-8/FC-143	0.6	MPB	107.1%	**
9/25/81	62791		Z	C-8/FC-143	1.11	MPB	198.2%	**
9/28/81	62792		Z	C-8/FC-143	2.5	MPB	446.4%	**
9/29/81	62793		Z	C-8/FC-143	0.21	MPB	37.5%	
10/8/81	62794		Z	C-8/FC-143	0.83	MPB	148.2%	**
10/8/81	62795		Z	C-8/FC-143	1.6	MPB	285.7%	**
10/9/81	62796		Z	C-8/FC-143	0.05	MPB	8.9%	

AJP007069

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

10/12/81	62797	Z	C-8/FC-143	0.86	MPB	153.6%	**
10/13/81	62798	Z	C-8/FC-143	1.73	MPB	308.9%	**
10/13/81	62799	Z	C-8/FC-143	3.08	MPB	550.0%	**
10/13/81	62800	Z	C-8/FC-143	1.31	MPB	233.9%	**
10/19/81	62801	Z	C-8/FC-143	0.13	MPB	23.2%	
10/19/81	62802	Z	C-8/FC-143	0.77	MPB	137.5%	**
10/19/81	62803	Z	C-8/FC-143	0.04	MPB	7.1%	
10/21/81	62804	Z	C-8/FC-143	0.32	MPB	57.1%	
10/21/81	62805	Z	C-8/FC-143	1.24	MPB	221.4%	**
10/21/81	62806	Z	C-8/FC-143	0.33	MPB	58.9%	
10/21/81	62807	Z	C-8/FC-143	0.29	MPB	51.8%	
10/22/81	62808	Z	C-8/FC-143	1	MPB	178.6%	**
10/24/81	62809	Z	C-8/FC-143	0.77	MPB	137.5%	**
10/24/81	62810	Z	C-8/FC-143	1.15	MPB	205.4%	**

Tuesday, August 28, 2001 3:20:56 PM

Page 44 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/24/81	62811		Z			C-8/FC-143	1.04	MPB	185.7% **
10/24/81	62812		Z			C-8/FC-143	0.22	MPB	39.3%
10/24/81	62813		Z			C-8/FC-143	0.63	MPB	112.5% **

AJP007070

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

10/24/81	62814		Z	C-8/FC-143	1.6	MPB	285.7%	**
10/26/81	62815		Z	C-8/FC-143	0.41	MPB	73.2%	
10/26/81	62816		Z	C-8/FC-143	1.09	MPB	194.6%	**
10/28/81	62817		Z	C-8/FC-143	0.46	MPB	82.1%	
10/28/81	62818		Z	C-8/FC-143	0.09	MPB	16.1%	
10/28/81	62819		Z	C-8/FC-143	0.35	MPB	62.5%	
10/28/81	62820		Z	C-8/FC-143	<0.03	MPB	5.4%	
10/29/81	62821		Z	C-8/FC-143	0.32	MPB	57.1%	
10/29/81	62822		Z	C-8/FC-143	0.28	MPB	50.0%	
10/29/81	62823		Z	C-8/FC-143	0.12	MPB	21.4%	
10/31/81	62824		Z	C-8/FC-143	<0.03	MPB	5.4%	
10/31/81	62825		Z	C-8/FC-143	0.08	MPB	14.3%	
10/31/81	62826		Z	C-8/FC-143	0.04	MPB	7.1%	
10/4/82	46291	325	Z	C-8/FC-143	0.14	MPB	25.0%	
10/4/82	46292	325	Z	C-8/FC-143	0.04	MPB	7.1%	
10/4/82	46293	325	Z	C-8/FC-143	0.13	MPB	23.2%	
11/16/82	46294	425	Z	C-8/FC-143	0.28	MPB	50.0%	
3/15/83	46295	375	Z	C-8/FC-143	0.72	MPB	128.6%	**

BTO: 08 TEFLON@

LOC: 719 MOISTURE CHECK

8/4/81	33591		P	none	C-8/FC-143	2.36	MPB	421.4%	**
8/5/81	33592		P	none	C-8/FC-143	2.46	MPB	439.3%	**
8/8/81	33593		P	none	C-8/FC-143	2.69	MPB	480.4%	**

ALP007071

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

8/25/81	33594	P	none	C-8/FC-143	4.4	MPB	785.7%	**
8/31/81	33595	P	none	C-8/FC-143	0.83	MPB	148.2%	**
9/1/81	62661	Z		C-8/FC-143	6.04	MPB	1078.6%	**
9/2/81	33596	P	none	C-8/FC-143	0.25	MPB	44.6%	
9/2/81	33597	P	none	C-8/FC-143	1.58	MPB	282.1%	**
9/4/81	62662	Z		C-8/FC-143	0.58	MPB	103.6%	**
9/4/81	62663	Z		C-8/FC-143	0.04	MPB	7.1%	
9/5/81	62664	Z		C-8/FC-143	0.08	MPB	14.3%	
9/5/81	62665	Z		C-8/FC-143	0.96	MPB	171.4%	**
9/6/81	62666	Z		C-8/FC-143	0.38	MPB	67.9%	
9/6/81	62667	Z		C-8/FC-143	0.23	MPB	41.1%	
9/18/81	33598	P	none	C-8/FC-143	0.08	MPB	14.3%	
9/21/81	62668	Z		C-8/FC-143	0.15	MPB	26.8%	

Tuesday, August 28, 2001 3:20:56 PM

Page 45 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/21/81	62669		Z			C-8/FC-143	0.24	MPB	42.9%
9/22/81	33599		P		none	C-8/FC-143	0.04	MPB	7.1%
9/25/81	33600		P		none	C-8/FC-143	0.56	MPB	100.0% **
9/26/81	33601		P		none	C-8/FC-143	0.17	MPB	30.4%

AJP007072

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

9/27/81	33602		P	none	C-8/FC-143	0.17	MPB	30.4%
9/30/81	33603		P	none	C-8/FC-143	0.08	MPB	14.3%
10/5/81	33604		P	none	C-8/FC-143	0.08	MPB	14.3%
10/6/81	33605		P	none	C-8/FC-143	0.08	MPB	14.3%
6/9/82	29551	361	P	none	C-8/FC-143	0.17	MPB	30.4%
6/12/82	29552	360	P	none	C-8/FC-143	0.06	MPB	10.7%
6/20/82	29553	408	P	none	C-8/FC-143	0.07	MPB	12.5%
6/21/82	29554	390	P	none	C-8/FC-143	0.06	MPB	10.7%
9/28/82	46098	285	Z		C-8/FC-143	<0.03	MPB	5.4%
10/20/82	29555	300	P	none	C-8/FC-143	0.1	MPB	17.9%
10/21/82	29556	390	P	none	C-8/FC-143	0.25	MPB	44.6%
10/27/82	46099	430	Z		C-8/FC-143	0.09	MPB	16.1%
10/27/82	46100	372	Z		C-8/FC-143	0.08	MPB	14.3%
11/29/82	46101	375	Z		C-8/FC-143	0.08	MPB	14.3%
1/18/83	46102	420	Z		C-8/FC-143	0.03	MPB	5.4%
9/2/83	29557	380	P	none	C-8/FC-143	0.03	MPB	5.4%
9/7/83	29558	360	P	none	C-8/FC-143	0.04	MPB	7.1%
7/8/84	29559	340	P	none	C-8/FC-143	0.25	MPB	44.6%
7/30/84	29560	360	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/1/84	29561	390	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/1/85	29564	330	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/2/85	29563	330	P	none	C-8/FC-143	<0.03	MPB	5.4%

ALP007073

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

7/5/85	29562	380	P	none	C-8/FC-143	0.2	MPB	35.7%
7/1/86	29587	335	P	none	C-8/FC-143	0.219	MPB	39.1%
7/15/86	29566	390	P	none	C-8/FC-143	0.246	MPB	43.9%
7/25/86	29565	450	P	none	C-8/FC-143	0.217	MPB	38.8%
8/16/86	46108	380	Z		C-8/FC-143	0.232	MPB	41.4%
8/17/86	46107	345	Z		C-8/FC-143	0.3	MPB	53.6%
8/18/86	46106	360	Z		C-8/FC-143	0.123	MPB	22.0%
8/19/86	46105	360	Z		C-8/FC-143	0.088	MPB	15.7%
8/22/86	46104	390	Z		C-8/FC-143	0.259	MPB	46.3%
8/23/86	46103	360	Z		C-8/FC-143	0.377	MPB	67.3%
2/13/87	46109	390	Z		C-8/FC-143	0.057	MPB	10.2%
5/20/87	46341	450	Z		C-8/FC-143	0.073	MPB	13.0%
10/16/87	46343	300	Z		C-8/FC-143	0.039	MPB	7.0%

Tuesday, August 28, 2001 3:20:56 PM

Page 46 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/3/88	46345	330	Z			C-8/FC-143	0.091	MPB	16.3%
6/21/88	46346	386	Z			C-8/FC-143	<0.03	MPB	5.4%
1/11/89	8722	330	A			C-8/FC-143	<0.03	MPB	5.4%
4/7/89	8727	330	A			C-8/FC-143	<0.03	MPB	5.4%

AJP007074

8/28/2001 4:46 PM

EID140316

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

8/17/89	8735	360	A	C-8/FC-143	>6	MPB	1071.4%	**
12/6/89	8746	404	A	C-8/FC-143	0.78	MPB	139.3%	**
1/6/90	8748	345	A	C-8/FC-143	0.22	MPB	39.3%	

BTO: 08 TEFLON@
LOC: 720 INJECTION PUMP AREA

1/18/83	39623	385	Z	C-8/FC-143	0.28	MPB	50.0%	
3/2/83	39624	390	Z	C-8/FC-143	0.32	MPB	57.1%	
7/23/83	39625	410	Z	C-8/FC-143	0.35	MPB	62.5%	
7/29/83	39626	30	Z	C-8/FC-143	1.45	MPB	258.9%	**
7/29/83	39627	390	Z	C-8/FC-143	0.56	MPB	100.0%	**
8/16/83	39628	360	Z	C-8/FC-143	0.64	MPB	114.3%	**
5/26/85	39629	330	Z	C-8/FC-143	1.42	MPB	253.6%	**
3/5/86	39684	990	Z	C-8/FC-143	0.456	MPB	81.4%	
9/17/86	39685	315	Z	C-8/FC-143	0.499	MPB	89.1%	
3/2/87	39690	360	Z	C-8/FC-143	0.638	MPB	113.9%	**
4/29/87	39691	330	S	C-8/FC-143	0.279	MPB	49.8%	
5/21/87	39692	330	Z	C-8/FC-143	0.31	MPB	55.4%	
1/3/88	40596	330	Z	C-8/FC-143	0.149	MPB	26.6%	
4/25/88	40677	360	Z	C-8/FC-143	0.089	MPB	15.9%	
10/14/88	41109	330	Z	C-8/FC-143	0.08	MPB	14.3%	
4/12/89	108	285	A	C-8/FC-143	0.23	MPB	41.1%	
12/5/89	274	394	A	C-8/FC-143	0.66	MPB	117.9%	**
1/6/90	295	360	A	C-8/FC-143	0.48	MPB		

ALP007075

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

7/11/90	512	480	A	C-8/FC-143	<0.03	MPB	85.7%
6/25/91	788	360	A	C-8/FC-143	0.13	MPB	5.4%
3/8/92	44892	430	S	C-8/FC-143	0.34	MPB	23.2%
4/3/92	1373	480	A	C-8/FC-143	0.05	MPB	60.7%
							8.9%
BTO: 08 TEFLON@							
LOC: 721 FILL NH4OH STORAGE TANKS FROM DRUMS (***)							
6/29/91	792	480	A	C-8/FC-143	0.272	MPB	48.6%
BTO: 08 TEFLON@							
LOC: 722 3.5X COAGULATOR - FILL WITH NH4OH							
8/16/83	39827	365	Z	C-8/FC-143	0.06	MPB	10.7%

Tuesday, August 28, 2001 3:20:56 PM

Page 47 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 723 AROUND FULL STAB TANK									
8/13/81	49780		Z			C-8/FC-143	0.04	MPB	7.1%
9/24/81	49781		Z			C-8/FC-143	0.17	MPB	30.4%
10/2/81	49782		Z			C-8/FC-143	0.2	MPB	35.7%
11/19/81	49783		Z			C-8/FC-143	0.18	MPB	32.1%
11/20/81	49784		Z			C-8/FC-143	0.14	MPB	25.0%
12/2/81	49785		Z			C-8/FC-143	0.04	MPB	

ALP007076

							7.1%
12/3/81	49786		Z	C-8/FC-143	0.73	MPB	130.4% **
12/19/81	49787		Z	C-8/FC-143	0.08	MPB	14.3%
12/28/81	49788		Z	C-8/FC-143	0.09	MPB	16.1%
12/29/81	49789		Z	C-8/FC-143	0.17	MPB	30.4%
1/23/82	49790		Z	C-8/FC-143	0.01	MPB	1.8%
3/26/82	49791		Z	C-8/FC-143	0.04	MPB	7.1%
4/4/82	34506	384	Z	C-8/FC-143	0.11	MPB	19.6%
4/4/82	34507	385	Z	C-8/FC-143	0.08	MPB	14.3%
6/30/82	34508	395	Z	C-8/FC-143	0.18	MPB	32.1%
8/6/82	34509	450	Z	C-8/FC-143	0.13	MPB	23.2%
11/3/82	34510	360	Z	C-8/FC-143	0.08	MPB	14.3%
12/2/82	34511	390	Z	C-8/FC-143	0.11	MPB	19.6%
1/12/83	34512	360	Z	C-8/FC-143	0.04	MPB	7.1%
1/21/83	34513	422	Z	C-8/FC-143	<0.03	MPB	5.4%
3/8/83	34514	300	Z	C-8/FC-143	<0.03	MPB	5.4%
11/4/86	34540	360	Z	C-8/FC-143	<0.03	MPB	5.4%

BTO: 08 TEFLON@
LOC: 724 ADDING NH4OH TO STAB TANK
3/11/82 52284 Z

C-8/FC-143 0.08 MPB 14.3%

BTO: 08 TEFLON@
LOC: 726 AISLE IN FRONT OF WAX SEPARATOR

10/21/81 53270 Z

C-8/FC-143 1.49 MPB

266.1% **

10/21/81 53271 Z

C-8/FC-143 2.04 MPB

AJP007077

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

								364.3%	**
12/2/81	53272		Z			C-8/FC-143	0.12	MPB	
									21.4%
12/14/81	53273		Z			C-8/FC-143	0.37	MPB	
									66.1%
12/29/81	53274		Z			C-8/FC-143	0.18	MPB	
									32.1%
9/22/82	35475	360	Z			C-8/FC-143	0.08	MPB	
									14.3%
10/19/82	35476	360	Z			C-8/FC-143	0.08	MPB	
									14.3%
11/17/82	35477	300	Z			C-8/FC-143	0.03	MPB	
									5.4%

Tuesday, August 28, 2001 3:20:56 PM

Page 48 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
12/15/82	35478	330	Z			C-8/FC-143	0.09	MPB	
									16.1%
6/26/83	35479	300	Z			C-8/FC-143	0.2	MPB	
									35.7%
7/3/83	35480	360	Z			C-8/FC-143	0.12	MPB	
									21.4%
8/1/83	35481	330	Z			C-8/FC-143	0.03	MPB	
									5.4%
8/16/83	35482	400	Z			C-8/FC-143	0.41	MPB	
									73.2%
8/27/83	35483	360	Z			C-8/FC-143	0.34	MPB	
									60.7%
10/10/83	35484	380	Z			C-8/FC-143	0.08	MPB	
									14.3%
4/29/84	35485	390	Z			C-8/FC-143	0.08	MPB	
									14.3%
2/25/86	35487	420	Z			C-8/FC-143	1.625	MPB	
									290.2%
9/18/86	35489	240	Z			C-8/FC-143	0.396	MPB	
									70.7%
3/1/87	35491	360	Z			C-8/FC-143	0.263	MPB	

AJP007078

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

							47.0%
5/17/87	35492	345	Z	C-8/FC-143	0.142	MPB	25.4%
9/30/87	35494	317	Z	C-8/FC-143	0.129	MPB	23.0%
10/31/87	35495	345	Z	C-8/FC-143	0.11	MPB	19.6%
1/23/88	35497	345	Z	C-8/FC-143	16.901	MPB	3018.0% **
4/16/88	35499	369	Z	C-8/FC-143	>10.0	MPB	1785.7% **
8/18/88	35504	360	Z	C-8/FC-143	<0.03	MPB	5.4%
1/11/89	29	330	A	C-8/FC-143	0.24	MPB	42.9%
2/16/89	80	585	A	C-8/FC-143	0.23	MPB	41.1%
6/20/89	8998		A	C-8/FC-143	0.56	MPB	100.0% **
1/12/91	630	365	A	C-8/FC-143	0.467	MPB	83.4%
9/8/91	845	420	A	C-8/FC-143	0.282	MPB	50.4%
10/3/91	1028	375	A	C-8/FC-143	0.013	MPB	2.3%
3/7/92	1304	485	A	C-8/FC-143	0.29	MPB	51.8%
4/3/92	1372	480	A	C-8/FC-143	0.42	MPB	75.0%

BTO: 08 TEFLON@
LOC: 727 FINE POWDER CELL AREA

9/30/81	52253		Z	C-8/FC-143	2.2	MPB	392.9% **
9/30/81	52254		Z	C-8/FC-143	2.2	MPB	392.9% **
10/6/81	52255		Z	C-8/FC-143	0.63	MPB	112.5%
12/9/81	52256		Z	C-8/FC-143	0.09	MPB	16.1%
12/18/81	52257		Z	C-8/FC-143	0.05	MPB	8.9%
10/12/82	35145	470	Z	C-8/FC-143	0.2	MPB	35.7%

AJP007079

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

11/11/82	35146	300	Z	C-8/FC-143	0.19	MPB	33.9%
7/17/83	35147	325	Z	C-8/FC-143	0.04	MPB	7.1%
2/2/86	35173	360	Z	C-8/FC-143	0.052	MPB	9.3%
9/18/86	35174	240	Z	C-8/FC-143	0.345	MPB	61.6%
3/5/87	35175	375	Z	C-8/FC-143	0.171	MPB	30.5%
12/17/87	35176	450	Z	C-8/FC-143	0.077	MPB	13.8%

Tuesday, August 28, 2001 3:20:56 PM

Page 49 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/18/88	35177	360	Z			C-8/FC-143	<0.03	MPB	5.4%
4/7/89	103	330	A			C-8/FC-143	<0.03	MPB	5.4%
12/5/89	275	374	A			C-8/FC-143	0.18	MPB	32.1%
1/12/91	631	370	A			C-8/FC-143	0.287	MPB	51.3%
8/20/91	815	480	A			C-8/FC-143	0.172	MPB	30.7%
8/20/91	816	420	A			C-8/FC-143	0.365	MPB	65.2%
9/8/91	846	420	A			C-8/FC-143	0.241	MPB	43.0%
9/11/91	848	415	A			C-8/FC-143	0.192	MPB	34.3%
9/11/91	849	435	A			C-8/FC-143	0.178	MPB	31.8%
9/12/91	850	390	A			C-8/FC-143	0.829	MPB	148.0% **
9/12/91	851	420	A			C-8/FC-143	0.619	MPB	110.5% **

ALP007080

BTO: 08 TEFLON@
LOC: 728 WAX ROOM - B-162 - 1ST FLOOR

9/4/81	60185	Z	C-8/FC-143	0.44	MPB	78.6%
9/5/81	60186	Z	C-8/FC-143	1.17	MPB	208.9% **
9/9/81	60187	Z	C-8/FC-143	0.23	MPB	41.1%
9/24/81	60188	Z	C-8/FC-143	0.5	MPB	89.3%
10/2/81	60189	Z	C-8/FC-143	1	MPB	178.6% **
10/21/81	60190	Z	C-8/FC-143	0.93	MPB	166.1% **
10/21/81	60191	Z	C-8/FC-143	1.06	MPB	189.3% **
10/26/81	60192	Z	C-8/FC-143	1.19	MPB	212.5% **
10/27/81	60193	Z	C-8/FC-143	0.5	MPB	89.3%
10/30/81	60194	Z	C-8/FC-143	0.08	MPB	14.3%
11/10/81	60195	Z	C-8/FC-143	0.02	MPB	3.6%
11/12/81	60196	Z	C-8/FC-143	0.09	MPB	16.1%
11/18/81	60197	Z	C-8/FC-143	0.4	MPB	71.4%
12/9/81	60198	Z	C-8/FC-143	0.79	MPB	141.1% **
12/28/81	60199	Z	C-8/FC-143	0.14	MPB	25.0%
2/24/82	60200	Z	C-8/FC-143	0.08	MPB	14.3%
3/3/82	60201	Z	C-8/FC-143	0.12	MPB	21.4%
3/6/82	60202	Z	C-8/FC-143	0.09	MPB	16.1%
3/15/82	60203	Z	C-8/FC-143	0.04	MPB	7.1%
3/18/82	60204	Z	C-8/FC-143	0.05	MPB	8.9%
3/25/82	37149	342 Z	C-8/FC-143	0.12	MPB	21.4%

AJP007081

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

3/25/82	60205		Z		C-8/FC-143	0.12	MPB	21.4%
3/26/82	37150	345	Z		C-8/FC-143	0.04	MPB	7.1%
3/31/82	37151	367	Z		C-8/FC-143	0.12	MPB	21.4%
3/31/82	60206		Z		C-8/FC-143	0.12	MPB	21.4%
4/8/82	37152	330	Z		C-8/FC-143	<0.03	MPB	5.4%

Tuesday, August 28, 2001 3:20:56 PM

Page 50 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/16/82	37153	378	Z			C-8/FC-143	0.12	MPB	21.4%
4/22/82	37154	368	Z			C-8/FC-143	0.08	MPB	14.3%
6/3/82	37155	360	Z			C-8/FC-143	0.25	MPB	44.6%
6/9/82	37156	345	Z			C-8/FC-143	0.32	MPB	57.1%
6/17/82	37157	388	Z			C-8/FC-143	0.15	MPB	26.8%
7/1/82	37158	300	Z			C-8/FC-143	0.01	MPB	1.8%
8/5/82	37159	390	Z			C-8/FC-143	0.15	MPB	26.8%
9/9/82	37160	360	Z			C-8/FC-143	0.89	MPB	158.9% **
11/3/82	37161	360	Z			C-8/FC-143	0.12	MPB	21.4%
11/13/82	37162	300	Z			C-8/FC-143	0.05	MPB	8.9%
12/2/82	37163	390	Z			C-8/FC-143	0.12	MPB	21.4%
1/12/83	37164	360	Z			C-8/FC-143	0.2	MPB	35.7%

AJP007082

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

3/2/83	37165	390	Z	C-8/FC-143	0.52	MPB	92.9%
3/5/83	37166	360	Z	C-8/FC-143	0.25	MPB	44.6%
3/29/83	37167	344	Z	C-8/FC-143	0.07	MPB	12.5%
6/8/83	37168	360	Z	C-8/FC-143	0.32	MPB	57.1%
6/14/83	37169	400	Z	C-8/FC-143	0.4	MPB	71.4%
7/11/83	37170	360	Z	C-8/FC-143	0.36	MPB	64.3%
8/10/83	37171	360	Z	C-8/FC-143	0.27	MPB	48.2%
9/1/83	37172	360	Z	C-8/FC-143	0.21	MPB	37.5%
9/8/83	37173	390	Z	C-8/FC-143	0.29	MPB	51.8%
10/4/83	37174	360	Z	C-8/FC-143	0.09	MPB	16.1%
10/7/83	37175	360	Z	C-8/FC-143	0.06	MPB	10.7%
10/30/83	37176	355	Z	C-8/FC-143	0.36	MPB	64.3%
11/14/83	37177	405	Z	C-8/FC-143	0.11	MPB	19.6%
11/30/83	37178	360	Z	C-8/FC-143	0.09	MPB	16.1%
1/23/84	37179	345	Z	C-8/FC-143	0.23	MPB	41.1%
3/17/84	37180	360	Z	C-8/FC-143	0.13	MPB	23.2%
7/8/84	37181	345	Z	C-8/FC-143	0.26	MPB	46.4%
9/3/84	37182	360	Z	C-8/FC-143	0.65	MPB	116.1% **
11/24/84	37183	355	Z	C-8/FC-143	0.29	MPB	51.8%
3/16/85	37184	315	Z	C-8/FC-143	0.35	MPB	62.5%
9/18/85	37187	240	Z	C-8/FC-143	0.771	MPB	137.7% **
11/13/86	37188	275	Z	C-8/FC-143	0.501	MPB	89.5%
1/12/87	37189	360	Z	C-8/FC-143	0.267	MPB	

ALP007083

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

								47.7%
3/5/87	37191	330	Z		C-8/FC-143	0.386	MPB	68.9%
5/21/87	37192	370	Z		C-8/FC-143	0.685	MPB	122.3% **
6/9/87	37193	330	Z		C-8/FC-143	0.188	MPB	33.6%
8/14/87	37194	360	Z		C-8/FC-143	0.139	MPB	24.8%

Tuesday, August 28, 2001 3:20:56 PM

Page 51 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/18/87	37195	300	Z			C-8/FC-143	0.524	MPB	93.6%
1/3/88	37197	330	Z			C-8/FC-143	2.519	MPB	449.8% **
4/16/88	40682	329	Z			C-8/FC-143	0.123	MPB	22.0%
8/23/88	41083	350	Z			C-8/FC-143	<0.03	MPB	5.4%
8/31/88	41098	360	Z			C-8/FC-143	0.05	MPB	8.9%
4/7/89	108	330	A			C-8/FC-143	<0.03	MPB	5.4%
6/20/89	149	360	A			C-8/FC-143	0.38	MPB	67.9%
1/28/90	42843	480	S			C-8/FC-143	>4.0	MPB	714.3% **
3/16/90	370	480	A			C-8/FC-143	1.17	MPB	208.9% **
4/12/90	418	480	A			C-8/FC-143	<0.03	MPB	5.4%
1/3/91	625	450	A			C-8/FC-143	0.083	MPB	11.3%
1/6/91	628	420	A			C-8/FC-143	0.033	MPB	5.9%

AJP007084

6/24/91	786	360	A	C-8/FC-143	0.166	MPB	29.6%
9/9/91	847	420	A	C-8/FC-143	0.594	MPB	106.1% **
10/3/91	1027	375	A	C-8/FC-143	0.006	MPB	1.1%
3/7/92	1302	490	A	C-8/FC-143	0.13	MPB	23.2%
3/19/92	1308	535	A	C-8/FC-143	0.14	MPB	25.0%
4/22/92	1399	480	A	C-8/FC-143	0.104	MPB	18.6%
5/6/92	1401	465	A	C-8/FC-143	0.518	MPB	92.5%
6/14/93	2137	360	A	C-8/FC-143	0.18	MPB	32.1%
9/8/93	2184	386	A	C-8/FC-143	0.63	MPB	112.5% **
7/9/97	7128	370	A	C-8/FC-143	0.06	MPB	10.7%
7/10/97	7129	386	A	C-8/FC-143	0.37	MPB	66.1%
7/11/97	7130	374	A	C-8/FC-143	0.4	MPB	71.4%
7/21/97	7131	363	A	C-8/FC-143	0.42	MPB	75.0%
7/22/97	7132	341	A	C-8/FC-143	0.28	MPB	60.0%
7/23/97	7133	398	A	C-8/FC-143	0.52	MPB	92.9%
7/24/97	7134	332	A	C-8/FC-143	0.43	MPB	76.8%
7/25/97	7135	359	A	C-8/FC-143	0.36	MPB	64.3%
8/4/97	7136	355	A	C-8/FC-143	0.41	MPB	73.2%
10/6/97	7348	390	A	C-8/FC-143	<.01	MPB	1.8%
11/21/97	7498	360	A	C-8/FC-143	<.01	MPB	1.8%
1/20/98	7620	360	A	C-8/FC-143	<.01	MPB	1.8%
2/5/98	7722	360	A	C-8/FC-143	0.02	MPB	3.6%
5/27/98	8025	360	A	C-8/FC-143	0.07	MPB	

AP007085

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

8/4/98	8188	360	A	C-8/FC-143	0.16	MPB	12.5%
9/10/98	8249	360	A	C-8/FC-143	0.14	MPB	28.6%
11/11/98	8396	360	A	C-8/FC-143	0.05	MPB	25.0%
1/27/99	8583	330	A	C-8/FC-143	0.22	MPB	8.9%
							39.3%

Tuesday, August 28, 2001 3:20:56 PM

Page 52 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/13/99	8688	360	A			C-8/FC-143	0.1168	MPB	20.9%
7/13/99	9106	360	A			C-8/FC-143	0.18	MPB	32.1%
11/4/99	9270	360	A			C-8/FC-143	0.16	MPB	28.6%
2/4/00	9408	360	A			C-8/FC-143	0.332	MPB	59.3%
5/11/00	9496	360	A			C-8/FC-143	0.089	MPB	15.9%
8/8/00	9627	360	A			C-8/FC-143	0.12	MPB	21.4%
11/13/00	9736	360	A			C-8/FC-143	0.0975	MPB	17.4%
2/7/01	9862	360	A			C-8/FC-143	0.06	MPB	10.7%
5/24/01	10050	360	A			C-8/FC-143	0.0134	MPB	2.4%

BTO : 08 TEFLON@
LOC : 729 HOLDUP TANK ROOM - B162

9/24/81	60180		Z	C-8/FC-143	0.18	MPB	32.1%
9/24/81	60181		Z	C-8/FC-143	0.24	MPB	

ALP007086

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

							42.9%
10/2/81	60182		Z	C-8/FC-143	0.09	MPB	16.1%
10/5/81	60183		Z	C-8/FC-143	0.04	MPB	7.1%
12/14/81	60184		Z	C-8/FC-143	0.19	MPB	33.9%
11/28/82	37147	353	Z	C-8/FC-143	0.1	MPB	17.9%
1/18/83	37148	375	Z	C-8/FC-143	0.07	MPB	12.5%
BTO: 08 TEFLON@							
LOC: 730 BLDG 162 - GENERAL AREAS							
1/27/82	47663		Z	C-8/FC-143	0.16	MPB	28.6%
9/7/82	33757	420	Z	C-8/FC-143	0.1	MPB	17.9%
9/8/82	33758	325	Z	C-8/FC-143	0.18	MPB	32.1%
6/11/85	33764	360	Z	C-8/FC-143	0.17	MPB	30.4%
1/12/91	632	360	A	C-8/FC-143	<0.03	MPB	5.4%
BTO: 08 TEFLON@							
LOC: 731 A/S - INSIDE F.P. DRYER CONTROL ROOM							
4/20/83	39699	300	Z	C-8/FC-143	0.04	MPB	7.1%
4/20/83	39700	300	Z	C-8/FC-143	0.08	MPB	14.3%
11/12/83	39701	375	Z	C-8/FC-143	0.05	MPB	8.9%
6/21/85	39702	390	Z	C-8/FC-143	0.36	MPB	64.3%
8/20/85	39795	360	Z	C-8/FC-143	4.35	MPB	776.8% **
2/2/86	39801	360	Z	C-8/FC-143	0.637	MPB	113.8% **
9/12/86	39805	360	Z	C-8/FC-143	0.562	MPB	100.4% **
9/17/86	39804	315	Z	C-8/FC-143	0.351	MPB	62.7%
1/11/87	39806	360	Z	C-8/FC-143	0.076	MPB	

AJP007087

3/2/87 39808 360 Z

C-8/FC-143 0.221 MPB

13.6%

39.5%

Tuesday, August 28, 2001 3:20:56 PM

Page 53 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/13/87	40225	360	Z			C-8/FC-143	0.125	MPB	22.3%
6/7/87	40239	450	Z			C-8/FC-143	0.142	MPB	25.4%
10/17/87	40502	300	Z			C-8/FC-143	0.072	MPB	12.9%
10/18/87	40501	300	Z			C-8/FC-143	0.016	MPB	2.9%
1/12/88	40595	300	Z			C-8/FC-143	0.099	MPB	17.7%
4/16/88	40681	326	Z			C-8/FC-143	0.073	MPB	13.0%
6/13/88	40875	420	Z			C-8/FC-143	0.092	MPB	16.4%
9/25/88	41096	390	Z			C-8/FC-143	<0.03	MPB	5.4%
11/13/88	41123	300	Z			C-8/FC-143	0.18	MPB	32.1%
4/12/89	107	285	A			C-8/FC-143	0.27	MPB	48.2%
8/6/89	188	420	A			C-8/FC-143	0.08	MPB	14.3%
12/5/89	272	429	A			C-8/FC-143	2.41	MPB	430.4% **
1/9/90	296	395	A			C-8/FC-143	0.81	MPB	144.6% **
8/6/90	541	480	A			C-8/FC-143	0.04	MPB	7.1%
1/2/91	624	420	A			C-8/FC-143	<0.03	MPB	5.4%

AP007088

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

1/14/91	633	370	A	C-8/FC-143	<0.03	MPB	5.4%
6/28/91	790	480	A	C-8/FC-143	0.258	MPB	46.1%
3/7/92	1306	495	A	C-8/FC-143	0.14	MPB	25.0%
3/19/92	1309	535	A	C-8/FC-143	0.07	MPB	12.5%
4/22/92	1398	480	A	C-8/FC-143	0.063	MPB	11.3%
5/6/92	1402	470	A	C-8/FC-143	0.131	MPB	23.4%
6/17/93	2136	450	A	C-8/FC-143	0	MPB	0.0%
9/1/93	2177	360	A	C-8/FC-143	<.03	MPB	5.4%
10/20/93	2272	390	A	C-8/FC-143	<.03	MPB	5.4%
1/27/94	2547	370	A	C-8/FC-143	<.03	MPB	5.4%
5/18/94	2987	390	A	C-8/FC-143	<.03	MPB	5.4%
8/23/94	3303	390	A	C-8/FC-143	<.03	MPB	5.4%
11/29/94	3635	380	A	C-8/FC-143	0.05	MPB	8.9%
3/8/95	4224	405	A	C-8/FC-143	0.03	MPB	5.4%
7/25/95	4687	360	A	C-8/FC-143	0.13	MPB	23.2%
7/25/95	8972	360	A	C-8/FC-143	0	MPB	0.0%
3/11/96	5460	360	A	C-8/FC-143	0.07	MPB	12.5%
8/14/96	5873	375	A	C-8/FC-143	<.01	MPB	1.8%
12/5/96	6392	420	A	C-8/FC-143	0.005	MPB	0.9%
5/28/97	6829	420	A	C-8/FC-143	0.06	MPB	10.7%
7/9/97	6942	370	A	C-8/FC-143	<.01	MPB	1.8%
7/10/97	7114	386	A	C-8/FC-143	0.01	MPB	1.8%
7/11/97	7115	372	A	C-8/FC-143	0.06	MPB	

AJP007089

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

7/21/97 7116 362 A C-8/FC-143 0.76 MPB 10.7%
135.7% **

Tuesday, August 28, 2001 3:20:56 PM

Page 54 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/22/97	7117	335	A			C-8/FC-143	0.02	MPB	3.6%
7/23/97	7118	399	A			C-8/FC-143	0.33	MPB	58.9%
7/24/97	7119	335	A			C-8/FC-143	0.05	MPB	8.9%
7/25/97	7120	357	A			C-8/FC-143	0.08	MPB	14.3%
8/4/97	7121	357	A			C-8/FC-143	<0.01	MPB	1.8%
8/5/97	7127	377	A			C-8/FC-143	<0.01	MPB	1.8%
8/6/97	7122	368	A			C-8/FC-143	0.03	MPB	5.4%
8/7/97	7123	360	A			C-8/FC-143	0.04	MPB	7.1%
8/8/97	7124	319	A			C-8/FC-143	<0.01	MPB	1.8%
8/12/97	7125	453	A			C-8/FC-143	<0.01	MPB	1.8%
8/13/97	7126	336	A			C-8/FC-143	<0.01	MPB	1.8%
10/6/97	7349	390	A			C-8/FC-143	<.01	MPB	1.8%
12/8/97	7539	360	A			C-8/FC-143	<.01	MPB	1.8%
1/20/98	7622	360	A			C-8/FC-143	<.01	MPB	1.8%
8/4/98	8189	360	A			C-8/FC-143	0.09	MPB	16.1%

AJP007090

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

1/28/99	8586	360	A	C-8/FC-143	0.04	MPB	7.1%
7/13/99	9107	360	A	C-8/FC-143	<0.01	MPB	1.8%
1/6/00	9353	360	A	C-8/FC-143	<0.01	MPB	1.8%
7/10/00	9579	360	A	C-8/FC-143	<0.01	MPB	1.8%
1/9/01	9775	360	A	C-8/FC-143	<0.01	MPB	1.8%
7/3/01	10107	360	A	C-8/FC-143	<0.01	MPB	1.8%
BTO : 08 TEFLON@							
LOC : 732 BLEND TANKS							
7/23/83	39739	365	Z	C-8/FC-143	0.12	MPB	21.4%
6/21/85	39793	390	Z	C-8/FC-143	0.63	MPB	112.5% **
2/25/86	39800	480	Z	C-8/FC-143	2.937	MPB	524.5% **
9/18/86	39803	240	Z	C-8/FC-143	0.667	MPB	119.1% **
3/5/87	39807	370	Z	C-8/FC-143	0.381	MPB	68.0%
8/15/87	40389	420	Z	C-8/FC-143	0.081	MPB	14.5%
9/30/87	40503	320	Z	C-8/FC-143	0.146	MPB	26.1%
12/29/87	40597	400	Z	C-8/FC-143	0.144	MPB	25.7%
4/16/88	40680	342	Z	C-8/FC-143	0.149	MPB	26.6%
8/28/88	41081	450	Z	C-8/FC-143	0.15	MPB	26.8%
1/11/89	30	330	A	C-8/FC-143	0.57	MPB	101.8% **
6/21/89	148	360	A	C-8/FC-143	0.33	MPB	58.9%
7/11/90	510	480	A	C-8/FC-143	<0.03	MPB	5.4%
1/14/91	634	365	A	C-8/FC-143	<0.03	MPB	5.4%
6/28/91	789	480	A	C-8/FC-143	0.33	MPB	58.9%

AJP007091

3/7/92 1305 485 A

C-8/FC-143 0.31 MPB

55.4%

Tuesday, August 28, 2001 3:20:56 PM

Page 55 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/3/92	1374	490	A			C-8/FC-143	0.21	MPB	37.5%
BTO: 08 TEFLON@									
LOC: 733 SMALL LOTS PACK-OUT ROOM									
2/28/86	40100	390	Z			C-8/FC-143	0.202	MPB	36.1%
BTO: 08 TEFLON@									
LOC: 748 B-162 EAST WAREHOUSE									
8/31/81	57717		Z			C-8/FC-143	0.16	MPB	28.6%
9/2/81	57718		Z			C-8/FC-143	1.51	MPB	269.6% **
9/2/81	57719		Z			C-8/FC-143	3.4	MPB	607.1% **
10/2/81	57720		Z			C-8/FC-143	0.09	MPB	16.1%
6/10/83	36706	420	Z			C-8/FC-143	0.05	MPB	8.9%
7/23/83	36707	365	Z			C-8/FC-143	0.03	MPB	5.4%
6/21/85	36709	390	Z			C-8/FC-143	0.17	MPB	30.4%
2/25/86	36711	420	Z			C-8/FC-143	0.613	MPB	109.5% **
9/18/86	36713	240	Z			C-8/FC-143	0.214	MPB	38.2%
3/5/87	36714	372	Z			C-8/FC-143	0.064	MPB	11.4%
9/30/87	36716	310	Z			C-8/FC-143	0.106	MPB	18.9%

AJP007092

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

10/31/87	36717	345	Z	C-8/FC-143	0.113	MPB	20.2%
4/26/88	36719	450	Z	C-8/FC-143	0.017	MPB	3.0%
10/31/88	36721	346	Z	C-8/FC-143	0.56	MPB	100.0% **
4/7/89	102	306	A	C-8/FC-143	<0.03	MPB	5.4%
12/5/89	271	374	A	C-8/FC-143	0.37	MPB	66.1%
6/29/91	791	480	A	C-8/FC-143	0.3	MPB	53.6%
3/8/92	1303	430	A	C-8/FC-143	0.13	MPB	23.2%
3/19/92	1307	540	A	C-8/FC-143	0.07	MPB	12.5%

BTO : 08 TEFLON@

LOC : 752 TA BLDG-HEAT TREATER

3/29/89	14936	435	P	08PG C-8/FC-143	<0.03	MPB	5.4%
4/3/89	14938	450	P	08PG C-8/FC-143	<0.03	MPB	5.4%
4/4/89	14941	435	P	08PG C-8/FC-143	<0.03	MPB	5.4%
4/11/89	14949	435	P	08PG C-8/FC-143	<0.03	MPB	5.4%
4/13/89	14956	430	P	08PG C-8/FC-143	<0.03	MPB	5.4%
4/17/89	14952	430	P	08PG C-8/FC-143	<0.03	MPB	5.4%
4/17/89	14957	435	P	08PG C-8/FC-143	<0.03	MPB	5.4%
4/24/89	14958	430	P	08PG C-8/FC-143	<0.03	MPB	5.4%

Tuesday, August 28, 2001 3:20:56 PM

Page 56 of 80

AJP007093

8/28/2001 4:46 PM

EID140335

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 753 TA BLDG-DRYER									
4/6/84	39943	360	Z			C-8/FC-143	<0.03	MPB	5.4%
4/6/84	39944	300	Z			C-8/FC-143	<0.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 754 TA BLDG-VORTAC MILL-PACKOUT									
8/10/90	539	330	A			C-8/FC-143	0.11	MPB	19.6%
BTO: 08 TEFLON@									
LOC: 755 TA BLDG-3RD FLOOR									
3/30/89	14937	435	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/3/89	14939	430	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/11/89	14950	435	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/12/89	14953	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/18/89	14965	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/24/89	14960	430	P		none	C-8/FC-143	0.05	MPB	8.9%
BTO: 08 TEFLON@									
LOC: 760 GRANULAR PK CONTROL ROOM									
1/31/83	39571	510	Z			C-8/FC-143	0.09	MPB	16.1%
1/31/83	39572	510	Z			C-8/FC-143	0.03	MPB	5.4%
3/15/89	14876	415	P		none	C-8/FC-143	0.04	MPB	7.1%
4/6/89	14942	435	P		08PF	C-8/FC-143	0.22	MPB	39.3%
4/21/89	14959	435	P		08PF	C-8/FC-143	0.18	MPB	32.1%
7/8/97	6941	391	A			C-8/FC-143	<.01	MPB	

ALP007094

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

									1.8%
7/9/97	7099	368	A			C-8/FC-143	1.91	MPB	341.1% **
7/10/97	7100	384	A			C-8/FC-143	<0.01	MPB	1.8%
7/11/97	7101	372	A			C-8/FC-143	0.11	MPB	19.6%
7/21/97	7102	372	A			C-8/FC-143	<.01	MPB	1.8%
7/23/97	7104	398	A			C-8/FC-143	<0.01	MPB	1.8%
7/24/97	7105	348	A			C-8/FC-143	<0.01	MPB	1.8%
7/25/97	7106	353	A			C-8/FC-143	<0.01	MPB	1.8%
7/28/97	7107	370	A			C-8/FC-143	<0.01	MPB	1.8%
8/4/97	7108	357	A			C-8/FC-143	<0.01	MPB	1.8%
8/5/97	7109	376	A			C-8/FC-143	<0.01	MPB	1.8%
8/7/97	7110	369	A			C-8/FC-143	<0.01	MPB	1.8%
8/8/97	7111	320	A			C-8/FC-143	<0.01	MPB	1.8%
8/12/97	7112	459	A			C-8/FC-143	<0.01	MPB	1.8%
8/13/97	7113	335	A			C-8/FC-143	<0.01	MPB	1.8%

Tuesday, August 28, 2001 3:20:56 PM

Page 57 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/22/97	7103	350	A			C-8/FC-143	<0.01	MPB	1.8%
10/7/97	7323	360	A			C-8/FC-143	<.01	MPB	1.8%

ALP007095

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

12/8/97	7540	360	A	C-8/FC-143	<.01	MPB	1.8%
1/20/98	7621	360	A	C-8/FC-143	0.06	MPB	10.7%
5/27/98	8024	360	A	C-8/FC-143	<.05	MPB	8.9%
8/4/98	8190	360	A	C-8/FC-143	0.07	MPB	12.5%
8/4/98	8191	360	A	C-8/FC-143	0.07	MPB	12.5%
11/11/98	8397	360	A	C-8/FC-143	<.05	MPB	8.9%
1/28/99	8587	360	A	C-8/FC-143	0.03	MPB	5.4%
4/13/99	8689	360	A	C-8/FC-143	<.01	MPB	1.8%
7/14/99	9108	360	A	C-8/FC-143	<.01	MPB	1.8%
11/4/99	9271	360	A	C-8/FC-143	0.003	MPB	0.5%
2/4/00	9409	360	A	C-8/FC-143	<.01	MPB	1.8%
5/11/00	9497	360	A	C-8/FC-143	<.01	MPB	1.8%
8/8/00	9628	360	A	C-8/FC-143	<.01	MPB	1.8%
11/13/00	9737	360	A	C-8/FC-143	0.0102	MPB	1.8%
2/7/01	9865	360	A	C-8/FC-143	<.01	MPB	1.8%
3/6/01	9912	720	A	C-8/FC-143	0.0634	MPB	11.3%
3/6/01	9917	720	A	C-8/FC-143	0.025	MPB	4.5%
3/13/01	9936	720	A	C-8/FC-143	0.0786	MPB	14.0%
3/13/01	9937	720	A	C-8/FC-143	0.0283	MPB	5.1%
3/20/01	9940	720	A	C-8/FC-143	0.1112	MPB	19.9%
3/20/01	9941	720	A	C-8/FC-143	0.1365	MPB	24.4%
3/27/01	9947	720	A	C-8/FC-143	0.0495	MPB	8.8%
4/3/01	9956	720	A	C-8/FC-143	0.0264	MPB	

AJP007096

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

									4.7%
4/10/01	9981	720	A		C-8/FC-143	0.0392	MPB		
									7.0%
4/10/01	9983	720	A		C-8/FC-143	0.0364	MPB		
									6.5%
4/17/01	9991	720	A		C-8/FC-143	0.0241	MPB		
									4.3%
4/17/01	9993	720	A		C-8/FC-143	0.0316	MPB		
									5.6%
4/24/01	10058	720	A		C-8/FC-143	0.0332	MPB		
									5.9%
4/24/01	10060	720	A		C-8/FC-143	0.0313	MPB		
									5.6%
5/29/01	10061	720	A		C-8/FC-143	0.0119	MPB		
									2.1%
5/29/01	10063	720	A		C-8/FC-143	0.0121	MPB		
									2.2%
6/19/01	10093	720	A		C-8/FC-143	0.0203	MPB		
									3.6%
6/19/01	10099	720	A		C-8/FC-143	0.0163	MPB		
									2.9%
6/26/01	10101	720	A		C-8/FC-143	0.0135	MPB		
									2.4%

BTO : 08 TEFLON@
LOC : 761 A/S - 4X GRAN PK CELL
8/23/00 9644 360 A

C-8/FC-143 0.1062 MPB 19.0%

Tuesday, August 28, 2001 3:20:56 PM

Page 58 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/24/00	9646	360	A			C-8/FC-143	0.0432	MPB	7.7%
8/30/00	9665	360	A			C-8/FC-143	0.1028	MPB	18.4%
8/31/00	9667	360	A			C-8/FC-143	0.1944	MPB	34.7%

AJP007097

BTO: 08 TEFLON@

LOC: 762 A/S - 5X GRAN PK CELL

8/23/00	9645	360	A	C-8/FC-143	0.0415	MPB	7.4%
8/24/00	9647	360	A	C-8/FC-143	0.0392	MPB	7.0%
8/30/00	9664	360	A	C-8/FC-143	0.0749	MPB	13.4%
8/31/00	9666	360	A	C-8/FC-143	0.114	MPB	20.4%

BTO: 08 TEFLON@

LOC: 768 P/S - C-8 RECOV OP CHG ROOF FLTRS (08PM)

11/8/93	19095	375	P	08PM C-8/FC-143	<.03	MPB	5.4%
1/28/94	19357	380	P	08PM C-8/FC-143	<.03	MPB	5.4%
5/17/94	19812	390	P	08PM C-8/FC-143	<.03	MPB	5.4%
8/25/94	20154	390	P	08PH C-8/FC-143	0.11	MPB	19.6%
10/25/94	20396	405	P	08PM C-8/FC-143	<.03	MPB	5.4%
12/13/94	20554	420	P	08PM C-8/FC-143	0.03	MPB	5.4%
3/8/95	20990	405	P	08PM C-8/FC-143	0.03	MPB	5.4%
7/25/95	21653	360	P	08PM C-8/FC-143	0.04	MPB	7.1%
3/11/96	23061	360	P	08PM C-8/FC-143	<.01	MPB	1.8%
6/14/96	23763	375	P	08PM C-8/FC-143	<.01	MPB	1.8%
8/27/96	24204	390	P	08PM C-8/FC-143	0.1	MPB	17.9%
12/5/96	24678	420	P	08PM C-8/FC-143	0.003	MPB	0.5%
2/5/97	25021	360	P	08PM C-8/FC-143	0.02	MPB	3.6%
5/27/97	25654	360	P	08PM C-8/FC-143	0.02	MPB	3.6%
7/8/97	25933	45	P	08PM C-8/FC-143	<.01	MPB	1.8%

AIP007098

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

7/17/97	25937	70	P	08PM C-8/FC-143	0.12	MPB	21.4%
8/5/97	26017	220	P	08PM C-8/FC-143	0.06	MPB	10.7%
8/8/97	26109	50	P	08PM C-8/FC-143	<.01	MPB	1.8%
10/21/97	26713	360	P	08PE C-8/FC-143	<.01	MPB	1.8%
12/8/97	26862	360	P	08PM C-8/FC-143	<.01	MPB	1.8%
1/26/98	27149	360	P	08PM C-8/FC-143	0.78	MPB	139.3% **
4/2/98	27707	360	P	08PM C-8/FC-143	0.05	MPB	8.9%
8/13/98	28005	360	P	08PM C-8/FC-143	0.16	MPB	28.6%
9/4/98	28079	360	P	08PM C-8/FC-143	0.16	MPB	28.6%
11/11/98	28541	360	P	08PM C-8/FC-143	0.03	MPB	5.4%
2/4/99	28854	390	P	08PM C-8/FC-143	0.04	MPB	7.1%
7/15/99	33839	360	P	08PM C-8/FC-143	0.0568	MPB	10.1%

Tuesday, August 28, 2001 3:20:56 PM

Page 59 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
12/15/99	34417	360	P		08PM	C-8/FC-143	0.001	MPB	0.2%
3/8/00	34720	360	P		08PM	C-8/FC-143	0.087	MPB	15.5%
7/12/00	35071	360	P		08PM	C-8/FC-143	0.1347	MPB	24.1%
10/19/00	35396	360	P		08PM	C-8/FC-143	0.0533	MPB	9.5%
1/10/01	35642	360	P		08PM	C-8/FC-143	0.35	MPB	62.5%

AJP007099

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

4/19/01	36027	360	P	08PM	C-8/FC-143	0.0509	MPB	9.1%
BTO: 08 TEFLON@								
LOC: 769 C-8 RECOVERY BLDG. CR - B-124								
11/8/93	2308	360	A		C-8/FC-143	<.03	MPB	5.4%
1/28/94	2572	380	A		C-8/FC-143	<.03	MPB	5.4%
4/2/98	8017	360	A		C-8/FC-143	0.07	MPB	12.5%
8/13/98	8220	360	A		C-8/FC-143	0.57	MPB	101.8% **
9/4/98	8245	360	A		C-8/FC-143	0.42	MPB	75.0%
11/11/98	8398	360	A		C-8/FC-143	<0.05	MPB	8.9%
1/27/99	8584	330	A		C-8/FC-143	0.06	MPB	10.7%
4/14/99	8690	360	A		C-8/FC-143	0.0154	MPB	2.8%
6/8/99	9096	255	A		C-8/FC-143	0.07	MPB	12.5%
9/9/99	9195	360	A		C-8/FC-143	<0.01	MPB	1.8%
12/15/99	9319	360	A		C-8/FC-143	<0.01	MPB	1.8%
1/8/00	9354	360	A		C-8/FC-143	0.0158	MPB	2.8%
2/3/00	9395	360	A		C-8/FC-143	<0.01	MPB	1.8%
3/8/00	9444	360	A		C-8/FC-143	<0.01	MPB	1.8%
5/17/00	9517	360	A		C-8/FC-143	0.006	MPB	1.1%
8/8/00	9629	360	A		C-8/FC-143	0.07	MPB	12.5%
11/14/00	9738	360	A		C-8/FC-143	0.08	MPB	14.3%
2/7/01	9863	360	A		C-8/FC-143	0.11	MPB	19.6%
5/14/01	10088	360	A		C-8/FC-143	0.1737	MPB	31.0%

AJP007100

BTO: 08 TEFLON@

LOC: 770 C-8 RECOVERY BUILDING - B-124

Date	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
1/9/91	629	450	A			C-8/FC-143	<0.03	MPB	5.4%
1/14/91	16486	450	P		none	C-8/FC-143	<0.03	MPB	5.4%
1/15/91	635	480	A			C-8/FC-143	<0.03	MPB	5.4%
1/15/91	636	960	A			C-8/FC-143	0.066	MPB	11.8%
1/18/91	637	3855	A			C-8/FC-143	0.03	MPB	5.4%
1/18/91	638	480	A			C-8/FC-143	0.104	MPB	18.6%
1/21/91	639	450	A			C-8/FC-143	<0.03	MPB	5.4%
1/21/91	16487	450	P		none	C-8/FC-143	<0.03	MPB	5.4%
1/31/91	16551	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%

Tuesday, August 28, 2001 3:20:56 PM

Page 60 of 80

Sample Dt Sample #

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/5/91	16552	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
2/15/91	666	180	A			C-8/FC-143	<0.03	MPB	5.4%
2/25/91	667	450	A			C-8/FC-143	<0.03	MPB	5.4%
3/6/91	16673	450	P		none	C-8/FC-143	<0.03	MPB	5.4%
3/11/91	16674	450	P		none	C-8/FC-143	0.044	MPB	7.9%
3/14/91	690	450	A			C-8/FC-143	<0.03	MPB	5.4%
3/25/91	691	480	A			C-8/FC-143	0.141	MPB	25.2%

ALP007101

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

1/21/93	1799	425	A	C-8/FC-143	0.19	MPB	33.9%
6/17/93	2134	450	A	C-8/FC-143	1.04	MPB	185.7% **
9/13/93	2217	340	A	C-8/FC-143	1.58	MPB	282.1% **
9/13/93	2218	340	A	C-8/FC-143	1.64	MPB	292.9% **
11/8/93	2307	360	A	C-8/FC-143	0.16	MPB	28.6%
1/28/94	2573	380	A	C-8/FC-143	0.1	MPB	17.9%
8/25/94	3302	390	A	C-8/FC-143	<.03	MPB	5.4%
3/8/95	4225	405	A	C-8/FC-143	0.04	MPB	7.1%
3/11/96	5461	360	A	C-8/FC-143	0.08	MPB	14.3%
12/5/96	6393	420	A	C-8/FC-143	0.003	MPB	0.5%
6/24/97	6888	360	A	C-8/FC-143	0.07	MPB	12.5%
12/8/97	7541	360	A	C-8/FC-143	<.01	MPB	1.8%
1/26/98	7720	360	A	C-8/FC-143	0.58	MPB	103.6% **
4/2/98	8018	360	A	C-8/FC-143	<.05	MPB	8.9%
8/13/98	8221	360	A	C-8/FC-143	3.5	MPB	625.0% **
9/4/98	8246	360	A	C-8/FC-143	0.89	MPB	158.9% **
11/11/98	8399	360	A	C-8/FC-143	0.17	MPB	30.4%
1/27/99	8585	330	A	C-8/FC-143	0.47	MPB	83.9%
4/14/99	8691	360	A	C-8/FC-143	0.0295	MPB	5.3%
6/8/99	9097	255	A	C-8/FC-143	1.15	MPB	205.4% **
9/9/99	9196	360	A	C-8/FC-143	0.1135	MPB	20.3%
12/15/99	9320	360	A	C-8/FC-143	<0.01	MPB	1.8%
1/6/00	9355	360	A	C-8/FC-143	0.1297	MPB	

ALP007102

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

									23.2%
2/3/00	9396	360	A		C-8/FC-143	<0.01	MPB		1.8%
3/8/00	9445	360	A		C-8/FC-143	0.175	MPB		31.3%
5/17/00	9518	360	A		C-8/FC-143	0.109	MPB		19.5%
7/11/00	9580	360	A		C-8/FC-143	0.1965	MPB		35.1%
8/8/00	9630	360	A		C-8/FC-143	0.65	MPB		116.1% **
10/19/00	9711	360	A		C-8/FC-143	0.4798	MPB		85.7%
11/14/00	9739	360	A		C-8/FC-143	0.3821	MPB		68.2%
12/4/00	9746	360	A		C-8/FC-143	0.25	MPB		44.6%
1/10/01	9777	360	A		C-8/FC-143	1.73	MPB		308.9% **

Tuesday, August 28, 2001 3:20:56 PM

Page 61 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
1/23/01	9797	360	A			C-8/FC-143	0.1	MPB	17.9%
1/23/01	9798	360	A			C-8/FC-143	0.38	MPB	67.9%
1/23/01	9799	360	A			C-8/FC-143	0.32	MPB	57.1%
1/23/01	9800	360	A			C-8/FC-143	0.23	MPB	41.1%
1/23/01	9801	360	A			C-8/FC-143	0.59	MPB	105.4% **
1/23/01	9802	360	A			C-8/FC-143	0.39	MPB	69.6%
2/7/01	9864	360	A			C-8/FC-143	0.36	MPB	64.3%

AP007103

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

3/12/01	9935	360	A	C-8/FC-143	0.7362	MPB	131.5%	**
4/19/01	9996	360	A	C-8/FC-143	0.3592	MPB	64.1%	
6/14/01	10089	360	A	C-8/FC-143	0.4795	MPB	85.6%	
7/3/01	10108	360	A	C-8/FC-143	0.31	MPB	55.4%	
7/20/01	10144	360	A	C-8/FC-143	0.52	MPB	92.9%	
7/20/01	10145	360	A	C-8/FC-143	0.46	MPB	82.1%	
7/24/01	10147	360	A	C-8/FC-143	0.48	MPB	85.7%	
7/24/01	10148	360	A	C-8/FC-143	0.52	MPB	92.9%	
7/30/01	10159	300	A	C-8/FC-143	0.2	MPB	35.7%	
7/30/01	10160	300	A	C-8/FC-143	0.14	MPB	25.0%	
7/31/01	10161	360	A	C-8/FC-143	0.27	MPB	48.2%	
7/31/01	10162	360	A	C-8/FC-143	0.27	MPB	48.2%	

BTO : 08 TEFLON@
LOC : 771 MATERIAL HANDLER-WAREHOUSE

4/3/81	16723	450	P	08PD C-8/FC-143	<0.03	MPB	5.4%
--------	-------	-----	---	-----------------	-------	-----	------

BTO : 08 TEFLON@
LOC : 772 A/S OR P/S - C-8 RECOVERY BUILDING ROOF, B-124

10/29/97	7586	270	A	C-8/FC-143	0.22	MPB	39.3%	
10/29/97	7587	270	A	C-8/FC-143	0.42	MPB	75.0%	
10/29/97	7588	270	A	C-8/FC-143	0.98	MPB	175.0%	**
10/30/97	7589	350	A	C-8/FC-143	2.75	MPB	491.1%	**
10/30/97	7590	350	A	C-8/FC-143	0.33	MPB	58.9%	
10/30/97	7591	350	A	C-8/FC-143	0.09	MPB	16.1%	

AJP007104

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

8/7/98	8193	240	A	C-8/FC-143	0.5	MPB	89.3%
8/7/98	8194	240	A	C-8/FC-143	0.38	MPB	67.9%
8/7/98	8195	240	A	C-8/FC-143	0.81	MPB	144.6% **
6/8/99	9100	255	A	C-8/FC-143	0.54	MPB	96.4%
9/9/99	9197	360	A	C-8/FC-143	0.2431	MPB	43.4%
12/15/99	9321	360	A	C-8/FC-143	0.07	MPB	12.5%
1/6/00	9357	360	A	C-8/FC-143	0.015	MPB	2.7%
2/3/00	9397	360	A	C-8/FC-143	0.03	MPB	5.4%

Tuesday, August 28, 2001 3:20:56 PM

Page 62 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/8/00	9446	360	A			C-8/FC-143	0.117	MPB	20.9%
5/17/00	9519	360	A			C-8/FC-143	0.095	MPB	17.0%
8/8/00	9631	360	A			C-8/FC-143	0.16	MPB	28.6%
11/14/00	9740	360	A			C-8/FC-143	0.17	MPB	30.4%
2/7/01	9868	360	A			C-8/FC-143	0.03	MPB	5.4%
6/14/01	10090	360	A			C-8/FC-143	0.1832	MPB	32.7%

BTO: 08 TEFLON@
 LOC: 799 A/S Granular TA Pack Out Room

10/19/00	9709	360	A	C-8/FC-143	<0.01	MPB	1.8%
4/17/01	9987	360	A	C-8/FC-143	0.0719	MPB	

AJP007105

8/28/2001 4:46 PM

EID140347

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

12.8%

BTO: 08 TEFLON@
LOC: 800 P/S - DISPERSION PACKOUT (08PH)

8/3/81	33534	P	none	C-8/FC-143	0.17	MPB	30.4%
8/5/81	33535	P	none	C-8/FC-143	1.39	MPB	248.2% **
8/5/81	33536	P	none	C-8/FC-143	0.15	MPB	26.8%
8/8/81	33537	P	none	C-8/FC-143	0.66	MPB	117.9% **
8/21/81	33538	P	none	C-8/FC-143	0.12	MPB	21.4%
9/22/81	33539	P	none	C-8/FC-143	<0.03	MPB	5.4%
9/24/81	33540	P	none	C-8/FC-143	0.06	MPB	10.7%
9/25/81	33541	P	none	C-8/FC-143	0.04	MPB	7.1%
9/27/81	33542	P	none	C-8/FC-143	0.12	MPB	21.4%
9/27/81	33543	P	none	C-8/FC-143	0.25	MPB	44.6%
9/28/81	62655	Z		C-8/FC-143	<0.03	MPB	5.4%
10/5/81	33544	P	none	C-8/FC-143	0.16	MPB	28.6%
8/30/82	46094	401 Z		C-8/FC-143	0.18	MPB	32.1%
9/1/82	29431	300 P	none	C-8/FC-143	0.31	MPB	55.4%
8/26/83	29432	360 P	none	C-8/FC-143	0.12	MPB	21.4%
8/27/83	29433	360 P	none	C-8/FC-143	0.16	MPB	28.6%
10/10/83	29434	360 P	none	C-8/FC-143	0.03	MPB	5.4%
5/7/84	29435	390 P	none	C-8/FC-143	0.08	MPB	14.3%
5/8/84	29436	420 P	none	C-8/FC-143	0.06	MPB	10.7%
6/3/84	29437	345 P	none	C-8/FC-143	0.07	MPB	12.5%

AJPO07106

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

6/5/84	29438	400	P	none	C-8/FC-143	0.09	MPB	16.1%
6/12/84	29439	375	P	none	C-8/FC-143	0.15	MPB	26.8%
12/17/84	29440	340	P	none	C-8/FC-143	0.04	MPB	7.1%
12/18/84	29441	360	P	none	C-8/FC-143	0.05	MPB	8.9%
12/23/84	29442	345	P	none	C-8/FC-143	<0.03	MPB	5.4%
4/14/85	29443	395	P	none	C-8/FC-143	0.15	MPB	26.8%

Tuesday, August 28, 2001 3:20:56 PM

Page 63 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/14/85	29444	395	P		none	C-8/FC-143	0.15	MPB	26.8%
4/23/85	29445	330	P		none	C-8/FC-143	0.04	MPB	7.1%
5/28/85	29446	375	P		none	C-8/FC-143	0.12	MPB	21.4%
4/8/86	29457	390	P		none	C-8/FC-143	0.28	MPB	50.0%
5/20/86	29458	360	P		none	C-8/FC-143	0.169	MPB	30.2%
11/29/86	29460	360	P		none	C-8/FC-143	0.088	MPB	15.7%
12/2/86	29459	390	P		none	C-8/FC-143	0.14	MPB	25.0%
12/16/86	29461	330	P		none	C-8/FC-143	0.093	MPB	16.6%
6/14/87	29462	360	P		none	C-8/FC-143	0.091	MPB	16.3%
1/3/88	29463	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/11/88	29464	420	P		none	C-8/FC-143	0.049	MPB	8.8%

AJP007107

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

5/2/88	29465	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
6/6/88	29466	360	P	none	C-8/FC-143	0.09	MPB	16.1%
6/24/88	29467	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/1/88	29470	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/8/88	29471	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/19/88	29469	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/22/88	29468	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/11/90	29840	480	P	08PH	C-8/FC-143	<0.03	MPB	5.4%
1/17/91	29865	420	P	08PH	C-8/FC-143	<0.03	MPB	5.4%
2/6/91	29881	450	P	08PH	C-8/FC-143	<0.03	MPB	5.4%
2/11/91	29884	450	P	08PH	C-8/FC-143	<0.03	MPB	5.4%
10/3/91	29937	375	P	08PH	C-8/FC-143	0.005	MPB	0.9%
5/6/92	29950	480	P	08PH	C-8/FC-143	0.125	MPB	22.3%
5/18/94	30107	390	P	08PH	C-8/FC-143	<.03	MPB	5.4%
8/25/94	30119	390	P	08PH	C-8/FC-143	0.1	MPB	17.9%
10/25/94	30125	405	P	08PH	C-8/FC-143	<.03	MPB	5.4%
12/13/94	30133	420	P	08PH	C-8/FC-143	0.05	MPB	8.9%
3/8/95	30138	405	P	08PH	C-8/FC-143	0.11	MPB	19.6%
7/25/95	30156	380	P	08PH	C-8/FC-143	0.12	MPB	21.4%
3/11/96	30268	360	P	08PH	C-8/FC-143	0.07	MPB	12.5%
5/23/96	30289	90	P	08PH	C-8/FC-143	<.03	MPB	5.4%
8/27/96	30355	390	P	08PH	C-8/FC-143	0.04	MPB	7.1%
12/5/96	30389	420	P	08PH	C-8/FC-143	0.013	MPB	

ALP007108

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

								2.3%
2/5/97	30406	360	P		08PH C-8/FC-143	<.01	MPB	
								1.8%
2/5/97	30416	360	P		08PH C-8/FC-143	0.08	MPB	
								14.3%
2/5/97	30417	360	P		08PM C-8/FC-143	0.08	MPB	
								14.3%
5/29/97	30474	370	P		08PH C-8/FC-143	0.04	MPB	
								7.1%
7/30/97	30515	405	P		08PL C-8/FC-143	0.36	MPB	
								64.3%

Tuesday, August 28, 2001 3:20:56 PM

Page 64 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/6/97	30541	390	P		08PH	C-8/FC-143	0.01	MPB	1.8%
12/16/97	30589	340	P		08PH	C-8/FC-143	0.02	MPB	3.6%
8/5/98	30677	360	P		08PH	C-8/FC-143	0.05	MPB	8.9%
11/12/98	30710	360	P		08PH	C-8/FC-143	0.07	MPB	12.5%
2/4/99	30734	390	P		08PH	C-8/FC-143	0.08	MPB	14.3%
5/10/99	33824	360	P		08PH	C-8/FC-143	<0.01	MPB	1.8%
8/12/99	33943	360	P		08PH	C-8/FC-143	<0.01	MPB	1.8%
11/4/99	34282	360	P		08PH	C-8/FC-143	0.005	MPB	0.9%
2/7/00	34602	360	P		08PH	C-8/FC-143	<0.01	MPB	1.8%
5/12/00	34884	360	P		08PH	C-8/FC-143	0.026	MPB	4.6%
8/9/00	35157	360	P		08PH	C-8/FC-143	0.02	MPB	3.6%

AJP007109

11/13/00	35495	360	P	08PH C-8/FC-143	0.0076	MPB	1.4%
2/8/01	35753	360	P	08PH C-8/FC-143	0.12	MPB	21.4%
5/17/01	36140	360	P	08PH C-8/FC-143	0.0129	MPB	2.3%

BTO: 08 TEFLON@

LOC: 801 P/S - GRAN TA PO B-164 DN (08PL) (rec mat typ)

8/24/89	8738	405	A	C-8/FC-143	<.03	MPB	5.4%
8/30/89	29809	405	P	08PL C-8/FC-143	<.03	MPB	5.4%
9/1/89	29811	405	P	08PL C-8/FC-143	<.03	MPB	5.4%
9/5/89	29813	405	P	08PL C-8/FC-143	<.03	MPB	5.4%
6/14/96	30310	355	P	08PC C-8/FC-143	0.1	MPB	17.9%
12/16/97	30587	340	P	08PL C-8/FC-143	0.02	MPB	3.6%
8/5/98	30673	360	P	08PL C-8/FC-143	0.04	MPB	7.1%
2/4/99	30735	360	P	08PL C-8/FC-143	0.13	MPB	23.2%
8/12/99	33947	360	P	08PL C-8/FC-143	<.01	MPB	1.8%
2/7/00	34603	360	P	08PL C-8/FC-143	<.01	MPB	1.8%
8/9/00	35164	360	P	08PL C-8/FC-143	0.01	MPB	1.8%
2/9/01	35763	360	P	08PL C-8/FC-143	0.09	MPB	16.1%

BTO: 08 TEFLON@

LOC: 802 P/S - FINE POWDER DRYER OPERATOR (08PI)

8/3/81	62642	Z	C-8/FC-143	0.39	MPB	69.6%
8/4/81	33500	P	none C-8/FC-143	0.84	MPB	150.0% **
8/5/81	33501	P	none C-8/FC-143	0.58	MPB	103.6% **
8/19/81	33502	P	none C-8/FC-143	0.06	MPB	10.7%

AJR007110

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

8/20/81	33503	P	none	C-8/FC-143	0.16	MPB	28.6%
8/24/81	33504	P	none	C-8/FC-143	0.3	MPB	53.6%
8/25/81	33505	P	none	C-8/FC-143	0.99	MPB	176.8% **
8/27/81	33506	P	none	C-8/FC-143	0.13	MPB	23.2%

Tuesday, August 28, 2001 3:20:56 PM

Page 65 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/28/81	33507		P		none	C-8/FC-143	0.32	MPB	57.1%
9/1/81	33508		P		none	C-8/FC-143	3.68	MPB	657.1% **
9/2/81	33509		P		none	C-8/FC-143	3.21	MPB	573.2% **
9/2/81	33510		P		none	C-8/FC-143	0.9	MPB	160.7% **
9/9/81	33511		P		none	C-8/FC-143	0.25	MPB	44.6%
9/17/81	33512		P		none	C-8/FC-143	0.12	MPB	21.4%
9/18/81	33513		P		none	C-8/FC-143	0.28	MPB	50.0%
9/22/81	33514		P		none	C-8/FC-143	0.49	MPB	87.5%
9/22/81	33515		P		none	C-8/FC-143	0.2	MPB	35.7%
9/25/81	33516		P		none	C-8/FC-143	0.16	MPB	28.6%
9/26/81	33517		P		none	C-8/FC-143	1.07	MPB	191.1% **
9/27/81	33518		P		none	C-8/FC-143	0.8	MPB	142.9% **
9/28/81	62643		Z			C-8/FC-143	0.2	MPB	35.7%

ALP007111

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

9/30/81	33519	P	none	C-8/FC-143	0.12	MPB	21.4%
10/5/81	33520	P	none	C-8/FC-143	0.24	MPB	42.9%
10/6/81	33521	P	none	C-8/FC-143	0.24	MPB	42.9%
10/12/81	33522	P	none	C-8/FC-143	0.67	MPB	119.6% "
12/15/81	33523	P	none	C-8/FC-143	0.11	MPB	19.6%
12/16/81	33524	P	none	C-8/FC-143	0.08	MPB	14.3%
12/30/81	33525	P	none	C-8/FC-143	0.28	MPB	50.0%
1/15/82	62644	Z		C-8/FC-143	0.07	MPB	12.5%
1/23/82	33526	P	none	C-8/FC-143	0.44	MPB	78.6%
1/27/82	33527	P	none	C-8/FC-143	0.04	MPB	7.1%
1/28/82	33528	P	none	C-8/FC-143	0.14	MPB	25.0%
2/13/82	33529	P	none	C-8/FC-143	0.46	MPB	82.1%
2/25/82	33530	P	none	C-8/FC-143	<0.03	MPB	5.4%
3/1/82	33531	P	none	C-8/FC-143	0.23	MPB	41.1%
3/3/82	33532	P	none	C-8/FC-143	0.2	MPB	35.7%
8/24/82	29385	360 P	none	C-8/FC-143	<0.03	MPB	5.4%
8/25/82	29386	390 P	none	C-8/FC-143	<0.03	MPB	5.4%
8/26/82	29387	350 P	none	C-8/FC-143	0.04	MPB	7.1%
9/9/82	29388	360 P	none	C-8/FC-143	0.28	MPB	50.0%
9/23/82	29389	375 P	none	C-8/FC-143	0.2	MPB	35.7%
9/29/82	29390	334 P	none	C-8/FC-143	<0.03	MPB	5.4%
3/9/83	29391	375 P	none	C-8/FC-143	<0.03	MPB	5.4%
3/10/83	29392	360 P	none	C-8/FC-143	<0.03	MPB	

AJP007112

3/12/83	29393	420	P	none	C-8/FC-143	0.12	MPB	5.4%
								21.4%
3/19/83	29394	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
								19.6%
4/10/83	29395	360	P	none	C-8/FC-143	0.11	MPB	

Tuesday, August 28, 2001 3:20:56 PM

Page 66 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/14/83	29396	410	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/21/83	29397	335	P		none	C-8/FC-143	0.05	MPB	8.9%
4/22/83	29398	364	P		none	C-8/FC-143	0.03	MPB	5.4%
6/5/83	29399	410	P		none	C-8/FC-143	0.04	MPB	7.1%
6/10/83	29400	420	P		none	C-8/FC-143	0.14	MPB	25.0%
6/14/83	29401	405	P		none	C-8/FC-143	0.04	MPB	7.1%
6/15/83	46087	405	Z			C-8/FC-143	0.03	MPB	5.4%
7/3/83	46088	360	Z			C-8/FC-143	0.06	MPB	10.7%
7/4/83	46089	300	Z			C-8/FC-143	0.04	MPB	7.1%
10/7/83	29402	373	P		none	C-8/FC-143	<0.03	MPB	5.4%
10/31/83	29403	300	P		none	C-8/FC-143	0.07	MPB	12.5%
11/22/83	29404	330	P		none	C-8/FC-143	0.08	MPB	14.3%
11/23/83	29405	330	P		none	C-8/FC-143	0.08	MPB	14.3%

AP007113

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

1/8/84	29406	390	P	none	C-8/FC-143	0.4	MPB	71.4%
1/13/84	29407	370	P	none	C-8/FC-143	0.06	MPB	10.7%
1/18/84	46090	390	Z		C-8/FC-143	0.05	MPB	8.9%
1/23/84	29408	340	P	none	C-8/FC-143	0.13	MPB	23.2%
1/24/84	29409	360	P	none	C-8/FC-143	0.07	MPB	12.5%
1/27/84	29410	420	P	none	C-8/FC-143	0.06	MPB	10.7%
8/24/84	29411	330	P	none	C-8/FC-143	0.38	MPB	67.9%
8/25/84	29412	405	P	none	C-8/FC-143	0.3	MPB	53.6%
8/26/85	29414	330	P	none	C-8/FC-143	0.783	MPB	139.8% "
10/20/85	29415	360	P	none	C-8/FC-143	0.376	MPB	67.1%
8/25/86	29416	340	P	none	C-8/FC-143	0.501	MPB	89.5%
9/6/86	29418	390	P	none	C-8/FC-143	0.501	MPB	89.5%
9/7/86	29417	390	P	none	C-8/FC-143	1.743	MPB	311.3% "
5/21/87	29422	330	P	none	C-8/FC-143	0.057	MPB	10.2%
5/23/87	29421	360	P	none	C-8/FC-143	0.148	MPB	26.4%
5/28/87	29420	375	P	none	C-8/FC-143	0.102	MPB	18.2%
5/30/87	29419	285	P	none	C-8/FC-143	0.144	MPB	25.7%
4/12/88	29424	420	P	none	C-8/FC-143	0.345	MPB	61.6%
4/26/88	29423	420	P	none	C-8/FC-143	0.141	MPB	25.2%
6/14/88	29425	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
6/21/88	29426	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/5/88	29427	420	P	none	C-8/FC-143	0.07	MPB	12.5%

AJP007114

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

7/28/88	29428	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/2/88	29429	390	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/15/88	29430	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
6/21/89	29788	360	P	08PI	C-8/FC-143	2.2	MPB	392.9% **

Tuesday, August 28, 2001 3:20:56 PM

Page 67 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
12/2/89	29821	382	P		08PI	C-8/FC-143	0.42	MPB	75.0%
1/3/91	29860	435	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
1/10/91	29861	450	P		08PI	C-8/FC-143	0.047	MPB	8.4%
1/28/91	8759	465	A			C-8/FC-143	0.14	MPB	25.0%
2/4/91	29880	450	P		08PI	C-8/FC-143	0.105	MPB	18.8%
2/15/91	29887	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
2/28/91	29894	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
3/3/91	8760	390	A			C-8/FC-143	<0.03	MPB	5.4%
3/5/91	29897	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
3/8/91	29898	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
3/14/91	29901	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
3/18/91	29902	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
3/21/91	29905	450	P		08PI	C-8/FC-143	<0.03	MPB	

ALP007115

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

								5.4%
3/25/91	29906	450	P	08PI	C-8/FC-143	<0.03	MPB	5.4%
4/2/91	29913	450	P	08PI	C-8/FC-143	<0.03	MPB	5.4%
3/8/92	29946	420	P	08PI	C-8/FC-143	0.11	MPB	19.6%
1/27/94	30065	360	P	08PI	C-8/FC-143	<.03	MPB	5.4%
5/18/94	30110	390	P	08PI	C-8/FC-143	<.03	MPB	5.4%
8/25/94	30120	390	P	08PI	C-8/FC-143	<.03	MPB	5.4%
10/25/94	30126	405	P	08PI	C-8/FC-143	<.03	MPB	5.4%
12/13/94	30134	420	P	08PI	C-8/FC-143	0.09	MPB	16.1%
3/8/95	30139	405	P	08PI	C-8/FC-143	0.04	MPB	7.1%
7/25/95	30157	360	P	08PI	C-8/FC-143	0.07	MPB	12.5%
3/29/96	30270	300	P	08PI	C-8/FC-143	0.03	MPB	5.4%
3/29/96	30308	300	P	08PI	C-8/FC-143	<.01	MPB	1.8%
3/29/96	30309	300	P	08PI	C-8/FC-143	<.01	MPB	1.8%
8/14/96	30312	380	P	08PI	C-8/FC-143	0.27	MPB	48.2%
8/27/96	30357	390	P	08PI	C-8/FC-143	0.06	MPB	10.7%
5/29/97	30475	370	P	08PI	C-8/FC-143	0.06	MPB	10.7%
7/14/97	30485	135	P	08PI	C-8/FC-143	<.01	MPB	1.8%
7/14/97	30488	240	P	08PI	C-8/FC-143	2.4	MPB	428.6% **
7/25/97	30498	265	P	08PI	C-8/FC-143	0.26	MPB	46.4%
7/25/97	30499	265	P	08PE	C-8/FC-143	0.18	MPB	32.1%
8/6/97	30501	360	P	08PI	C-8/FC-143	0.16	MPB	28.6%
8/6/97	30502	355	P	08PI	C-8/FC-143	0.06	MPB	10.7%

AP007116

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

8/12/97	30512	420	P	08PI	C-8/FC-143	0.06	MPB	10.7%
8/12/97	30513	690	P	08PI	C-8/FC-143	<0.01	MPB	1.8%
8/12/97	30514	690	P	08PI	C-8/FC-143	<0.01	MPB	1.8%
10/6/97	30542	390	P	08PI	C-8/FC-143	0.03	MPB	5.4%

Tuesday, August 28, 2001 3:20:56 PM

Page 68 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
12/16/97	30590	340	P		08PI	C-8/FC-143	0.12	MPB	21.4%
1/21/98	30597	360	P		08PI	C-8/FC-143	<.01	MPB	1.8%
5/27/98	30646	360	P		08PI	C-8/FC-143	<.05	MPB	8.9%
9/14/98	30682	360	P		08PI	C-8/FC-143	<0.058	MPB	10.0%
12/30/98	29413	390	P		none	C-8/FC-143	<0.03	MPB	5.4%
2/4/99	30733	390	P		08PI	C-8/FC-143	0.53	MPB	94.6%
3/2/99	30744	360	P		08PI	C-8/FC-143	0.027	MPB	4.8%
7/13/99	33822	360	P		08PI	C-8/FC-143	<0.01	MPB	1.8%
11/4/99	34283	360	P		08PI	C-8/FC-143	0.009	MPB	1.6%
3/6/00	34705	360	P		08PI	C-8/FC-143	0.027	MPB	4.8%
7/10/00	35063	360	P		08PI	C-8/FC-143	0.0065	MPB	1.2%
11/13/00	35496	360	P		08PI	C-8/FC-143	0.1434	MPB	25.6%
3/12/01	35883	360	P		08PI	C-8/FC-143	0.013	MPB	

ALP007117

8/28/2001 4:46 PM

EID140359

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

							2.3%
7/3/01	36275	360	P	08PI	C-8/FC-143	<0.01	MPB
							1.8%
BTO: 08 TEFLON@							
LOC: 803 P/S - VORTAC MILL PACKOUT							
4/7/84	29619	32	P	none	C-8/FC-143	0.15	MPB
							26.8%
BTO: 08 TEFLON@							
LOC: 804 P/S - FINE POWDER AUTOCLAVE OPERATOR (08PE)							
8/3/81	62659		Z		C-8/FC-143	0.05	MPB
							8.9%
8/4/81	33571		P	none	C-8/FC-143	1.03	MPB
							183.9% **
8/5/81	33572		P	none	C-8/FC-143	<0.03	MPB
							5.4%
8/8/81	33573		P	none	C-8/FC-143	0.14	MPB
							25.0%
8/9/81	33574		P	none	C-8/FC-143	0.14	MPB
							25.0%
8/26/81	33575		P	none	C-8/FC-143	0.14	MPB
							25.0%
8/28/81	33576		P	none	C-8/FC-143	0.25	MPB
							44.6%
9/22/81	33577		P	none	C-8/FC-143	0.23	MPB
							41.1%
9/23/81	33578		P	none	C-8/FC-143	0.08	MPB
							14.3%
9/25/81	33579		P	none	C-8/FC-143	0.35	MPB
							62.5%
9/30/81	33580		P	none	C-8/FC-143	0.33	MPB
							58.9%
9/30/81	33581		P	none	C-8/FC-143	0.19	MPB
							33.9%
9/30/81	33582		P	none	C-8/FC-143	0.33	MPB
							58.9%
9/30/81	33583		P	none	C-8/FC-143	0.45	MPB
							80.4%
10/5/81	33584		P	none	C-8/FC-143	0.08	MPB
							14.3%
10/12/81	33585		P	none	C-8/FC-143	0.34	MPB
							60.7%
2/25/82	33586		P	none	C-8/FC-143	0.14	MPB

AJP007118

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

3/10/82	33587		P	none	C-8/FC-143	0.16	MPB	25.0%
								28.6%
3/31/82	29501	368	P	none	C-8/FC-143	0.04	MPB	7.1%

Tuesday, August 28, 2001 3:20:56 PM

Page 89 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/31/82	62660		Z			C-8/FC-143	0.04	MPB	7.1%
4/8/82	29502	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/13/82	46097	325	Z			C-8/FC-143	<0.03	MPB	5.4%
4/30/82	29503	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
6/6/82	29504	360	P		none	C-8/FC-143	0.1	MPB	17.9%
12/2/82	29505	360	P		none	C-8/FC-143	1.88	MPB	335.7% "
12/16/82	29506	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
12/17/82	29507	360	P		none	C-8/FC-143	<0.03	MPB	5.4%
12/18/82	29508	600	P		none	C-8/FC-143	<0.03	MPB	5.4%
12/19/82	29509	417	P		none	C-8/FC-143	<0.03	MPB	5.4%
12/19/82	29510	409	P		none	C-8/FC-143	0.07	MPB	12.5%
12/19/82	29511	405	P		none	C-8/FC-143	<0.03	MPB	5.4%
1/12/83	29512	360	P		none	C-8/FC-143	0.08	MPB	14.3%
1/13/83	29513	390	P		none	C-8/FC-143	0.12	MPB	21.4%
10/3/83	29514	330	P		none	C-8/FC-143	<0.03	MPB	

AJP007119

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

								5.4%
10/3/83	29515	300	P	none	C-8/FC-143	<0.03	MPB	5.4%
3/5/84	29516	375	P	none	C-8/FC-143	0.22	MPB	39.3%
3/5/84	29517	375	P	none	C-8/FC-143	1.29	MPB	230.4% **
3/11/84	29518	360	P	none	C-8/FC-143	0.12	MPB	21.4%
3/17/84	29519	360	P	none	C-8/FC-143	0.08	MPB	14.3%
3/17/84	29520	360	P	none	C-8/FC-143	0.06	MPB	10.7%
3/29/84	29521	390	P	none	C-8/FC-143	0.04	MPB	7.1%
3/29/84	29522	390	P	none	C-8/FC-143	0.04	MPB	7.1%
9/12/84	29523	180	P	none	C-8/FC-143	0.51	MPB	91.1%
10/2/84	29524	360	P	none	C-8/FC-143	0.29	MPB	51.8%
10/21/84	29525	360	P	none	C-8/FC-143	0.65	MPB	116.1% **
10/22/84	29526	330	P	none	C-8/FC-143	0.16	MPB	28.6%
3/16/85	29527	385	P	none	C-8/FC-143	0.35	MPB	62.5%
3/9/86	29530	360	P	none	C-8/FC-143	0.199	MPB	35.5%
3/22/86	29528	405	P	none	C-8/FC-143	0.889	MPB	158.8% **
3/22/86	29529	405	P	none	C-8/FC-143	0.156	MPB	27.9%
7/11/86	29531	210	P	none	C-8/FC-143	0.962	MPB	171.8% **
10/8/86	29533	360	P	none	C-8/FC-143	0.689	MPB	123.0% **
10/8/86	29534	360	P	none	C-8/FC-143	0.34	MPB	60.7%
10/19/86	29532	375	P	none	C-8/FC-143	0.102	MPB	18.2%
10/29/86	29535	420	P	none	C-8/FC-143	0.367	MPB	65.5%
10/29/86	29536	420	P	none	C-8/FC-143	0.271	MPB	48.4%

AJP007120

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

4/8/87	29537	330	P	none	C-8/FC-143	2.133	MPB	380.9% **
5/21/87	29538	330	P	none	C-8/FC-143	0.035	MPB	5.3%

Tuesday, August 28, 2001 3:20:56 PM

Page 70 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
12/19/87	29539	314	P		none	C-8/FC-143	0.106	MPB	18.9%
4/25/88	29540	420	P		none	C-8/FC-143	<0.005	MPB	0.9%
5/4/88	29542	420	P		none	C-8/FC-143	0.215	MPB	38.4%
6/9/88	29541	420	P		none	C-8/FC-143	0.053	MPB	9.5%
6/17/88	29543	420	P		none	C-8/FC-143	0.198	MPB	35.4%
7/6/88	29546	420	P		none	C-8/FC-143	0.137	MPB	24.5%
7/11/88	29545	420	P		none	C-8/FC-143	0.05	MPB	8.9%
7/13/88	29544	420	P		none	C-8/FC-143	0.3	MPB	53.6%
7/20/88	29550	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
7/21/88	29549	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
7/26/88	29548	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/4/88	29547	420	P		none	C-8/FC-143	0.05	MPB	8.9%
6/21/89	29787	360	P		08PE	C-8/FC-143	<0.03	MPB	5.4%
8/17/89	29801	390	P		none	C-8/FC-143	0.07	MPB	12.5%
8/21/89	29798	420	P		none	C-8/FC-143	0.17	MPB	

AJP007121

								30.4%
8/21/89	29799	405	P	none	C-8/FC-143	0.32	MPB	57.1%
8/23/89	29800	405	P	none	C-8/FC-143	0.11	MPB	19.6%
8/28/89	29807	405	P	08PE	C-8/FC-143	0.14	MPB	25.0%
8/29/89	29808	405	P	08PE	C-8/FC-143	1.09	MPB	194.6% **
9/6/89	29812	405	P	08PE	C-8/FC-143	0.08	MPB	14.3%
9/7/89	29815	405	P	08PE	C-8/FC-143	<0.03	MPB	5.4%
9/8/89	29814	405	P	08PE	C-8/FC-143	0.05	MPB	8.9%
1/16/91	29864	450	P	08PF	C-8/FC-143	<0.03	MPB	5.4%
1/18/91	29866	420	P	08PE	C-8/FC-143	<0.03	MPB	5.4%
1/22/91	29867	450	P	08PE	C-8/FC-143	<0.03	MPB	5.4%
1/29/91	29870	450	P	08PE	C-8/FC-143	0.076	MPB	13.6%
1/30/91	29871	450	P	08PE	C-8/FC-143	<0.03	MPB	5.4%
2/1/91	29879	450	P	08PE	C-8/FC-143	0.107	MPB	19.1%
2/7/91	29882	450	P	08PF	C-8/FC-143	0.097	MPB	17.3%
2/8/91	29883	450	P	08PE	C-8/FC-143	0.043	MPB	7.7%
2/12/91	29885	450	P	08PF	C-8/FC-143	<0.03	MPB	5.4%
2/14/91	29886	450	P	08PE	C-8/FC-143	0.043	MPB	7.7%
2/20/91	29889	450	P	08PF	C-8/FC-143	0.029	MPB	5.2%
2/21/91	29890	450	P	08PE	C-8/FC-143	0.101	MPB	18.0%
2/22/91	29891	450	P	08PF	C-8/FC-143	0.052	MPB	9.3%
2/26/91	29892	450	P	08PE	C-8/FC-143	0.042	MPB	7.5%
3/4/91	29895	450	P	08PF	C-8/FC-143	0.051	MPB	

AJP007122

3/12/91	29899	450	P	08PF	C-8/FC-143	0.207	MPB	9.1%
								37.0%
3/19/91	29903	450	P	08PF	C-8/FC-143	<0.03	MPB	5.4%

Tuesday, August 28, 2001 3:20:56 PM

Page 71 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/3/91	8769	480	A			C-8/FC-143	<.03	MPB	5.4%
6/3/91	8770	360	A			C-8/FC-143	0.752	MPB	134.3% **
6/4/91	8771	480	A			C-8/FC-143	0.474	MPB	84.6%
6/4/91	8772	480	A			C-8/FC-143	<.03	MPB	5.4%
6/5/91	8773	480	A			C-8/FC-143	<.03	MPB	5.4%
6/5/91	8774	430	A			C-8/FC-143	0.397	MPB	70.9%
6/6/91	8775	480	A			C-8/FC-143	<.03	MPB	5.4%
6/6/91	8776	480	A			C-8/FC-143	0.45	MPB	80.4%
6/7/91	8777	480	A			C-8/FC-143	0.186	MPB	33.2%
6/7/91	8778	480	A			C-8/FC-143	<.03	MPB	5.4%
6/14/96	30311	375	P		08PG	C-8/FC-143	0.2	MPB	35.7%
8/27/96	30356	390	P		08PE	C-8/FC-143	0.09	MPB	16.1%
2/5/97	30407	360	P		08PE	C-8/FC-143	0.02	MPB	3.6%
2/5/97	30418	360	P		08PE	C-8/FC-143	0.02	MPB	3.6%

AJP007123

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

5/29/97	30476	370	P	08PE C-8/FC-143	0.03	MPB	5.4%
6/24/97	30484	360	P	08PE C-8/FC-143	0.06	MPB	10.7%
10/21/97	30550	360	P	08PE C-8/FC-143	<.01	MPB	1.8%
12/16/97	30588	340	P	08PE C-8/FC-143	0.01	MPB	1.8%
8/5/98	30674	360	P	08PE C-8/FC-143	0.005	MPB	0.9%
2/8/99	30736	360	P	08PE C-8/FC-143	0.17	MPB	30.4%
8/11/99	33944	360	P	08PE C-8/FC-143	0.01	MPB	1.8%
2/7/00	34605	360	P	08PE C-8/FC-143	<0.01	MPB	1.8%
8/9/00	35158	360	P	08PE C-8/FC-143	0.005	MPB	0.9%
2/8/01	35754	360	P	08PE C-8/FC-143	0.25	MPB	44.6%

BTO: 08 TEFLON@

LOC: 805 P/S - FINE POWDER FINISHING DISPERSION OP (08PH

8/4/81	33454		P	none C-8/FC-143	<0.03	MPB	5.4%
8/8/81	33455		P	none C-8/FC-143	0.18	MPB	32.1%
8/12/81	33456		P	none C-8/FC-143	0.28	MPB	50.0%
8/19/81	33457		P	none C-8/FC-143	0.18	MPB	32.1%
8/19/81	33458		P	none C-8/FC-143	0.04	MPB	7.1%
8/21/81	33459		P	none C-8/FC-143	0.34	MPB	60.7%
8/24/81	33460		P	none C-8/FC-143	0.13	MPB	23.2%
8/25/81	33461		P	none C-8/FC-143	<0.03	MPB	5.4%
8/30/81	33462		P	none C-8/FC-143	<0.03	MPB	5.4%
3/1/82	33463		P	none C-8/FC-143	0.16	MPB	28.6%
3/31/82	29348	368	P	none C-8/FC-143	0.08	MPB	14.3%

AJP007124

3/31/82 62529 Z C-8/FC-143 0.08 MPB 14.3%

4/5/82 29349 280 P none C-8/FC-143 <0.03 MPB 5.4%

Tuesday, August 28, 2001 3:20:56 PM

Page 72 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/8/82	29350	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/13/82	45909	321	Z			C-8/FC-143	0.22	MPB	39.3%
4/16/82	45910	371	Z			C-8/FC-143	<0.03	MPB	5.4%
4/30/82	29351	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/30/82	29352	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/30/82	45911	330	Z			C-8/FC-143	0.05	MPB	8.9%
6/12/82	29353	360	P		none	C-8/FC-143	0.04	MPB	7.1%
6/20/82	29354	420	P		none	C-8/FC-143	0.14	MPB	25.0%
6/21/82	29355	390	P		none	C-8/FC-143	0.13	MPB	23.2%
6/21/82	29356	390	P		none	C-8/FC-143	0.24	MPB	42.9%
8/1/82	29357	420	P		none	C-8/FC-143	0.15	MPB	26.8%
8/24/82	29358	360	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/25/82	29359	390	P		none	C-8/FC-143	0.08	MPB	14.3%
8/26/82	29360	350	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/29/82	29361	360	P		none	C-8/FC-143	0.09	MPB	16.1%

AJP007125

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

10/7/82	45912	270	Z	C-8/FC-143	0.16	MPB	28.6%
1/19/83	29362	375	P	none C-8/FC-143	0.1	MPB	17.9%
8/9/83	45913	315	Z	C-8/FC-143	<0.03	MPB	5.4%
8/15/83	29363	400	P	none C-8/FC-143	0.1	MPB	17.9%
4/8/84	29364	410	P	none C-8/FC-143	0.04	MPB	7.1%
4/10/84	29365	395	P	none C-8/FC-143	<0.03	MPB	5.4%
4/19/84	29366	360	P	none C-8/FC-143	<0.03	MPB	5.4%
4/20/84	29367	405	P	none C-8/FC-143	0.04	MPB	7.1%
4/29/84	29368	390	P	none C-8/FC-143	0.07	MPB	12.5%
11/24/84	29369	345	P	none C-8/FC-143	0.28	MPB	50.0%
4/23/85	29370	335	P	none C-8/FC-143	0.05	MPB	8.9%
11/9/85	29371	360	P	none C-8/FC-143	0.102	MPB	18.2%
5/20/86	29372	360	P	none C-8/FC-143	0.277	MPB	49.5%
10/14/86	29373	330	P	none C-8/FC-143	0.176	MPB	31.4%
11/4/86	29375	360	P	none C-8/FC-143	<0.03	MPB	5.4%
11/14/86	29374	360	P	none C-8/FC-143	0.105	MPB	18.8%
5/20/87	29376	370	P	none C-8/FC-143	0.124	MPB	22.1%
8/13/87	45914	360	Z	C-8/FC-143	0.048	MPB	8.6%
2/29/88	29377	360	P	none C-8/FC-143	0.057	MPB	10.2%
4/13/88	29379	420	P	none C-8/FC-143	0.045	MPB	8.0%
4/27/88	29378	420	P	none C-8/FC-143	<0.005	MPB	0.9%
6/15/88	29380	420	P	none C-8/FC-143	<0.03	MPB	5.4%

ALP007126

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

6/22/88	29381	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/28/88	29384	420	P	none	C-8/FC-143	0.03	MPB	5.4%

Tuesday, August 28, 2001 3:20:56 PM

Page 73 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/23/88	29383	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/29/88	29382	420	P		none	C-8/FC-143	0.05	MPB	8.9%
4/16/89	29780	237	P		08PH	C-8/FC-143	0.08	MPB	14.3%
8/6/89	8733	420	A			C-8/FC-143	1.33	MPB	237.5% **
1/15/91	29863	450	P		08PH	C-8/FC-143	<0.03	MPB	5.4%
1/23/91	29868	450	P		08PH	C-8/FC-143	<0.03	MPB	5.4%
2/27/91	29893	450	P		08PH	C-8/FC-143	<0.03	MPB	5.4%
3/7/91	29896	450	P		08PH	C-8/FC-143	0.215	MPB	38.4%
3/13/91	29900	450	P		08PH	C-8/FC-143	<0.03	MPB	5.4%
5/5/92	29949	480	P		08PH	C-8/FC-143	0.197	MPB	35.2%
1/28/94	30066	390	P		08PH	C-8/FC-143	0.03	MPB	5.4%
5/22/96	8847	210	A			C-8/FC-143	<.03	MPB	5.4%
5/22/96	30284	210	P		08PH	C-8/FC-143	<.03	MPB	5.4%
5/22/96	30288	210	P		08PH	C-8/FC-143	<.03	MPB	5.4%
2/5/97	30408	360	P		08PH	C-8/FC-143	<.01	MPB	1.8%

AJP007127

2/5/97	30419	360	P	08PH C-8/FC-143	0.06	MPB	10.7%
2/5/98	30605	360	P	08PH C-8/FC-143	<.01	MPB	1.8%
8/14/98	30679	360	P	08PH C-8/FC-143	0.01	MPB	1.8%
2/9/99	30737	360	P	08PH C-8/FC-143	0.09	MPB	16.1%
8/18/99	33961	360	P	08PH C-8/FC-143	0.01	MPB	1.8%
2/7/00	34606	360	P	08PH C-8/FC-143	<0.01	MPB	1.8%
8/9/00	35159	360	P	08PH C-8/FC-143	0.01	MPB	1.8%
2/8/01	35755	360	P	08PH C-8/FC-143	0.05	MPB	8.9%

BTO : 08 TEFLON@

LOC : 807 P/S - ENVIRONMENTAL CONTROL OPERATOR

8/3/81	62656	Z	C-8/FC-143	<0.03	MPB	5.4%
8/4/81	33545	P	none C-8/FC-143	0.74	MPB	132.1% **
8/5/81	33546	P	none C-8/FC-143	0.24	MPB	42.9%
8/19/81	33547	P	none C-8/FC-143	0.12	MPB	21.4%
8/20/81	33548	P	none C-8/FC-143	0.24	MPB	42.9%
8/24/81	33549	P	none C-8/FC-143	0.69	MPB	123.2% **
8/25/81	33550	P	none C-8/FC-143	0.75	MPB	133.9% **
8/27/81	33551	P	none C-8/FC-143	0.09	MPB	16.1%
9/18/81	33552	P	none C-8/FC-143	0.63	MPB	112.5% **
9/22/81	33553	P	none C-8/FC-143	0.11	MPB	19.6%
9/23/81	33554	P	none C-8/FC-143	0.12	MPB	21.4%
9/25/81	33555	P	none C-8/FC-143	0.98	MPB	175.0% **
9/27/81	33556	P	none C-8/FC-143	2.26	MPB	

AJP007128

9/27/81 33557 P none C-8/FC-143 2.06 MPB 403.6% **
367.9% **
Tuesday, August 28, 2001 3:20:56 PM Page 74 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/30/81	33558		P		none	C-8/FC-143	0.46	MPB	82.1%
9/30/81	33559		P		none	C-8/FC-143	0.46	MPB	82.1%
10/5/81	33560		P		none	C-8/FC-143	0.32	MPB	57.1%
10/6/81	33561		P		none	C-8/FC-143	1.04	MPB	185.7% **
10/7/81	62657		Z			C-8/FC-143	0.1	MPB	17.9%
12/15/81	33562		P		none	C-8/FC-143	0.07	MPB	12.5%
12/16/81	33563		P		none	C-8/FC-143	0.08	MPB	14.3%
1/1/82	33564		P		none	C-8/FC-143	0.1	MPB	17.9%
1/15/82	62658		Z			C-8/FC-143	0.11	MPB	19.6%
1/16/82	33565		P		none	C-8/FC-143	0.16	MPB	28.6%
1/22/82	33566		P		none	C-8/FC-143	0.08	MPB	14.3%
1/23/82	33567		P		none	C-8/FC-143	0.16	MPB	28.6%
1/27/82	33568		P		none	C-8/FC-143	0.04	MPB	7.1%
2/13/82	33569		P		none	C-8/FC-143	0.04	MPB	7.1%
3/10/82	33570		P		none	C-8/FC-143	0.24	MPB	42.9%
9/13/82	46095	360	Z			C-8/FC-143	0.12	MPB	

AJP007129

								21.4%
10/13/82	29447	360	P	none	C-8/FC-143	0.24	MPB	42.9%
10/14/82	46096	390	Z		C-8/FC-143	0.07	MPB	12.5%
11/17/82	29448	300	P	none	C-8/FC-143	0.02	MPB	3.6%
11/18/82	29449	395	P	none	C-8/FC-143	0.18	MPB	32.1%
7/12/83	29450	390	P	none	C-8/FC-143	0.09	MPB	16.1%
7/13/83	29451	390	P	none	C-8/FC-143	0.17	MPB	30.4%
7/31/83	29452	330	P	none	C-8/FC-143	0.03	MPB	5.4%
8/1/83	29453	330	P	none	C-8/FC-143	<0.03	MPB	5.4%
9/11/83	29454	360	P	none	C-8/FC-143	0.32	MPB	57.1%
10/9/83	29455	390	P	none	C-8/FC-143	0.05	MPB	8.9%
2/20/84	29456	360	P	none	C-8/FC-143	0.13	MPB	23.2%
9/3/84	29472	360	P	none	C-8/FC-143	0.44	MPB	78.6%
9/23/84	29473	420	P	none	C-8/FC-143	0.06	MPB	10.7%
9/26/84	29474	360	P	none	C-8/FC-143	0.11	MPB	19.6%
2/19/85	29475	300	P	none	C-8/FC-143	0.44	MPB	78.6%
9/16/85	29477	390	P	none	C-8/FC-143	0.172	MPB	30.7%
9/17/85	29476	390	P	none	C-8/FC-143	0.219	MPB	39.1%
9/22/85	29478	330	P	none	C-8/FC-143	0.191	MPB	34.1%
2/8/86	29481	390	P	none	C-8/FC-143	0.184	MPB	32.9%
2/10/86	29480	315	P	none	C-8/FC-143	0.224	MPB	40.0%
2/26/86	29479	390	P	none	C-8/FC-143	0.611	MPB	109.1% **
3/20/86	29482	390	P	none	C-8/FC-143	0.487	MPB	87.0%

AJP007130

9/7/86 29487 390 P

none C-8/FC-143 0.401 MPB

71.6%

Tuesday, August 28, 2001 3:20:56 PM

Page 75 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/8/86	29486	390	P		none	C-8/FC-143	0.299	MPB	53.4%
9/15/86	29485	360	P		none	C-8/FC-143	0.342	MPB	61.1%
9/16/86	29484	360	P		none	C-8/FC-143	0.893	MPB	159.5% **
9/20/86	29483	375	P		none	C-8/FC-143	0.739	MPB	132.0% **
9/21/86	29488	405	P		none	C-8/FC-143	0.349	MPB	62.3%
9/30/86	29489	405	P		none	C-8/FC-143	0.378	MPB	67.5%
2/13/87	29490	380	P		none	C-8/FC-143	0.211	MPB	37.7%
3/1/87	29491	360	P		none	C-8/FC-143	0.146	MPB	26.1%
8/13/87	29492	360	P		none	C-8/FC-143	0.121	MPB	21.6%
2/21/88	29493	350	P		none	C-8/FC-143	0.051	MPB	9.1%
4/7/88	29494	280	P		none	C-8/FC-143	0.113	MPB	20.2%
4/28/88	29495	420	P		none	C-8/FC-143	0.035	MPB	6.3%
6/16/88	29497	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
6/20/88	29496	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
7/12/88	29498	420	P		none	C-8/FC-143	0.04	MPB	7.1%
8/9/88	29500	420	P		none	C-8/FC-143	0.05	MPB	

AIP007131

								8.9%
8/23/88	29499	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/30/88	29756	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
4/7/89	29779	330	P	08PI	C-8/FC-143	<0.03	MPB	5.4%
8/10/90	29844	330	P	08PI	C-8/FC-143	0.18	MPB	32.1%
1/11/91	29862	450	P	08PI	C-8/FC-143	<0.03	MPB	5.4%
1/24/91	29869	450	P	08PI	C-8/FC-143	<0.03	MPB	5.4%
2/19/91	29888	450	P	08PI	C-8/FC-143	<0.03	MPB	5.4%
3/20/91	29904	450	P	08PI	C-8/FC-143	0.052	MPB	9.3%
6/17/93	29993	450	P	08PI	C-8/FC-143	0.06	MPB	10.7%

BTO: 08 TEFLON@
LOC: 808 P/S - GRANULAR PK OPERATOR (08PF)

4/5/84	29620	360	P	none	C-8/FC-143	0.04	MPB	7.1%
4/6/84	29621	385	P	none	C-8/FC-143	<0.03	MPB	5.4%
4/6/84	29622	360	P	none	C-8/FC-143	0.05	MPB	8.9%
4/6/84	29623	538	P	none	C-8/FC-143	0.03	MPB	5.4%
8/25/89	8739	405	A		C-8/FC-143	<.03	MPB	5.4%
8/31/89	29810	405	P	08PL	C-8/FC-143	<0.03	MPB	5.4%
1/18/94	30055	495	P	08PF	C-8/FC-143	0.4	MPB	71.4%
5/18/94	30104	390	P	08PJ	C-8/FC-143	<.03	MPB	5.4%
8/26/94	30121	390	P	08PJ	C-8/FC-143	<.03	MPB	5.4%
11/29/94	30129	380	P	18PA	C-8/FC-143	0.32	MPB	57.1%
3/8/95	30140	405	P	08PF	C-8/FC-143	0.12	MPB	21.4%

AJP007132

7/25/95 30158 360 P

08PF C-8/FC-143 0.07 MPB

12.5%

Tuesday, August 28, 2001 3:20:56 PM

Page 76 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/11/96	30269	360	P		08PF	C-8/FC-143	0.06	MPB	10.7%
6/14/96	30314	400	P		08PF	C-8/FC-143	0.15	MPB	26.8%
2/5/97	30405	360	P		08PF	C-8/FC-143	<.01	MPB	1.8%
2/5/97	30415	360	P		08PH	C-8/FC-143	0.04	MPB	7.1%
5/27/97	30479	360	P		08PF	C-8/FC-143	0.02	MPB	3.6%
8/6/97	30500	350	P		08PF	C-8/FC-143	0.08	MPB	14.3%
11/21/97	30584	360	P		08PF	C-8/FC-143	<.01	MPB	1.8%
2/5/98	30606	360	P		08PF	C-8/FC-143	0.38	MPB	67.9%
5/27/98	30647	360	P		08PF	C-8/FC-143	<.05	MPB	8.9%
8/10/98	30678	360	P		08PF	C-8/FC-143	0.1	MPB	17.9%
12/9/98	30711	360	P		08PF	C-8/FC-143	0.01	MPB	1.8%
2/25/99	30743	360	P		08PF	C-8/FC-143	0.077	MPB	13.8%
7/14/99	33828	360	P		08PF	C-8/FC-143	0.0844	MPB	15.1%
11/5/99	34294	360	P		08PF	C-8/FC-143	0.02	MPB	3.6%
2/7/00	34607	360	P		08PF	C-8/FC-143	<0.01	MPB	1.8%
5/11/00	34865	360	P		08PF	C-8/FC-143	<0.01	MPB	1.8%

AJP007133

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

8/9/00	35160	360	P	08PF C-8/FC-143	0.07	MPB	12.5%
11/13/00	35497	360	P	08PF C-8/FC-143	0.0319	MPB	5.7%
1/9/01	35640	360	P	08PF C-8/FC-143	0.06	MPB	10.7%
2/7/01	35744	360	P	08PF C-8/FC-143	<0.01	MPB	1.8%
3/6/01	35866	720	P	08PF C-8/FC-143	0.125	MPB	22.3%
3/6/01	35868	720	P	08PF C-8/FC-143	0.0819	MPB	14.6%
3/13/01	35888	720	P	08PF C-8/FC-143	0.1378	MPB	24.6%
3/13/01	35890	720	P	08PF C-8/FC-143	0.1233	MPB	22.0%
3/20/01	35926	720	P	08PF C-8/FC-143	0.0304	MPB	5.4%
3/20/01	35927	720	P	08PF C-8/FC-143	1.4954	MPB	267.0% **
3/27/01	35940	720	P	08PF C-8/FC-143	0.0243	MPB	4.3%
3/27/01	35945	720	P	08PF C-8/FC-143	0.0419	MPB	7.5%
4/3/01	35978	720	P	08PF C-8/FC-143	0.0207	MPB	3.7%
4/10/01	36008	720	P	08PF C-8/FC-143	0.0554	MPB	9.9%
4/10/01	36009	720	P	08PF C-8/FC-143	0.3497	MPB	62.4%
4/17/01	36015	720	P	08PF C-8/FC-143	0.0523	MPB	9.3%
4/17/01	36016	720	P	08PF C-8/FC-143	0.0271	MPB	4.8%
4/24/01	36177	720	P	08PF C-8/FC-143	0.0396	MPB	7.1%
4/24/01	36178	720	P	08PF C-8/FC-143	0.0399	MPB	7.1%
5/29/01	36179	720	P	08PF C-8/FC-143	0.0727	MPB	13.0%
5/29/01	36180	720	P	08PF C-8/FC-143	0.0604	MPB	10.8%
5/30/01	36176	360	P	08PF C-8/FC-143	0.0199	MPB	3.6%
6/19/01	36255	720	P	08PF C-8/FC-143	0.0405	MPB	

ALP007134

7.2%

Tuesday, August 28, 2001 3:20:56 PM

Page 77 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/19/01	36267	720	P		08PF	C-8/FC-143	0.0501	MPB	8.9%
6/26/01	36268	720	P		08PF	C-8/FC-143	0.037	MPB	6.6%
7/3/01	36278	360	P		08PF	C-8/FC-143	0.002	MPB	0.4%

BTO: 08 TEFLON@

LOC: 809 P/S - DAY POLYMER E&I MECH (58MC)

5/6/88	29738	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/26/88	29746	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/26/88	29747	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
3/12/93	29984	360	P		none	C-8/FC-143	0	MPB	0.0%
6/14/93	29994	360	P		55MH	C-8/FC-143	0	MPB	0.0%
6/30/93	29995	480	P		55MH	C-8/FC-143	0	MPB	0.0%
8/20/93	30001	360	P		58MG	C-8/FC-143	0.04	MPB	7.1%
10/20/93	30022	360	P		58MF	C-8/FC-143	0.71	MPB	126.6% **
11/5/93	30033	390	P		58MG	C-8/FC-143	<.03	MPB	5.4%
12/15/93	30037	360	P		58MF	C-8/FC-143	<.03	MPB	5.4%
2/2/94	30068	360	P		58MG	C-8/FC-143	<.03	MPB	5.4%
5/17/94	30103	390	P		58MG	C-8/FC-143	0.03	MPB	

AJP007135

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

							5.4%
8/26/94	30122	390	P	58MG C-8/FC-143	<.03	MPB	5.4%
11/29/94	30130	380	P	58MG C-8/FC-143	0.08	MPB	10.7%
3/8/95	30141	405	P	58MG C-8/FC-143	0.02	MPB	3.6%
7/25/95	30159	360	P	58MG C-8/FC-143	0.07	MPB	12.5%
6/14/96	30307	360	P	58MG C-8/FC-143	0	MPB	0.0%
2/24/97	30441	360	P	58MG C-8/FC-143	0.32	MPB	57.1%
5/28/97	30477	420	P	58MG C-8/FC-143	0.05	MPB	8.9%
9/25/97	30539	360	P	none C-8/FC-143	<.01	MPB	1.8%
12/16/97	30591	340	P	58MG C-8/FC-143	0.07	MPB	12.5%
5/28/98	30649	360	P	58MG C-8/FC-143	<.05	MPB	8.9%
8/5/98	30675	360	P	58MG C-8/FC-143	0.08	MPB	14.3%
12/2/98	30713	360	P	58MG C-8/FC-143	0.03	MPB	5.4%
2/17/99	30741	360	P	58MG C-8/FC-143	0.053	MPB	9.5%
7/13/99	33823	360	P	58ME C-8/FC-143	0.0056	MPB	1.0%
11/8/99	34299	360	P	58MC C-8/FC-143	0.006	MPB	1.1%
2/8/00	34612	360	P	58MC C-8/FC-143	<0.01	MPB	1.8%
5/11/00	34866	360	P	58MC C-8/FC-143	0.037	MPB	6.6%
8/7/00	35140	360	P	58MC C-8/FC-143	0.007	MPB	1.3%
11/13/00	35498	360	P	58MC C-8/FC-143	0.153	MPB	27.3%
2/9/01	35764	360	P	58MC C-8/FC-143	0.1	MPB	17.9%
5/15/01	36114	360	P	58MA C-8/FC-143	0.022	MPB	3.9%

AJP007136

Tuesday, August 28, 2001 3:20:56 PM

Page 78 of 80

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08	TEFLON@								
LOC: 810	P/S - DAY POLY AREA MECH (58MC)								
8/31/93	30009	360	P		58MC	C-8/FC-143	0.06	MPB	10.7%
10/8/93	30023	315	P		58MC	C-8/FC-143	<.03	MPB	5.4%
11/5/93	30032	390	P		58MC	C-8/FC-143	0.11	MPB	19.6%
12/15/93	30038	300	P		58MC	C-8/FC-143	<.03	MPB	5.4%
5/18/94	30106	390	P		58MC	C-8/FC-143	<.03	MPB	5.4%
8/26/94	30123	390	P		58MD	C-8/FC-143	<.03	MPB	5.4%
12/13/94	30135	380	P		58MA	C-8/FC-143	0.09	MPB	18.1%
4/5/95	30144	420	P		58MC	C-8/FC-143	0.06	MPB	10.7%
7/25/95	30160	360	P		58MD	C-8/FC-143	0.11	MPB	19.6%
6/14/96	30313	360	P		58MA	C-8/FC-143	0.01	MPB	1.8%
2/24/97	30440	360	P		58MA	C-8/FC-143	0.37	MPB	66.1%
5/28/97	30478	420	P		58MA	C-8/FC-143	0.04	MPB	7.1%
9/25/97	30540	360	P		58MA	C-8/FC-143	0.03	MPB	5.4%
12/16/97	30592	340	P		58MA	C-8/FC-143	0.01	MPB	1.8%
5/28/98	30648	360	P		58MA	C-8/FC-143	0.07	MPB	12.5%
8/5/98	30676	360	P		58MA	C-8/FC-143	0.003	MPB	0.5%
12/15/98	30712	360	P		58MA	C-8/FC-143	0.03	MPB	

AJP007137

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

							5.4%
2/17/99	30742	360	P	58MA C-8/FC-143	0.011	MPB	2.0%
8/12/99	33949	360	P	58MC C-8/FC-143	<0.01	MPB	1.8%
11/8/99	34383	360	P	58MC C-8/FC-143	0.1	MPB	17.9%
2/8/00	34814	360	P	58MC C-8/FC-143	<0.01	MPB	1.8%
5/12/00	34885	360	P	58MC C-8/FC-143	0.056	MPB	10.0%
8/7/00	35141	360	P	58MC C-8/FC-143	0.008	MPB	1.4%
11/13/00	35499	360	P	58MC C-8/FC-143	0.2967	MPB	53.0%
2/9/01	35765	360	P	58MC C-8/FC-143	0.19	MPB	33.9%
5/15/01	38115	360	P	58MC C-8/FC-143	<0.01	MPB	1.8%

BTO: 08 TEFLON@

LOC: 811 P/S - DAY POLY E&I MECH - SHUTDOWN (58MC)

10/8/98	30694	390	P	58MG C-8/FC-143	<0.01	MPB	1.8%
10/21/99	34198	360	P	58MC C-8/FC-143	<0.01	MPB	1.8%

BTO: 08 TEFLON@

LOC: 812 P/S POLY AREA MECH - SHUTDOWN (58MC)

10/8/98	30695	390	P	58MA C-8/FC-143	<0.01	MPB	1.8%
10/21/99	34200	360	P	58MC C-8/FC-143	0.18	MPB	32.1%

Tuesday, August 28, 2001 3:20:56 PM

Page 79 of 80

AJP007138

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08	TEFLON@								
LOC: 861	B-163 LAB GENERAL (NOW TCP411)								
5/10/83	46499	444	Z			C-8/FC-143	0.09	MPB	16.1%
5/10/83	46500	443	Z			C-8/FC-143	0.09	MPB	16.1%
2/24/84	30764	280	P		none	C-8/FC-143	0.11	MPB	19.6%

AJP007139

TestResults

file:///C:/WINDOWS/TEMP/Monomers C...7-21-81 thru 8-27-01 80 pages.htm

Tuesday, August 28, 2001 3:20:56 PM

Page 80 of 80

AJP007140

157 of 157

8/28/2001 4:46 PM

EID140382