REQUEST FOR SHIPPING

Date 8/11/93

TO:

Plant or Company Chambers Works

Attention Keith McCleary / Ray Sobkinski

Address Jackson Labs 220 Acc

City Deepwater State NJ Zip 08023 Phone (609) 540-2467

Description of Shipment Blood Samples, IV Dosing Solution

Chemical Name 14AD

(if applicable) Haskell # MR # 7660

Type of inner pkg _____ Sample Vol./wt. 100-500 ml No. of inner pkgs. _____

Total No. of containers _____

HAZARDOUS MATERIAL ☒ NO ☐ YES (IF YES, COMPLETE CLASSIFICATION BELOW)

CHECK HAZARD CLASSIFICATION, ASTERISK SECONDARY CLASSIFICATION

(SEE REVERSE SIDE FOR DEFINITIONS)

EXPLOSIVES — CLASS A ☐ B ☐ C ☐		OXIDIZER	☐
ETIOLOGIC AGENT	☐	FLAMMABLE SOLID	☐
ORGANIC PEROXIDE	☐	CORROSIVE MATERIAL (LIQUID)	☐
RADIOACTIVE MATERIALS (**)	☐	POISONOUS LIQUID, CLASS B	☐
POISONOUS GAS, CLASS A	☐	POISONOUS SOLID, CLASS B	☐
POISONOUS LIQUID, CLASS A	☐	CORROSIVE MATERIAL (SOLID)	☐
FLAMMABLE GAS	☐	IRRITATING MATERIAL	☐
NONFLAMMABLE GAS	☐	COMBUSTIBLE LIQUID (*)	☐
FLAMMABLE LIQUID (*) (BELOW 100°F)	☐	(BETWEEN 100°F & 200°)	
		OTHER REGULATED MATERIAL A ☐ B ☐ C ☐ D ☐ E ☐	

CARCINOGEN — OSHA ☐ STRONG ☐

(*) FLASH POINT—TAG. C.C. _____ °F.

(**) SHIPMENT MUST BE APPROVED BY THE RADIOLOGICAL SAFETY OFFICER

MATERIALS WHICH COULD POLYMERIZE OR DECOMPOSE IN TRANSIT ARE PROHIBITED

Basis for Hazard Classification
(References etc.) _____

SPECIAL INSTRUCTIONS Keep on Ice while Delivering, Refrigerate on arrival
(if none indicate)

SIGNED Christine Loeffler BUILDING 11-1 RM 1107 EXT. 65254
CHEMIST/SUPERVISOR

REVIEWED & APPROVED _____
DOT COORDINATOR OR DESIGNATE

TO BE COMPLETED BY COMMITTEE

SHIPPING NAME _____

LIMITED QUANTITY YES ☐ NO ☐

DUP040002177