

PLAINTIFF'S
EXHIBIT
ASI-16

9/15/15

Even lower priced homes can NOW have the benefit of a Kewanee Steel Boiler



KEWANEE COTTAGE BOILER

ROUND STEEL VERTICAL TUBE STYLE
FOR HOT WATER HEAT IN SMALL HOMES AND
BUILDINGS \$10,000 AND UNDER—USING OIL OR GAS

All those smaller homes, newly styled in a single story or one-and-a-half stories, can now enjoy *up-to-date heat plus hot water* with the Kewanee Cottage Boiler.

More Comfort

And the owner or renter of a small home . . . old, new or remodeled . . . will enjoy just as much dependability from his Cottage Boiler as he would from the more capacious Kewanee heating a modern 2- or 3-story house or a ranch type residence.

Cuts Fuel Costs

The Cottage Boiler is Kewanee's challenge to those tight specifications aimed at keeping within the budget for the inexpensive home, or for mass constructed housing, in fact for any building PRICED TO SELL AT \$10,000 AND UNDER.

Today's mode of living also demands more and more hot water—for the bath, the hands, for the dishes and clothes washing machines. The Kewanee Cottage Boiler copper coil gives you ALL THE HOT WATER YOU WANT.

Keeps Up Appearances

The Thrifty Cottage Boiler looks good too, all decked out in its smartline square jacket of two-tone green, insulated with one-inch Fiberglas lining to conserve heat.

An exclusive feature furnished by Kewanee with the steel base is a four-inch refractory filling that keeps the boiler hot inside but cool enough on the outside to set down on a wood floor.



One sees only the Smartline Jacket . . . but inside is a husky "heart" of steel

KEWANEE BOILER CORPORATION

80 YEARS OF BOILER MAKING

DIVISION OF AMERICAN RADIATOR & STANDARD SANITARY CORPORATION

KEWANEE, ILLINOIS

BRANCHES IN 60 CITIES



Circular 92-

The Cottage Boiler

... A Real KEWANEE Product

Small Round Steel Vertical Tubular Oil or Gas Burning Boiler for Hot Water Heat

Tho priced in the lower brackets the Cottage Boiler has the same financial sponsoring as the big Kewanees and like them has eighty years of shop skill and drawing board talent back of the square shooting sales policy.

The VT510 is built in the same big boiler plant, of the same husky steel plate—its shell all in one piece solidly welded to A.S.M.E. Code, with heavy nine-gauge tubes for longer life.

Little Boiler With Big Kewanee Name

Good for 77,000 heat units per hour, but when zero blasts come this Cottage Boiler's Btu's can be crowded to at least 150% of SBI Net Code rating, like in all Kewanees, and without sacrificing the hi efficiency either.

Specially purposed for the oil or gas fired hot water system, 1- or 2-pipe, pump circulated or gravity, the Kewanee Cottage Boiler is the healthy heart of the modern home's base-board heating, of its radiant panel, convactor coil or its column radiator equipment.

Top Dependability With Low First Cost

In the cutaway view observe.—Good flame formation due to height of the firebox—Stainless Steel chamber "soups up" combustion of oil, fits in thru firedoor opening, rests on 4" refractory fill-in to keep floor cool—Refractory block protects Fire-cover plate which has free-swinging puff-back safety swivel for observing flame—Burner mounting flange inlets $4\frac{1}{2}$ or $5\frac{1}{4}$ dia. or square for gas—Spinners strip hot gases without choking the draft, so Chimney need not be more than a couple of feet above roof-top—To clean tubes the Spinners are drawn out thru hinged double-cover in Smokehood top, clear of smoke outlet pipe at rear—Vertical Heating Surfaces keep clean longer. VT510 is the "last word."

—Boiler on base goes thru 2 ft. door in one piece, ready for burner, trims and controls—Tappings in boiler shell provide for all automatic ring attachments. Jacket has equivalent knockout disks and ring washers. There are two $1\frac{1}{2}$ " pipe tappings for flow connections, three $1\frac{1}{2}$ " for return and washout plugs. VT510 is stamped by nationally recognized steam boiler inspection company after HYDROSTATIC TEST 150 lbs for maximum water working pressure of 100 lbs. Hot Water Heating Pressure 30 lbs. DOMESTIC HOT WATER Coil made in one unit no gaskets, either type easily inserted anytime thru top head: V-180 Tankless, 180 gals. an hr. raised 100°; V-55 Storage Tank, 55 gals. per 3-hrs. All year round if desired.

