FILE NAME: Benjamin Foster-Amchem (BFA)

DATE: мфст hŎű но

DOC#: BFAллу

DOCUMENT DESCRIPTION: CłŜfŘ ! ŎűłØłűè wŜLJƵŰ

MIN-19023 REV. 10'62

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF HEALTH
OCCUPATIONAL HEALTH

FIELD ACTIVITY REPORT

REGION VII

PROD. MFG. OR SERVICE adhesives & coatings

DATE 10/23/67

EMPLOYEES
MALE 45 Phila.
FEMALE 5
TOTAL 50 28

PLANT Foster Company, Benjamin

ADDRESS 4635 W. Girard Ave., Phila. 19131

PERSON INTERVIEWED W.H. Karl

TITLE Plant Supt.

PURPOSE: INVEST.; SURVEY; INSPECT.; PRELIM.; F.U.; CONF.; VISIT;

REASON: SELF-INIT.; O.D. REP.; COMPL.; REQUEST; SOURCE

SPECIFIC HAZARD OR CONDITION	WORKERS EXPOSED	RECOMMENDATIONS 5/12/67 R WRITTEN — VERBAL	ACCOMPLISHED YES	NO	IN PROG.
asbesto	10-12	Housekeeping program			X

Reproduction of an Original Record
Please Credit:
PA STATE ARCHIVES
300 North Street, Harrisburg, PA 17120-0090
PA Historical & Museum Commission

SAMPLES COLLECTED (NO. & KIND) _____ TOTAL _____

DETERM. MADE (NO. & KIND) _____ TOTAL _____

MEDICAL _____ O.D. REPORTED, NO. & KIND _____


REMARKS Mr. Dugery has resigned, is no longer with the company. A resurvey was planned, but the large mixer was not being loaded and the smaller ones. P.K. Bradley LTG

PUNCH CARD [X] YES [ ] NO FOLDER [X] YES [ ] NO (over)

.5

would not be handling asbestos. Mr. K. checked the order slips, said a large batch would be mixed on Thursday, call before coming and he could even tell us what time. A telephone call Thurs. 10/26/67 revealed that the mixer had been loaded last night.

An attempt will be made to conduct the survey next week.



PA STATE ARCHIVES