CG 20 CODE BT-284-D PKG ___ PROCESSES APPROVED BY:
( )BT-284-D (Q) BBK 11/20/81

11/18/20 L2K71 ~~2650#~~ 2480 LBS. 20-21 TOTES
(DATE) (LOT) (EST WT)

COMTYP JOB NAME: 20BT284DMQ

STANDARD HRS. _____ TIME _____M

USE +/- 2600# N-8510-A AND +/- 200# N-65-A

PREPARATION NOTES: _____

EQUIP MENT		NAME: MONASTRAL BLUE B 1 PAGE	USE LBS	N-CODE	ACCT LBS
		PUMP FROM TOTE ADD +/- 25# N-65-A PER TOTE	_____	8510-A	2395
		LOT ≠100% %			
		(T-277) S-180B 444.7 26.1			
		(T-200) S-180A 590.6 34.6			
		(T-558) S-179 426.7 25.1			
		(T-746) S-181 527.1 31.6			
		T 248 S-182-B 405.7 24.5			
		_____ ~~239~~ 238 _____			
		_____ 200 _____			
		_____ ~~241~~ 240 _____			
		PROCESS INSTRUCTION - RM CONSUMPTION	----	N-65-A	200
		CALCULATE EST. WT.:			
		2395 # N8510 + 200 # N65) X .956 =			
		2480 # EST. WT.			
		RECORD EST. WT. ON MAKE & PROCESS CARDS			

ORDERED 11/17/82 BLL

4 Totes PUMPED 11/17/82 LPP

PUMPED 1 TOTE - 11/17/82 - TAS

BATCH COMPLETED

NOV 18 1982




NV-8510
[redacted]
LOT
S-180B
TARE WT. 319
NET WT. 1704
% SOLIDS 26.1
NET SOLIDS 4447
Tote 277
TOTE BINS IN LOT B
PACKED BY



DUP050060618


A-8510
[redacted]
LOT #
TARE WT. 320
NET WT. 1662
% SOLIDS 31.6
NET SOLIDS 525.1
TOTE BINS IN LOT
PACKED BY



N-8510

[redacted]

LOT #

TARE WT. 8/8 S-179

NET WT. 1700

% SOLIDS 25.1

NET SOLIDS 426.7

Tot 558

TOTE BINS IN LOT

PACKED BY

DUP050060620


W-8810
LOT
S-182 B
TARE WT. 322
NET WT. 1652
% SOLIDS 24.5
NET SOLIDS 405.7
Tote 248
TOTE BINS IN LOT B
PACKED BY