

December 12, 1974

Mr. J. Berger
N. Y. Legal

Messrs, Faneuf, Monza, Rosebrugh

Mr. L. Sarlo, Jr.
Gloucester

ASBESTOSIS CASES

Attached please find copies of labeling found on the cartons and packaging of Calsilite pipe covering insulation and 7-M asbestos cement produced at Gloucester. The wording and format of the labeling were changed around June 1970 as well as relocating the information from the sides to the front of the carton.

Samples of each concept are included and are identified. Copies of correspondence leading up to the June 1970 change are attached for your added information.

If we can provide further information, please advise.

L. SARLO, JR.

LS/gw
Enc.

MICH09225

CONTAINS ASBESTOS FIBER. INHALATION IN
EXCESSIVE QUANTITIES OVER LONG PERIODS
OF TIME MAY BE HARMFUL.

AVOID BREATHING DUST. IF ADEQUATE
VENTILATION IS NOT POSSIBLE, WEAR
RESPIRATORS APPROVED BY THE U.S.
BUREAU OF MINES FOR PNEUMOTOXIC
PRODUCING DUST.

CALSILITE CARTON

CAUTION: CONTAINS ASBESTOS FIBER. INHALATION
IN EXCESSIVE QUANTITIES OVER LONG PERIODS OF
TIME MAY BE HARMFUL.

AVOID BREATHING DUST. IF ADEQUATE VENTILATION
IS NOT POSSIBLE, WEAR RESPIRATORS APPROVED BY
THE U.S. BUREAU OF MINES FOR PNEUMOTOXIC
PRODUCING DUST.

ASBESTOS CEMENT

MICH09226

CAUTION

CONTAINS ASBESTOS FIBER. INHALATION IN EXCESSIVE QUANTITIES OVER LONG PERIODS OF TIME MAY BE HARMFUL.

AVOID BREATHING DUST. IF ADEQUATE VENTILATION IS NOT POSSIBLE, WEAR RESPIRATORS APPROVED BY THE U.S. BUREAU OF MINES FOR PNEUMOCONIOSIS PRODUCING DUST.

CALSILITE CARTON

CAUTION: CONTAINS ASBESTOS FIBER. INHALATION IN EXCESSIVE QUANTITIES OVER LONG PERIODS OF TIME MAY BE HARMFUL.

AVOID BREATHING DUST. IF ADEQUATE VENTILATION IS NOT POSSIBLE, WEAR RESPIRATORS APPROVED BY THE U.S. BUREAU OF MINES FOR PNEUMOCONIOSIS PRODUCING DUST.

7M ASBESTOS CEMENT

MICH09227