

L2H61

OCT 27 1982

PROCESSING () BT297D (M) APPROVED BY BBK 11/20/81

EST. WT. ~~2042~~ LBS.

1157

STANDARD HRS.

TIME

M

JOB NAME: 20BT-297-DMM

COMPONENT CONSUMPTION									
CG	CODE	LOT	PQ	LBS	CG	CODE	LOT	PQ	LBS
---	---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---	---

REQ. NO. ()

EQUIP MENT	NAME:	USE LBS	N-CODE	ACCT LBS
	PUMP FROM TOTE: LOT <u>---</u> ÷ 100% <u>---</u> %		8600-A	1195
	CALCULATE EST. WT.: <u>1193</u> ÷ N8600 X .969 = <u>1157</u> ÷ EST. WT. RECORD EST. WT. ON MAKE & PROCESS CARDS			

LOT	#	%	%
L076	556.1		33.1
375A	53.2		2.1
077B	585.7		36.0
	1195.0		

OCT 27 1982

ORDERED 10/26/82 *SB*

PUMPED 2 3/4 Totes to 20P. 10/26/82 VP
 pumped 1/4 TOTE TO 20P. 10/26/82 *SB*
 BATCH completed

N-8600-A

LOT #

TARE WT. 322

L-077B

NET WT. 1627

% SOLIDS 36.0

NET SOLIDS 585.7

TOTE 375

TOTE BINS IN LOT

B

PACKED BY

N-8600-A

LOT #

TARE WT. 319

375A

NET WT. 2535

% SOLIDS

2.1

NET SOLIDS

53.2

Tote 662

TOTE BINS IN LOT

A

PACKED BY

Hold PE

N-8600-A

LOT #

TARE WT. 321

L-076

NET WT.

1680

% SOLIDS

33.1

NET SOLIDS

556.1

Tote 451

TOTE BINS IN LOT

PACKED BY