C.V. 200, 202, 204, (210), 213, 261 C.V. D.V.

CG 20 CODE BT-425-D PKG. _____

→ MAY -0·81- Ξ1171

EST. WGT. 2866 LBS.

STD. HRS. _____ TIME _____ M

PROCESSES		APPROVED BY
( ) BT-425-D	(F)	AJC 06-27-77
( )	( )	DCG 06-30-77
( )	( )	MTW 07-01-77
( )	( )	
TYPED BY		
emw070677		

NON-BLEEDING

EQUIPMENT		NAME: MONASTRAL® BLUE BF	USE LBS.	N CODE	ACCT. LBS.
		NOTE: For processing N-8900-A, N-8802-A & N-8510-A; preset water meter per chart for water addition to full totes. Use mode 4 for full totes & mode 3 for stumping totes.			
SV 1	1	Run 2-3" (±200 G) water into V- 210			
USE N8900	2	Use Station # 3 & pump in		8900-A	325
105		Gals of Water			
143		Sequencer Steps			
130		LOT 6 11 16 #100% %			
92		233 ✓ 130 STUMP 92 20.7	444		
		233 ✓ 143 Stump 233 29.0	80.3		
		Total # 100%			
	2	Use Station # & pump in		8802-A	115
Use N8802		Gals of Water			
Lot 122		Sequencer Steps			
		LOT 6 11 16 #100% %			
	3 ✓	122 Stump 115 21.1	545		
		Total # 100%			
	4	Use Station # 3 & pump in		8510-A	2160
		Gals of Water			
Tote #		Sequencer Steps			
		LOT 6 11 16 #100% %			
696		767-B 20 10 30 330 13.2	2500		
132		765-B " " " 290 11.6	2500		
999		767-A " " " 355 14.2	2500		
107		763-A " " " 283 11.3	2500		
555		765-A " " " 290 11.6	2500		
511		770-B " 310 12.4	2500		
706		770-A 310 12.4	2500		
THIS Tote Pumping 2 MORE To Go		Total 2168 # 100%			
	5	After last tote pumped, run in 100 gals of water & pump into SV to clean system			
	6	Start agitator & stir 5 min			
	7	Record: pH 8.7 (8.5-10.0)			
	8	If necessary, adj to pH 8.5-10.0 Assume 50%		7-D	
		& Record: pH ✓ Assume 77%		27-D	

EQUIPMENT		PAGE 2 CG 20 CODE BT-425-D (F) EST. WGT. 2866 LBS.	USE LBS.	N CODE	ACCT. LBS.
313	9	Run 24" (355 G) water into V-313			
2	10	Turn on agitator & heat to 80-100°F			
	11	Sift in (±1 min per bag)	320	530-A	320
	12	Stir 5 min & Record: pH 10.3 (10.0-10.5)			
	13	Stir an additional 15 min or longer to dissolve for S 16			
304	14	Run 10" (122 G) water into V-304			
3	15	Dump in & stir to dissolve for S 17 ✓	100	20-A	100
SV	16	Run V-313 thru 20 mesh screen into SV & stir 5 min			
4	17	Run in V-304 in 5-10 min & stir 15 min			
	18	Record: pH 8.9 (9.0-10.0)			
	19	Flood to ~~[illegible]~~ & stop agitator			

SV	200	202	204	210	213	261
S 19	77"	87"	88"	74"	52"	60"
Gal	5205	5150	5174	5143	5153	5220

START	FIN	OPTR
3:00 PM		237
11:00 PM	4:30 AM	86

DUP050097504