APRIL 30, 1974

06184400

ASTM E-34 COMMITTEE CORRESPONDENCE

Dr. A. A. Winer
Department of Energy, Mines
and Resources of Canada
Mineral Processing Division
40 Lydia Street
Ottawa, Ontario, Canada

LABEL FOR ASBESTOS

Attached, in accordance with the Warning Label Committee's November 19 offer, is a draft of a label for the subject material.

From the few criteria documents and related subject matter recently prepared by NIOSH or OSHA for other materials, it appears that labeling which follows the principles in the current MCA labeling guide is acceptable.

Accordingly, the attached label is based on these principles. Please let me know if this committee can be of any further help.

Sincerely,

M. B. Lore
Chairman, Warning Labels

Du Pont Co., Legal Dept.
Wilmington, DE 302-774-7075

MBL:lcd

Attachment

CC: T. R. Aalto
D. P. Bridge
J. W. Hammond
H. H. McIntyre
S. Molinas
R. W. Murry
R. K. Neill
D. E. Rhoads
G. R. Sido
F. D. Sparre
R. M. Stansel
N. Steere
R. G. Troup
M. M. Williams

06184101

ASBESTOS

WARNING! HARMFUL IF INHALED; MAY CAUSE DELAYED LUNG INJURY (ASBESTOSIS, LUNG CANCER)

Do not breathe dust.

Use only with adequate exhaust ventilation or approved breathing protection device.

Remove dust and fibers from clothing only by vacuum cleaning.

Clean work areas only by vacuum cleaning or wet cleaning methods.

4/30/74