

EAST TEXAS CHEST HOSPITAL

BOX 2003 TYLER, TEXAS 75701



A UNIT OF THE
TEXAS STATE DEPARTMENT OF HEALTH

July 18, 1972

Lee Grant, M. D.
Medical Director
PPG Industries
One Gateway Center
Pittsburgh, Pa. 15222

NOTE: THIS DOCUMENT DID
NOT COME FROM PPG FILES

Dear Lee:

I am sending you a copy of some cost estimates prepared by our Chief Accountant on the work which we did on the sixty-one employees of Pittsburgh Corning who had been exposed to asbestos fibers. The total cost estimate is based on sixty-one initial clinic visits, twenty-one follow-up clinic visits and an additional estimated ten follow-up visits.

As you can see, the cost figure amounts to \$7,690.94 which is more than the original figure of \$4,200.00 submitted to you in January, 1967 (based on initial studies on fifty-two workers). As I mentioned to you over the phone, it would be helpful if this money was paid directly to the Texas Chest Foundation. The check may be sent to me and I will turn it over to the Treasurer, Mr. Edwin Rasco.

Sincerely,

A handwritten signature in cursive script, appearing to read "George A. Hurst".

George A. Hurst, M. D.
Superintendent

GAH/mc

Enclosure

THIS DOCUMENT WAS NOT A RECORD C
PPG INDUSTRIES, INC. DID NOT COME FROM
IT'S FILES AND CANNOT BE AUTHENTICATED
BY PPG INDUSTRIES, INC.

RECEIVED

JUL 24 1972

MEDICAL DIRE | BB 0013501 |

COST OF CLINICAL + LABORATORY EVALUATION OF SUBJECTS
EXPOSED TO ASBESTOS FIBERS
FOR PITTSBURGH PLATE GLASS COMPANY

NOTE: THIS DOCUMENT DID
NOT COME FROM PPG FILES

NUMBER OF CLINIC VISITS INITIALLY	61
NUMBER OF FOLLOW UP CLINIC VISITS	21
ADDITIONAL FOLLOW UP VISITS NEEDED (ESTIMATED)	10
TOTAL VISITS	92

PHYSIC SERVICES RENDERED

CINIOGRAPHS - SINGLE VIEW (P-A)	61 @	10.00
BLOOD GITS STUDY	61 @	2.00
DIFFUSING CAPACITIES (CO ₂ STEADY STATE)	61 @	15.00
LUNG VOLUME - HELIUM DILUTION	61 @	15.00
LUNG VOLUME - PLETHYSMOGRAPH	61 @	3.00
VENTILATORY STUDY (SALINITY PRE & POST BLOWERS)	61 @	15.00

SUBTOTAL - SERVICES

THIS DOCUMENT WAS NOT A RECORD OF
PPG INDUSTRIES, INC. DID NOT COME FROM
IT'S FILES AND CANNOT BE AUTHENTICATED
BY PPG INDUSTRIES, INC.

1 BB 0013502 1