

INTER-OFFICE CORRESPONDENCE

Union Asbestos & Rubber Company

00E03770

To: Mr. E. A. Hayes Place: Marshville, N. C.  
From: Mr. R. W. Lane, Jr. Date: 1 August 1962  
Subject: Copies to: Mr. E. T. Johnson

NOTED

Attached is our dust count report of the readings made on July 30th in conjunction with the count taken by the North Carolina State Board of Health, Mr. Hazel L. Byrd.

Mr. Byrd, of course, appeared at the plant without any advance notice but did agree to waiting until we could get our equipment set up to run our counts together. He did seem a bit surprised that we had the equipment here and agreed that in the future he would notify us a day or two in advance of his visit so that we could have our equipment in readiness for the count.

When he left, he told sessions that his report would be forthcoming within a few weeks and if their count was too much out of line with ours he would be glad to return at any time for a recount when he would be able to devote more time to the survey.

*R. W. Lane*

RM:eds

Attachment

THIS DOCUMENT WAS NOT A RECORD OF  
PPG INDUSTRIES, INC. DID NOT COME FROM  
IT'S FILES AND CANNOT BE AUTHENTICATED  
BY PPG INDUSTRIES, INC.

BB 0024225

6100

NOTED  
RECEIVED

6101 - 6200

THIS DOCUMENT WAS NOT A RECORD OF  
PPG INDUSTRIES, INC. DID NOT COME FROM  
IT'S FILES AND CANNOT BE AUTHENTICATED  
BY PPG INDUSTRIES, INC.

7/30/82

THIS DOCUMENT WAS NOT A RECORD OF  
PPG INDUSTRIES, INC. DID NOT COME FROM  
ITS FILES AND CANNOT BE AUTHENTICATED  
BY PPG INDUSTRIES, INC.

R. D. Sessions &amp; K. H. Ross

00E03771

DUST COUNTS USING THE K-S-A MIDGET D-PINGER

| <u>COUNT NO:</u>            | <u>SAMPLE NO:</u> | <u>LOCATING POSITION:</u>                                                                                                                                    | <u>M.P.P.C.F.:</u> |
|-----------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| #1                          | #223              | Large Spooler G/A Sample<br>Both Sides, Side #1, Next to Ring<br>Frame 110-10 Cut, Side #2, Next to<br>South Wall 110-12 Cut<br>Humidity 55% Temperature 89° | 4.2                |
| Time: 2:42 P.M. - 2:52 P.M. |                   |                                                                                                                                                              |                    |
| #2                          | #235              | Leesona Spooler G/A Sample<br>Both Sides, 110-10 Cut R. Spun<br>Humidity 51% Temperature 93°                                                                 | 2.6                |
| Time: 2:54 P.M. - 2:54 P.M. |                   |                                                                                                                                                              |                    |
| #3                          | #233              | Cards #10, #11 & Felt Cards<br>G/A Sample, #10, #11 110-10 Cut,<br>Felt Cards, 184, 127<br>Humidity 52% Temperature 92°                                      | 3.3                |
| Time: 2:47 P.M. - 2:57 P.M. |                   |                                                                                                                                                              |                    |
| #4                          | #234              | Broadloom #10<br>E-2225 40"<br>Humidity 63% Temperature 87°                                                                                                  | 2.7                |
| Time: 3:04 - 3:14 P.M.      |                   |                                                                                                                                                              |                    |
| #5                          | #191              | Broadloom #9<br>I-4275 40"<br>Humidity 64% Temperature 88°                                                                                                   | 2.9                |
| Time: 3:18 P.M. - 3:28 P.M. |                   |                                                                                                                                                              |                    |
| #6                          | #265              | Filling Cop Winder<br>G/A Sample<br>Humidity 66% Temperature 86°                                                                                             | 4.1                |
| Time: 3:30 P.M. - 3:40 P.M. |                   |                                                                                                                                                              |                    |
| #7                          | #148              | Broadloom #12<br>C-2225 60"<br>Humidity 68% Temperature 85°                                                                                                  | 3.7                |
| Time: 3:43 P.M. - 3:53 P.M. |                   |                                                                                                                                                              |                    |
| #8                          | #98               | Broadloom #0<br>N-5245 62"<br>Humidity 70% Temperature 86°<br>Out Time 2-1/2 Minutes                                                                         | 1.3                |
| Time: 3:56 P.M. - 4:06 P.M. |                   |                                                                                                                                                              |                    |
| #9                          | #173              | Broadloom #3<br>D-2140 60" "RAINING"<br>Humidity 65% Temperature 86°                                                                                         | 2.5                |
| Time: 4:12 P.M. - 4:22 P.M. |                   |                                                                                                                                                              |                    |
| #10                         | #266              | Broadloom #5<br>D-2140 60" "RAINING"<br>Humidity 72% Temperature 84°<br>Out Time 2 Minutes                                                                   | 2.2                |
| Time: 4:24 P.M. - 4:34 P.M. |                   |                                                                                                                                                              |                    |

WATER CONDITIONS

WIND- - - - -Southeast  
Temperature - - - -90°  
HUMIDITY- - - - -51%

TIME ON: 2:22 P.M.

TIME OFF: 4:34 P.M.

BAR. PRES.- - - - -29.10

Windows- - - - -Open

BB 0024226

6101

NOT COME FROM PPG INDUSTRIES, INC.