PACKAGE TICKET (DRY AND PASTE ONLY)

CODE RT695 LOT 37992

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PO
	9	1330	46	
	STUMP	Lump	1306	

TOTAL NET WT. 1330 PKG. N-CODE

PROD. SPVR.	DATE	WHSE. OPER.
RP	12 [illegible] 2180	22

D.T

169.+
145.+
158.+
166.+
151.+
131.+
123.+
146.+
141.+
1330.T

36/100

LG 36 CODE RT-695-D PKG. ____

→ NOV 20 80 37992

EST. WGT. 1350 LBS.

2 2s

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
RT-695-D (M)	DCG 1-12
	IHD 2-25
TYPED BY	
LG 5-15-72	

~~Retyped 2-27-80~~ MnM

MAKING NOTES

REMARKS

NAME: BON RED DARK

NON-BLEEDING

EC INSTRUCTIONS -PRESSING- RECORD

VAT	100					PRESSLOAD	1ST	2ND	3RD	4TH	5TH
DATE	11/19/80					STARTED	11 P				
TIME	3:45 AM					CAKES USED	80				
RELEASED BY	Pd.					WATER ON	6 PM				
PRESS	36	33	35	38	39	HRS. WASHED	19				
NO. OF CAKES	30	60	60	60	60	OHMS	6600				
PRESS Without		AGITATION				HRS. WASHED					
WASH TO 4000		OHMS with 35-75F water				OHMS					
TEST AFTER 16		HOURS				HRS. WASHED					
LOAD on 8 cars						OHMS					
						CAKE CONDITION					
						NO. CARS LOADED	4				
						EXPLAIN LOSSES					

SAMPLES

DELIVER TO

SAMPLED BY RELEASED BY A.R.

-DRYING-

HOURS Dry 24 hours at L.V. H.V.

TEMP. 180 °F °F

SE 15-30

Mn Color

LUMP: - OK - WET - SALTS - CONTAMINATED

ADDITIONAL DRYING HOURS REQUIRED

DRUMS - 8

SAMPLES

DELIVER TO

NO. CARS PULLED LUMP WGT. 1306

SAMPLED BY RELEASED BY

-GRINDING-

MILL 5 HSP 1/8" RP SCREEN 4600 RPM

MAX. TEMP. °F

Mn Color

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

SAMPLE AFTER / WITHOUT MIXING

SAMPLES Env & 2 pt cans

DELIVER TO C T L

DATE MIXED

SAMPLED BY 227 RELEASED BY

DUP050107244

Wet Pans

37.52
51
231
0

205
14
203
14
195
14
200
14
210
14
200
14
115
14
1230

1230
90
14
1306

SPRUCE