



INTRA-COMPANY COMMUNICATION

SUBJECT Asbestos Bearing Material

DATE February 26, 1990

TO John Harris

Reference the attached memos dated 11/17/89 and 1/17/90, it has been agreed that we will take only that amount of each listed asbestos bearing part number into inventory as we can package and ship prior to 8/1/91. That will give us a packaging cut-off date of one year prior to the date that we will be required to start labeling asbestos bearing stock. Any such stock not packaged by 8/1/91 is to be scrapped. It was also agreed that the material is to be taken into CDC inventory immediately instead of over an extended period of time. Victor Division will take the write-off on any quantities which CDC does not agree to take. CDC will take the write-off on material not packaged and shipped by 8/1/91.

Notice Item 4 on the 11/17/89 memo concerning negotiated costs; this was intended to cover those situations where the cost of the asbestos bearing material exceeds the cost of the current asbestos free item. Any such cost adjustments and the specific quantities to be taken into inventory are up to you and your folks, John. Please share the details of your decision with everyone copied on this memo.

Victor-Chicago has asked permission to ship 6,100 asbestos bearing gaskets (I-1748) against our current requirements of I-1748-1, which is a non-asbestos Ceramic 29 material. Our annual usage on this is 33,000 and we are 1,400 in the red. By copy of this memo, Bernice Puskaric is advised that Chicago can ship these with an appropriate engineering deviation. An engineering deviation should accompany all of these items. Ron Niemeyer is advised that I-1748 must be used first and must not be intermixed with I-1748-1.

Phillip E. Mark
Phillip E. Mark

1m

Attachments

cc: Gus Franklin
Chuck McNamara
Ron Niemeyer
Bernice Puskaric
Paula Schaff
Terry Shively



DANA-0340.015

VPD-188-0001030