



No. 11

E. E SWAIN

STENOGRAPHER

FROM 2-1-73

TO 3-20-73

NO. 43-8164 (S-1004-C) • 60 SHEETS • GREGG RULED • 6 IN. x 9 IN.

S. E. & M. VERNON CO., ELIZABETH, N. J. 07208 • A DIV. OF THE MEAD CORPORATION

2-1-73 NPCA Air Task Force

EPA ordered to review 2 yr. extension

Texas -

dry land can not be controlled
by Reg II

Safety, & tox. 1-25 ppm

rather than 250 ppm

paint solvents minor - can be
regulated in future

2-2-73

Mich Miller 179-208 Charlie R.
1213575

Gen Link Field Sales

Reynolds Metals - Engineer has asthma
window making

deTrostler's spray line

55-60 % ac. Solvents 100-150

35 % butanol

C. Reinhardt
2-5-73

extrusion line
al billets - 1500°

MIBK

cellosolve acetate

formaldehyde

acrylamide resin

could be
every vapor
to set off
asthma attack

Ceases Lisa E Kemp

2.2.73

Particulates

aldehydes over emitted nm-vol. part.

can then cooled impinger
+ filter

Mathews gives him a Connors report

Les Young

Spray-booth

4 needs T.D.I. → 1 isocyanurate
low V.P.

wants one on Desmodur 14

Comm Reg. - in 2 weeks

R-66 - NC Timing of compl.

Stats making survey

3- & ms compliance plan

Art - Geith

OSHA -

Tam Nelson
Velometer -
hot wire

Hugh Tools -

~~10~~ 10 hrs. or 600 ft/min

Slits -

Hugh Tools

Alnor anemometer - 0 - 300 cfm \$30+

Alnor ^{Inst. Co.} "Velometer-J" - 200 ft/min guess ~ \$80

Chicago 60610 Type 8100 \$64 in 1970

425 N. LaSalle St

audible alarm

2-5-73

NOTED

Bob Methuen -

Westinghouse

FEB 5 1973

OSHA - ^{flow} air in spray booth E.E.S.

will call back at 3 PM
tell him about Indiana - tel him
+ Ohio JD

Horace --- Del. olds

if warranty was transf. will get letter

Walt Hagist X-4862

ret. manual

Dean Osgood -

20-25 statements of Texas Hearing
only 2 enviro. stls.

Herb McKee chair. of Bd. was
B with them

lb. + conc. floor on dilute stream
Borden said '75 deadline may
force traffic + other controls
record open til Wed.
NPCA did not recd statement

T. Lowe

US Paint Co
Chumigrip

will order paint for test

NOTED

FEB 8 1973

E.E.S.

Zimmer

NOTED

FEB 5 1973

Goodwin - meet -

E. E. S.

Tech. attschuler

Fri - Revised App. B

will go back to R-66
interim basis until
more data avail.

Particulate -

L II.

Hi Solids

LA

Ohio

NY

grains / ft³

" / process wt.

See what Legal has + call him back

charlie Simpkins

— 130-150/min at hood face

Hot wire anemometer

alnor -

- Mike Mills

Ohio - Frigidaire

J.D. comp. - finish doesn't have to be
insulated

must prove that effluents
are non-reactive?
ask Mathison-

Hugh Tade

Er

Frigidaire
entirely exempt -

5

Dick Warty -

Ethyleneimine - sending this

NOTED

FEB 6 1973

E.E.S.

TRM

HC

States - now

" def Rule

9-21

Ind. .

Hirohiko Calif.

Loar

Teflon -

NOTED

Carl Kamensky 162-329

FEB 6 1973

Singer. Ill. election

Ill poll. forms

call Peggy M and get printout

Carl Flanger

NYC Retainers selling spray paint

Why can't we?

Don't plan to express each ELG opinion

Bob Hall

9515 - 15%

had problems -

G 146 therm - conc. 55% in the
Triton
(6%)

MDY will send product descript.
disc. to Haskell + mask descript.

~~for Mathison~~

Stan Williams -

Alarm on Road -

↳ Bill Morton 3985 Safety + fire
installed at Clinton -

↳ Wendell LaFleur 168-328

John Lenehan

Bob - Monitoring of
spring leak
temp. status resident

consistent - other end
accurate
detail of frame - up to sales

Re Villiers -

Dwyer Draft Gage -

\$15.00

Mich. City, Ind

meet
OSHA
regiments

NOTED

FEB 6 1973

What work has been done?

Hasell search?

We have considered x, y, z and found
most not suitable

Hornberger

1. lemonine
2. methyl indene (ficus?)
3. dicyanoglucosamine
4. butyl ester

miscellaneous

list of matters that have been
considered

too evident to consider?

sensitizers

?

too toxic

?

Demon Prison Center

try for more generic info for Hasell
update Com. Prod

Don't have manpower to do for Denver

Label in accord with HTSA
in absence of warning, can
assume not grossly toxic

J. Zapp

NOTED

FEB 7 1973

CS- Disp. as former smoke
call Rich unity E.E.S.

NIOSH -

J. Georges - counterpart at Ovar

Bob Mathieson

64 L 457-7787 - Columbus, Ohio
by noon

CCV Mansel
Dan Glenn

Sabine

Henry Trochimowicz - 121-3340

NOTED
FEB 6 1973

From products - looking for denaturant
for aerosol

Bitter - From Prod. K. Dastur

CNR 122-4168

Tester had list of 90 cpts.

Dastur had list

WSZ

water borne - 2 methanol

3.5%

260 ug

21

less ambrosia - 5 ppm

is too - beyond?

prob not

TLU 200

but could make mess.

Tom Matthews

Git - 29 est.

1 para - cpl.
traffic - cont'd
HC pattern

WSB what is task F

resp. going to be

- program -

out of
staff notes

EFA - office - implications

Dick Wooty

Dick Dim Joe Powell

tok. of telecommunications his phoned A

Ed Um - Test will be done next week
7354 - 2111 - 37

GC Mensell

Princeton Polymers

(1) benzophenone

NOTED
PE
FEB 8 1973
at v. sol in PE
E.E.S.

(2)

100-500 ppm

(1) used at 2% in polystyrene as
agent for photolysis

PDA 121.1164

called Dim

2-9-73

(2) Z neodecanoate

at

100-500 ppm

(sol. in min. spirits

8 C. st. chain

with 2 CH₃ on C next
to COOH to thicken

Org. products of PE

Zn

oval

GRAS

no color problem

Degradation products

PE doesn't absorb UV

(1) - light absorber

liberates energy &

break C-C bonds in
the PE

new end group

vinyl

C=C

carbonyl

methyl ketone
aldehydes or

Sherril Kelley

Steve Aldrich

acrylic acid

ultimately

MW 27000

PE



2000 PE

NOTED

FEB 8 1973

E.E.S.

Plastic doing some work in degrad.
E-CO₂ copolymer products

feeding study done

metal salt-

or complexes

Zn acts as ox. catalyst &

accel. reaction to Ozonol

light triggered

4 weeks after light expos

15 weeks bottle

extraction studies

ECO

- Ken Yarbrough

3933

film -

CMH

Ja.

rep.

MR

"

Nancy Hunt

① Tetrachlorophenol NOTED

FEB 8 1973

skin PI pip 0.1 $\frac{EE}{ml}$
10% ①

→ no to mild irritation
human patches on 3 people 1% sol'n in
Vaseline
no irrit. or sens.

Oral
mild 0

44 isopropylidene

phenyl phosphonate

20 people patch → mild ir. on
1 person

acute oral ALD > 11000 $\frac{mg}{kg}$
sub " not cumulatively toxic

~~PTRS~~

∴ not a serious tox problem
in cementing laminates

Hornberger

Dim do 22

+ benzophenone

NOTED

FEB 8 1973

E.E.S.

degrad. prod - need to be deter
before can do toxicity and.

Dech County.

Dech Kittles

DMF uses

conc.

DMF - CH_3OH on car

paint

5% DMF in water

39 BTU / lb DMF

Walt Wideman

Form - and Test Request

Ray Connor
Env.

NYC

Jack Lamber
Chief Process Sect.
NY 5 Dept

Rule 205 will be modified

Pub. hearing 28th NYC

compl. date 1-1-74

instead of 1-1-75

ch. in def. of "heat curing"

Guideline on solvents by name &
types and whether exempt

NY Basin - environ. comm.

Tom Norm

Loc.

60 car

24,000 lb/day

80/20
L

90 - Spr
10

LA today
re mt.

GM has no compliance plan

Call WSZ on NY and MD.

Haskell
Determents

44022
2/19/73

1. Limonine - skin sensitizing
also is attractive odor

2. Diphosphoguanosine
(laccometer)
phenylphosphine -

3. Mercaptans

(not stable + in hi conc
cause rapid
analysis
odor conc below toxic
level would be deterrent)

Propyl mercaptan - ^{odor} strong at 71 ppm
strong at 5.4 ppm
(stability poor marginal)

Butyl mercaptan in gas as warning

methyl indanol - smells like feces

Thomas Zapp
Meda Sherman
EES
Howard S.

2-12-73

Would not expect synergistic
toxic effects - merely additive

Fe - good safe
TiO OK

soluble salts $\rightarrow$ TiO
toxic

Cu not too toxic

Cu Zn Fe Cu Mg all essential trace E

Co $\rightarrow$ too much red cells

Polyethylene

0.5 ppm $\rightarrow$ deq. in / day

Polyethylene

100 ppm

Co - should not be used

Fe, Cu OK

Zn, Mn ?

I. Ident. of Degrad. Products
+ am'ts of each

II. Toxicity of I prod.

Extractions -

> 1-2 ppm extracted - run 2 yr. feed

.02 LD₅₀

.02 - 2 ppm 90 day maybe

if extractants are inorg. salts etc
no feeding prob. necessary

If ident. Degrad. prod by 12/73
could test and if no toxic prod
submit to FDA then and possible
FDA approval by 12/74

if 90 day feed test needed 12/75
if 2 yr feeding study 12/77
before FDA approval

Opicils (contam. = beta naphthylamine?)

5000

2-12-73

all Bill Walsh
Russ will call

NOTED

FEB 12 1973

Room

E.E.S.

WSB - says

GM Eng. says active dialogue
with state govt. Bd in Md
they will have to put abate-
ments on ovens anyway
1335 lb limit is academic

JCR -

TRM

Send note to Mrs. Mgrs.
last 17 Regions

Diex in eyes
lawsuit

9-12-72 Cleveland
Gayles
traumatic eye inj.

gone from 2-72

PHSA

oral done

skin done

eye not done - Patty says
not eye intact

Color responds to H₂O

Derm. + H₂O - diff in measured resp.

Ross Austin -

notes #4 -

He is sure

repeat of

NOTED

FEB 12 1973

E.E.S.

EPA will appeal

2 yr. extensions

Geo Evan

spray wh
150 ft/min

2/17
15-25 ft/min

Chad - will adj. air flow

will go at 150 ft/min

15-25 ft

Ray Wendlandt

65Y 3010 SSF plant

Pease Co -

Hamilton, Ohio

65Y 13041 dir dt to 65Y 3010

Wed-Thurs 21-22nd

call him Tues

done by 3/1/72

NOTED

FEB 13 1973

R Austin

told him to see Env. Reporter
on EPA 2 yr extension

E.E.S.

Tom Mome-

reviewed MKd.

~~Homburger~~
acrylic ink

may not get this week

~~glucose~~ sucrose
glucose octoacetate

L Biochem

Ray Luckenbach

123-2721

Claude County 123-4702

called to Benlitz

non toxic but taste bad

0.5% in Benlitz

sucrose octoacetate

Bitrex several g/lb.

Farquar

NOTED

Mossman Co. - NY County FEB 13 1973
air Pollution Bd. E.E.S.

prod
Harry Lewin - after 2 PM
516 - 535 - 3235

Hubrich

1-5-73 - hood for urethane

need to later, how long before
get OK than charcoal

CMH -

Plb - Fed.

ELG - fed. pre-emption
over state

Schubert
Tenn -
Texas
back Fri.

NOTED

FEB 14 1973

E.E.S.

Mancy Hunt
re. O.K. Prod on polyethylene
they don't have anything

$$8 \times .55 = 4.4 \text{ lbs/gal. thin}$$

auto

Enamel -

lacquer -

15 lbs solvent

FEB

NO

Phil Garrison

NOTED

L Ext. of cookware

FEB 14 1973

inhalation test - nec?

E.E.S.

baked at 375°F

acrylic
cell line back

2 app. run
isol study
no toxic metals

Mae Lou

11th 7056

- Harry Levin / 590 Fulton Ave
NY - apt 17F
Moussan City Hempstead, NY
11550
prohibit use of 40 gal (bush)?

Refinish

40 gal/week

1 gal/hr.
5.5 lbs solvent

55% solv.

Take

36 x 13 x 55

30 hrs/week

Oct 1968 letter
Lower

55% solids

15% thin -

2.55 lb/oz

3.3 lb/oz

45% solids

45%

55%

Dim
140

WCS & Benin solvent
NOTED
FEB 14 1973

2yr girl
swallowed 10 AM

E.E.S.

send note to PTT

Len Johnson
Ph

apt. cookware

no lead
inhalation, food contact

Dr. Bonnet

Sat. 8⁰⁰ AM

Dr. Zapp - sugg. inhalation study on
printed cookware
L Benzene
L DCO 20 ppm benzene
pan paint
that, EG - benzene

Proposed clarifications
for FHSA -

if not hazardous

Von L.

can't sell Pb paint for
small appliances

Emrich - advised him to sell
as Pb paint for small
appl unless he learns he
sent him written confirm.

all paint -

factory applied fine for appl is refing.
above are exempt
small appliance not exempt

NOTED

FEB 24 1973

- Taylor Hanuman

(A) Comm - m
(A)
PMS - Tefm

Medical + E.E.S. gical
Drug Develop Coord.

if quest.

~~Bot Kenworth~~

At Marys Ohio -

Auglaze City - P-III

But new source covered

by P-66 res even in P-III area

Rich Dim

66

EMH
GM Terry

see your own I.H. man

call him back if any Fed

Pres of Chicago Pb rep.

- CF Reinhart

Quanta Rice allergy E.E.S.

FEB 19 1973

once sensitized likely to
remain so for life -
1 yr off would not be expected
to help

Roy Connor

1. NY - changes

no major change
etc. compl. date
heat curing

2. Phila Rule II

Paint + Varnish Removers
are they covered?
Don't know

3. NC.

if 300 gal/day of reaction

- Earl Mone

NOTED

new Oyo Cpls.

FEB 16 1973

wants to discuss - call E.E.B.

Dick Smith

Present + proposed air stls

Joe Antonelli
Ohio

541

methanol given off
over emissions don't get added
to other emissions when
calc. tot lbs.

NOTED

Larry Thomas

FEB 16 1973

Ph - Mass - nothing ~~error~~
Detroit - hearing man.

.06 by 1/74

covers appl. coatings
interfer. = Fed exempt.

Louisiana Fed limits

state Ky. has exempt FDA

.06 1/74

others in works

N. Boch -

NY 05

Pa 06

Burlington Ohio

Harris Pa City

Portland Ore.

Geo. Patterson

polynuclear arom.

ask Ashell Search

Pete Smyth

179-414

NOTED

Ph - Mass.

FEB 26 1973

Ch - 5-10%

E. E. S.

Se

WSZ

go over existing data
then make prog. to tighten R-66

Key water exempt OK

Ge - passing reg.

PC.

Low Fed 2-7-73

↳ Dave - see if he will Dave
send letter per Fed Reg.

1.

2.

Send R+D Mgr list of

carcinogens

confirm don't use

3.

MPO 1459

Kleiman -
E MMA
EA

human patch test
735

REB

REB

REB

Mark Halloo -

Tellm

12-14-72

Ind. Air Pollution

Send man.

4 cc of Ind.

1 cc of " 12-14-72

~~PS~~
~~Harry~~

Estes. Eastover

at Rutherford's cc of booklet

Frank Griffith -

2-19-73

Ept. Fis.

↑

4 hr. A.L. Temp. & external cost

36 rats ~\$2000

& sev. colors - mix together

+ paint

Dr. Z - should review test before run

Term log - 2 ms.

2 weeks to run

2-19-73

~~TRM~~

158-200

200 GM

prefus 175

Carl Kominaky ← Lincolnwood
Singer Co. 162-329
Ql. Poll. 20 mm

Vapor Pres. 70°F

← 25 psi

no Class ABC

670-205 Electrodeposited

H-74

23.9

- MW 90

UP

max. conc in
exhaust gas?

- 224

20.1

586

5

M.W. 118

UP = .015 psi

670-005

H-74

- 29.3

ethylene glycol monomethyl ether
" " monodentyl "

224

65.3

586

5

NOTED

FEB 20 1973

R M Sheppard -

(Osgood Feb 14th letter E.E.S.
will send cc

D. Hood 3531

946 Line

Kligman asked

~~has~~ ~~responded~~ what conc. to use + he
what needs to be done now -

run pilot test on men
& est. whether it was paint
told her prob. don't want to do now

Ed Aschelman

460 L Clear - Sales

old 173,000 gal. 1972

returned file to FD Chapman - He will agree to drop
E.L. Grimm agrees - but is concerned about
possible future problems

Jim Morgan

NOTED

FEB 20 1973

E.E.S.

V. J. Castrop
Ind Hyg Dept
GM Corp
12 mile + Mound Rd
Waverly, Mich 48090
313-575-2791

can do series Pb

Ethylene Oxide
Down Butylates - Philo has
FX Machine "

ELC union

Still thinks we should
find out why 460 L is worn
and see what can be done to
reduce irrit. potential

Pete Jones - ML

substantially alarms for spray booths
see Feb 6 pg - call RoFluor - Clinton
Plant

Dough

963-AM-122

Ph. Joe

L P&S-414

Tom Jones

GM

CAMP

L

RC 3181

propylene
imine

R

~~LOFA~~

RK 3300

CAMP

L RC 3181

propylene imine - acetic
VOE-LOFA

RK 3224

CAMP

L

UH 3379

RK 3294

GM

RK 3296

GM

RC 3176

3181

Ross A - will call

NY - 205 - is he writing brief?

2-21-73

- Date -

ELG - say same as Van & Clay
small appl - no Pt finishes

2-22-73

Rich Howard Heart Fund

I will send list.
prog outlines

if we order handsets - takes 2 weeks
& set

WSZ

NY 2-22 letter ok
except disc. & question possibility
of printing out multiple stone
pages

Laursium draft looks "perfectly
fine"

2-23-73

CMH

add "As you know, paint such as
containing lead chromate
ours have been used for years without
problem"

ELG - J Hughes

NOTED

FEB 24 1973

Local #49.

E.E.S.

Normally assume NYC abides by
state reg.

L. Thomas will check - local
NPCA to see if anything new.

Revised R-205 may not allow either

Gos Evans-

↳ yesterday results negative
made more tests today
HOF got traces - filters

TMSN -

↳ has gas chroma prod.
0.01%

has reference method
would have to develop method
for air measurement
thinks

hard to rock - rate of which
TMSN could be emitted
prob could ^{with difficulty} develop method that
could detect levels at TLV +
sup. dev. method - test F.P. first ^{may not} ^{have any} ^{TMSN}

M Schaffer

NOTED

FEB 23 1973

1. TMSW adv. all people ^{E.E.S.} who
used Vays

audible alarm for hoods - they
are looking at

Vocation -
Feb 26 - Mar 2 5 days

CD Smith

Mon - Haskell

NOTED

MAR 5 1973

① Set up mtg. Mon. 3-12 E.E.S.

② talk to lab -

Re - surveys made of plants

Have mtg. i. Evans & super.
DeBoer
about tests + sched

③ Call Sta. about determents

Hornberger

man ok @ Coal

Printing ink - ok no reactions
on super sens. person

CSA
Zopp
Hubich

Bill Famborne
(Car Care

updates bulletins

ADY

(contains titles

Gerardo
CD/S -
H. Sullivan
D. Sullivan
M. Sullivan
M. Sullivan

Al Cowen

send him Evans report
he will keep within 00

Zapp

~~200~~ long term effects - skin
eyes

Carol L.

Carol J. animal feeding studies
c Di Ceyan -

Geo M Clare



1. OSCO - $< 1\%$ asbestos

2. Fiber K. titanate

get reports from Haskell - call

35% silica coated
pot. titanate

ILCR. Treated Fiber

- Jerry Estes - Elastomers

~~Kraus~~

Gas Booster Concentrate
label

Does formula change -

rec. change in label

10-5-72 - form

RC CP-70-7 suppl. C
or (A)

9-29-72

Yes.

DMA 115 has been tested
added mineral oil

Yes Patterson

J. Johnsons

MCA Safety Data Sheets
or other Coy. data that is
might find useful

NOTED

MAR 11 1973

E.E.S.

Wynne Starr

aerosol - cleaner (car)

form. change

ptt - 9-10 orig. - tok at
Haskell

if ptt - 12 - I would guess that
might have varit problem
at 12 or above

Open flame - is solid

Tenn

Zinnit

Level d cover. regulation
affect way we

list end persons activity make

self

ship

customers use

TRM
HKK
CPS
FTJ

Geo Evans -
L TMSN -

NOTED

MAH 1973

Tom Nelson
E.E.S.
made measurement

NCO -
L Toronto

Comp. paint -
he doesn't want to do it
call him Tues about JCR request

Bill Waldron
VAZO

need to reorganize total
hazard & toxicity effort

present soln. - not problems

Herb Batson

1000 lb → 150

How hi slide

will call late PM

3-6-73

Larry Thomas
L mass.

L label for ind. prod.
public hearing 3-16-73

NY -

writing brief -

San Ring may Co & NY -
State Law 205

Detroit - Plb law
L will pass soon

John Kloss - Memphis
1922-2003 370

~~Plb~~ Smyth -

Ex - regulations - air

Plb - exemptions for Refinish

Ervin Hamberg, Plaster
Louisiana, Calif.

Hugh Tools

Tom Nelson has done

doesn't think any more where
hel is approached

Walt Potzman Chairman

Env. Council for Philadelphia

Paul Bringle

/081 - 432 24

xytol

HC

toluene

at Dietz - says xytol could cause
suggest better ventilation

(Doc for TLV says xytol causes
eye irritation at 200 ppm

Fri Mar. 16th 930

3-7-73

Frank Bodurtha

look C E mag. - back back issue
5-8-72 pg 137
intern. poll. entered

don't know of any HC reg

Ger. is one of toughest
Vango lat regions
Siskell - Mechellin

have ^{less} no spidant problems
guess no str. laws on a person

Tenn.

H. Hodges - Did not say anything about
still no HC reg. change

Ray Pedmen, Memphis 243

Ray Connor

NY

NRCA preparing stats

Law. - Paint not involved

(LEPA says: applic. not covered but
in effect. info. plant was covered)

Texas - submitted regular brief

Paul Mayes

cross link rub - not new

a Tengel

CR Bora -

works for L. O. Hall

Macklin

chgo

Belgian

handles

contacts

for auto

Howard

Reprint - ordered

by phone

Marty Schaeffer

~~Ed~~

Ethylene

Machine

(Propylene
Machine)

3-8-73

L.C. Chu

Corning
BCME

Phil Harrison

West Co
Phoenixville Pa

Tiflon Teflon molds used to make
chem. rubber products -

Is release used?

No - but tell them about
normal release proc.
for medical uses.

3-12

list job exp.

Les Young

H-41 Methanol

NCO -

customers - use
using Model III
Desmodex 1L (TDI)

NC -

Survey of compl

White Farm Co.

asked for complying finishes
had 120 d. to submit plan
now

Thomasville -

wants comply by 12/73
as many as possible by 6/1/73

Bill Sneller

(complaint - roach
oil base wood filler)

crisp acid in the -

John Backus

- 412-923-2700

↳ having trouble at 0.02 ppm

(1) UV - Canada -

↳ has trouble reproducing at low conc

(2) thin layer

use GC method which
is OK at 0.5%

NIOSH goals recom.

TWA - 0.01

Coding 0.02

late stages of preparing
criteria documents for TDI
not satis. w/ TDI measurement

need sensi. test

Bayge methods

↳ cabled for more info

Dr Zapp Benzene
ghhkhklt plasteungss

Hasbrell

3-12-73

G. Evans

TOR M

3-12-73

TR Jones

CO5

RTH / CSH

EES

A

ELG

JAZ

do label recom

(1)

Carl wants to modify label
+ will respond. E recommend

~~then~~ then meet = ELG/JAZ

B. will also prepare long range
program

NOTED

Bates McClellan

MAR 13 1973

Views on 3-15-72

E.E.S.

NY 205

Kallsis

-tell him we think

205 is quite good reg

made some minor sug.

for improvement

this will be avail. at

hearing

2367 6 bags
Credenza not enclosed

NOTED

MAR 13 1973

E.E.S.

Boxes Stowed on floor
File Rm 2271

Carpet needs repair actual 2277

3/14/73 1:30 PM

NOTED

MAR 14 1973

E.E.S.

Child ingested Pesticide
Christine Cottrell
Poison Control
Portland Or.

503 - 225 8582

CKI took call - referred to
CF Reinhardt, Hasbick Lab

NOTED

MAR 15 1973

Chip Chapman - another dermatitis E.E.S.

San Juan color shaded
used hand cream - rec. by food
not air cond.

ans.

air cond. & wear gloves
a possible aid

Hasbick hasn't ans. my letter yet
don't know what else we can do now

Tom Castle, MRI
toxicologist

Curtis Klassen U of Kansas Med Sch
↳ rats can tolerate Pt
(because of excretion)
better than humans

Call Dr Z

- (1) has he heard of Klassen
- ↳ on rats = loop

FDA - conc Pt

Hg

Cl

95% / Cd pigment go
to plastic and i

CA 00033 mg/kg

Cl 05 mg/kg

Joe Kingston Clinic 771-5121

No.

3

Hg III ?

1

Cs ~~to~~ Phen II

1

Pb under way

2 Cr

2 Sb

3

Copper Phthalocyanine

any Tox data ask Pig.

-7

Cd - not widely used
can "borrow" info from
plastics industry

3

Ba

Barytes

Blanc fix - get BaSO₄

get data on imp from supplier

3

Pb

any further work

Preface

1. List of E selected by
Tech Group on comp. & printed
industry
2. Diff bet profs problems
and finished prod topics
3. Prelim survey

TR Jones

NOTED

MAR 19 1973

He is going to label per ^{EES}PTJ 3-14-73
letter

EES send cc to Haskell
Bowen

EES ask Haskell for long term test
proposal
Bowen writing to help sponsor tests

J. Hochberg

Emission limits in Dela.?
none now - if some get
prop. we can try for exp.
spray booth exemption or
they will have to state 85%.

Hank DeMorsico
Wymore.

Bonnett

do cholesterol / Triglyceride test
overweight
hi blood. press.
over 40

Beth Fairborn

① Rally Lig. Car Wax

#25 L. wax product
Tox. & 1st aid

② R. Vinyl Top Cleaner
refers to #47
almost same prod.

EDTA

no PO₄ =
+ 2 updated RCon wash conc
ESOTERIC -

CSH - He doesn't like strong smell
of use of mask
Send him letter asking for proposed
program for WEO study

Tom Mome

Ohio -

P-1 area

R-66

X-linked

do they have to abate? Yes!

NOTED

MAR 19 1973

E.E.S.

Dave Hamlin

478-4796

X

tent trailers

Apachu Mesa '67 1800 lb

brakes? no tongue 125 lb

hardtop

always garaged

950 ⁰⁰

Dom Angelini

wants to give safety program

Dick Lion

ETA May

acute oral LD₅₀ 2000 mg/kg

< 1000 mg/kg no effects

~~low~~ low oral toxicity

NOTED

MAR 20 1973

E.E.S.

CS Hornbeek

No. 7 auto polish

Will .5% HCHO cause skin problems?
ans. prob. not to occasional use
daily use might yield some problems

Wayne Holsey 3564 Haskell Finson.
He will send analysis of soots

H-570

A-262

P. Bach - NRC

may grant relief on labelling
" " additional terms

meet Wed or Thurs

Flag 440

Mrs. Thomas Bayard - 655-0059

Westchester DC

Specs Interview Enamel
Johns Paint Co painted

semi class
fin week ago Fri
windows open
Mrs. Stokes from Johns
not
went to Dr. headache, stomach
cramps

sore throat
painter says didn't add anything
she's better now
hopes smell go away

9 Twaddell Mill Rd
Centerville

H512 0.032 lb/gal
monochloramine

= 14.5 g / gal

if room 9 x 12

3 x 4 x 3 M

36 m³

$\frac{14.500 \text{ mg}}{36}$

400 mg / m³

100 ppm caused resp. tract irritation
Patty 2065