

Special to The Washington Post

Eighteen years ago, a worker at the small Mineral Pigments Corporation factory in Beltsville—which makes pigments for coloring paint, ink, plastic and cement—complained to state authorities about what he thought was lead poisoning from dust in the plant.

Twice that year, Maryland health inspectors went to the factory to investigate. But each time, according to state records, company officials shut down potentially dusty operations and the inspectors were unable to measure for lead contamination.

This year, Clarence Wolfe, a pale and gaunt-looking worker at Mineral Pigments, which now has a different owner, also complained of symptoms of lead poisoning. "I'm always tired, I'm run down. I don't have any energy or anything," the 43-year-old worker said.

"There's times out there, it's terrible," Wolfe said of the dust in an interview earlier this summer. "I've seen it like a fog around here."

100 cubic centimeters of whole blood, considerably higher than the 80 microgram level most health experts consider a danger line for lead absorption. "Above 80 micrograms," explained Dr. J. Jullan Chisholm, associate professor of pediatrics at Johns Hopkins University Medical School and a nationally recognized expert on lead disease, "the risk of serious symptoms of lead poisoning increases dramatically."

During the last few years, state and federal officials have been aware of a problem at Mineral Pigments. Yet deadlines for correcting it have been set and reset repeatedly.

Once again, authorities are investigating Mineral Pigments. The history is tangled and, to some government safety officials, troubling.

"It's not a good story," said Morton Corn, assistant secretary of Labor for the Occupational Safety and Health Administration (OSHA). He termed

See MINERAL, A2, Col. 1.

## Industrial Chemical PCB Is Linked to Liver Cancer

By Morton Mintz

Washington Post Staff Writer

COLD SPRING HARBOR, N.Y., Sept. 12—A toxic industrial chemical that recently was found in the milk of 65 of 67 tested American nursing mothers was linked to liver cancer in humans today by a leading Japanese scientist.

The chemical, polychlorinated biphenyls (PCBs), is believed to be present in the fatty tissue of nearly every person in the United States, Japan and possibly other industrialized countries.

The association of PCBs with human liver cancer—which is always fatal generally within a year—developed from an episode in which about 1,000 persons in Yusho, Japan, over a period of a few weeks in 1968, ate rice oil accidentally contaminated with a total of 0.5 to 6.0 grams of PCBs.

Varying but apparently extremely high amounts of PCBs persisted in some of the victims' bodies. Many still report fatigue, headaches, fever, coughs, numbness in the limbs, severe

skin eruptions, and digestive and menstrual disorders. Some infants born to victims had PCBs in their tissues at birth, and also had severe skin discolorations.

PCBs, extremely stable chemicals, are used in electrical equipment, paints, printing ink, adhesives and other products. They have been used widely for 45 years but were not regarded as environmental contaminants until 1966.

Dr. Tjkeshi Hirayama, a specialist in tracing the causes of human disease at the National Cancer Center Research Institute in Tokyo, told an international conference on cancer at Cold Spring Harbor Laboratory that five of the Yusho victims died of liver cancer within five years after eating the contaminated cooking oil. This figures out to a rate of 300 per 100,000, compared with the expected rate of 31 per 100,000.

Hirayama, in an interview later, said that the association between PCBs and liver cancer was definite in

See PCB, A6, Col. 3.

zania—U.S. Secretary of State Henry A. Kissinger begins his second trip to Africa today in what appears to be a largely self-created atmosphere of limited official optimism, matched here by a sense of deep skepticism and even suspicion about his mission among African and nationalist leaders.

Moderate African chiefs of state like Zambian President Kenneth Kaunda now believe Kissinger is "groping in the dark" for a last-minute negotiated settlement in the worsening Rhodesia and Namibia disputes. Militant Rhodesian nationalist leaders like Robert Mugabe says his involvement in southern Africa is "unfortunate" and that Kissinger is creating "all kinds of false hopes and impressions."

Militant black Africa feels that the American secretary of state is attempting to engineer the emergence of pro-Western "puppet" black governments in Rhodesia and Namibia, (Southwest Africa); the better to contain the spread of Soviet-backed socialist states and preserve Western economic and political interests in mineral-rich southern Africa.

"Perhaps the word 'containment' best summarizes the new U.S. policy," said the Tanzanian Daily News last week. "By attempting to manage the emergence of majority rule in Namibia and Zimbabwe, (Rhodesia); the U.S. is trying to steer that nationalism in a moderation direction."

The only optimism voiced in southern Africa is in South Africa, where the Kissinger mission is regarded as vital and has served to give Prime Minister John Vorster an unparalleled standing of world respectability in the eyes of whites there.

The state-controlled radio talks constantly of the "Vorster-Kissinger initiative" and

See AFRICA, A6, Col. 2.

tended today by cause of the de- is a clear indic value China p relations with States because perception of Soviet power.

Strong evidence importance was shortly after M sources here Mao personally led the invita shortly before was informed ger's arrival.

The original made by Mao inger was still defense, but withdrawal months sin placed by Pr

Chin

# Study Links PCB To Liver Cancer

PCB, From A1

two cases and possible or probable. In the remaining three. The two definite cases alone translate into a rate six times higher than normal, while all five cases translate into a 16-fold higher incidence, he said.

Hirayama's presentation followed a report by pathologist James R. Allen of the University of Wisconsin, who warned that "any level" of human exposure to PCBs "may be injurious to human health."

The Yusho rates—reinforced by data on brain changes in monkeys and other adverse effects in animals cited by Allen—suggest a "high possibility" that PCBs caused the liver cancers, Hirayama said.

As for the hundreds of millions of persons who have ingested much smaller amounts of PCBs, mainly in their food, Hirayama said, "I am concerned about the implications for people everywhere. There is no question the problem is serious."

Although Hirayama previously had reported the liver cancer risk calculations in Japan, they came as a surprise to several attending scientists who specialize in causes of environmental cancer.

Hirayama's disclosure "is one of the most worrisome sets of data that we have recently seen," said one of those scientists, Dr. Irving J. Selikoff of the Mount Sinai School of Medicine in New York City.

The Environmental Protection Agency recently reported that PCBs had been found in tests of milk of mothers who live in 10 states. EPA and Department of Health, Education and Welfare officials have set Sept. 23 for a meeting with obstetricians and pediatricians about how to advise mothers about breast feeding.

The concentration of PCBs in the mothers' milk fat was highest, 10.6 parts per million, in a Michigan woman, while it averaged 1.4 ppm in 18 Virginia women. Overall, the average was 1.7 ppm.

The temporary maximum allowed by the Food and Drug Administration is 0.2 ppm for infant and junior food, but is 2.5 ppm for cow's milk on grocer's shelves.

In recent studies reported by pathologist Allen, female monkeys that consumed PCBs at a rate of 2.5 ppm had much higher concentrations—up to 16 ppm—in their milk fat. Exposed to this "severe toxicity," Allen said, their breast-fed infants developed skin discoloration, acne, loss of eyelashes, and swelling and congestion of the eyelids.

The infants improved when weaned from milk containing PCBs, but, Allen said, a 1976 study showed that "behavioral and learning deficits" had persisted for at least a year and may still continue.

Allen recalled that the first indication that PCBs may be linked to cancer came from a Japanese study of mice in 1972. In a study of rats reported in 1975, 92 per cent of PCB-fed rats developed apparently malignant liver growths.

Not yet knowing of Hirayama's calculations of the human liver cancer increase at Yusho, Allen based his concern that PCBs may be carcinogens on animal data, saying, "There are only suggestions that a higher incidence of cancer occurs in persons exposed to PCB."

## Magruder's

1875-1975 100 YEARS

NABISCO  
NEW GONS  
50  
VANILLA  
WAFERS  
2/99

OUR  
FAMOUS  
SIRLOIN  
STEAK  
1.59

BACON  
SMITHFIELD  
1.39

FULL CUT  
w/ Bone  
ROUND  
STEAK  
1.19

BONELESS  
ROUND  
STEAK  
1.39

FRESH  
GROUND  
BEEF  
69¢

PORTERHOUSE  
GROUND  
& BONE  
STEAK  
2.29

LOCAL NEARBY FARMS  
FRESH VEAL  
SALE!

BONELESS  
VEAL  
ROAST  
1.99

VEAL  
CUTLET  
3.29

ROUND  
BONE  
CHOPS  
1.69

BLADE  
CHOPS  
1.49

BIG CHOPS  
1.19

SHOULDER CHOPS  
1.19

BONELESS  
STEW  
1.19

ROYAL  
DAIRY  
COTTAGE  
CHEESE  
59¢

KRAFT  
AMERICAN  
SINGLES  
12.12.11.12.89¢

SUGAR  
59¢

THOMAS  
ENGLISH  
MUFFINS  
89¢

DOLE  
PINEAPPLES  
39¢

THOMPSON  
SEEDLESS  
GRAPES  
39¢

LEQUES  
RIPE  
CALIFORNIA  
49¢

CHAMPAGNE  
66.25¢

VIENNA VA  
100 MINT  
1.00

ROCKVILLE  
CONFESSIONS  
1.19

We have the right to limit quantity in store shopping only.  
All start dated Sunday