

SHERWIN-WILLIAMS PRODUCTS

Master - Reid from printer - 1-7-31.

PRICE LIST

No. 70

EFFECTIVE JANUARY 8, 1931

Prices subject to change without notice

W. B. B.
JAN 7 1931

F. O. B. Prices

Abilene, Texas.
Amarillo, Texas.
Dallas, Texas.
Denver, Colo.
Ft. Worth, Texas.
Houston, Texas.
San Antonio, Tex.
Waco, Texas.
Wichita Falls, Texas.



THE SHERWIN-WILLIAMS CO.

SALES OFFICES AND WAREHOUSES
IN PRINCIPAL CITIES

SHERWIN-WILLIAMS

PRICE LIST

No. 70

EFFECTIVE JANUARY 8, 1931

Prices Subject to Change Without Notice

MAKE YOUR STORE

PAINT HEADQUARTERS

BY CARRYING THE FULL S-W LINE

TERMS

On Paints, Varnishes, Lacquers, Coal-Tar Products and ODP
Lead—60 days net; 2% for cash within 10 days from date of invoice.

On Turpentine, Linseed Oil, Reducers, Dry Colors, Insecticide
Material and goods not of our own manufacture—60 days net; 1% for
cash within 10 days from date of invoice.

Credit will not be issued on goods returned without our written
authority.

IMPORTANT

Shortages or errors in billing must be reported within ten days
from receipt of shipment to secure proper adjustment.

In making all shipments our responsibility ceases when we receive
a signed bill of lading from the transportation company. Claims for
losses and damage in transit must be filed with the transportation
company by our customers. If shipments are received in a damaged
condition, or short in the number of packages, be sure to have the
freight agent make such notation on the paid expense bill. This will
enable you to file and collect claim without affidavit.

TS70 (15) 830 590

THE SHERWIN-WILLIAMS COMPANY

GENERAL EXECUTIVE OFFICES

CLEVELAND, OHIO, 101 PROSPECT AVE., N. W.

All Inquiries should be addressed to the nearest office

ABILENE, TEXAS, 717 North Second Ave.	KNOXVILLE, TENN., 61-58 Wall Ave.
ALBANY, N. Y., Cor. Col. & Montgomery Streets	LITTLE ROCK, ARK., 700 Main Street
ALTOONA, PA., 1815-17 Green Street	LOS ANGELES, CALIF., 682-4 Main Street
AMARILLO, TEXAS, 819 Grant Street	LOUISVILLE, KY., 315-17 West Jefferson Street
ASHTABULA, OHIO, 225 Main Street	MANSFIELD, OHIO, Corner Third and Walnut Streets
ATLANTA, GA., 233 Peachtree Street	MEMPHIS, TENN., 121 Union Ave.
AUSTIN, TEXAS, 517 Congress Street	MIAMI, FLA., 289 West Flagler Street
BALTIMORE, MD., Pratt and Green Streets	MILWAUKEE, WIS., 1254 N. Tenth St.
BANGOR, ME., 75-85 French Street	MINNEAPOLIS, MINN., 701 Third Street, North
BATON ROUGE, LA., 149 East Third Street	MONROE, LA., 100 Canby Street
BEAUMONT, TEXAS, 945-975 Orleans Street	MONTGOMERY, ALA., 35 Commerce Street
BINGHAMTON, N. Y., 162 Washington Street	NASHVILLE, TENN., Commerce Station
BIRMINGHAM, ALA., 2018-12 Third Ave., North	NEWARK, N. J., Brown St. and Lister Ave.
BOSTON, MASS., 19-23 Pittsford Street	NEW HAVEN, CONN., 441 Chapel Street
BRIDGEPORT, CONN., 86 Cannon Street	NEW ORLEANS, LA., 379 Poydras Street
BROWNSVILLE, TEXAS, 706 Frontenac Street	NEW YORK, N. Y. (Warehouse), 92 Thompson Street
BUFFALO, N. Y., 37 Pearl Street	NEW YORK, N. Y. (Office), 282 Madison Ave.
CANTON, OHIO, 422-24 Tuscarawas Ave.	OAKLAND, CALIF., 1450 Shurwin Ave.
CEDAR RAPIDS, IOWA, 218 Third Street, East	OKLAHOMA CITY, OKLA., 223 East Grand Ave.
CHARLESTON, S. C., 267 East Bay Street	OMAHA, NEB., Corner Tenth and Dodge Streets
CHARLOTTE, N. C., 212 West First Street	PHILADELPHIA, PA., Delaware Ave. and Chestnut St.
CHATTANOOGA, TENN., 524 Broad Street	PHOENIX, ARIZ., 512 West Jackson Street
CHICAGO, ILL., 115th Street and Cottage Grove Ave.	PITTSBURGH, PA., 55-54 Water Street
CHICAGO, ILL., City Office and Warehouse, 2801 Purchasing Place	PORTLAND, ORE., 484 Everett Street
CINCINNATI, OHIO, Sixth corner Main Street	PROVIDENCE, R. I., 64 Traveras Street
CLEVELAND, OHIO, City Office and Warehouse, 981 Canal Road	RICHMOND, VA., 1315 East Main Street
COLORADO SPRINGS, COLO., 123 East Bijou Street	ROCHESTER, N. Y., 44 South Ave.
COLUMBIA, S. C., 1713 Main Street	SALT LAKE CITY, UTAH, 53 West Broadway
COLUMBUS, OHIO, 80 East Gay Street	SAN ANTONIO, TEXAS, 135 West Commerce Street
COLUMBUS, GA., 1434 Broadway	SAN FRANCISCO, CALIF., 466 Second Street
DALLAS, TEXAS, 1621 Wall Street	SAVANNAH, GA., 725 Wharton Street
DAVENPORT, IOWA, 129 East Second Street	SCHENECTADY, N. Y., 129 Jay Street
DENVER, COLO., 1629 Arapahoe Street	SEATTLE, WASH., 512 First Ave., South
DES MOINES, IOWA, 923 West Locust Street	SPARTANBURG, S. C., 247 East Main Street
DETROIT, MICH., 1956 Milwaukee Ave., East	SPOKANE, WASH., 157 South Post Street
EL PASO, TEXAS, 216 Stanton Street	SPRINGFIELD, ILL., 512 East Monroe Street
EVANSVILLE, IND., 211 Main Street	SPRINGFIELD, MASS., 323 Bridge Street
FORT WORTH, TEXAS, 206 West Third Street	ST. LOUIS, MO., 518 Spruce Street
GALVESTON, TEXAS, 23rd and Postoffice Streets	SYRACUSE, N. Y., 214 West Jefferson Street
GRAND RAPIDS, MICH., 25 South Lake Street	TAMPA, FLA., 713 Florida Ave.
HARTFORD, CONN., 283 Trumbull Street	TEXARKANA, TEXAS, 309 Pine Street
HIGHLANDTOWN, MD., 2540 Eastern Ave.	TRENTON, N. J., 119 East Hanover Street
HOUSTON, TEXAS, Cor. Main St. and Clay Avenue	TULSA, OKLA., 118 South Chippewa Ave.
HUNTINGTON, W. VA., 1015 Fourth Ave.	UNIONTOWN, PA., Penn. & Beason Roads
INDIANAPOLIS, IND., 316 West Georgia Street	WACO, TEXAS, 726 Austin Street
JACKSON, MISS., 219 East Capitol Street	WARREN, OHIO, 282 Main Street
JACKSONVILLE, FLA., 2329 Liberty Street	WASHINGTON, D. C., 921 Mummy Bldg.
JOHNSON CITY, N. Y., 256 Main Street	WHEELING, W. VA., 22 Twelfth Street
JOPLIN, MO., 823 Main Street	WICHITA FALLS, TEXAS, 514 Scott Street
KANSAS CITY, MO., 1400 St. Louis Ave.	WORCESTER, MASS., 24 Mechanic St., Cor. Norwich
	YOUNGSTOWN, OHIO, 271 West Federal Street



INDEX

SHERWIN-WILLIAMS' PRODUCTS

	Page		Page
Acid Stains.....	51	Colors in Japan, Quick Drying	34-35
Aluminum Bronze.....	13	Colors in Oil (First Quality).....	20-21
Aluminum Paint.....	11	Colors in Oil (Master Painter's).....	29
American White.....	11	Commonwealth Barn Gray.....	14
Antydamp.....	13	Commonwealth Barn Red.....	14
Arsenate of Calcium, Dry.....	55	Commonwealth Paint.....	14
Arsenate of Lead, Dry.....	55	Concrete and Cement Hardener.....	15
Asphaltum.....	54	Concrete Floor Paint (Floor Enamel).....	26
Auto Enamel.....	10	Concrete Wall Finish.....	15
Auto Finishes (Opex).....	30	Copper Bronze.....	13
Auto Seat Dressing.....	10	Copper Paint.....	15
Auto Top Dressing.....	10	Cornish Eureka Gold Size.....	13
Auto Touch-Up Black.....	44	Crack and Seam Filler.....	16
Automobile Varnishes.....	52-53	Cresol (50%).....	61
		Cresolux.....	62
		Damp-proofing.....	11
Barn Paints.....	14	Dancing Floor Wax.....	45
Bath Enamel.....	12	Decotint.....	16
Blackboard Slating.....	40	Decalcomania Patterns —	
Bras-Brite.....	12	See Decalcomania Booklet S-2003	
Brick Red.....	22	Disinfectants.....	61-62
Brighten-Up Stain.....	12	Driers and Japans.....	51
Bright Trim Colors.....	9	Dry Colors.....	16-17
Bronzes, Dry.....	13	Dry Lime-Sulfur.....	55
Bronzing Liquids.....	12	Ebonol.....	57
Brushing Lacquer.....	36	Ebonol (Quick-Drying).....	57
		Ebonol Reducer.....	57
Calcimine.....	16	Eg-Shel White (Save-Lite).....	59
Canoe Enamel (Auto Enamel).....	10	Elastic Roof Cement.....	58
Carbolic-ol.....	58	Enamel, Bath.....	12
Carbolic-ol Shingle Stain.....	58	Enamel, Old Dutch.....	30
Closet Chemical.....	62	Enamel, Opex.....	30
Coal Tar Products.....	57-62	Enamel, Screen.....	40
Colors, Dry.....	16-17		
Colors, Quick Drying.....	34-35		

INDEX

	Page		Page
Enamel Split-Coat.....	19	Glass and Stencil Colors (First Quality Oil).....	20-21
Enamel Undercoater (Flat-Rite).....	22	Glazing Liquid (Flat-Tone).....	34
Enamel Undercoater (XXX).....	47	Gold Bronze.....	18
Enamelo.....	18	Golden Oak Stain.....	44
Enamelastic.....	18	Gold Paint and Gold Enamels 13-28	
Enameloid.....	19	Gold Size.....	16
Engine Enamel, Gas (see Auto Enamel).....	10	Graining Colors in Oil.....	26
English Venetian Red (Paste).....	18	Graining Preparation.....	27
Family Paint.....	21	Graphite Pipe Joint and Gasket Compound.....	27
Filler, Liquid.....	51	Graphite Ground in Oil.....	27
Filler, Paste Wood.....	31	Handcraft Stains.....	42
First Quality Oil Colors.....	20-21	Handy Touch-Up Black.....	44
Flat Black.....	24	Harmless Sheep Marking Liquid 60	
Flat Brick Red.....	22	Hemingway's London Purple.....	36
Flat-Rite.....	22	House Paint.....	9
Flatting Oil.....	53	Inside Floor Enamel.....	26
Flat-Tone.....	23	Insecticides.....	35-36
Flat-Tone Glazing Liquid.....	34	Japan Colors (Quick Drying).....	34, 35
Flat-Tone Mixing Size.....	23	Japan Drier.....	31-34
Flat-Tone Plastic Pigment.....	24	Kalsomine.....	16
Flaxoap.....	23	Kiltik D.....	39
Flo-Lac.....	25	Kromik Metal Primer.....	27
Floor Enamel.....	26	Lacquer, Open.....	30
Floor Paint, Porch.....	33	Lacquer (Rogers Brushing).....	26
Floor-Seal.....	34	Lacquer Polish.....	37
Floor Wax—see Prepared Wax.....	45	Lead and Zinc in Oil (Zilo).....	38
Floor-Wipe.....	25	Lead in Oil.....	31
Fly Spray.....	50-59	Lime-Sulfur, Dry.....	55
French Crown Green (Paste).....	35	Linseed Oil Soap (Flaxoap).....	22
French Yellow Ochre (Paste).....	47	Liquid Filler.....	51
Fungi-Bordo.....	56		
Furniture Polish (Polish-ol).....	22		
Galvanised Iron Primer.....	26		
Gas Engine Enamel (Auto Enamel).....	10		

INDEX

	Page		Page
Liquid Gold.....	28	Pavement Marking Paint.....	43
Liquid Red Lead.....	38	Perfect Method Red Lead.....	38
Liquid Roof Cement.....	57	Perments.....	33
Liquid Wax.....	45	Pestroy.....	54
Liquor Cresolis Compositus, U. S. P.....	61	Pheno-Dip.....	49
London Purple, Hemingway's, ..	56	Phenolene.....	61
Machine Paint and Filler.....	28	Pine Oil Closet Chemical.....	33
Master Painters' Flat White.....	28	Plaster Bond.....	32
Master Painters' Colors in Oil.....	29	Plastic Pigment (Flat-Tone).....	34
Metal Polish (Bras-Brite).....	12	Polish, Furniture.....	33
Metal Primer (Kromik).....	27	Polish, Metal (Bras-Brite).....	12
Metal Protective Paints.....	28	Polish-ol.....	33
Metastatic.....	28	Porch and Deck Paint.....	33
Mill White Eg-Shel (Save-Lite).....	39	Powdered Floor Wax.....	45
Mohair Top Finish—see Auto Top Dressing.....	10	Prepared Wax.....	45
Non-Corrodible Graphite.....	39	Preservative Shingle Stains.....	42
Ochre (Paste).....	47	Pruning Compound.....	56
Oil Colors (First Quality).....	30-31	Quick Drying Colors (in Japan)	34-35
Oil Colors (Master Painters').....	29	Quick Drying Ebonol.....	57
Oil Stains.....	41	Red Lead (Liquid).....	38
Old Dutch Enamel.....	30	Red Lead (in Oil), see Perfect Method Red Lead.....	38
Old Dutch Process White Lead.....	31	Rogers Brushing Lacquer.....	36
Opex Lacquers.....	30	Rogers Lacquer Polish.....	37
Outside Gloss White, SWP.....	9	Rogers Vogue Finishes.....	37
Oylapine (Oil-and-Pine).....	61	Roof and Bridge Paint.....	37
Paint and Varnish Remover (Taxite).....	43	Roof Cements.....	57-58
Paris Green.....	55	Roof Paints (Coal-Tar).....	57-58
Paste White Paint.....	31	Salamander Black.....	38
Paste Wood Filler.....	31	Save-Lite (Eg-Shel White).....	39
Paste Paint.....	31	Schoolboard Etching.....	40
		Screen Enamel.....	40
		Seat Dressing, Auto.....	10

INDEX

	Page		Page
Semi-Lustre.....	39	Varnishes, Driers and Japans	49-54
Semi-Paste Paint.....	40	Varnishes, Automotive.....	53-55
Sheep Marking and Branding		Varnish Stain (Brighten-Up	
Paints.....	40	Stain, Flo-Lac).....	12, 25
Shellacs.....	40	Venetian Red, English (Paste).....	18
Shingle Stains, Preservative.....	44	Verdelite.....	44
Size, Gold.....	15	Vogue Finishes, (Rogers).....	37
Size, Flat-Tone Mixing.....	23		
Smoke-Stack Paint.....	38	Wagon and Implement Paint.....	46
Soap (Linseed Oil).....	22	Wall Finish, Concrete.....	15
Stains.....	41-42	Wall Finish (Flat-Tone).....	23
Stencils— See Stencil		Wall Finish (Semi-Lustre).....	39
Catalogue.....	B-439	Wall Finish, Water Paint.....	16
Stock Dips.....	59-60	Wall Paint No. 96.....	46
Stove-Pipe and Iron Enamel.....	43	Wall Primer and Sealer.....	46
Sulfur, Dry Lime.....	55	Water Stains (Acid Stains).....	41
S-W Disinfectant.....	61	Wax, Dancing Floor.....	43
SWP.....	9	Wax, Floor.....	43
		Wax, Liquid.....	45
Taxite (Paint and Varnish		Wax, Prepared.....	45
Remover).....	43	White Lead (in Oil).....	31
Thinner, Universal.....	44	White Zinc (in Oil).....	47
Tick Dips (Kiltik D).....	59		
Top Dressing (Auto).....	10	XXX Enamel Undercoater.....	47
Touch-Up Black.....	44	Yellow Ochre French (Paste).....	47
Tractor Paint (see Wagon and			
Implement Paint).....	46	Zinc (Lead and Zinc in Oil).....	48
Traffic Zone Paint.....	43	Zinc in Oil, White.....	47
Trim Colors.....	9	Zone Paints.....	43
Universal Thinner.....	44		
Undercoater, Flat-Rite.....	22		
Undercoater, XXX.....	47		

SHERWIN-WILLIAMS PRODUCTS

THE LARGEST PAINT AND VARNISH MAKERS IN THE WORLD

The paints, varnishes, colors and specialties listed in the following pages include everything demanded in modern finishing. They will satisfactorily supply the paint and varnish needs of the painter and decorator, the sign-writer, the contractor and builder, the architect, the carriage custom and repair shop, the property owner, the farmer and the housewife.

We offer our line of products to the trade with the knowledge that they will fulfill every claim we make for them and, when used as intended, will always prove satisfactory.

Controlling, as we do, the supply of nearly all important raw materials used in our products and maintaining chemical laboratories and testing rooms where they are carefully examined for quality, we are able to offer goods of higher quality, which are more reliable and uniform than those made by less favorably situated makers. When pushed by a live, wide-awake merchant, Sherwin-Williams Paints and Varnishes will overcome competition, bring good trade and profits and give the dealer a reputation for reliable goods that will be one of his most valuable trade assets.

The Sherwin-Williams Co. was founded in 1866. Ever since that time we have held strictly to the highest standard of quality in paint and varnish making. We believed that the best goods would sell the best and our splendid success has proved we were right. Today we are the largest concern of the kind and expanding rapidly.

Our facilities include:

Factories in Cleveland, Chicago, Detroit, Montreal, Newark, Bound Brook, Oakland, Boston, Los Angeles, Lincoln, Dallas and London, England.

Warehouses and offices in principal cities from Atlantic to Pacific Ocean.

Representatives covering every important paint and varnish field in the world.

Linseed oil mills, where we make, treat and age strictly pure linseed oil for our products.

Lead and zinc mines and smelters, where we employ large forces of men to mine and convert these ores.

Intermediate, dye and chemical plants where we produce base materials for use in the manufacture of paints, stains, enamels, etc.

White lead plants, where we corrode white lead by the Old Dutch Process, and manufacture other lead products.

Acid manufacturing plants, producing great quantities of Acetic and other acids.

Dry color factories, the largest and best equipped in America, where our dry colors are made.

Lithopone plant, where the highest grade of Lithopone is produced for use in Flat-Tone and kindred products.

Plants for manufacturing a complete line of insecticides and fungicides for use on fruit, vegetable and field crops.

Varnish, Japan and drier works, where these products are made exclusively.

Lacquer plant, where we manufacture a complete line of nitrocellulose lacquers and enamels.

An up-to-date plant for distilling coal-tar to make pitch paints, roof cements, stock dips, disinfectants and creosote wood preservatives.

Tin can factories that make the tin cans we use.

Printing plant, with modern presses, bindery, sampling and finishing department, etc., where our advertising and printing are economically handled.

Machine shops, that make mills and machinery of our exclusive design.

These facilities enable us to make sure our goods are right from the foundation up and save us much in cost of manufacture that is put into the quality of the goods and the maintenance of a strict standard service.

SHERWIN-WILLIAMS PRODUCTS

SWP

SHERWIN-WILLIAMS PAINT, PREPARED

For Painting Buildings



The most durable and economical paint that can be made. There is no other material, either prepared or hand-mixed, that will give such uniformly good results. SWP is made from carefully selected materials possessing best paint qualities, thoroughly mixed in most scientific proportions to insure best results, and very finely ground in machinery of our own design.

On comparative test with lead and oil or cheaper materials, SWP will prove to cost less by the job, because it spreads more easily under the brush, saves the painter's time, covers the greatest number of square feet to the gallon, and wears the longest possible time. It will cover 300 square feet of average surface two

costs to the gallon. Briefly, a given surface can be properly painted with SWP for a less average cost per annum than any other paint made, including pure white lead and oil.

SWP is made in one quality only, and that the very best that our long experience in high-grade paint-making indicates will give best results. SWP has been on the market for nearly 60 years and enjoys a higher reputation and larger sale than any other paint in the world.

Color Card C, C-16

SWP WHITES

OUTSIDE GLOSS WHITE

The most durable and economical white paint for general use on all exposed surfaces in all climates, S-W Outside Gloss White is a pure paint made from pure carbonate of lead, sulphate of lead, pure oxide of zinc and pure linseed oil, with the necessary drier and turpentine. There is no outside white paint made that will cover more surface per gallon, look as white and retain its whiteness and give such general satisfaction over a long period of time as S-W Outside Gloss White.

CHINA GLOSS WHITE

A satisfactory interior enamel where economy is of the first importance.

FLAT WHITE

For exterior use as a flat finish but more especially as an undercoat or ground coat for exterior enamels.

SHERWIN-WILLIAMS PRODUCTS

SWP

SHERWIN-WILLIAMS PAINT PREPARED

	1/2 Pts.	Pts.	Qts.	1/2 Gals.	Gals.	5-Gals.	Bbls.
Antique Brown, 499.....							
Apple Green, 460.....							
Black, 467.....							
Blue (for inside work), 369..							
Bottle Green, 484.....							
Bronze Green, 475.....							
Canary Yellow, 387.....							
Colonial Yellow, 375.....							
Cream, 462.....							
Cream Gray, 360.....							
Golden Brown, 486.....							
Golden Yellow, 470.....							
Ivory, 496.....							
Light Lead, 353.....							
Modern Brown, 388.....	24	40	75	1 38	2 60	2 55	3 50
Pea Green, 383.....							
Pearl Gray, 479.....							
Primrose Yellow, 394.....							
Quaker Drab, 391.....							
Red, 367.....							
Rich Maroon, 382.....							
Sage Green, 355.....							
Sea Green, 354.....							
Silver Gray, 357.....							
Sky Blue, 464.....							
Slate, 363.....							
Stone, 351.....							
Straw, 385.....							
Tobacco Brown, 393.....							
Warm Drab, 485.....							
Willow Green, 461.....							
China Gloss White.....							
Flat White.....	25	43	78	1 48	2 80	2 75	3 70
Outside Gloss White.....							
French Crown Green, 362....	26	45	83	1 58	3 00	2 95	3 90
Moss Green, 498.....							

Net Prices

Half-pints, 48 in case Pints, 24 in case Quarts, 12 in case
Half-gallons, 6 in case Gallons, 4 in case.

BRIGHT TRIM COLORS

The use of bright colors for trimming homes, particularly the stucco type, is increasing in popularity, and to meet a definite demand for these bright colors we have manufactured them in SWP quality.

Verdas Green is the popular shade for painting shutters, sash, etc. It is a beautiful vivid green and permanent as well.

All four of these colors are very desirable for the painting of store fronts.

	1/2 Pts.	Pts.	Qts.	1/2 Gals.	Gals.
Cardinal Red.....	34	60	1 12	2 16	4 15
Verdas Green.....					
Spanish Blue.....	35	45	83	1 58	3 00
Spanish Orange.....					

Net Prices

Half-pints, 48 in case. Pints, 24 in case. Quarts, 12 in case.
Half-gallons, 6 in case. Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

AUTO ENAMEL

(Rapid Drying)

A line of exterior enamels made especially for refinishing motor cars and other exterior surfaces requiring a tough, durable, elastic, waterproof enameled finish. On account of the easy working qualities of S-W Auto Enamel Rapid Drying, it is possible for one inexperienced in painting to secure a high-class finish. It is a perfect finish for boats, canoes, lawn furniture, fire hydrants, motors, gas engines, gasoline pumps, store fronts, etc.

S-W Auto Enamel Rapid Drying dries in about three to five hours, depending on the atmospheric conditions. Outside exposure or repeated washing will not harm the finish.

	1/2 Pts.	Pts.	Qts.	1/2 Gal.	Gal.
Black	57	1 00	1 80	3 25	6 50
Capri Blue					
Cinnabar Green					
Cinnamon Brown					
Killarney Green					
Orange	67	1 20	2 25	4 50	8 00
Royal Blue					
Storm Gray					
White					
Yellow					
Deep Maroon					
Sport Red	73	1 30	2 40	4 80	8 00

Trade Discount 40%

Half-pints, 48 in case. Pints, 24 in case. Quarts, 12 in case.
Half-gallons, 6 in case. Gallons, 4 in case.

AUTO SEAT DRESSING

Revives the appearance of scratched or old leather cushions and upholstery, hiding old marks or stains readily. Dries perfectly hard in an hour or two, with a rich, dull black finish. Is not affected by the heat of the body and will not soften or stick to clothing. It can be easily washed and kept clean.

	1/2 Pts.	Pts.	Qts.
	67	1 10	2 05

Trade Discount 40%

Half-pints, 48 in case. Pints, 24 in case. Quarts, 12 in case.

AUTO TOP DRESSING

An excellent dense black dressing for renewing finish on mohair, pantafores and similar tops, side curtains and upholstery of automobiles. Can also be used on leather furniture, traveling bags and other leather or imitation leather surfaces. On mohair it dries with a dull black finish, but on leather, pantafores and other imitation leathers it dries with an eggshell gloss. Dries perfectly hard in three or four hours; is easy to apply and does not show laps or streaks.

	1/2 Pts.	Pts.	Qts.	Gal.
	52	90	1 60	3 25

Trade Discount 40%

Half-pints, 48 in case. Pints, 24 in case. Quarts, 12 in case.
Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

ALUMINUM PAINT

Bright as Silver—Ready for Use

A lasting silver finish for use on radiators, ranges, water-buffers, gas, steam and water pipes, gas stoves, machinery, engines, etc. Also adapted for outside use on gas engines, boats, metal work, cornices, cupolas, oil tanks, etc. Gives most satisfactory results, because it is perfectly mixed and finely ground, works freely under the brush, has great spreading capacity, is fast in color, stands longest on outside exposure. Extreme heat and cold do not crack, peel, blister or discolor it. One coat covers a clean black surface. It has no disagreeable banana-like odor found in many other Aluminum paints.

$\frac{1}{4}$ Pts.	$\frac{1}{2}$ Pts.	$\frac{3}{4}$ Pts.	Pts.	Qts.	Gals.
26	37	62	1 05	1 90	6 80

Trade Discount 40%

One-eighth pints, 50 in case. Quarter-pints, 48 in case. Half-pints, 38 in case. Pints, 24 in case. Quarts, 12 in case. Gallons, 4 in case.

AMERICAN WHITE

Paste Form, Ground in Oil

A combination paste white made especially for plumbers' use and for general utility purposes.

1 lb. Cans 5 lb. Cans

15 $\frac{1}{4}$ 13 $\frac{1}{4}$

Net Prices

One-pound cans, 48 in case. Five-pound cans, 12 in case.

ANTYDAMP

Foundation Damp-Proofing

Antydamp is a very heavy black paint of asphalt type, which is applied to the exterior of concrete and masonry foundations below ground level to damp-proof basement walls. For ordinary damp-proofing two coats should be applied. Will cover approximately 40 square feet, two coats to the gallon. Is applied cold in original consistency, except in very cold weather when it is necessary to warm slightly before applying. Remains in an elastic condition indefinitely.

Every general contractor and foundation contractor is a prospect for the sale of Antydamp. Look for specifications calling for Antydamp in the part of the specifications which deals with foundations. For further information send for Form E518.

Where water is perpetually present in the land around the foundation, alternate layers of waterproofing felt must be employed.

Gals. 5 Gals. Ebls.

1 25 1 15 1 00

Net Prices

Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

BATH ENAMEL

A high quality and thoroughly satisfactory enamel for the exterior of bath tubs and bathroom walls and woodwork. It produces a porcelain-like finish that is tough, tenacious and durable. On new work, use Flat-Rite for undercoats.

	$\frac{1}{4}$ Pts.	$\frac{1}{2}$ Pts.	Pts.	Qts.	Gals.
Porcelain.....	32	57	95	1 70	6 05
Trade Discount 40%					
Quarter-pints, 48 in case.	Half-pints, 48 in case.		Pints, 24 in case.		
Quarts, 12 in case.			Gallons, 4 in case.		

BRAS-BRITE

Liquid Metal Polish

A liquid preparation for cleaning and polishing brass and other polished metals. By repeated tests and comparisons, Bras-Brite has proved to polish more quickly and easily, requiring but little rubbing. Will not harden in the package and will keep in perfect condition in any climate.

	$\frac{1}{4}$ Pts.	Pts.	Qts.	$\frac{1}{2}$ Gals.	Gals.
	87	55	90	1 55	2 70
Trade Discount 40%					
Half-pints, 48 in case.	Pints, 24 in case.		Quarts, 12 in case.		
Half-gallons, 6 in case.			Gallons, 4 in case.		

BRIGHTEN-UP STAIN

A Stain and Varnish Combined

Produces a stained and varnished finish in one operation on old or new furniture, floors or woodwork. Is easily applied and does not show laps or brushmarks. Surfaces previously painted may be changed to imitate any of the woods represented in this list by first applying a coat of Brighten-Up Stain Ground, and after thoroughly dry, follow with the color selected. Color Card CC143.

	$\frac{1}{4}$ Pts.	$\frac{1}{2}$ Pts.	Pts.	Qts.	$\frac{1}{2}$ Gals.	Gals.
Dark Oak.....						
Light Oak.....						
Mahogany.....	32	47	75	1 35	2 45	4 55
Walnut.....						
Ground.....						

Trade Discount 40%

Quarter-pints, 48 in case.	Half-pints, 48 in case.	Pints, 24 in case.
Quarts, 12 in case.	Half-gallons, 6 in case.	Gallons, 4 in case.

BRONZING LIQUID

Two satisfactory bronzing liquids for mixing with gold, aluminum and brass bronzes. These liquids are unexcelled for decorative work, for when mixed with bronze they dry with a high gloss finish, and due to their splendid heat-resisting qualities, may be used on radiators, steam pipes, etc., without discoloring, peeling or blistering.

	$\frac{1}{4}$ Pts.	$\frac{1}{2}$ Pts.	Pts.	Qts.	$\frac{1}{2}$ Gals.	Gals.	3 Gals.
No. 2.....			60	1 00	1 70	3 05	3 00
No. 3.....	23	37	55	85	1 50	2 60	2 55

Trade Discount 33 $\frac{1}{4}$ %

Quarter-pints, 48 in case.	Half-pints, 48 in case.
Pints, 24 in case.	Quarts, 24 in case.
Half-gallons, 12 in case.	Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

PALE GOLD BRONZES

(Dry)

We offer the following Dry Bronzes to meet the requirements of the decorator, the painter, the consumer and the manufacturer.

The prices of Aluminum "A" and Lac Pale Gold No. 8 should prove unusually attractive to large users of Dry Bronzes. When mixed with S-W Bronzing Liquids, linseed oil or spar varnish, or combinations of both, these will make liquid bronze paints suitable for oil or water tanks, smokestacks, interior and exterior walls; in fact, all types of surfaces both inside and outside, where a bronze finish is desired.

The balance of the line is recommended where the highest type of bronze decoration is desired. XXX Aluminum and Gold Bronzes are especially recommended for artists' use and automobile striping.

	1-lb. Cans Per Pound	1-Ounce Papers Per Ounce
Aluminum "A".....	81 3/4	
Lac Pale Gold No. 8.....	81 3/4	08
Pale Gold No. 5000.....	91 3/4	10
Pale Gold No. 10000.....	1 21 3/4	12
Natural Copper.....	1 06 3/4	11
CMFL Aluminum XXX.....	1 86 3/4	16
CMFL Gold XXX.....	1 86 3/4	16

Net Prices

Prices in larger containers may be had on application.

CONCRETE AND CEMENT HARDENER

Concrete and Cement Hardener applied to the surface of a cement floor, makes it hard as granite, prevents dusting or wearing of small particles and seals the floor against water or oils.

Concrete and Cement Hardener will treat from 60 to 100 square feet of cement surface, three applications, varying with the porosity of the surface. Seventy square feet may be taken as a basis for estimating. The first application is reduced in proportion of one part of Hardener to two parts of water. The second application should consist of equal parts of Hardener and water. The third application should be in proportion of two parts of Hardener and one part of water. Mix in a wooden pail, and flush onto the floor, sweeping out with a long-handled brush or broom. Each application should soak the floor, but all puddles remaining on the surface should be mopped up before leaving floors to dry, which usually requires 24 hours.

There is hardly a modern office building, hotel, manufacturing plant, garage, creamery, hospital or school erected today where the specifications do not call for the hardening of cement floors with a material like our Concrete and Cement Hardener. Descriptive enclosing slip E-440—Complete directions for application.

1-Gal. Jug	5-Gal. Carboy	30-Gal. Barrel	50-Gal. Barrel	3-Barrel Lots
2 25	2 05	1 80	1 75	1 65

Net Prices

Gallon jug, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

COMMONWEALTH BARN GRAY

An extremely popular gray paint for painting barns, sheds, corn cribs, roofs, silos, fences, etc. This paint shares the enviable reputation of Commonwealth Barn Red. It works easily, dries with a good gloss, has good covering capacity and great durability. It is an exceptional value for the price. Color Card CC-46.

Qts.	1/2 Gal.	Gal.	3 Gal.	5 Gal.	Blk.
42	36	1 35	1 30	1 25	

Net Prices

Quarts, 12 in case. Half-gallons, 6 in case. Gallons, 4 in case.

COMMONWEALTH BARN RED

A bright, handsome, true-toned red paint of quality, for barns, sheds, corn cribs, roofs, fences, etc. It works easily, covers solid with two coats, has good spreading capacity, and exceptionally long life, all of which makes it more economical to use than other barn paints on the market. Possesses splendid wood preserving qualities in addition to improving the appearance of the building. Color Card CC-131.

Qts.	1/2 Gal.	Gal.	3 Gal.	5 Gal.	Blk.
42	36	1 35	1 30	1 25	

Net Prices

Quarts, 12 in case. Half-gallons, 6 in case. Gallons, 4 in case.

COMMONWEALTH PAINT

A line of bright, handsome colors for painting garages, fences, arbors, barns and other buildings where a durable and serviceable paint is desired at a moderate price. These paints are easily applied, have splendid covering capacity and dry with a handsome uniform oil gloss finish. When trimmed with white, these colors present a very pleasing appearance. Color Card CC-98.

	Qts.	1/2 Gal.	Gal.	3 Gal.	5 Gal.	Blk.
Black	40	34	1 25	1 20	1 15	
Brown	40	34	1 25	1 20	1 15	
Red	40	34	1 25	1 20	1 15	
Dark Green	40	34	1 25	1 20	1 15	
Light Yellow	40	34	1 25	1 20	1 15	
Ivy Green	40	34	1 25	1 20	1 15	
Olive Green	40	34	1 25	1 20	1 15	
Gray	40	34	1 25	1 20	1 15	
Orange Yellow	40	34	1 25	1 20	1 15	
White	40	34	1 25	1 20	1 15	

Net Prices

Quarts, 12 in case. Half-gallons, 6 in case. Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

CONCRETE WALL FINISH

A high quality oil paint manufactured especially for exterior use on concrete, cement, brick and stucco walls. Possesses extra heavy body, permitting reduction with linseed oil or turpentine, according to the porosity of the surface. Under ordinary circumstances two coats will produce a first-class job, and it is not necessary to use a primer or sealer first to obtain a satisfactory and waterproof surface. This material dries with a flat finish.

	Gals.	5 Gals.	10 Gals.
Buff.....			
Cream.....			
Dark Gray.....			
Extra Light Gray.....	\$ 35	\$ 50	\$ 65
Green Stone.....			
Light Gray.....			
Venetian Red.....			
White.....	\$ 35	\$ 50	\$ 65

Net Prices

Gallons, 4 in case.

COPPER PAINT

Made to protect wooden bottoms of vessels, launches and other craft from barnacles, worms, seaweed, etc. Contains more copper per gallon than any other paints of this character, and is the most reliable and economical anti-fouling paint on the market. Freshly painted hulls can be put in the water while the paint is still wet.

	Qts.	1/2 Gals.	Gals.	5 Gals.
Brown.....	75	1 43	2 70	2 65
Red.....	79	1 53	2 85	2 80
Green.....	87	1 68	3 15	3 10

Net Prices

Quarts, 12 in case.

Half-gallons, 6 in case.

Gallons, 4 in case.

CORNISH EUREKA GOLD SIZE

A standard high-grade gold size manufactured under a secret process from high-grade materials. Used principally by car and sign painters and decorators for gold leaf, silver leaf, aluminum leaf, Florentine leaf, Dutch metal, or any other leaf known to the gilder's art. Is extensively used for gilding decorative work on interiors of churches, banks, theaters, passenger coaches, automobiles, sign painting, japanning, etc. Gilds splendidly over a flat color the same as over varnish color or rubbing varnish. Will not sag or run to an edge. Its durability is unsurpassed. Can be varnished over without danger of cracking.

	1/2 Pts.	3/4 Pts.	Pts.	Qts.	1/2 Gals.	Gals.
Extra Quick.....						
Quick.....	57	57	1 10	2 05	2 85	7 90
Slow.....						

Trade Discount 33 1/3%

Quarter-pints, 48 in case.

Half-pints, 48 in case.

Pints, 24 in case.

Quarts, 12 in case.

Half-gallons, 6 in case.

Gallons, 4 in case.

TS79 (15) \$30 000

— 35 —

SHERWIN-WILLIAMS PRODUCTS

CRACK AND SEAM FILLER

An elastic composition for filling cracks, crevices and seams in old and new floors. Will not shrink or dry up like putty or other so-called Crack and Seam Fillers on the market. Gives a smooth surface over which to apply paint or varnish. Has considerably more bulk to the pound than the average competitive product and consequently goes much farther. Apply with putty knife or palm of hand.

1-lb. Cans	5-lb. Cans
43	40
Trade Discount 40%	
1-pound cans, 48 in case.	5-pound cans, 12 in case.

DECOTINT

A Sanitary Kalsomine Wall Finish

Manufactured in dry powdered form from carefully selected materials, and is so compounded that it requires only mixing with water to be ready for instant use. Is non-poisonous, contains no alkali, acid, or anything injurious to the health. Decotint produces a good sanitary wall finish, has splendid covering capacity, five pounds covering from 300 to 500 square feet. A second coat can safely be applied as soon as first coat has become thoroughly dry. Color Card CC-215.

	5-lb. Pkgs.	100-lb. Bbls.
White.....	12 1/4	10 1/4
Tints.....	13 1/4	11 1/4

Trade Discount 40%
5-pound pkgs. packed 10 in case.

DRY COLORS

Our splendid facilities for the manufacture of Intermediates, Dyes and Chemicals used in producing Dry Colors place us in the foremost position for supplying Dry Colors of the highest quality for use in paints, stains, enamels, etc.

The Dry Colors listed here are, with few exceptions, the same as we use in the manufacture of our own high grade products, the majority being the product of our own dry color factories, and as such will be found vastly superior in color, tone strength and fineness to the jobbing grade offered on the market.

Germantown Lamp Black		Per pound
One-pound papers.....		24 1/4
One-quarter-pound papers.....		33 1/4

Ivory Black		60	Kegs	Bbls.
Powdered.....		19 1/4	15 1/4	13 1/4
Blues				
Chemically Pure Chinese.....		32 1/4	48 1/4	46 1/4
No. 1 Prussian.....		25 1/4	21 1/4	19 1/4
Ultramarine (C. U.).....		25 1/4	21 1/4	19 1/4

SHERWIN-WILLIAMS PRODUCTS

DRY COLORS—Continued

Browns			
	1/4	1/2	Bbl
Imp. Raw Turkey Umber.....	14	10	68
Imp. Burnt Turkey Umber.....	14	10	68
Imp. Raw Italian Sienna.....	18 1/4	14 1/4	12 1/4
Imp. Burnt Italian Sienna.....	18 1/4	14 1/4	12 1/4
Vandyke.....	16 1/4	12 1/4	10 1/4

Greens			
	1/4	1/2	Bbl
Chemically Pure Chrome, Light.....	29 1/4	25 1/4	28 1/4
Chemically Pure Chrome, Medium.....	32 1/4	28 1/4	26 1/4
Chemically Pure Chrome, Dark.....	35 1/4	31 1/4	29 1/4
No. 1 Chrome, Light.....	18	11	99
No. 1 Chrome, Medium.....	15 1/4	11 1/4	99 1/4
No. 1 Chrome, Dark.....	16	12	99
No. 5 Chrome, Light.....	14	10	68
No. 5 Chrome, Medium.....	14 1/4	10 1/4	68 1/4
No. 5 Chrome, Dark.....	15	11	69

Reds			
	1/4	1/2	Bbl
Imp. English Indian.....	25 1/4	21 1/4	19 1/4
Imp. English Tuscan.....	25 1/4	21 1/4	19 1/4
Oriental, Dark.....	25 1/4	21 1/4	19 1/4
American Vermilion.....	27 1/4	23 1/4	21 1/4
Turkey, Dark.....	39 1/4	35 1/4	33 1/4
Orange Mineral.....	29 1/4	25 1/4	23 1/4
Red Lead.....			
English Vermilion, Dark.....			

Yellows			
	1/4	1/2	Bbl
Chem. Pure Chrome, Light.....	26 1/4	22 1/4	20 1/4
Chem. Pure Chrome, Medium.....	27 1/4	23 1/4	21 1/4
Chem. Pure Chrome, Orange.....	27 1/4	23 1/4	21 1/4
No. 1 Chrome, Light.....	18 1/4	14 1/4	12 1/4
No. 1 Chrome, Medium.....	19	15	13
No. 1 Chrome, Orange.....	19 1/4	15 1/4	13 1/4
No. 5 Chrome, Light.....	14 1/4	10 1/4	68 1/4
No. 5 Chrome, Medium.....	15	11	69
No. 5 Chrome, Orange.....	15 1/4	11 1/4	69 1/4

Ochres			
	1/4	1/2	Bbl
Genuine Dutch Pink.....			
Imp. French Ochre.....			

Whites			
	1/4	1/2	Bbl
Strictly Pure White Lead.....			
Genuine Green Seal French Zinc.....			
English Cliff Paris White.....			
Extra Bolted Gilders' Whiting.....			
Plaster Paris.....			

Fillers			
	1/4	1/2	Bbl
Keystone.....			

Metallic Paints			
	1/4	1/2	Bbl
English Venetian Red.....			
Iron Ore Red.....			
Prince's Metallic.....			

Net Prices

TS 76 (15) 230 390

-17-

0007-SWP-000004354

SHERWIN-WILLIAMS PRODUCTS



Enamelastic is a long oil, high quality enamel for walls and woodwork. It dries with a good high gloss or satin finish.

Enamelastic may be described as a long oil enamel of intense whiteness with excellent leveling and flowing qualities, good hiding power and all other characteristics of the highest grade oil enamel which appeal to discriminate master painters. Enamelastic is so formulated that it can be tinted to any of the softest shades of ivories or greens without being thrown off shade, as is the case with extremely blued white enamel.

XXX Enamel Undercoater is recommended for use as an Undercoater.

	Qta.	Gals.	5 Gals.
White Enamel, Gloss.....	1 80	6 30	3 20
White Enamel, Satin Finish.....			

Trade Discount 40%

Quarts, 12 in case.

Gallons, 4 in case.

ENAMELO

Enamelo has been developed to take care of those jobs where quicker drying is necessary than is obtained with an oil type enamel such as Enamelastic.

Naturally a quicker drying enamel must be of the varnish type, but realizing the many faults of the usual varnish enamel, we aimed at eliminating as many of them as possible in Enamelo.

Enamelo dries dust free in 1½ hours, hard in 6 hours, and exceptionally hard overnight. It works unusually easy even with a four-inch brush on large wall surfaces, has remarkable covering for a varnish enamel, flows out smoothly and does not sag. Not intended to be sold in competition with Enamelastic but, instead, is a companion product sold where speed is of the greatest importance.

	Qta.	Gals.	5 Gals.
Enamelo Gloss White Enamel.....	1 80	6 30	3 20

Trade Discount 40%

Quarts, 12 in case.

Gallons, 4 in case.

ENGLISH VENETIAN RED

Ground in Oil

	12½-lb. Pails	25-lb. Pails	100-lb. Kegs
F.....	29	27	25
A.....	19½	17½	15½
H.....	18½	16½	14½

Trade Discount 25%

12½-lb. pails, 4 in case.

25-lb. pails, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

ENAMELOID

The Decorative Enamel

(Rapid Drying)

An enamel which dries with a beautiful porcelain-like finish, most durable and resistant to wear. While Enameloid was originally designed for the professional painter and is still a prime favorite with him, it is ideal for amateur use, in that it is most easily applied. This quality is essential, as is the long list of bright, attractive colors for refinishing of all types of furniture—sun-room sets, breakfast room sets, porch, bedroom and kitchen furniture, as well as wicker, rattan and metal furniture, pottery, glass, etc.

Can be washed repeatedly with soap and water, making it equally adaptable for finishing walls and ceilings of bathrooms, kitchens, refrigerator rooms, laundries and similar surfaces where steam and vapors are present. Color Card CC-133.

	1/4 Pts.	1/2 Pts.	Pts.	Qts.	1/2 Gals.	Gals.
Black.....						
Blue.....						
Carmine.....						
Chinese Red.....						
French Gray.....						
Jade.....						
Killarney Green.....						
Lavender.....						
Lettuce Green.....	35	57	1 00	1 80	3 35	6 30
Maroon.....						
Medium Brown.....						
Medium Gray.....						
Old Ivory.....						
Orange.....						
Rose.....						
Sky Blue.....						
White.....						
Yellow.....						

Trade Discount 40%

Quarter-pints, 48 in case. Half-pints, 48 in case. Pints, 24 in case.
Quarts, 12 in case. Half-gallons, 6 in case. Gallons, 4 in case.

ENAMEL SPLIT COAT

Many painting contractors desire to have in their shop, for instant use, a ready-mixed split coat which is used as an intermediate coat between the priming coat of XXX Undercoater and final coat of Enamelastic or Enameloid, and for these we offer Enamel Split Coat.

The painter will welcome the opportunity to have a ready-mixed split coat on any large job as it saves him time and money then by mixing an undercoater and an enamel to produce a split coat, as well as gives him absolute uniformity of sheen and tightness to hold out the next coat of enamel.

The use of this product insures a job free from brush marks. It is ideal for first coat on old work.

	Qts.	Gals.	5 Gals.
Enamel Split Coat.....	\$2	2 95	2 85
Net Prices			
Quarts, 12 in case.			
Gallons, 4 in case.			

TS 75 (15) 830 300

— 12 —

SHERWIN-WILLIAMS PRODUCTS

FIRST QUALITY COLORS IN OIL

Paste Form

Used largely by master painters for tinting White Lead and other paints. Also used quite extensively for sign-writing purposes. S-W First Quality Colors in Oil represent the highest quality of colors ground in pure linseed oil. Are stronger in tinting power than any other oil colors on the market, are perfectly suited to produce Tiffany Glass Effects. Color Card CC-160.

Cans and pails—prices per lb. Small tubes—prices per doz. Large tubes—prices per tube.

	Small Tubes	Large Tubes	1-lb. Cans	PC and Cans	13 1/4-lb. Pails	55-lb. Pails
Blacks						
Ivory Drop.....	1 45	36	48	46	44	
English Coach.....		36	48	46	44	
Sign Painters.....		35	55	53	51	
Lamp (CP).....	1 45	36	57	55	53	
Lamp (192).....		36	55	53		
Blues						
*Prussian.....	1 45	40	83	81		
Cobalt.....	1 95	45	73	71		
*Ultramarine.....	1 45	39	73	71		
Deep Cerulean.....	1 60	53				
Browns						
Raw and Burnt Turkey Umber.....	1 45	37	49	47	45	
Raw and Burnt Italian Sienna.....	1 45	37	31	49	47	
Vandyke.....	1 45	36	49	47	45	
Japanese.....	1 45	48				
Greens						
Paris.....	1 75	47	75	73		
Bronze.....			41	39	37	35
Chrome L., M. and D.....	1 45	36	47	45	43	41
Deep Olive.....	1 60	53				
Peacock.....	1 75	63				
Olive Lake.....	1 60	53				
Reds						
Dragon.....	2 60	63	1 28	1 26	1 24	1 22
Cardinal.....	1 45	38	68	66	64	62
English Vermilion.....	6 10	2 48	3 88	3 86		
American Vermilion.....	1 45	60	68	66		
Rose Madder.....	1 45	48	88	86		
English Rose Lake.....	1 45	53	18	16		
Permanent Crimson Lake.....	1 75	68				
Tuscan.....	1 45	48	73	71	69	67
Turkey.....	1 45	46	88	86		
Indian.....	1 45	46	85	83	81	79
English Venetian.....	1 45	28	26	24	22	20
Yellows						
Chrome—L. M. O. and D. O. (C. P.).....		45	63	61	59	57
Chrome—L. M. O. and D. O.....	1 45	40	33	31	29	27
Golden Ochre.....	1 45	36	42	40	38	36
French Yellow Ochre.....	1 45	29	37	35	33	31
Orange Lake.....	1 75	68				
Indian Yellow.....	1 75	68				

SHERWIN-WILLIAMS PRODUCTS

FIRST QUALITY COLORS IN OIL — Contd.

	Small Tubes	Large Tubes	1-lb. Cans	PC 13 1/2-lb. Cans	25-lb. Pails
Flake White.....	1 45	2 45	55		

Note: Colors marked (*) filled in 1/2-lb. cans add 6c to 1-lb. price; filled in 1/4-lb. cans add 26c to 1-lb. price.

Tubes are sold according to bulk, not weight.

On account of their large bulk it is impossible to furnish Blacks, Blues and Browns in 25-pound pails.

Trade Discount 25%

Small tubes, 22 in a box.

1-pound cans, 48 in case. 5-pound P. C. and cans, 12 in case.
12 1/2-pound pails, 4 in case. 25-pound pails, 4 in case.

FAMILY PAINT

A prepared paint for buildings outside and inside, where a moderate price paint is desired. Is ideal for general household use, cupboards, shelving, chairs, window boxes, etc. Produces an oil gloss finish which will give uniform satisfaction. Color Card CC-101.

	1/4 Pts.	Pts.	Qts.	1/2 Gals.	Gals.	1 Gals.
Ash Gray.....						
Black.....						
Bottle Green.....						
Brown.....						
Buff.....						
Cream.....						
French Gray.....						
Ivory.....						
Light Brown.....	19	31	54	1 03	1 90	2 25
Light Gray.....						
Light Lead.....						
Medium Brown.....						
Pea Green.....						
Red.....						
Silver Gray.....						
Sky Blue.....						
Straw.....						
Yellow.....						
Exterior White Gloss.....	20	33	59	1 11	2 05	2 90
Interior White Gloss.....						
Interior White Flat.....						
Dark Blue.....	23	36	60	1 23	2 15	2 40
Green.....						
Scarlet Vermilion.....	21	34	58	1 03	1 70	2 05

Net Prices

Half-pints, 48 in case. Pints, 24 in case. Quarts, 12 in case.
Half-gallons, 6 in case. Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

SHERWIN-

FLAT BRICK RED

Ground in Oil

For use on old and new brick walls to imitate the color of pressed brick or terra-cotta work.

5-lb. Cans 12 1/2-lb. Pails 25-lb. Pails

23 21 19

Trade Discount 25%

5-pound cans, 12 in case. 12 1/2-pound pails, 4 in case.

25-pound pails, 4 in case.

FLAT-RITE

Interior Enamel Undercoater

Flat-Rite Interior Enamel Undercoater is the highest grade of lithopone undercoater which it is possible to produce. It is an undercoater of the long oil type, flows out well under the brush, levels admirably, has satisfactory spreading and drying qualities, and is very opaque. It will produce a very smooth, flat finish, which sands readily without gumming the paper.

This undercoater is intended for interior work only. It is furnished as the companion product and undercoater for our famous Old Dutch Enamel. For an undercoater for exterior enamel work, we recommend SWP Flat White.

White 47 75 1 35 2 45 4 35 4 50

Trade Discount 40%

Half-pints, 48 in case. Pints, 24 in case. Quarts, 12 in case.

Half-gallons, 6 in case. Gallons, 4 in case.

FLAXOAP

Flaxoap is an absolutely pure linseed oil soap, made from cold pressed linseed oil and potash, contains no animal fat whatever, no free caustic alkali, consequently can be used on the finest fabrics without fear of injury. Flaxoap lathers freely in hot or cold, hard or soft water. It is especially adapted to cleaning floors, woodwork, furniture, etc. Owing to the fact that pure linseed oil is the life of all paints and varnishes, Flaxoap is the best cleaner for all painted and varnished surfaces. It will be found most excellent for cleaning automobiles, windows, mirrors and cut glass. The housewife will find it particularly valuable in the cleaning of carpets and rugs. Descriptive Folder B-534.

1-lb. 5-lb. 10-lb. 25-lb. 50-lb. 75-lb. 100-lb.

Cans Pails Pails Pails Pails Pails Pails

20 33 29 27 26 24 22

Trade Discount 25%

4-pound cans, 24 in case. 5-pound pails, 6 in case.

10-pound pails, 4 in case. 25-pound pails, 1 in case.

A WASHABLE

The ideal flat wall finish for residences, office buildings, is durable and sanitary, lending to a truly economical rated wall can be kept fresh as sweep and water. For this reason an ordinary kalsomine or coats. Satisfactory jobs can should be mixed with equal part applied as it comes from the c

- Ivory
- White
- Bright Sage
- Buff
- Caen Stone
- Canary Yellow
- Cocoanut Brown
- Cream
- Cream Gray
- Forest Green
- Ivory Tan
- Olive Tan
- Orchid
- Pale Green
- Shell Pink
- Silver Gray
- Sky Blue

Half-pints, 48 in case. Quarts, 12 in case.

FLAT-TONE

Especially designed for use on surface, Flat-Tone Mixing Slur for the first coat, thereby giving On hard scaled surfaces, or a quart of Flat-Tone Mixing Slur

Quarts, 12 in case.

ICK RED

1 in Oil

to imitate the color of pressed brick

1. Pails 25-lb. Pails

1 19

ount 25%

12 1/2-pound pails, 4 in case

ills, 4 in case

-RITE

el Undercoater

oater is the highest grade of lithopone
duce. It is an undercoater of the long
ish, levels admirably, has satisfactory
very opaque. It will produce a very
y without gumming the paper.

terior work only. It is furnished as the
r our famous Old Dutch Enamel. For
ork, we recommend SWP Flat White.

Qts. 1 1/2 Gals. 3 Gals. 5 Gals.

1 35 2 45 4 55 4 50

ount 40%

24 in case

Quarts, 12 in case

Gallons, 4 in case

COAP

seed oil soap, made from cold pressed
nal fat whatever, no free caustic alkali,
abrics without fear of injury. Flaxoap
oft water. It is especially adapted to
etc. Owing to the fact that pure lin-
ishes, Flaxoap is the best cleaner for all
l be found most excellent for cleaning
ut glass. The housewife will find it
carpets and rugs. Descriptive Folder

5-lb. 50-lb.

Pails

5-lb. 50-lb.

Pails

26

24

22

21

ount 33 1/2%

5-pound pails, 6 in case

25-pound pails, 1 in case

1 -

Flat-Tone

A WASHABLE FLAT WALL PAINT

The ideal flat wall finish for artistic decoration of interior walls and ceilings of residences, office buildings, schools, hotels, theaters, churches, etc. It is durable and sanitary, lending itself readily to the most pleasing combinations, and is truly economical because the original beauty of the newly decorated wall can be kept fresh and attractive, as Flat-Tone can be washed with soap and water. For this reason, Flat-Tone costs no more in the long run than an ordinary kalsomine or tint, because it will easily outwear several such coats. Satisfactory jobs can be obtained with two coats. The first coat should be mixed with equal parts Flat-Tone Mixing Size, and the second coat applied as it comes from the can. Color Card CC-10.

14 Pts. 32 Pts. 64 Pts. 128 Pts. 256 Pts. 512 Pts. 1024 Pts.

Ivory 1 35 2 45 4 55 4 50 1 06 1 95 1 90

White 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Bright Sage 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Buff 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Cam Stone 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Canary Yellow 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Cocoanut Brown 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Cream 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Cream Gray 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Forest Green 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Ivory Tan 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Olive Tan 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Orchid 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Pale Green 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Shell Pink 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Silver Gray 1 35 2 45 4 55 4 50 1 06 1 95 1 90

Sky Blue 1 35 2 45 4 55 4 50 1 06 1 95 1 90

(Net Prices)

Half-pints, 48 in case. Pints, 24 in case.

Quarts, 12 in case

Half-gallons, 6 in case

Gallons, 4 in case

FLAT-TONE MIXING SIZE

Especially designed for use with Flat-Tone. For the average unpainted surface, Flat-Tone Mixing Size should be mixed with equal parts of Flat-Tone for the first coat, thereby giving a coat of size and a first color in one operation. On hard scaled surfaces, or surfaces that have been previously painted, one quart of Flat-Tone Mixing Size to a gallon of Flat-Tone is sufficient.

14 Pts. 32 Pts. 64 Pts. 128 Pts. 256 Pts. 512 Pts. 1024 Pts.

1 35 2 45 4 55 4 50 1 06 1 95 1 90

1 35 2 45 4 55 4 50 1 06 1 95 1 90

1 35 2 45 4 55 4 50 1 06 1 95 1 90

Trade Discount 33 1/2%

Quarts, 12 in case

Gallons, 4 in case

Half-gallons, 6 in case

7876 (15) 230 380

- 43 -

SHERWIN-WILLIAMS PRODUCTS

Flat-Tone

PLASTIC PIGMENT

Flat-Tone Plastic Pigment is a combination of carefully selected dry ingredients, properly bolted, which, when mixed with Flat-Tone, produces Plastic Wall Paint of any consistency desired.

With Flat-Tone Plastic Pigment and Flat-Tone combined it is possible to obtain practically any texture in a wall finish with a range of soft stipples, high reliefs, pebbled effects, raised stencils, raised tile effects, Travertine Finish, imitations of cren stone, stone blocks, and combinations of these effects.

All the painter or consumer has to do is to add the Plastic Pigment to any color of Flat-Tone, stirring it all the while until the proper consistency is reached.

Plastic Paint made with Plastic Pigment and Flat-Tone has many advantages over types of plastic paint. It is more economical (due not only to the saving per pound in the material, but the fact that fewer coats are necessary) and will produce a better type of texture wall finish than is possible with any other plastic paint on the market. It is also more elastic because it is an oil paint.

For full directions for use in conjunction with Flat-Tone, see booklet E-578.

25-lb. Drum	50-lb. Drum	100-lb. Drum
17	16 1/4	15

Trade Discount 40%

FLAT-TONE GLAZING LIQUID

A superior blending liquid designed for use with First Quality Oil Colors over Flat-Tone in producing Flat-Tone System Effects and the so-called mottled or tiffany wall effects. Also recommended for polychroming, wiped enamel finishes, parchment lamp shades, etc. Dries overnight with dull or egg-shell sheen. Write to the Decorative Studio for further information.

Pts.	Qts.	Gals.
70	1 25	4 05

Trade Discount 33 1/4%

Pints, 24 in case.

Quarts, 12 in case.

Gallons, 4 in case.

FLAT BLACK

For producing a dull black wrought iron finish on wood or metal. Particularly suited for picture frames, mouldings, ornamental iron work, lamps, gas fixtures, etc. Is easily applied, has good covering capacity and splendid hiding power, covering solid with one coat. It is very durable.

1/2 Pts.	1/2 Pts.	Pts.	Qts.	Gals.
32	47	80	1 45	4 80

Trade Discount 40%

Quarter-pints, 48 in case.
Pints, 24 in case.

Quarts, 12 in case.

Half-pints, 48 in case.
Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

FLO-LAC

A Water-Resisting Varnish Stain

(Rapid Drying)

Flo-Lac produces a beautiful stained and varnished effect in one operation on furniture, floors and woodwork, in fact, on any kind of a surface where a finish of this kind is desired. Flo-Lac represents the highest quality of stain scientifically combined with S-W Mar-not, a water-resisting varnish. On new work it preserves to the greatest extent the beauty of the natural grain of the wood. Old work or surfaces previously painted can be changed to closely imitate the hardwoods represented in this list by first applying a coat of Flo-Lac Ground. Flo-Lac dries with a high varnish gloss, is tough, elastic and durable, and will not show scratches or heel marks. The permanent dyes used in Flo-Lac make it sunfast. Color Card CC-130.

	1/4 Pts.	1/2 Pts.	Pts.	Qts.	1/2 Gals.	Gals.
Dark Mahogany.....						
Dark Oak.....						
Extra Dark Mahogany.....	30	32	90	1 60	1 95	5 55
Golden Oak.....						
Light Oak.....						
Walnut.....						
Ground.....	30	47	75	1 85	2 45	4 55

Trade Discount 40%

Quarter-pints, 48 in case.
Quarts, 12 in case.

Half-pints, 48 in case.
Half-gallons, 6 in case.

Pints, 24 in case.
Gallons, 4 in case.

FLOOR-WIPE

A special preparation for cleaning and renewing the finish of waxed and varnished floors, waxed and varnished woodwork, furniture, etc. Makes old waxed or varnished surfaces look like new. A cloth should simply be dampened with the material and the floor wiped up just as an ordinary cleaning—no rubbing or polishing necessary. Works splendidly with any floor mop.

Pts.	Qts.	1/2 Gals.	Gals.
60	1 00	1 70	3 05

Trade Discount 40%

Pints, 24 in case.

Quarts, 12 in case.
Gallons, 4 in case.

Half-gallons, 6 in case.

FRENCH CROWN GREEN

Ground in Oil

A chrome green of very high quality, ground in linseed oil. This line of greens is unusually bulky, ground to an intensely fine texture, and possesses exceptional tinting strength. No better green can be found for window blinds, roofs, fences or any kind of painting where an intensely bright, permanent green is essential.

	1-lb. Cans	5-lb. Cans	12 1/2-lb. Pails	25-lb. Pails
French Crown Green, Light.....				
French Crown Green, Medium.....	34	32	30	28
French Crown Green, Dark.....				
French Crown Green, Double Dark.....				

Trade Discount 25%

1-pound cans, 48 in case.

12 1/2-pound pails, 4 in case.

5-pound cans, 12 in case.

25-pound pails, 4 in case.

TS 70 (15) 230 230

— 25 —

SHERWIN-WILLIAMS PRODUCTS

FLOOR ENAMEL

(Rapid Drying)

For Wood and Concrete Floors

A high-class enamel paint, made to walk on. Expense has not been spared in the manufacture of Floor Enamel; consequently this line has no equal for durability and dependability. Floors finished with this Enamel will stand hard usage and repeated scrubbing with soap and water.

Floor Enamel will give enduring service on concrete and cement floors in the home, factory or showroom. Basement floors will take on an attractive appearance from the use of Floor Enamel, and the housewife will appreciate a substantial sanitary finish so easily kept clean. Color Card CC-388.

No.	Color	Pts.	Qts.	1/2 Gal.	Gal.
No. 469	Dust Color				
No. 487	Gray				
No. 356	Gray Stone				
No. 449	Light Oak				
No. 488	Light Tan	30	70	1 15	2 15
No. 378	Mahogany				
No. 384	Oak				
No. 468	Slate				
No. 454	Tile Red				
No. 480	Walnut Brown				

Net Prices

Pints, 24 in case.

Quarts, 12 in case.

Half-gallons, 6 in case.

Gallons, 4 in case.

GALVANIZED IRON PRIMER

For first coat on galvanized iron. A perfect undercoater for subsequent coats of paint, which prevent peeling or scaling, so common where ordinary oil paints are applied directly to galvanized iron. Absolutely dependable on interior or exterior surfaces, store-fronts, roofs, pinnacles, etc. Dries hard in 12 to 24 hours. For best results the succeeding coat of paint should be applied within 24 to 48 hours. Made only in one color—Gray. Color card CC-145.

	Qts.	1/2 Gal.	Gal.	5 Gal.
Gray	65	1 23	2 30	2 25

Net Prices

Quarts, 12 in case.

Half-gallons, 6 in case.

Gallons, 4 in case.

GRAINING COLORS

Paste Form, in Oil

Used principally by Master Painters to imitate the grained effects of popular hard woods. Colors should always be used over Graining Color Ground or Flo-Lac Ground.

Color	1-lb. Can
Ash	
Cherry	
Dark Oak	
Light Oak	
Mahogany	
Maple	
Walnut	
Ground, L. and D.	

Trade Discount 25%

48 in case.

SHERWIN-WILLIAMS PRODUCTS

GRAINING PREPARATION

Ground in Water

A special preparation for producing the effect of the natural grain of woods on disfigured floors, interior woodwork, etc. For directions and more complete information, see label on package. Usually used in connection with Flo-Lac or Brighten-Up Stain.

1/2-pt. Glass Jars	Pt. Glass Jars	Qt. Glass Jars
45	70	1 20

Trade Discount 40%

Half-pint jars, 48 in case.

Quart jars, 12 in case.

Pint jars, 24 in case.

GRAPHITE

Ground in Oil

12 1/2-lb. Pails	25-lb. Pails
28	25

Trade Discount 25%

12 1/2-pound pails, 4 in case.

25-pound pails, 4 in case.

GRAPHITE PIPE-JOINT AND GASKET

COMPOUND

Ground in Oil—Paste Form

Makes a perfectly tight joint with less labor and cost than red lead or other materials, and in addition allows the various fittings on which it has been used to be uncoupled with very little labor and without loss or breakage, characteristic of red lead, cement or rust-set joints. No waste through growing hard in the package like red lead or other similar materials.

1-lb. Cans	5-lb. Cans	12 1/2-lb. Pails	25-lb. Pails
32	30	28	25

Trade Discount 25%

1-pound cans, 48 in case.

12 1/2-pound pails, 4 in case.

5-pound cans, 12 in case.

25-pound pails, 4 in case.

KROMIK METAL PRIMER

Our standard primer for metal work of all kinds that is to be exposed to weather or to moisture at any time.

Kromik has four characteristics which make it the very best primer possible to produce for metal: Economy. Kromik costs less by the gallon than red lead. It works easier and costs less to apply it. Prevents corrosion. Kromik is made with lead chromates which prevent the corrosion of metal. Stands abuse. Is not affected by sulfur compounds in the air. Is tough, stands up under shipping. Tight film. Oils and pigments are perfectly balanced so as to make a water-tight, gas-tight film.

Kromik Metal Primer has almost the weather-resisting power of a metal finishing coat and when covered with S-W Metalastic makes a complete and perfect protective coating for structural steel, bridges, fire escapes, iron fences, corrugated iron sheds, gutters and every metal surface requiring protection from moisture and rust.

Qtz.	1-Gal.	1/2 Gal.
63	2 15	2 10

Net Prices

Quarts, 12 in case.

Gallons, 4 in case.

TS 70 (15) 230 230

- 27 -

SHERWIN-WILLIAMS PRODUCTS

LIQUID GOLD

Ready for Use

A liquid gold paint for use on radiators, hot air registers, steam and water pipes, sprinkler systems, also for picture frames, wickerwork, basketry and other decorative uses. Is not affected by heat, cold or moisture, and retains its brightness indefinitely.

1/4 Pts.	1/2 Pts.	3/4 Pts.	Pts.	Qts.	Gals.
31	37	57	1 70	2 85	7 50

Trade Discount 60%

Eighth-pints, 50 in case. Quarter-pints, 48 in case. Half-pints, 48 in case.
Pints, 24 in case. Quarts, 12 in case. Gallons, 4 in case.

MACHINE PAINT AND FILLER

Paste Form

Finely ground for filling and first coating rough castings.

Machine Paint, Shades A, B, C, D, E.....	25-lb. Pails
Machine Paint, Red.....	31
Machine Filler, Dark.....	

Trade Discount 25%

Four pails in case.

MASTER PAINTER'S FLAT WHITE

A flat washable wall paint for walls, ceilings, etc. Works freely and can be applied with a five or six-inch brush. Is durable and economical.

Gals.	5 Gals.	Ebbs.
1 80	1 75	1 70

Net Prices

Gallons, 4 in case.

METALASTIC

A strictly high-grade liquid metal protective paint, finely ground, with good body and a covering capacity approximately 800 square feet on structural steel. This is a metal protective paint made from the best graphite, ground in pure linseed oil, and has no equal for preventing rust and corrosion of all metal surfaces. It is exceedingly elastic and yields readily to expansion and contraction. Color Card CC-279.

	Qts.	1/2 Gals.	Gals.	5 Gals.
Black, Brown.....	54	1 03	1 90	1 85
Gray, Green.....	59	1 13	2 10	2 05

Net Prices

Quarts, 12 in case. Half-gallons, 6 in case. Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

MASTER PAINTER COLORS — IN OIL

A line of high grade colors in oil, put up especially for master painter trade.

Prices per Pound

	1-lb. Cans	5-lb. Cans	12½-lb. Cans	25-lb. Cans
Ivory Drop Black.....	46	38	36	34
*English Coach Black.....	40	38	36	34
*Sign Writers' Black.....	43	41	39	37
Lamp Black.....	43	41	39	37
Prussian Blue.....	73	71	69	67
*Cobalt Blue.....	68	66	64	62
Ultramarine Blue.....	63	63	61	59
Raw and Burnt Umber.....	36	34	32	30
Raw and Burnt Sienna.....	38	36	34	32
Vandyke Brown.....	39	37	35	33
Paris Green.....	69	67	65	63
*Bronze Green.....	40	38	36	34
Chrome Green, L., M. and J.D.....	38	36	34	32
*Bulletin Red.....	63	61	59	57
American Vermilion.....	53	51	49	47
Rose Lake.....	91	89	87	85
Tuscan Red.....	53	51	49	47
Turkey Red.....	83	81	79	77
Indian Red.....	51	49	47	45
English Venetian Red.....	29	27	25	23
Chrome Yellow, L., M., O. and D.O.....	42	40	38	36
Golden Ochre.....	36	34	32	30
Yellow Ochre.....	29	27	25	23

* To be discontinued when present stocks are exhausted.

Trade Discount 25%

1-pound cans, 48 in case. 5-pound cans, 12 in case.

12½-pound cans, 4 in case. 25-pound cans, 4 in case.

NON-CORRODIBLE GRAPHITE PAINT

A splendid anti-rust paint for metal surfaces, with graphite for its pigment base. Produces an absolute self-sealing, non-porous film, is very elastic and durable.

Qts. 1 34 Gals. 1 50 Gals. 5 Gals. 1 85

Net Prices

Quarts, 12 in case. Half-gallons, 6 in case. Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

Old Dutch Enamel

"Beats the Dutch for Whiteness"

Here we have an enamel equal in every sense of the word to the best imported enamels. There is no other enamel made in America today that possesses the same high qualities of many of the imported enamels in durability and appearance. Old Dutch Enamel is not a varnish enamel and consists only of the highest quality finely ground zinc—ground in processed linseed oil. For this reason Old Dutch Enamel will not turn yellow with age like "alligator" like varnish enamels. This is one of the nicest enamels to apply as it flows remarkably free, does not "set up" quickly and can be worked over large panels without showing laps or streaks. Old Dutch Enamel comes in three shades: White, Ivory, and French Gray, approved and selected by the nation's leading architects and decorators. It is supplied in two finishes: gloss and egg-shell. Old Dutch Enamel can be used for both interior and exterior work.

For undercoats use S-W Flat-Kite, for interior surfaces, the very finest enamel undercoater manufactured. On exterior surfaces use SWP Flat White.

	1/4 Pts.	Pts.	Qts.	1/2 Gal.	Gal.
White (Gloss).....	67	1 30	3 15	4 25	5 00
White (Dull Finish).....					
Old Ivory (Gloss).....					
Old Ivory (Dull Finish).....		1 30	3 15	4 25	5 00
French Gray (Gloss).....					
French Gray (Dull Finish).....					

Trade Discount 33 1/4%

Quarter-pints, 48 in case.
Quarts, 12 in case.

Half-pints, 48 in case.
Half-gallons, 6 in case.

Pints, 24 in case.
Gallons, 4 in case.



AUTOMOTIVE FINISH

In Opex, Sherwin-Williams present a complete line of perfected pyroxylin spraying lacquer for finishing motor car bodies.

In Opex you have the widest possible range of popular attractive shades that the market affords. Choose from no less than 50 clear toned vivid colors. Opex makes practical the use of light colors and presents many bright shades in its unusually broad range of colors. Sunlight or trying weather conditions do not fade or discolor Opex Lacquer Enamels.


Opex Enamels are vivid, full of life, and fast in color. Like all Sherwin-Williams colors they are noted the world over for their permanence. Opex Enamels are water and weather-proof and resist dirt and dust, snow and ice, sun and heat, oil and grease, scratches and wear, road oil and tar, alkali and battery acid.

Opex has a fuller, richer, and higher gloss. This gloss is not obtained through the use of any substitutes that detract from the durability but a research development of our own and one of which we are very proud. Opex Enamels have a scientifically determined content of gum, and the film is not brittle but is tough and elastic.

Opex must be applied with a compressed air gun. Only those who are apt in using the spray gun and who have the necessary spray equipment are able to apply Opex. The sale of Opex is therefore limited to custom shops and motor car dealers, but every refinishing shop is a potential consumer.

All of our "Paint Headquarters" interested in cultivating this class of trade, which represents a large market, are invited to get in touch with our nearest office for full information on Opex.

SHERWIN-WILLIAMS PRODUCTS



A strictly pure white lead ground in strictly pure refined linseed oil and is actually finer in texture than any other white lead on the market. ODP White Lead is soft in the package and easy to work up, yet it preserves a covering capacity and a wearing consistency which is unexcelled. ODP White Lead is of the same high quality that is found in every other Sherwin-Williams product, whether it be a paint, varnish, stain or enamel.

ODP White Lead is put up in strong steel kegs that keep out the moisture and air and do not absorb the oil, hence the lead is always fresh and in as good condition as when it left the mill. When empty, the steel packages are easily cleaned and may be put to many different uses in the paint shop or around the house.

ODP White Lead is also available in soft paste form in 12 1/2 and 25-lb. pails and 50 and 100-lb. kegs.

For Prices See Special Price Card, Form E-356.

PASTE WHITE PAINT

This is a composite paint manufactured from high quality pigments ground in pure linseed oil to a paste form. On account of its bulk and unusually fine grinding, it will take one gallon more oil per hundred pounds than a similar quantity of white lead. For this reason it is more economical than lead, and on account of its zinc content will cover more surfaces per gallon and outwear a paint made from lead alone.

	12 1/2-lb. Pails	25-lb. Pails	50-lb. Kegs	100-lb. Kegs
White.....	12 1/2	12 1/2	12	12 1/2

Net Prices

12 1/2-pound pails, 4 to case. 25-pound pails, 4 to case.

PASTE WOOD FILLER

For Filling All Open-Grain Hardwood



	1-lb. Cans	5-lb. Cans	12 1/2-lb. Pails	25-lb. Pails	100-lb. Kegs
American Walnut.....	1	5	12 1/2	25	100
Golden Oak (Brown Mahog.).....	1	5	12 1/2	25	100
Mahogany.....	1	5	12 1/2	25	100
Natural Oak.....	1	5	12 1/2	25	100
Transparent.....	1	5	12 1/2	25	100

Trade Discount 25%

1-pound cans, 48 in case. 5-pound cans, 12 in case.
12 1/2-pound pails, 4 in case. 25-pound pails, 4 in case.

75 75 (15) 250 250

SHERWIN-WILLIAMS PRODUCTS



PLASTER BOND METHOD OLD METHOD

PLASTER BOND

For Damp-Proofing Inside Walls Above Grade

Plaster Bond is black paint of asphalt type, to be applied without heating on inside brick, building tile, or concrete walls above grade, before plaster is applied, to act as a damp-proofing. Applied by brush or by spray method. One coat only required. Covers approximately 150 square feet to the gallon, varying with porosity of the wall. Dries slowly. Twenty-four hours after Plaster Bond has been applied, it is in the tacky condition ideal for application of plaster. As the plaster dries out, the Plaster Bond also dries, resulting in a tenacious bond.

Plaster Bond is sold almost exclusively to plasterers and general contractors. Specifications calling for Plaster Bond will be found under plastering specifications and not under painting specifications. Descriptive enclosing slip, including directions for application, Form E-517.

Plaster Bond damp-proofs interior walls above grade, prevents staining of plaster and makes furring or lathing unnecessary.

Plaster Bond should never be applied to ceilings.

Gals.	5 Gals.	Bbls.
1 25	1 15	1 00

Net Prices

Gallons, 4 in case.

PERMENTO

A White Cold Water Paint for Outside Use

Permento is designed especially for use on the exterior of buildings, air-shafts, fences, sawmills and other similar structures. Owing to its great disinfecting qualities, it is an ideal coating for cattle barns, pens, chicken-coops, etc.

Five pounds of Permento, when mixed with cold water to the proper consistency, will make one gallon of paint which will cover about 200 square feet of an average surface.

100-lb. Kegs	350-lb. Bbls.
18	16

Trade Discount 40%

SHERWIN-WILLIAMS PRODUCTS

POLISH-OL

Cleans and Polishes in One Operation

Polish-ol is more than a furniture and woodwork polish; it is a paint and varnish "food" or reviving agent that brings out and intensifies the original finish, produces a handsome gloss and is not harmful to the finish. Being primarily manufacturers of highest grade paints, enamels and varnishes, we are interested in prolonging the life of finishes obtained with these materials, and offer Polish-ol as the best polish we can produce for furniture, woodwork, floors, pianos, victrolas, automobiles, etc.

The automobile owner will find it most effective for cleaning and polishing automobile bodies, fenders, radiators, in fact all finished parts.

Bottles Per Dozen		Gallon Bottles
4-oz.	12-oz.	
3 70	7 40	3 55

Trade Discount 40%

4-oz. bottles, 48 in case

Gallons, 4 in case.

12-oz. bottles, 24 in case.

PORCH AND DECK PAINT

(Rapid Drying)

Especially prepared to withstand outside exposure and hard wear on porch floors, steps, decks of boats, etc. Is the best insurance against the elements and is not affected by repeated cleaning and scrubbing. Spreads easily and dries with a full gloss. Color Card CC-124.

	Qts.	1/2-Gala.	Gala.
No. 51 Dark Slate.....			
No. 69 Dark Gray.....			
No. 48 Gray Stone.....	73	1 38	2 50
No. 45 Neutral Brown.....			
No. 46 Tile Red.....			

Net Prices

Quarts, 12 in case.

Half-gallons, 6 in case.

Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

QUICK DRYING COLORS

Ground in Japan

For use as color-coats in the finishing of automobiles, coaches, cars, carriages and other surfaces. Should be applied over suitable undercoatings and varnished over, or may be combined with varnish for making color-varnish coatings. These colors are recognized the world over as the standard of excellence in the finishing of fine vehicles and railway equipment. The peculiarities, the natural tendencies of working and wearing qualities of each individual color are carefully studied, and each is treated in such a way as to bring out its natural good qualities or minimise any inherent defects. They are brilliant in tone, possess best working, drying and flattening qualities, are uniform in color and grade and thoroughly reliable.

The following colors are filled in one-pound cans, also in five-pound press cans, except where other packages are specified. Color Card CC-304.

	Per Pound 1-lb. Cans and 5-lb. Press Cans
Blacks	
Ivory Drop	55
Ivory Drop XXX	55
English Coach A	55
Chemically Refined Lamp	55
Special Lamp	46

Whites	
Flake	53
French Zinc	53

Ground	
Red L. No. 43	55

Reds	
Carmosine L	61
English Rose Pink	90
English Vermilion, D	Market
French Carmine No. 40 (Glaze)	7 53
Ibis	90
Mohawk, D	99
Permanent Vermilion	99
Premier Non-Fading, L	55
Royal Durbar, L	1 19
Royal Durbar, M. and D	1 43
Royal Venetian	55
Spartan, D	99
Tuscan	55

Browns	
Golden Tan	53
Quaker	55
Raw and Burnt Sienna	53
Raw and Burnt Umber	55
Vandyke	75

Greys	
Petri	53
Silver	55

Trade Discount 25%

SHERWIN-WILLIAMS PRODUCTS

QUICK DRYING COLORS—Continued

Ground in Japan		Per Pound
	Wine	1-lb. Cans and 5-lb. Press Cans
Wine Color B.....		1 08
Blues		
Azure.....		90
Prussian.....		90
Ultramarine.....		1 08
Yale, L. and D.....		98
Yellows and Creams		
Chrome, L., M., O. and D.....		81
Golden Ochre.....		75
Imitation Gold.....		55
Metropolitan Cream.....		85
Yellow Ochre.....		85
Greens		
Brewster, M.....		78
Emerald, L.....		98
Extra Coach, L., M. and D.....		81
Olivet.....		85
Large Tubes		Per Dozen Tubes
Chrome Yellow, L., M. and O.....		35
Flake White.....		35
French Carmine, No. 40 (Glass).....		15 15
Imitation Gold.....		48
Permanent Vermilion.....		45
Prussian Blue.....		15
Royal Durbur Red, M.....		45
Striping Black.....		58
Striping Blue.....		48

Trade Discount 25%

SHERWIN-WILLIAMS PRODUCTS

LEADERSHIP — QUICK DRY



ROGERS BRUSHING LACQUER

A wonderful Brushing Lacquer, superior to anything on the market.

Rogers Brushing Lacquer dries in one hour, can be re-coated in two hours, dries with an excellent gloss, far better than any competitive product, has less odor than any competitive product and affects the old paint or varnish to a less extent than any material now on the market.

Rogers Brushing Lacquer quickly renews shabby furniture, floors, stairways, woodwork, cabinets, bric-a-brac, toys, etc. Color Card RBL-1.

	1/4 Pts.	1/2 Pts.	Pts.	Qts.	1/2 Gals.	Gals.
Beige Brown.....						
Black.....						
Buckingham Gray...						
Carminé.....						
Cinnamon Brown....						
Chinese Red.....						
Forest Green.....						
French Gray.....						
Holland Blue.....						
Indian Yellow.....						
Ivory.....						
Jade Green.....						
Jungle Green.....						
Lettuce Green.....						
Navy Blue.....	87	62	1 05	1 90	3 60	6 80
Oak.....						
Orange.....						
Rattan.....						
Rich Blue.....						
Rich Wine.....						
Russet Tan.....						
Sage Gray.....						
Sahara Sand.....						
Slate.....						
Stem Green.....						
Turquoise.....						
Vogue Blue.....						
White and Flat White						
Clear.....						
Linoleum Clear.....	57	95	1 75			6 05
Thinner.....	27	47	85	1 60	2 80	5 80

Trade Discount 40%

Quarter-pints, 48 to case. Half-pints, 48 to case. Pints, 24 to case.
Quarts, 12 to case. Half-gallons, 6 to case. Gallons, 6 to case.

Ask about the Rogers Brushing Lacquer Introductory Plan.

SHERWIN-WILLIAMS PRODUCTS

ROGERS VOGUE FINISHES

Vogue Finish is used to secure stippled effects. It is the only product of its kind on the market today. When applied by amateurs, they will find great satisfaction in the artistic effects and decorative results secured. Vogue Finish can be applied on the following with exceptionally fine results—furniture, glassware, novelties, bric-a-brac, costuming, etc.

	No. 1	No. 2
Platinum Tone.....		
Fire-Glow.....	47	77
Sun-Glow.....		
Fairy Green.....		

Trade Discount 40%.

No. 1 cans, 96 to case.

No. 2 cans, 48 to case.

ROGERS LACQUER POLISH

The Finest Polish in the Finest Package.

Bears the beautiful Oriental label as used on Rogers Brushing Lacquer. Here's the Polish that is right—better than anything we have been able to buy in the open market.

8-oz. Bottles	18-oz. Bottles
50	1 00

Trade Discount 40%

Eight-ounce bottles, 12 in case.

Eighteen-ounce bottles, 24 in case.

ROOF AND BRIDGE PAINT

A utility paint for barns, fences, wooden or metal bridges, structural iron work, shingle or metal roofs, and other buildings of rough or finished lumber. Roof and Bridge Paint is made from high-grade materials and offers greater paint value at these economical prices than any other paints on the market. Quite heavy in body and will stand considerable reducing. Covers about 480 square feet one coat per gallon. Color Card CC-140.

	1/2 Gals.	Gals.	5 Gals.	Ebbls.
Bronze Green.....	71	1 25	1 20	1 15
Red, Black and Brown.....				
Gray Slate.....	78	1 40	1 35	1 30

Net Prices

Half-gallons, 6 in case.

Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

RED LEAD

LIQUID RED LEAD

Is especially formulated to make an easier working Red Lead Paint and to give greater spreading power than ordinary Red Lead.

This material will remain in suspension in the package longer than the average Liquid Red Lead. Breaks up more readily to form an easy working paint with lower oxidising rate to allow the linseed oil film to remain elastic for the longest time possible.

Gals.	5 Gals.
2 55	2 50

Net Prices

Gallons, 4 in case.

PERFECT METHOD RED LEAD

Ground in Oil

For plumbing, painting and general utility purposes.

1-lb. Cans	5-lb. Cans	12 1/2-lb. Cans	25-lb. Cans
24 1/2	23	20	18

Net Prices

1-pound cans, 48 in case.

12 1/2-pound pails, 4 in case.

5-pound cans, 18 in case.

25-pound pails, 4 in case.

SALAMANDER BLACK

Salamander Black is made expressly for use on smoke-stacks, flues, boiler fronts and all superheated surfaces. It is a splendid preservative for the metal and affords adequate protection from rust. It dries quickly with a full, hard, glossy surface and withstands extreme heat without blistering, scaling or cracking.

This paint covers approximately 500 square feet to the gallon, one coat, when applied over the cold metal. However, when the surface is warm the covering capacity is relatively smaller.

Qts.	Gals.	5 Gals.
40	1 30	1 25

Net Prices

Quarts, 12 in case.

Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

Semi-Lustre

A SATIN-FINISH INTERIOR PAINT

An interior paint possessing the hard drying and washable qualities of enamel, that brushes out and works like an oil paint and dries with a half-enamel gloss.

Semi-Lustre is a prime favorite among master painters as well as consumers, because it is such a finely ground product that works as freely as an oil paint, levels out beautifully and covers well. Semi-Lustre dries with a smooth, satin-like finish that does not catch dirt easily, and may be readily washed with soap and water to restore its original lustre.

Semi-Lustre come heavy enough in body to permit stippling. If the painter wishes to thin it, he should use pure turpentine.

The line of colors, which, in addition to White, make up the Semi-Lustre line, have been carefully chosen. Included in this line are delicate tints and good strong colors which may be intermixed if desirable to attain a greater variety of colors.

The uses of Semi-Lustre are many. It has no equal as a finish for plaster walls or wallboard, in private homes, hospitals, schools, public buildings, etc., where this particular type of finish is desired. It is also highly recommended for use on woodwork in the same type of buildings, and has already proven a big favorite for bathrooms, kitchens and laundries. Color Card CC-241.

	Pts.	Qts.	1/2 Gals.	Gals.	5 Gals.
Bright Sage					
Buff					
Canary Yellow					
Cream					
Cream Gray					
Ivory White	38	68	1 35	2 30	2 35
Light Pink					
Orchid					
Pale Green					
Poudre Blue					
Silver Gray					
Taupe (New)					
White					

Net Prices

Pints, 24 in case.

Quarts, 12 in case.
Gallons, 4 in case.

Half-gallons, 6 in case.

SAVE-LITE

INTERIOR EG-SHEL WHITE

An intensely white finish for interior walls, ceilings and woodwork of factories, mills, dairies, stores, etc. Dries with an egg-shell gloss and is particularly desirable for its light-diffusing qualities, without the objectionable glare reflected by a high gloss paint. On account of its heavy body, it has splendid hiding qualities, covering dark or poorly painted surfaces perfectly with two coats. The first coat should be reduced 25% with turpentine or S-W Universal Thinner, which serves as a size and scaler. Second coat should be applied as it comes from the can.

	Qts.	1/2 Gals.	Gals.	5 Gals.
Save-Lite White (Eg-Shel)	68	1 35	2 40	2 35

Net Prices

Quarts, 12 in case.

Half-gallons, 6 in case.

Gallons, 4 in case.

TS 79 (15) B30 390

SHERWIN-WILLIAMS PRODUCTS

SCHOOLBOARD SLATING

Manufactured exclusively for finishing school blackboards. Dries uniformly with a dull slate-like finish, that makes an excellent writing surface. Old and worn blackboards can be quickly and inexpensively renewed with one or two coats.

	$\frac{1}{2}$ Pts.	Pts.	Qts.	Gals.
Black.....	47	75	1 30	4 30
Green.....	52	85	1 55	5 30

Trade Discount 40%

Half-pints, 48 in case. Pints, 24 in case. Quarts, 12 in case.
Gallons, 4 in case.

SCREEN ENAMEL

For renewing old screens and preventing rust. Does not close up the mesh and dries with a high gloss that prevents dust and dirt from adhering to the screen.

	$\frac{1}{2}$ Pts.	Pts.	Qts.	$\frac{1}{2}$ Gals.	Gals.
Black.....	37	50	85	1 45	2 55
Dark Green.....	42	55	1 10	1 95	3 55

Trade Discount 40%

Half-pints, 48 in case. Pints, 24 in case. Quarts, 12 in case.
Half-gallons, 6 in case. Gallons, 4 in case.

SEMI-PASTE PAINT

For painting buildings outside and inside. Made in 12 colors and white. Is a composite paint manufactured in semi-paste form, requiring only the addition of linseed oil gallon for gallon. On account of its high lead and zinc content and exceptionally fine grinding, it is thoroughly economical paint to use. Color Card CC-87.

	Qts.	$\frac{1}{2}$ Gals.	Gals.	5s
Regular Colors.....	73	1 38	2 60	2 55
White.....	78	1 48	2 80	2 75
French Crown Green.....	83	1 58	3 00	2 95

Net Prices

Quarts, 12 in case. Half-gallons, 6 in case. Gallons, 4 in case.

SHELLAC

Our Shellac is 4-lb. cut and is offered at the market price in the following grades: Pure White and Orange, Compound White and Orange.

Put up in eighth-pints, quarter-pints, half-pints, pints, quarts, half-gallons, gallons, five-gallons and barrels.

Prices on Application

Eighth-pints (24 bottles to a carton), 4 cartons in case.
Quarter-pints, 48 in case. Half-pints, 48 in case. Pints, 24 in case.
Quarts, 12 in case. Half-gallons, 12 in case. Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

STAINS

ACID STAIN

Transparent stains that intensify and enhance the natural beauty of the woods on which they are applied. Easily applied without streaking, and absolutely true to color. They will not fade. Color Card CC-171.

	1/2 Pta.	Pta.	Qta.	1/2 Gals.
Fumed Oak.....	42	70	1 20	2 15
Silver Gray.....				
Antique Brown Mahogany.....	52	85	1 45	2 65
Dark Colonial Mahogany.....				
Light Mahogany.....				

Trade Discount 40%

Half-pints, 48 in case.

Pints, 24 in case.

Quarts, 12 in case.

Half-gallons, 6 in case.

GOLDEN OAK STAIN

For staining interior woodwork, doors, furniture, etc., where the popular shade known as Golden Oak is desired. This stain comes in concentrated form. To produce the standard shade of Golden Oak, this stain should be reduced with eight parts of turpentine or benzine to one part of the stain. It is very popular among painting contractors on account of its low cost as one gallon of the stain and eight gallons of benzine will produce nine gallons of Golden Oak Stain. Will not raise the grain of the wood. Requires little or no wiping.

1/2 Pta.	Pta.	Qta.	1/2 Gals.	Gals.
42	65	1 10	1 95	3 55

Trade Discount 40%

Half-pints, 48 in case.

Pints, 24 in case.

Quarts, 12 in case.

Half-gallons, 6 in case.

Gallons, 4 in case.

OIL STAIN

Suitable for all types of new work, hard or soft woods. Easy to apply, uniform in color and quality, dry properly without raising the grain of the wood. Are permanent and dependable. Color Card CC-139.

	1/2 Pta.	Pta.	Qta.	1/2 Gals.	Gals.
Colonial Oak.....					
Dark Oak.....	42	60	1 05	1 85	3 30
Light Oak.....					
Walnut.....					
*Brown Mahogany.....					
Dark Mahogany.....					
Light Mahogany.....	42	70	1 25	1 90	4 85
*Rich Mahogany.....					
Silver Gray.....					
Moss Green.....	57	95	1 65	2 10	5 80

*Recommended for Interior use only.

Trade Discount 40%

Half-pints, 48 in case.

Pints, 24 in case.

Quarts, 12 in case.

Half-gallons, 6 in case.

Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

STAINS — Continued

HANDCRAFT STAIN

Spirit Soluble, Penetrating Type

Highest grade artistic stains for use in finishing finest interior woodwork, furniture, etc. Are adaptable to hardwood and softwood alike. These stains are individual in tone, dry without showing streaks or brush marks. Do not raise the grain of the wood, therefore require no sanding. Color Card CC-119.

	1/4 Pts.	Pts.	Qts.	Gals.
Adam Brown.....				
Early English.....				
Fumed Oak.....				
Ivy Green.....	46	75	1 30	4 30
Nut Brown.....				
Silver Gray.....				
Walnut.....				
Weathered.....				
Extra Dark Mahogany.....	52	85	1 55	5 30
Light Mahogany.....				
Handcraft Stain Reducer.....	37	50	85	2 55

Trade Discount 40%

Half-pints, 48 in case. Pints, 24 in case. Quarts, 12 in case.
Gallons, 6 in case.

All Handcraft Stains are filled in tin cans, except Ivy Green and Silver Gray, which on account of their acidity must be filled in glass bottles.

Gallons, 4 in case.

PRESERVATIVE SHINGLE STAIN

This line, consisting of the popular shades of red, brown, green and gray, is manufactured on a high-quality basis. It is a line of penetrating stains—not thin paints that wash off with the first rain or that soon fade. These stains contain refined creosote and other liquids that penetrate and stain the wood to a considerable depth, and for this reason will maintain their color long after other stains have faded away. In our Greens, for instance, we use Chemically Pure Chrome Green and can point to thousands of green roofs throughout the country that are splendid testimonials to the permanency of this line. Color Card CC-38.

	Gals.	5 Gals.	Bbls.
B-41 Sienna Brown.....			
B-46 Thatch Brown.....	1 05	95	80
B-47 Nut Brown.....			
C-76 Indian Red.....			
C-71 Bright Green.....			
C-72 Dark Green.....	1 25	1 15	1 10
C-74 Medium Green.....			
C-82 Silver Gray.....	1 35	1 25	1 20

Net Prices

Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

STOVE-PIPE AND IRON ENAMEL

For refinishing stove-pipes, grates and similar iron surfaces subjected to heat. Should be applied while the surface is slightly warm, and allowed to dry 24 hours before subjecting to high temperature, under which conditions it will be practically smokeless and will produce a better surface and wear longer than any other stove-pipe enamel or stove-pipe varnish on the market.

$\frac{1}{4}$ Pts.	$\frac{1}{2}$ Pts.	Pts.
22	32	55

Trade Discount 40%

Quarter-pints, 48 in case. Half-pints, 48 in case. Pints, 24 in case.

TAXITE

(Paint and Varnish Remover)

Taxite is the name of our paint and varnish remover, which is both efficient and economical. Efficient because it cuts the paint and varnish in the shortest possible time and economical because it saves time, labor and material. It works splendidly on upright surfaces, as it penetrates immediately and does not run off. Has no equal for removing old coats of paint and varnish, no matter how thick, quickly and effectively. Apply with a brush and allow to stand 10 or 15 minutes, then scrape off with a putty knife and clean the surface thoroughly with benzine or denatured alcohol. Taxite does not injure the skin, discolor or raise the grain of wood.

$\frac{1}{4}$ Pts.	Pts.	Qts.	$\frac{1}{2}$ Gals.	Gals.
30	45	80	1 40	2 50

Trade Discount 33 $\frac{1}{4}$ %

Half-pints, 48 in case. Pints, 24 in case. Quarts, 24 in case.
Half-gallons, 12 in case. Gallons, 6 in case.

TRAFFIC ZONE PAINT

For Use on all Kinds of Pavement

Traffic Zone Paint White is an intensely white paint that stays white for a longer period of time than any product for this purpose we have ever seen. It is designed for painting on asphalt, wood, brick, stone and surfaced highways.

Traffic Zone Paint Yellow and Orange have been developed for localities where White is not desirable. These colors have been standardised in many cities.

Traffic Zone Paint is prepared in ready-to-use consistency, and when considered too heavy should be thinned with naphtha. It dries with a flat finish, works easily and, being finely ground, covers a maximum of area per gallon. One coat covers solid. Traffic Zone Paint may be applied by brush or spray methods.

Applied in average dry clear weather (not freezing), Traffic Zone Paint will dry in fifteen to twenty minutes. Warm, favorable painting weather will greatly reduce this time, while application on a cold day in a shady spot will further retard the drying. Color Card CC-243.

	Gals.	5c
White.....	1 90	1 85
Yellow.....	2 00	1 95
Orange.....		
Red.....	2 80	2 75

Net Prices

Gallons, 4 in case.

TS 70 (15) 530 390

-43-

SHERWIN-WILLIAMS PRODUCTS

TOUCH-UP BLACK



Handy Touch-Up Black is always ready for use. The brush is soldered right through the cap of the can. A screwdriver pricks open the cover in a jiffy and there is a dandy little fitch brush right in the enamel all ready to use. Touch up the worn spot, replace the cap in the can and Touch-Up Black is all ready for the next time—no trouble—no fuss and the brush won't harden.

The Touch-Up brush is round and pointed so that it will neatly hit the smallest spot without smearing up the entire surface. It contains stock enough, however, to spread out for an inch-wide stroke if an entire floor or panel must be coated.

Touch-Up Black dries free in half an hour and hard in a couple of hours. Has a brilliant high gloss and is a thoroughly satisfactory piece of goods in every way.

Touch-Up Black is shipped in corrugated boxes holding 12 half-pint cans each.

Single Cans	Per Dozen Cans
25	10 00

Trade Discount 33 1/3%

Four dozen in case.

UNIVERSAL THINNER

This product was developed to fill a demand for a suitable thinner for all kinds of paste and liquid paints where turpentine is not absolutely essential. It should not be confused with the many petroleum distillates and mineral spirits which are offered as turpentine substitutes. Universal Thinner is not a substitute turpentine. Its solvent properties are approximately 60 per cent higher than the best mineral spirits.

Put up in 1 and 5-gallon cans, and non-returnable drums.

Prices on Application

VERDELITE

The Satisfactory Green—Paste Form

A popular priced line of chrome greens manufactured in four shades, Light, Medium, Dark and Olive. Particularly adapted for store fronts, window blinds, roofs, etc. Offers splendid value for the money. Color Card CC-34.

	5-lb. Cans	12 1/4-lb. Cans	25-lb. Pails
Light	28	26	24
Medium and Dark	22	21	19

Trade Discount 25%

5-pound cans, 12 in case. 12 1/4-pound cans, 4 in case.
25-pound pails, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

WAXES

DANCING FLOOR WAX

Powdered

An excellent preparation for waxing ballroom floors. Put up in sprinkler top cans, which makes application easy. Is used by the largest hotels, dancing academies, amusement parks, etc.

$\frac{1}{2}$ -lb. Cans	1-lb. Cans
57	93

Trade Discount 40%

$\frac{1}{2}$ -pound cans, 48 in case. 1-pound cans, 24 in case.

LIQUID WAX

A liquid wax for finishing woodwork, floors, bowling alleys, furniture, etc. The application of our Liquid Wax is a great time and labor-saver, and produces dependable results. This material can be applied with a brush, levels out smooth and covers a great area of surface per gallon.

$\frac{1}{2}$ Pts.	Pts.	Qts.	$\frac{1}{2}$ Gals.	Gals.
42	70	1 15	2 10	3 20

Trade Discount 40%

Half-pints, 48 in case. Pints, 24 in case. Quarts, 24 in case.
Half-gallons, 12 in case. Gallons, 6 in case.

PREPARED WAX

Paste Form

A high-grade wax for floors and other woodwork. It is a wax that dries fairly quick, works splendidly with or without a weighted floor brush or electric polisher, and holds its gloss indefinitely. Consumers like to use this wax because it has no objectionable odor, covers well, works easily and takes a high polish.

$\frac{1}{2}$ -lb. Cans	Each	1-lb. Cans	Per Pound	5-lb. Pails
42		73		68

Trade Discount 40%

Half-pound cans, 48 in case. One-pound cans, 48 in case.
Five-pound pails, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

WAGON AND IMPLEMENT PAINT

For repairing farm machinery, tractors, wagons, implements and similar surfaces. Made in bright, permanent colors that dry with a high varnish gloss. Their use will prevent rust and decay of expensive farm machinery, hence is a good investment. Color Card CC-157.

	Pts.	Qts.	½ Gala.	Gala.
Black	75	1 80	2 85	4 30
Blue	80	1 40	2 80	4 30
Green	80	1 40	2 80	4 30
Yellow	85	1 55	2 85	5 30
Red				
Wine				

Trade Discount 40%

Pints, 24 in case. Quarts, 12 in case. Half-gallons, 6 in case.
Gallons, 4 in case.

WALL PAINT No. 96

(Heavy Body)

Wall Paint No. 96 was developed to meet the demand for a deep pebble stipple. This is not intended as just a heavy bodied Wall Paint and should be sold only when the painter wishes to produce a stipple of the old Lead and Oil Sharp Stipple, or the High Pebble Stipple.

The material should be applied as it comes in the package and the height of the stipple depends upon the amount of material applied uniformly on the surface. The round top edge of the stipple depends upon the time the painter waits before stippling after applying the material. Usually four to five minutes produces the average round pebble stipple, depending upon drafts in the room and natural drying conditions.

Painters will find this an ideal product to produce many types of beautiful wall finishes, either tinting it and leaving it in a stipple effect, or glazing over with many possible beautiful glaze and color effects.

Gala.	5 Gala.
2 20	2 10

Net Prices

Gallons, 4 in case.

WALL PRIMER AND SEALER

Wall Primer and Sealer is just what the name implies, a primer and sealer for all types and kinds of walls in mills, public and office buildings and homes.

A wall primer and sealer to be satisfactory must naturally prime and seal the wall against as much suction as possible so that the succeeding coat will stand out properly and that is just exactly what Wall Primer and Sealer does. Every contractor and painter in the United States is a prospective customer for this product.

Wall Primer and Sealer should be applied as it comes from the can and if thinning is necessary because of standing open in the package or for spraying purposes or extremely porous surfaces, it should be thinned with ¼ to 1 pint of boiled linseed oil.

Qts.	Gala.	5 Gala.
37	1 95	1 90

Net Prices

Quarts, 12 in case.

Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

WHITE ZINC IN OIL

	1-lb. Cans	5-lb. Cans	12½-lb. Pails	25-lb. Pails
S-W Green Seal French Zinc.....	\$9¼	\$7¼	24¼	22¼
S-W Red Seal French Zinc.....	\$8¼	26¼	23¼	21¼
Zinc White, G. W. M. (Green Seal).....			18	16
Zinc White, G. W. M. (Red Seal).....			17¼	15¼

Net Prices

1-pound cans, 48 in case.

5-pound cans, 12 in case.

12½-pound pails, 4 in case.

25-pound pails, 4 in case.

XXX ENAMEL UNDERCOATER

Unquestionably the best master painter enamel undercoater on the market. The most exacting tests prove that it excels in brushing and working qualities, leveling, whiteness and close-knittedness. XXX Enamel Undercoater sands perfectly and holds out enamel beautifully.

This undercoater, as well as other S-W undercoaters, can be mixed readily with either Old Dutch Enamel or Enamelastic when desired, in the case of split coats. For first coat work this material should be thinned with one pint of oil and one pint of turpentine to the gallon on hardwoods; on softwoods one quart oil only to the gallon. For use over Wall Primer and Sealer on wall work reduce with one pint turpentine to the gallon.

Many painters are making their own Dull Enamels, particularly to satisfy the demand of their customers as to degree of sheen, which varies on different jobs.

Most painters have found this very difficult to accomplish when using the average wall paint or enamel undercoater, in that they were not ground fine enough or clean enough to produce a good Dull Enamel when mixed with Gloss Enamel.

XXX Enamel Undercoater stands out alone because of its clean, fine grinding. It mixes perfectly with Enamel, particularly Enamelastic, to produce a high grade Dull Enamel with varying degrees of sheen depending upon the mixture.

Qts.	Gals.	5 Gals.
72	2 55	2 50

Net Prices

Quarts, 12 in case.

Gallons, 4 in case.

YELLOW OCHRE (French)

Ground in Oil

	12½-lb. Pails	25-lb. Pails	100-lb. Kegs
F.....	33	31	29
A.....	20	18	16
H.....	18¼	16¼	14¼

Trade Discount 25%

12½-pound pails, 4 in case.

25-pound pails, 4 in case.

TS 70 (15) 830 390

- 47 -

SHERWIN-WILLIAMS PRODUCTS

SHERWIN-WILLIAMS

ZILO

(Pure White Lead With Zinc Added)

(White Lead 75%, Zinc Oxide 25%, Ground in Linseed Oil)

White Zinc is universally acknowledged to be the right pigment to use with white lead to retard the objectionable chalking, characteristic of white lead paint. The proportion of zinc used, however, is most important, as zinc used alone shows faults just as objectionable as the chalking of white lead.

We offer Sherwin-Williams Zilo, pure lead with pure zinc added, not as a lead substitute, but as the modern paint pigment better than white lead. Zilo, used according to the directions on the package, will make a paint having a better and more lasting gloss than white lead paint and will be more economical and cost less by the job.

There's nothing radical about Zilo. Neither are there any untested theories involved in the making of it. Zilo is simply a factory-made, machine-ground combination of white lead and white zinc, put conveniently in the package ready to be let down with raw linseed oil and turpentine for use.

Zilo contains 75% pure white lead and 25% zinc oxide, the proportion most master painters advocate as ideal. However, if a painter has a job upon which he wants to use approximately 85% white lead and 15% zinc oxide and wants to be certain that he obtains pure zinc as well as pure white lead, all he has to do is to mix together 100 lbs. Zilo and 67 lbs. white lead. By mixing white lead and Zilo, any amount of white zinc can be provided up to 25%. In other words, whenever you wish to add zinc to a white lead paint—use Sherwin-Williams Zilo.

Zilo is an exceptionally finely ground pigment. The big practical advantage of this fineness of grinding is found in the greater bulk of Zilo—a hundred pounds of Zilo will take three pints more of linseed oil than the same amount of lead. This fineness means, also, that a gallon of Zilo paint will go farther than a gallon of white lead paint because a thinner film of Zilo will hide the old surface, the Zilo pigment particles being finer and lying closer together.

The further advantage of using Zilo in preference to mixing your own lead and zinc is the cost.

Take your pencil and figure the best price at which you can buy 25 pounds of pure zinc oxide in pure refined linseed oil. To this add the figure you would have to pay for 75 pounds of strictly pure white lead today. Check your figures and compare the result with the price of Zilo. You will be surprised to find that Zilo costs you considerably less.

Zilo makes a noticeably whiter job than white lead. The pure white zinc in Zilo makes it whiter not only when newly applied but it keeps Zilo whiter because white lead takes on a grayish cast when exposed to the weather. When used for tints and colors, Zilo produces a cleaner and more brilliant tone than white lead and does not lose its character through chalking as does white lead paint.

Also available in soft paste form.

Zilo comes in 100-lb. and 50-lb. bags, 25-lb. steel pails.

(See Special Price Card, Form E-336)

SHERWIN-WILLIAMS PRODUCTS

SHERWIN-WILLIAMS VARNISHES

The facilities afforded by the largest system of paint and varnish factories in the world give us advantages for the manufacture of varnishes that cannot be duplicated in any other plant. We use the very finest quality oils and varnish gums, specially selected for each particular grade of varnish. Our chemical laboratories are complete in every detail so that we can apply every known test to both raw materials and finished products, and make sure that they are not only of highest quality, but conform to standard in every respect.

We list on the following pages the most largely used varnishes we manufacture. Each is designed to meet a specific requirement. All conditions which surround its use are taken carefully into consideration, and the varnish must demonstrate through practical test that it meets every requirement for the purpose intended, before it is placed on the market. S-W Varnishes can always be depended upon to give satisfactory results. They have long since passed the experimental stage, and the success which has attended their use for many years is sufficient guarantee of their quality.

We also list a very complete line of Driers, Japans, Asphaltums, First Coaters. Each product is the standard of quality for the purpose intended, and has been in use for years with entire satisfaction.

With such a complete and satisfactory line the dealer is in position to handle the varnish business in his locality to the very best advantage.

VARNISH LEADERS

MAR-NOT

Fast-Dri—The Water-Resisting Floor Varnish

Modern in construction, but with a proven reputation for quality and service. Produces a rich, full finish on the work; easy working, elastic and long wearing. Built to stand scuffing and scratching. Dries dust-free in 1 hour; hard enough to re-coat in 4 hours; in 6 to 8 hours is hard enough to walk on; and in 24 hours, can be rubbed. Its Fast-Dri feature is a distinct advantage to all users, particularly where rooms cannot conveniently be out of service, jobs where the painter must get ready for new tenants to move in, etc.

While not essentially a trim and furniture varnish, yet it is suitable for woodwork and other interior surfaces such as window sills, laundries, and other surfaces not directly exposed to the weather.

Mar-not should be applied directly to the wood or linoleum, reducing the first coat slightly with pure spirits of turpentine (about one pint to the gallon), applying the succeeding coats without reduction. Do not use shellac or pigment first-coaters of any kind under Mar-not.

MAR-NOT SATIN FINISH

Mar-not Satin Finish is an architectural finishing varnish which was designed for use on floors. This product, when used over two coats of Mar-not Varnish, will produce a beautiful dull rubbed finish without the labor of hand rubbing or waxing. Apply freely, brushing just enough to spread evenly. It dries dust-free in three hours; and hard enough to walk on overnight. Use only one coat over two coats of Mar-not or an elastic varnish.

SCAR-NOT

The Water-Resisting Interior Varnish

A pale, full-bodied varnish designed for the finest interior woodwork in homes, banks, office buildings, etc., where a strictly first-class finish is demanded. Dries with a full gloss so that it can be left in its natural state, if desired, or it can be rubbed to a dull finish with pumice-stone and oil or water in about forty-eight hours. Can also be polished.

SHERWIN-WILLIAMS PRODUCTS

VARNISH LEADERS—Continued



The King of all Spar Varnishes

Rexpar represents the highest type of spar varnish, being very pale in color, full-bodied, producing a film that is both waterproof and weatherproof, successfully withstands varying atmospheric conditions such as extreme heat and cold, snow, wind, salt spray and sun. It is therefore ideal for steamships, yachts, canoes, outside doors, porch ceilings, kitchens, bathrooms, etc. Dries dust-free in from two to three hours and hard enough to re-coat in from fifteen to eighteen hours.

Our varnish policy is "A special varnish for each special purpose," but if you want a single varnish for many purposes, use Rexpar (King of all Spar Varnishes).

VELVET FINISH No. 1044 The Varnish for Dull Rubbed Effect

This varnish, instead of drying with a gloss, dries to imitate a dull rubbed surface, thereby doing away with the expense and labor of rubbing. Contains no wax. Shows little or no tendency to settle out in the package, and therefore is easily applied with uniform results. This varnish not tending to show laps or brushmarks, can be applied over any other good varnish (or shellac) and does not spot white. Dries dust-free in two to three hours and hard overnight.

FLOOR-SEAL The Wood Floor Hardener

Floor-Seal is designed to enter into a wood floor and to harden it from within by filling the pores or open cells of the wood and by actually toughening the fibers of the wood itself. Floor-Seal is not intended to produce a varnish finish over the surface. Our regular floor varnishes are furnished for this purpose. For this reason one coat of Floor-Seal is our standard recommendation for wood floors both in hard and so-called softwoods. This one coat will enter completely into the wood, leaving little or no surface film, but it remains in the wood sealing it against penetration of moisture and maintaining a hardened wood surface even as the wood surface wears down.

Floor-Seal possesses the following outstanding advantages for use on wood floors in schoolrooms, gymnasium floors, factory and mill floors and all similar heavy duty wood floors where the service is too heavy for either a floor varnish, floor enamel or any surface finish:

Floor-Seal does not darken the wood as does hot linseed oil.

Floor-Seal dries completely and is not a dust-catcher as are linseed oil and other floor oils on the market.

Floor-Seal does not make the floor slippery as do floor oils. Accident insurance companies recognize this fact.

A floor finished in Floor-Seal may be waxed for dancing with perfect satisfaction. It does not wash out of floors as do oils.

Note—Where the customer insists upon applying two coats of Floor-Seal, allow forty-eight hours for drying before applying the second coat.

No. 1 FLOOR

A pale, medium-grade floor varnish. Dries dust-free in three to four hours. Has average toughness and elasticity, along with good water-resisting qualities.

No. 1 COACH

A low-priced coach varnish for the less expensive interior work. Dries hard in 24 hours with a high gloss.

FINEST WHITE DAMAR

Made from the finest grade of damar gum and intended for use in making white enamels. Also used by printers and lithographers.

SHERWIN-WILLIAMS PRODUCTS

FIRST COATERS

MARVELAC

Popularly priced spirit first coats, recommended in place of shellac. Used directly over stains. Marvelac brings out the brilliancy and depth of tone so greatly desired. Possesses wonderful sealing properties and is more water-resisting than shellac. Can be brushed, sprayed or dipped, and comes ready for use. For best results should be thinned about 25 to 50 per cent with 188-degree proof denatured alcohol for dipping or spraying. Dries dust-free in a few minutes and sands in 3 to 6 hours without gumming the sandpaper.

LIQUID FILLER

A pigment sanding first-coater of the better type. Dries in 24 hours and sands to a perfect finish for succeeding varnish coats. Stir before using.

DRIERS AND JAPANS

HERCULES DRIER

A high grade concentrated drier of exceptional strength. It mixes readily with oil and will not curdle or separate. Will dry paste fillers promptly and perfectly. The master painter will find this to be the most economical he can purchase owing to its heavy body and great drying strength. Dries in the proportion of one part drier to forty parts of oil overnight. This is the drier we use in SWP colors. There can be no stronger recommendation.

WHITE LIQUID DRIER

The strongest and most powerful white liquid drier that can be made from the best obtainable materials. It is unequalled for drying and mixing qualities. It will dry linseed oil perfectly when mixed in the proportion of about one gallon of drier to twenty gallons of oil. This drier will mix with oil without any indications of curdling or separation and will not affect the most delicate shades or tints.

DRY-O-NITE

The master painter's ideal drier, a perfectly safe drier for general use. It mixes readily with oil, paints, etc. Will not separate, precipitate, burn, saponify or curdle, but thoroughly dries oil, paint, etc., leaving an elastic, smooth and wear-resisting surface. Unlike most driers, the painting materials to which it has been added as directed will dry perfectly from the inside out, thus entirely precluding the possibility of surface drying. There is no drier made which will more readily and thoroughly mix with linseed oil and oil paints without separation.

JAPAN DRIER

A strong, economical drier, in no way to be compared with the cheaper qualities offered generally under a similar name.

GOLD SIZE JAPAN

A pale, heavy-bodied japan of superior quality. Its great strength makes it economical and it is perfectly safe to use with any mixture. A blinder, which can be used with delicate colors without injury. Will properly harden rough stuff and facilitate the drying of all undercoats.

COACH PAINTERS' JAPAN

Specially prepared for the coach painter's use and thoroughly reliable for the preparation of all undercoatings. Acts as a hardening agent as well as a mixing japan and is always uniform.

SHERWIN-WILLIAMS PRODUCTS

SHERWIN-WI

ASPHALTUMS

No. 1 ASPHALTUM

Suitable for rough castings, sheet iron work, etc. Dries dust-free in fifteen to twenty minutes and can be handled in two to three hours.

"B" ASPHALTUM (Quick Drying)

A quick-drying black asphaltum, sold at a popular price, yet offering exceptionally good value. Works easily, covers well and possesses exceptional alkali and acid-resisting qualities.

AUTOMOTIVE VARNISHES

ENGLISH BODY FINISHING

A pale, heavy-bodied and durable varnish of great brilliancy designed for highest grade motor cars. Specially prepared with a view to easy working qualities and drying to meet the demands of the practical finisher in the custom shop. This varnish is made from the finest selected gums and oils, matured under ideal conditions which render it perfect for use. Special care is exercised in the aging process. This helps bring out the great brilliancy for which the varnish is noted.

ENGLISH PALE RUBBING

A pale, rubbing varnish designed for highest grade motor cars. Works freely and levels evenly. Dries to rub in 24 to 36 hours under normal conditions, although 48 hours should be allowed when shop conditions permit. This varnish is designed for mixing with colors, especially for the last or split-coat—when so mixed it will not curdle or thicken, as is often the case with many present-day rubbing varnishes of inferior quality. This varnish should be carefully rubbed, or flatted, then followed by a full coat of English Body Finishing Varnish.

ENGLISH GEAR FINISHING

A pale, heavy-bodied, waterproof varnish for motor car chassis and gears, carriage wheels, etc. Works freely and flows evenly, producing a deep, well rounded finish of great brilliancy and exceptional durability. Sets out of dust in 5 to 6 hours and dries hard in 24 to 36 hours. Use at full body over color and striping coats.

PALE DURABLE BODY FINISHING

A pale, heavy-bodied finishing varnish designed to produce a full-bodied, brilliant finish for high grade motor cars. Especially prepared to meet American conditions. It is easy working, fairly quick drying, flowing out perfectly. It dries dust-free in 4 to 6 hours, and hard enough to put into service in 48 hours.

PALE BODY RUBBING

A very high grade rubbing varnish of dependable quality. It is pale in color, heavy in body, works freely and flows evenly. Dries to rub in 24 to 36 hours. For best results allow 48 hours.

PALE PERFECTION GEAR

A very pale, durable, elastic finishing varnish for running parts on a first grade of work over delicate colors, and on account of paleness, unusual working and flowing qualities, body and rich lustre, it is the selection of many carriage and automobile shops. Will dry dust-free in about 6 hours, hard enough to handle in 36 hours and hard in two days.

For prices, see page

AUTOMOTIVE VARNISHES

QUICK FINISHING VARNISH

A medium colored finishing custom shop. This varnish does grade finishing varnishes call for. a full brilliant finish. It sets to service at the end of 24 hours, pr

QUICK RUBBING VARNISH

A medium colored rubbing v tions found in custom shops. It especially well so that it does not r rubbing varnishes. It dries dust for a light rubbing in 24 hours, s

MOTOR TRUCK A

MOTOR TRUCK FINISHING

A high grade finishing varnish. It is pale in color, heavy in body, next day. Has a high lustre and

MOTOR AND WAGON GEAR

A very pale, hard-drying va. Stands out with a good full body, c resisting qualities.

S.W.F.

There probably always will t paint to a standard prepared w learned to appreciate the good w White Lead.

You can now finish these c dependable and satisfactory prod ers will find it equal to the best o

S.W. Flattening Oil when coml that dries with a flat finish, work tains a satisfactory wet edge to a

Mix Flattening Oil with White Oil with White Lead, that is, addi

Flattening Oil

Quas

12 1-gallon cans or 2 5-gall
24 1-gallon cans or 5 5-gall
48 1-gallon cans or 10 5-gall
96 1-gallon cans or 20 5-gall

LTUMS

at iron work, etc. Dries dust-free in 24 to 36 hours. It is a full brilliant finish. It is sold at a popular price, yet offering a covers well and possesses exceptional

3 VARNISHES

varnish of great brilliancy designed for prepared with a view to easy working of the practical finisher in the custom the finest selected gums and oils, render it perfect for use. Special care is helps bring out the great brilliancy for highest grade motor cars. Works rub in 24 to 36 hours under normal d be allowed when shop conditions mixing with colors, especially for the will not curdle or thicken, as is often ing varnishes of inferior quality. This or flatted, then followed by a full coat

NG

varnish designed to produce a full motor cars. Especially prepared to working, fairly quick drying, flowing o 6 hours, and hard enough to put into

ish of dependable quality. It is pale in freely. Dries to rub in 24 to 36 hours.

ing varnish for running parts on a good on account of paleness, unusual work ich lustre, it is the selection of many dry dust-free in about 6 hours, hard l in two days.

see page

AUTOMOTIVE VARNISHES — Continued

QUICK FINISHING VARNISH

A medium colored finishing varnish designed to meet the conditions in custom shops. This varnish does not require the expert handling that high grade finishing varnishes call for. It is easy working, free flowing, drying to a full brilliant finish. It sets to touch in 4 to 5 hours, and can be put into service at the end of 24 hours, providing it is flooded with clear, cold water.

QUICK RUBBING VARNISH

A medium colored rubbing varnish, designed to meet the general conditions found in custom shops. It is easy working, free flowing, leveling out especially well so that it does not require as much rubbing as the general run of rubbing varnishes. It dries dust-free in 1 to 2 hours, and sufficiently hard for a light rubbing in 24 hours, although 48 hours is preferable.

MOTOR TRUCK AND WAGON VARNISHES

MOTOR TRUCK FINISHING

A high grade finishing varnish for motor truck and high grade wagon work. Is pale in color, heavy in body, works and flows freely, and dries to handle next day. Has a high lustre and is very elastic and durable.

MOTOR AND WAGON GEAR

A very pale, hard-drying varnish that can be used over delicate colors. Stands out with a good full body, dries to handle overnight and has good water-resisting qualities.

For prices, see page 54

S. W. FLATTING OIL

There probably always will be painters who prefer a hand-mixed flat wall paint to a standard prepared wall paint, especially among those who have learned to appreciate the good working qualities of S.W. Old Dutch Process White Lead.

You can now furnish these customers S.W. Flattening Oil Rx 01306, as a dependable and satisfactory product. It bears our standard label and painters will find it equal to the best on the market.

S.W. Flattening Oil when combined with Pure White Lead makes a paint that dries with a flat finish, works freely under the brush, levels well and retains a satisfactory wet edge to avoid laps and brush marks.

Mix Flattening Oil with White Lead exactly the same as if mixing Linseed Oil with White Lead, that is, adding a little oil at a time and stirring constantly.

Flattening Oil — 15 50 40

List Prices Quantity Discounts

12 1-gallon cans or 2 5-gallon cans, deduct 10 per cent.
24 1-gallon cans or 5 5-gallon cans, deduct 20 per cent.
48 1-gallon cans or 10 5-gallon cans, deduct 20 and 5 per cent.
96 1-gallon cans or 20 5-gallon cans, deduct 20 and 15 per cent.

75 (15) 220 200 — 25 —

SHERWIN-WILLIAMS PRODUCTS

S-W VARNISHES

ARCHITECTURAL VARNISH LEADERS

	1/2 Pts.	Pts.	Qu.	1/2 Gal.	Gal.
MAR-NOT (Fast-Dry)	51	85	1 50	2 75	5 00
MAR-NOT SATIN FINISH	51	85	1 50	2 75	5 00
SCAR-NOT	51	85	1 50	2 75	5 00
REXPAR	51	85	1 50	2 75	5 00
VELVET FINISH No. 1044	51	85	1 50	2 75	5 00
FLOOR-SEAL	51	85	1 50	2 75	5 00
Excello Floor and Trim	51	85	1 50	2 75	5 00
Excello Spar	51	85	1 50	2 75	5 00
Excello Satin Finish	51	85	1 50	2 75	5 00
No. 1 Floor	51	85	1 50	2 75	5 00
No. 1 Coach	51	85	1 50	2 75	5 00
Finest White Damar	51	85	1 50	2 75	5 00

FIRST COATERS

Marvelac, White	51	85	1 50	2 75	5 00
Marvelac, Orange	51	85	1 50	2 75	5 00
Liquid Filler	51	85	1 50	2 75	5 00

DRIERS AND JAPANS

Hercules Drier	51	85	1 50	2 75	5 00
White Liquid Drier	51	85	1 50	2 75	5 00
Dry-O-Nite	51	85	1 50	2 75	5 00
Japan Drier	51	85	1 50	2 75	5 00
Gold Sire Japan	51	85	1 50	2 75	5 00
Coach Painters Japan	51	85	1 50	2 75	5 00

ASPHALTUMS

No. 1	51	85	1 50	2 75	5 00
"B"	51	85	1 50	2 75	5 00

AUTOMOTIVE VARNISHES

ENGLISH BODY FINISHING	51	85	1 50	2 75	5 00
ENGLISH PALE RUBBING	51	85	1 50	2 75	5 00
ENGLISH GEAR FINISHING	51	85	1 50	2 75	5 00
Pale Durable Body Finishing	51	85	1 50	2 75	5 00
Pale Body Rubbing	51	85	1 50	2 75	5 00
Pale Perfection Gear	51	85	1 50	2 75	5 00
Quick Finishing	51	85	1 50	2 75	5 00
Quick Rubbing	51	85	1 50	2 75	5 00

MOTOR TRUCK AND WAGON VARNISHES

Motor Truck Finishing	51	85	1 50	2 75	5 00
Motor and Wagon Gear	51	85	1 50	2 75	5 00

DECORATIVE VARNISH

Transfer Varnish	51	85	1 50	2 75	5 00
------------------	----	----	------	------	------

Trade Discount 22 1/2%

For price in 5-gal. cans, deduct 10c per gal. from list price of 1-gal. cans.
 For price in barrels and non-returnable drums, deduct 25c per gal. from list price of 1-gal. cans.
 For price in 55-gal. drums, deduct 30c per gal. from list price of 1-gal. cans. Drums charged extra and credit issued when returned in good condition, freight prepaid.
 Eighth-pints, 48 in case. Quarter-pints, 48 in case.
 Half-pints, 48 in case. Pints, 24 in case. Quarts, 12 in case.
 Half-gallons, 12 in case. Gallons, 6 in case.
 For full description of these Varnishes, refer to pages 49-55.

SHERWIN-WILLIAMS PRODUCTS

INSECTICIDES AND FUNGICIDES 1241

DRY POWDERED ARSENATE OF LEAD

Sherwin-Williams Dry Powdered Arsenate of Lead is the lightest and fluffiest arsenate of lead made. These properties insure good mixing and suspension, and uniform and effective control of chewing insects. This material contains from 30 to 33 per cent of arsenic oxide and less than 1 per cent water soluble arsenic oxide. Consequently maximum insect-killing is obtained without any injury to fruit or foliage. Whether used as wet spray or as a dust, S-W Dry Powdered Arsenate of Lead will give maximum results.

Prices on Application of 11 lbs. at retail.

DRY ARSENATE OF CALCIUM

Sherwin-Williams Arsenate of Calcium complies with every government specification covering physical qualities and chemical analysis. It is of especial value applied as a dust in the control of Cotton Boll Weevil.

S-W Arsenate of Calcium comes in dry powdered form and is extremely fine, having a density of not less than 80 or more than 100 cubic inches to the pound. This insures even and economical distribution on the cotton plant. S-W Arsenate of Calcium contains not less than 40 per cent of arsenic oxide and less than $\frac{1}{4}$ of one per cent of water soluble arsenic oxide. These qualities insure quick killing of the Boll Weevil without injury resulting to the cotton plants.

Prices on Application

DRY LIME-SULFUR

("The Original")

Dry Lime-Sulfur is the most valuable new spraying product that has been developed in recent years. For a long time Lime-Sulfur Solution had been the standard dormant and summer spray for apples, pears, plums and many other fruit trees. Orchardists are familiar with the disadvantages connected with the use of Lime-Sulfur Solution. These include heavy handling of barrels, losses due to leakage, crystallization and freezing and freight on water.

Sherwin-Williams Dry Lime-Sulfur is a true Dry Lime-Sulfur. It is not a substitute for Lime-Sulfur Solution, but is standard 33-degree Baume Lime-Sulfur Solution in dry powdered form. It dissolves readily in water and will control insects and diseases just as effectively as Lime-Sulfur Solution.

Sherwin-Williams Dry Lime-Sulfur is an effective remedy for San Jose and Oyster-Shell Scale, Peach-Leaf Curl, Peach Blight, Peach Twig Borer, Blister-Mite, Apple and Pear Scab, Powdery Mildew of Apples, Red Spiders, Mites and Thrips of citrus fruits.

Prices on Application

PARIS GREEN

Sherwin-Williams Paris Green is recognized by potato and tobacco growers as an old reliable and effective brand for the control of the Potato Bug and the Tobacco Worm. It is also effective against grasshoppers, armyworms and cutworms. S-W Paris Green will kill insects quickly because it contains about 55 per cent of arsenious oxide, which is in excess of that required by the government. S-W Paris Green contains less than $1\frac{1}{4}$ per cent water soluble arsenious oxide.

S-W Paris Green is extremely fine and excels all other brands in suspension qualities when used as a wet spray and is more economical and effective when used as a dust.

Prices on Application

SHERWIN-WILLIAMS PRODUCTS

INSECTICIDES AND FUNGICIDES — Contd.

OF LEAD DRY POWDER FUNGI-BORDO

Sherwin-Williams Fungi-Bordo is an extremely fluffy Bordeaux Mixture in dry powdered form. It is made of the best grade of lime and blue vitriol. S-W Fungi-Bordo mixes readily with water and stays well in suspension. It is very effective when applied as a dust.

Fungi-Bordo is a properly balanced Bordeaux mixture containing equal parts of lime and blue vitriol. When used at the rate of 6 lbs. to 50 gallons of water it will give a 3-3-50 Bordeaux formula—8 lbs. a 4-4-50 formula, 10 lbs. a 5-5-50 formula and 12 lbs. a 6-6-50 Bordeaux formula.

Sherwin-Williams Fungi-Bordo will control most fungous diseases of apples, pears, cherries, grapes, strawberries and those of vegetables. The use of Fungi-Bordo eliminates all of the inconvenience connected with the making of home-made Bordeaux. It is better than commercial paste Bordeaux Mixture because it is more easily mixed with water, will not deteriorate and is more effective in the control of fungous diseases.

Prices on Application

PESTROY

Sherwin-Williams Pestroy is a convenient ready-to-mix combined insecticide and fungicide consisting of dry Bordeaux Mixture and Arsenate of Lead for use on fruits and vegetables. It is extremely fine and stays well in suspension when applied as a wet spray. S-W Pestroy may be applied as a dust both effectively and economically.

S-W Pestroy contains 85 per cent of Dry Bordeaux Mixture and 15 per cent of Dry Arsenate of Lead. This combination will insure a properly balanced spray mixture.

S-W Pestroy should be used to control chewing insects and fungous diseases of apples, pears, quinces, cherries, grapes, currants, gooseberries, potatoes, tomatoes, cucumbers, egg-plant and beans.

Prices on Application

LONDON PURPLE

The old reliable remedy for potato "bugs," cotton worms, ants, grasshoppers, cut-worms, etc.

An economical spray possessing quick killing properties and adhesive-ness. May be applied as a dust or wet spray.

Prices on Application

PRUNING COMPOUND

Sherwin-Williams Pruning Compound is the best material to apply to large wounds made in pruning both fruit and shade trees. If large cut surfaces remain unprotected against weathering and disease, enormous damage may result.

Sherwin-Williams Pruning Compound is a ready-for-the-brush antiseptic, tree-wound dressing, which will prevent cracking or weathering.

Dark Green Olive.....

Qts. 5-Gals.

1.50 1.40

Net Prices

Quarts, 12 in case. Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

ROOF PAINTS AND ROOF CEMENTS

EBONOL

Ebonol is an excellent black paint for general exterior upkeep work. It is acid free, durable and highly recommended as a roof paint on prepared or so-called "rubber" roofing, metal skylights, flashings and down-spouts. It has a splendid body and will not run or dry out under the heat rays of the sun. Becomes set in 24 hours. Enclosing Slip E-576.

In thinning Ebonol use only Ebonol Reducer.

Gals.	5-Gals.	Drums	Drums
80	70	65	60

Net Prices

Gallons, 4 in case.

EBONOL REDUCER

A reducer made to reduce Ebonol down to a thinner consistency, and make it so that it will set more quickly.

Gals.	5-Gals.	Drums
-------	---------	-------

75	65	60
----	----	----

Net Prices

Gallons, 4 in case.

QUICK DRYING EBONOL

Similar paint to Ebonol except it is not quite so heavy bodied and dries quicker. A reducer is put in it which permits this product to set in about eight hours.

Gals.	5-Gals.	Drums
85	75	65

Net Prices

Gallons, 4 in case.

LIQUID ROOF CEMENT

S-W Liquid Roof Cement is offered in three colors, black, red and green. It is an effective combination of pitches, oils and long asbestos fibre recommended for repairing different types of roofs, including tar, gravel, slag, concrete, slate, tile, tin, galvanized iron, composition, felt, canvas and corrugated iron. Apply it with a roofing brush commonly known as a "aquecege."

	Gals.	5-Gals.	Half Drums	Drums
Black.....	85	75	70	65
Red.....	1 35	1 25	1 30	1 15
Green.....				

Net Prices

Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

ROOF PAINTS AND ROOF CEMENTS—Contd.

ELASTIC ROOF CEMENT

S-W Elastic Roof Cement is offered in three colors, black, red and green. It is an effective combination of pitches, oils and long asbestos fibre recommended for patching large holes, joining and relining gutters, eave-troughs, down-spouts, drain pipes, valleys, skylights, chimney flashings and cornices. S-W Elastic Roof Cement should be applied with a trowel. It is very durable and will stand extreme temperatures without cracking.

	1-lb. Cans	5-lb. Cans	10-lb. Pails	25-lb. Pails	50-lb. Drums	100-lb. Drums	Half Drums
Black.....	12 1/4	10 1/4	09 1/4	09	07 1/4	07	06 1/4
Red.....	16 1/4	14 1/4	13	11 1/4	11	11	10 1/4
Green.....							

Net Prices

1-pound cans, 24 in case.

5-pound cans, 6 in case.

10-pound pails, 6 in case. 25-pound pails, 2 in case.

WOOD PRESERVATIVES

CARBOLIC-OL

Carbolic-OL is a superior grade of anthracene oil derived in the distillation of coal-tar. It is recommended for spraying or painting the interior of poultry houses to kill Mites, Fowl Ticks or "Blue Bugs" and Stick-Tight Fleas; also for preserving fence posts, flooring, sills, silo staves and other wood products against decay.

Gals.	5 Gals.	Drums
1 00	90	80

Net Prices

Gallons, 4 in case.

CARBOLIC-OL SHINGLE STAIN

Carbolic-OL Shingle Stain is a wood preservative oil of great penetrative qualities and will insure maximum water and weather resisting properties which are needed for wood and shingles. It comes in two shades, light and dark brown. This product will add prolonged life to shingles.

	Gals.	5 Gals.	Drums
Light.....	1 00	90	80
Dark.....			

Net Prices

Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

TANK STOCK DIPS

PHENO-DIP

(Standardized)

Pheno-Dip is a standardized coal-tar stock dip and disinfectant having a carbolic acid coefficient ranging from 5 to 6 by the Hygienic Laboratory Method. It is recommended for use as a dip for cattle, sheep, horses, swine, goats and poultry and as a disinfectant for general use about the farm.

Qts.	Gals.	5 Gals.	Drums
34	1 10	1 00	90

Net Prices

Quarts, 12 in case.

Gallons, 4 in case.

S-W STOCK DIP

S-W Stock Dip is a standardized coal-tar stock dip having a carbolic acid coefficient ranging from 2 to 3 by the Hygienic Laboratory Method. It is recommended for use as a dip for cattle, sheep, horses, swine, goats and poultry, and as a disinfectant for general use about the farm.

Gals.	5 Gals.	30-Gal. Drums	50-Gal. Drums
85	75	70	65

Net Prices

Gallons, 4 in case.

KILTIK D

Kiltik D is a highly concentrated arsenical dip made especially to destroy the cattle tick. It has been approved by the Bureau of Animal Industry of the United States Department of Agriculture as being effective for official dipping. It is used primarily in the Southern States where the cattle tick has been a serious problem. Kiltik D is uniform in quality and is recognised as one of the most effective products of its kind on the market.

1 Gal.	5 Gals.	Drums
....		

Prices on Application

Gallons, 4 in case.

DARK FLY SPRAY

Fly Spray is a liquid preparation which should be used without being diluted as a spray on cattle and horses, to repel flies and gnats and other insects which attack these animals during the summer months. Will not taint milk. When applied to horses and cattle, it will remain effective for several hours.

Qts.	1 Gal.	5 Gals.	Drums
29	85	75	65

Net Prices

Quarts, 12 in case.

Gallons, 4 in case.

TS 70 (15) 230 200

== 99 ==

SHERWIN-WILLIAMS PRODUCTS

PYRETHRUM FLY SPRAY

Pyrethrum Fly Spray is a light colored fly spray for use on cattle and horses. It kills flies and gnats and is also an excellent fly repellent, which will remain active for several hours. Will not taint milk, nor burn the skin.

Qts.	1 Gal.	5 Gals.	Drums
24	1 15	1 05	85
Net Prices			
Quarts, 12 in case.		Gallons, 4 in case.	

HARMLESS SHEEP MARKING LIQUID

This is a paint made in three colors, which will absolutely adhere to the wool in spite of all weather conditions. It is a big favorite with particular sheep raisers, because it holds its color on the wool, yet will wash out in the scouring process. It is unquestionably the finest sheep marking liquid produced.

	Gals.	5 Gals.	Barrels
Black.....	1 35	1 45	1 35
Red.....	1 60	1 30	1 40
Green.....	1 65	1 35	1 45

Net Prices

Gallons, 4 in case.

SHEEP BRANDING PAINT

Sheep Branding Paint differs from Harmless Sheep Marking Liquid in that it is a permanent dye which will not leave the wool even in the scouring process. It is made in only one color—black, and will satisfy sheep raisers who want an absolutely permanent mark.

Gals.	5 Gals.	Barrels
1 30	1 40	1 30

Net Prices

Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

DISINFECTANTS

OYLAPINE

Odor of the Southern Pine

Oylapine is an especially prepared efficient disinfectant and deodorant with a very pleasant odor. It is composed of emulsified pine-tar oil and is for use in the home, in theatres or other public meeting places where a disinfectant with a pleasant odor is desired.

Qts.	Gals.	5 Gals.	Drums
44	1 25	1 25	1 15

Net Prices

Quarts, 12 in case.

Gallons, 4 in case.

PHENOLENE

Phenolene is a standardised coal-tar dip having a carbolic acid coefficient ranging from 5 to 6 by the Hygienic Laboratory Method. It is recommended for disinfecting floors, drains and lavatories in homes, schools, churches, offices, factories, railroad coaches and depots. Phenolene makes a perfect milky emulsion when diluted with water.

Qts.	Gals.	5 Gals.	Drums
34	1 10	1 00	90

Net Prices

Quarts, 12 in case.

Gallons, 4 in case.

S-W DISINFECTANT

A coal-tar disinfectant two to three times more powerful than carbolic acid. For general disinfectant purposes, spraying or dipping.

Drums only.

65c per gallon net.

S-W LIQUOR CRESOLIS COMPOSITUS U. S. P.

S-W Liquor Cresolis Compositus U. S. P. is a disinfectant made according to the specifications outlined in the United States Pharmacopoeia, an official book of formulae and methods for the manufacture of drugs. It is used principally in hospitals to make antiseptic solutions for washing wounds and sterilising instruments.

Quarts	Gals.	5 Gals.	Drums
39	2 05	1 85	1 85

Net Prices

Quarts, 12 in case.

Gallons, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

DISINFECTANTS—Continued

CRESOLEX

A commercial substitute for Liquor Cresolis Compositus U. S. P.

Quarts	Gals.	5 Gals.	Drums
45	1.50	1.40	1.20
Net Prices			

Quarts, 12 in case. Gallons, 4 in case.

S-W 50% CRESOL

S-W 50% Cresol Solution is an official substitute for Liquor Cresolis Compositus U. S. P. and is recognized by the Bureau of Animal Industry of the United States Department of Agriculture, as an effective disinfectant for use in stock pens, cattle cars, stockyards and other places where livestock may run or are shipped interstate.

Gals.	5 Gals.	Drums
1.45	1.35	1.25
Net Prices		

Gallons, 4 in case.

S-W PINE-OIL CLOSET CHEMICAL

S-W Pine-Oil Closet Chemical is similar in efficiency to S-W Closet Chemical excepting that it is pine oil disinfectant instead of a coal-tar disinfectant. S-W Pine Oil Closet Chemical has a pleasant odor and is an efficient germicide. It forms a permanent milky emulsion when mixed with water.

Gals.	5 Gals.	Drums
1.35	1.25	1.15
Net Prices		

Gallons, 4 in case.

S-W CLOSET CHEMICAL

S-W Closet Chemical is an effective coal-tar disinfectant designed for use in sanitary indoor closets. It forms a perfect milky emulsion when mixed with water and possesses strong deodorizing and disinfectant properties.

Gals.	5 Gals.	Drums
.85	.75	.65
Net Prices		

Gallons, 4 in case.

Stop Mistakes in Painting

SHERWIN-WILLIAMS 				
PAINTING GUIDE				
SURFACE	TO PAINT— USE PRODUCT NAMED BELOW	TO VARNISH— USE PRODUCT NAMED BELOW	TO STAIN— USE PRODUCT NAMED BELOW	TO ENAMEL— USE PRODUCT NAMED BELOW
AUTOMOBILES.....	S-W Auto Enamel	S-W Auto Enamel Clear		S-W Auto Enamel
AUTOMOBILE TOPS AND SEATS.....	S-W Auto Top and S-W Auto Seat Dressing			
BRICK	SWP House Paint S-W Concrete Wall Finish			Old Dutch Enamel Enameloid
CEILINGS, Interior...	Flat-Tone	Scar-Net Varnish	S-W Handcraft Stain Flo-Lac	Enameloid Enameloid
Exterior...	SWP House Paint	Razpar Varnish	S-W Oil Stain	Old Dutch Enamel
CONCRETE	S-W Concrete Wall Finish			
DOORS, Interior	SWP House Paint	Scar-Net Varnish Velvet Finish No. 1644	Flo-Lac S-W Handcraft Stain	Enameloid Enameloid
Exterior.....	SWP House Paint	Razpar Varnish	S-W Oil Stain	Old Dutch Enamel
FENCES	SWP House Paint Metalastic S-W Roof and Bridge Paint		S-W Preservative Shingle Stain	
FLOORS, Interior (wood).....	S-W Floor Enamel	Mar-Net Varnish	Flo-Lac	S-W Floor Enamel
Concrete ..	S-W Floor Enamel			S-W Floor Enamel
Porch ...	S-W Porch and Deck Paint			
FURNITURE, Indoors	Enameloid	Scar-Net Varnish	Flo-Lac	Old Dutch Enamel Enameloid
Porch	Enameloid	Razpar Varnish	S-W Oil Stain	
HOUSE OR GARAGE Exterior.....	SWP House Paint	Razpar Varnish	S-W Preservative Shingle Stain	Old Dutch Enamel
LINOLEUM	S-W Floor Enamel	Mar-Net Varnish		S-W Floor Enamel
RADIATORS	Flat-Tone S-W Aluminum or Gold Paint			Enameloid
ROOFS, Shingle	S-W Roof and Bridge Paint		S-W Preservative Shingle Stain	
Metal	Metalastic			
Composition ..	Enamel			
SCREENS	S-W Screen Enamel			S-W Screen Enamel
TOYS	S-W Family Paint	Razpar Varnish	Flo-Lac	Enameloid
WALLS, Interior (Plaster or Wallboard)	Flat-Tone SWP House Paint			Old Dutch Enamel Enameloid
WICKER	Enameloid	Razpar Varnish	Flo-Lac	Old Dutch Enamel
WOODWORK Interior ..	SWP House Paint Flat-Tone	Scar-Net Varnish Velvet Finish No. 1644	S-W Handcraft Stain S-W Oil Stain Flo-Lac	Old Dutch Enamel Enameloid
For removing paint and varnish use TAXITE— quick—easy—thorough economical—can be used by anyone—on any sur- face.		SHERWIN-WILLIAMS PAINTS AND VARNISHES		For cleaning painted and varnished surfaces use FLAKCAP. Made from kerosene oil—con- tains no free alkali—re- stores original lustre.

CONSULT THIS GUIDE



DURING THE LAST SIXTY YEARS THIS
HAS BECOME ONE OF THE BEST KNOWN
TRADE - MARKS IN THE WORLD. IT
STANDS FOR THE HIGHEST QUALITY
AND IS THE BUYER'S PROTECTION IN
MAKING HIS PURCHASES OF PAINTS,
VARNISHES, STAINS, ENAMELS, INSEC-
TICIDES AND KINDRED PRODUCTS. . . .

SHERWIN-WILLIAMS

PRODUCTS

Master - Recd from printer - 1-7-31.

PRICE LIST

No. 70

EFFECTIVE JANUARY 8, 1931

Prices subject to change without notice

F. O. B. Prices

Abilene, Texas.
Amarillo, Texas.
Dallas, Texas.
Denver, Colo.
Ft. Worth, Texas.
Houston, Texas.
San Antonio, Tex.
Waco, Texas.
Wichita Falls, Texas.



THE SHERWIN-WILLIAMS CO.

**SALES OFFICES AND WAREHOUSES
IN PRINCIPAL CITIES**

REDACTED

0007-SWP-000001320

REDACTED

Page 1 of 1

0007-SWP-000001321

REDACTED

0007-SWP-000001322

REDACTED

0007-SWP-000001323

SHERWIN-WILLIAMS



A strictly pure white lead ground in strictly pure refined linseed oil and is actually finer in texture than any other white lead on the market. ODP White Lead is soft in the package and easy to work up, yet it preserves a covering capacity and a wearing consistency which is unexcelled. ODP White Lead is of the same high quality that is found in every other Sherwin-Williams product, whether it be a paint, varnish, stain or enamel.

ODP White Lead is put up in strong steel kegs that keep out the moisture and air and do not absorb the oil, hence the lead is always fresh and in as good condition as when it left the mill. When empty, the steel packages are easily cleaned and may be put to many different uses in the paint shop or around the house.

ODP White Lead is also available in soft paste form in 12 1/2 and 25-lb. pails and 50 and 100-lb. kegs.

For Prices See Special Price Card, Form E-356.

PASTE WHITE PAINT

This is a composite paint manufactured from high quality pigments ground in pure linseed oil to a paste form. On account of its bulk and the usually fine grinding it will take one gallon more oil per hundred pounds than a similar quantity of white lead. For this reason it is more economical than lead, both on account of its zinc content will cover more surface per gallon and because a paint made from lead alone.

12 1/2 lb.	25 lb.	50 lb.	100 lb.
Pails	Pails	Kegs	Kegs
White	White	White	White

Net Price

12 1/2 pound pails in case 25 pound pails in case 50 pound pails in case 100 pound pails in case

REDACTED

REDACTED

0007-SWP-000001325