

MD-3-A

PACKAGE TICKET

CODE

R4695

LOT

K2K-68

PO

NET WT/PKG.

NO. PKG.

PACK WT.

LOCATION

25

2694

27

STUMP

TOTAL NET WT.

2694

LUMP WT.

2721

PKG. N-CODE

PROD. SUPV.

DATE

OPERATOR

81

10 1381 82

2-3

0. C

0.98 +
1.03 +
1.36 +
1.21 +
0.93 +
0.96 +
0.96 +
1.86 +
0.92 +
0.97 +
0.92 +
1.71 +
0.95 +
1.00 +
0.91 +
1.16 +
1.02 +
1.06 +
0.97 +
1.55 +
0.95 +
1.00 +
1.06 +
0.99 +
0.51 +

025

26.94 ±

NON-BLEEDING

PROCESSES APPROVED BY
RT-695-D (0) EWK 12/7/81

OCT 18 1982

EST. WT. 2608* LBS.

* TYPED BY KLR
MAKING NOTES

JOB NAME: 36RT695DPN

INSTRUCTIONS

= PRESSING =

RECORD

VAT				1107		
DATE				10-21		
TIME				11:45		
RELEASED BY				(Signature)		
PRESS	32	33	34	35	38	39
NO. OF CAKES	60	60	60	60	60	60
PRESS WITHOUT						
AGITATION						
WASH TO 250 M MHDS WITH 35-75F WATER						
TEST AFTER 16 HOURS						
LOAD ON 12 CARS						

	1ST	2ND	3RD	4TH	5TH
PRESSLOAD					
STARTED	7:00 PM				
CAKES USED	64				
WATER ON	14 1/2				
HRS. WASHED	203				
M MHOS					
HRS. WASHED					
M MHOS					
HRS. WASHED					
M MHOS					
CAKE CONDITION					
NO CARS LOADED					
EXPLAIN LOSSES					

SAMPLES JAR
DELIVER TO CTL FOR COLOR

SAMPLED BY
RELEASED BY

= DRYING =

DRY 24 HOURS AT 180°F

LUMP: - OK - WET - SALTS - CONTAMINATED

MN COLOR

 ADDITIONAL DRYING HOURS REQUIRED

SAMPLES
DELIVER TO

NO CARS PULLED
SAMPLED BY
RELEASED BY

NO DRUMS
LUMP WGT

= GRINDING =

MILL 5 HSP 1/8"RP SCREEN 3500 RPM
MAX. TEMP. 140 F
MN COLOR

SCREEN	RPM
MAX. TEMP.	F
1	100
2	100
3	100
4	100
5	100
6	100
7	100
8	100
9	100
10	100
11	100
12	100
13	100
14	100
15	100
16	100
17	100
18	100
19	100
20	100
21	100
22	100
23	100
24	100
25	100
26	100
27	100
28	100
29	100
30	100
31	100
32	100
33	100
34	100
35	100
36	100
37	100
38	100
39	100
40	100
41	100
42	100
43	100
44	100
45	100
46	100
47	100
48	100
49	100
50	100
51	100
52	100
53	100
54	100
55	100
56	100
57	100
58	100
59	100
60	100
61	100
62	100
63	100
64	100
65	100
66	100
67	100
68	100
69	100
70	100
71	100
72	100
73	100
74	100
75	100
76	100
77	100
78	100
79	100
80	100
81	100
82	100
83	100
84	100
85	100
86	100
87	100
88	100
89	100
90	100
91	100
92	100
93	100
94	100
95	100
96	100
97	100
98	100
99	100
100	100

IF FOLLOWING RT-531-D/RT-539-D CLEAN
MILL THOROUGHLY; CHANGE BAG & HOSE
DOWN EXHAUST SYSTEM. NAPHTHANIL
CAUSES BAD TOLUOL BLEED.
INERT MILL WITH CO2 WHEN GRINDING
PER O.P.# O.F. 0043
SAMPLE WITHOUT MIXING
SAMPLES: ENVELOPE & 2 PINT CANS
DELIVER TO CTL

EXPLAIN LOSSES

DATE MIXED

SAMPLED BY 10/28/82
RELEASED BY

68
51
427

0.00 *

6.81 +

20.40 +

27.21 *

68
51
17

0.00 *

2.00 +

0.14 -

1.89 +

0.14 -

1.92 +

0.14 -

1.56 +

0.14 -

6.81 *

68
51
427

0.00 *
2.05 +
0.14 -
2.07 +
0.14 -
1.91 +
0.14 -
2.10 +
0.14 -
1.99 +
0.14 -
1.90 +
0.14 -
1.97 +
0.14 -
1.91 +
0.14 -
2.08 +
0.14 -
1.95 +
0.14 -
2.01 +
0.14 -
20.40 *