

December 2, 1966

Address Conf.

TO: 1. ~~P. S. SKAPP~~ *PSS*
2. G. E. MC GLOTHLEN, M.D.

FROM: T. J. KIRWIN *TJK*

The following information is supplied per your request.

1. Number of employees applying or removing insulation (more than 10% of the time).

	<u>NAME</u>	<u>P.R. #</u>	<u>% OF TIME IN THIS WORK</u>
<u>Mechanical Control</u>			

Maint. - "Alathon"®Maint. - EthyleneMaint. - Nylon-Adipic

REDACTED

DUP 1110112

	<u>NAME</u>	<u>P.R. #</u>	<u>4 OF FIVE</u> <u>IN THIS WORK</u>
<u>Maint. - Methanol-Power</u>			

2. List the most used types of insulation.
 - a. Unibestos Code 106
 - b. Calcium Silicate Code 102
 - c. Glass fiber Code 112
3. State the nature and extent of insulation applied by spraying.

No insulation spray applications by plant personnel.
4. What safety measures or safety equipment are used when:
 - a. Sawing insulating materials?

Gloves and safety glasses normally used; if extra dusty, foreman may require coverall goggles and respirator.
 - b. Removing insulation?

Same as Item 4-a plus hard hat.
 - c. Spraying insulating materials?

Not performed.

REDACTED

TJK:JP
12-9-66

DUP 1110113

DON'T SAY IT-WRITE IT

To C. A. L. H. Jones M. H. Location _____
 From Ed W. Stokke M. H. Location Lewiston, Idaho Page
 Subject information on use of radio for security 11-8-66 Date _____

I received the information you requested but been in quite
 long!

S. H. H.

✓
 L. H. Jones
 C. A. L. H. Jones

Q-66 807 10-62

PUT YOUR FAITH IN LOOK - NOT LUCK

DUP 1110111

EXH. 12