

Industrial Hygiene

Test Results

Sample Date Range 1/1/82 12/31/82
 Concentration Range
 Action Level 100%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 07 TECHNICAL									
LOC: 411 BLDG. 163 - LAB GENERAL AREA									
4/24/82	34043	400	Z			C-8/FC-143	0.04	MPB	7.1%
4/24/82	34044	400	Z			C-8/FC-143	0.07	MPB	12.5%
8/25/82	34045	406	Z			C-8/FC-143	<0.03	MPB	5.4%
8/25/82	34046	406	Z			C-8/FC-143	<0.03	MPB	5.4%
11/24/82	34047	427	Z			C-8/FC-143	2.28	MPB	407.1% **
11/24/82	34048	427	Z			C-8/FC-143	<0.03	MPB	5.4%
12/3/82	34049	406	Z			C-8/FC-143	0.04	MPB	7.1%
BTO: 08 TEFLON@									
LOC: 002 A/S - MONOMERS SOUTH TANK FARM - GENERAL									
9/22/82	39001	331	Z			C-8/FC-143	0.17	MPB	30.4%
9/22/82	39002	331	Z			C-8/FC-143	0.09	MPB	16.1%
9/22/82	39003	327	Z			C-8/FC-143	<0.03	MPB	5.4%
9/22/82	39004	335	Z			C-8/FC-143	0.09	MPB	16.1%
9/22/82	39005	328	Z			C-8/FC-143	<0.03	MPB	5.4%
9/22/82	39006	336	Z			C-8/FC-143	0.04	MPB	7.1%
BTO: 08 TEFLON@									
LOC: 701 FINE POWDER DRYER-EAST SIDE #2									
1/7/82	62712		Z			C-8/FC-143	0.59	MPB	105.4% **
1/7/82	62713		Z			C-8/FC-143	0.14	MPB	25.0%
1/19/82	62714		Z			C-8/FC-143	0.24	MPB	42.9%
1/25/82	62715		Z			C-8/FC-143	0.18	MPB	32.1%
1/26/82	62716		Z			C-8/FC-143	0.08	MPB	14.3%
1/26/82	62717		Z			C-8/FC-143	0.08	MPB	14.3%
1/26/82	62718		Z			C-8/FC-143	0.07	MPB	12.5%
2/1/82	62719		Z			C-8/FC-143	0.04	MPB	7.1%
2/1/82	62720		Z			C-8/FC-143	0.08	MPB	14.3%
2/5/82	62721		Z			C-8/FC-143	0.16	MPB	28.6%
2/5/82	62722		Z			C-8/FC-143	0.25	MPB	44.6%
2/7/82	62723		Z			C-8/FC-143	0.19	MPB	33.9%
2/7/82	62724		Z			C-8/FC-143	0.15	MPB	26.8%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/8/82	62725		Z			C-8/FC-143	0.21	MPB	37.5%
2/8/82	62726		Z			C-8/FC-143	0.17	MPB	30.4%
2/14/82	62727		Z			C-8/FC-143	0.47	MPB	83.9%
2/14/82	62728		Z			C-8/FC-143	0.61	MPB	108.9% **
2/24/82	62729		Z			C-8/FC-143	3.18	MPB	567.9% **
3/2/82	62730		Z			C-8/FC-143	3.12	MPB	557.1% **
3/2/82	62731		Z			C-8/FC-143	1.1	MPB	196.4% **
3/2/82	62732		Z			C-8/FC-143	1.58	MPB	282.1% **
3/3/82	62733		Z			C-8/FC-143	1.88	MPB	335.7% **
3/5/82	62734		Z			C-8/FC-143	1.78	MPB	317.9% **
3/5/82	62735		Z			C-8/FC-143	1.88	MPB	335.7% **
3/8/82	62736		Z			C-8/FC-143	0.79	MPB	141.1% **
3/8/82	62737		Z			C-8/FC-143	0.26	MPB	46.4%
3/8/82	62738		Z			C-8/FC-143	0.15	MPB	26.8%
3/10/82	62739		Z			C-8/FC-143	1.28	MPB	228.6% **
3/10/82	62740		Z			C-8/FC-143	0.2	MPB	35.7%
3/11/82	62741		Z			C-8/FC-143	2.72	MPB	485.7% **
3/11/82	62742		Z			C-8/FC-143	1.45	MPB	258.9% **
3/11/82	62743		Z			C-8/FC-143	1.83	MPB	326.8% **
3/15/82	62744		Z			C-8/FC-143	1.08	MPB	192.9% **
3/15/82	62745		Z			C-8/FC-143	0.2	MPB	35.7%
3/15/82	62746		Z			C-8/FC-143	0.04	MPB	7.1%
3/16/82	62747		Z			C-8/FC-143	1.19	MPB	212.5% **
3/16/82	62748		Z			C-8/FC-143	1.13	MPB	201.8% **
3/18/82	62749		Z			C-8/FC-143	1.45	MPB	258.9% **
3/18/82	62750		Z			C-8/FC-143	1.89	MPB	337.5% **
3/18/82	62751		Z			C-8/FC-143	0.99	MPB	176.8% **
3/18/82	62752		Z			C-8/FC-143	0.52	MPB	92.9%
3/20/82	62753		Z			C-8/FC-143	0.44	MPB	78.6%
3/20/82	62754		Z			C-8/FC-143	0.08	MPB	14.3%
3/21/82	62755		Z			C-8/FC-143	0.12	MPB	21.4%
3/21/82	62756		Z			C-8/FC-143	0.13	MPB	23.2%
3/21/82	62757		Z			C-8/FC-143	0.04	MPB	7.1%
3/23/82	62758		Z			C-8/FC-143	0.4	MPB	71.4%
3/23/82	62759		Z			C-8/FC-143	0.18	MPB	32.1%
3/23/82	62760		Z			C-8/FC-143	0.53	MPB	94.6%
3/24/82	46110	390	Z			C-8/FC-143	0.33	MPB	58.9%
3/24/82	46111	390	Z			C-8/FC-143	0.48	MPB	85.7%
3/24/82	46112	390	Z			C-8/FC-143	0.8	MPB	142.9% **

Tuesday, January 16, 2001 10:53:48 AM

Page 2 of 54

AJP003992

EID113127

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/24/82	62761		Z			C-8/FC-143	0.33	MPB	58.9%
3/24/82	62762		Z			C-8/FC-143	0.48	MPB	85.7%
3/24/82	62763		Z			C-8/FC-143	0.8	MPB	142.9% **
3/26/82	46113	345	Z			C-8/FC-143	0.17	MPB	30.4%
3/26/82	46114	345	Z			C-8/FC-143	0.04	MPB	7.1%
3/26/82	46115	345	Z			C-8/FC-143	0.04	MPB	7.1%
3/26/82	62764		Z			C-8/FC-143	0.17	MPB	30.4%
3/26/82	62765		Z			C-8/FC-143	0.04	MPB	7.1%
3/26/82	62766		Z			C-8/FC-143	0.04	MPB	7.1%
3/30/82	46116	441	Z			C-8/FC-143	0.77	MPB	137.5% **
3/30/82	46117	432	Z			C-8/FC-143	1.29	MPB	230.4% **
3/30/82	46118	434	Z			C-8/FC-143	0.38	MPB	67.9%
3/30/82	62767		Z			C-8/FC-143	0.77	MPB	137.5% **
3/30/82	62768		Z			C-8/FC-143	1.29	MPB	230.4% **
3/30/82	62769		Z			C-8/FC-143	0.38	MPB	67.9%
4/6/82	46119	345	Z			C-8/FC-143	<0.03	MPB	5.4%
4/8/82	46120	330	Z			C-8/FC-143	<0.03	MPB	5.4%
4/8/82	46121	330	Z			C-8/FC-143	0.18	MPB	32.1%
4/8/82	46122	330	Z			C-8/FC-143	<0.03	MPB	5.4%
4/12/82	46123	330	Z			C-8/FC-143	0.09	MPB	16.1%
4/13/82	46124	315	Z			C-8/FC-143	0.18	MPB	32.1%
4/16/82	46125	374	Z			C-8/FC-143	0.16	MPB	28.6%
4/16/82	46126	365	Z			C-8/FC-143	0.21	MPB	37.5%
4/16/82	46127	385	Z			C-8/FC-143	0.19	MPB	33.9%
4/19/82	46128	360	Z			C-8/FC-143	0.29	MPB	51.8%
4/21/82	46129	271	Z			C-8/FC-143	2.1	MPB	375.0% **
4/21/82	46130	272	Z			C-8/FC-143	0.16	MPB	28.6%
4/22/82	46131	376	Z			C-8/FC-143	0.86	MPB	153.6% **
4/22/82	46132	402	Z			C-8/FC-143	0.11	MPB	19.6%
4/22/82	46133	385	Z			C-8/FC-143	<0.03	MPB	5.4%
5/25/82	46134	360	Z			C-8/FC-143	0.24	MPB	42.9%
5/25/82	46135	360	Z			C-8/FC-143	0.2	MPB	35.7%
5/25/82	46136	360	Z			C-8/FC-143	0.48	MPB	85.7%
5/25/82	46137	360	Z			C-8/FC-143	0.45	MPB	80.4%
6/3/82	46138	360	Z			C-8/FC-143	0.04	MPB	7.1%
6/3/82	46139	360	Z			C-8/FC-143	0.29	MPB	51.8%
6/3/82	46140	360	Z			C-8/FC-143	0.1	MPB	17.9%
6/3/82	46141	360	Z			C-8/FC-143	0.45	MPB	80.4%
6/8/82	46142	400	Z			C-8/FC-143	0.04	MPB	7.1%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/8/82	46143	375	Z			C-8/FC-143	0.15	MPB	26.8%
6/9/82	46144	355	Z			C-8/FC-143	1.1	MPB	196.4% **
6/17/82	46145	394	Z			C-8/FC-143	2.47	MPB	441.1% **
6/29/82	46146	300	Z			C-8/FC-143	0.2	MPB	35.7%
7/1/82	46147	300	Z			C-8/FC-143	0.56	MPB	100.0% **
7/1/82	46148	300	Z			C-8/FC-143	1.81	MPB	323.2% **
7/1/82	46149	300	Z			C-8/FC-143	0.68	MPB	121.4% **
7/10/82	46150	425	Z			C-8/FC-143	0.22	MPB	39.3%
7/10/82	46151	425	Z			C-8/FC-143	0.49	MPB	87.5%
7/10/82	46152	425	Z			C-8/FC-143	0.99	MPB	176.8% **
7/15/82	46153	390	Z			C-8/FC-143	0.57	MPB	101.6% **
7/15/82	46154	390	Z			C-8/FC-143	0.83	MPB	148.2% **
7/15/82	46155	390	Z			C-8/FC-143	0.25	MPB	44.6%
8/2/82	46156	375	Z			C-8/FC-143	0.28	MPB	50.0%
8/4/82	46157	390	Z			C-8/FC-143	0.33	MPB	58.9%
8/4/82	46158	390	Z			C-8/FC-143	0.63	MPB	112.5% **
8/5/82	46159	390	Z			C-8/FC-143	0.35	MPB	62.5%
8/5/82	46160	390	Z			C-8/FC-143	0.92	MPB	164.3% **
8/12/82	46161	390	Z			C-8/FC-143	0.11	MPB	19.6%
8/12/82	46162	390	Z			C-8/FC-143	0.15	MPB	26.8%
8/25/82	46163	275	Z			C-8/FC-143	0.1	MPB	17.9%
8/25/82	46164	285	Z			C-8/FC-143	0.16	MPB	28.6%
8/25/82	46165	295	Z			C-8/FC-143	0.15	MPB	26.8%
9/7/82	46166	420	Z			C-8/FC-143	0.14	MPB	25.0%
9/7/82	46167	420	Z			C-8/FC-143	0.1	MPB	17.9%
9/7/82	46168	420	Z			C-8/FC-143	0.07	MPB	12.5%
9/8/82	46169	340	Z			C-8/FC-143	0.13	MPB	23.2%
9/8/82	46170	340	Z			C-8/FC-143	0.08	MPB	14.3%
9/8/82	46171	340	Z			C-8/FC-143	<0.03	MPB	5.4%
9/10/82	46172	360	Z			C-8/FC-143	0.08	MPB	14.3%
9/10/82	46173	360	Z			C-8/FC-143	0.28	MPB	50.0%
9/10/82	46174	360	Z			C-8/FC-143	0.54	MPB	96.4%
9/11/82	46175	325	Z			C-8/FC-143	0.09	MPB	16.1%
9/11/82	46176	332	Z			C-8/FC-143	0.41	MPB	73.2%
9/11/82	46177	333	Z			C-8/FC-143	0.18	MPB	32.1%
9/12/82	46178	390	Z			C-8/FC-143	0.3	MPB	53.6%
9/12/82	46179	390	Z			C-8/FC-143	0.3	MPB	53.6%
9/12/82	46180	390	Z			C-8/FC-143	0.23	MPB	41.1%
9/13/82	46181	360	Z			C-8/FC-143	0.08	MPB	14.3%

Tuesday, January 16, 2001 10:53:48 AM

Page 4 of 54

ALP003994

EID113129

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/27/82	46182	351	Z			C-8/FC-143	0.04	MPB	7.1%
9/27/82	46183	349	Z			C-8/FC-143	<0.03	MPB	5.4%
9/27/82	46184	350	Z			C-8/FC-143	<0.03	MPB	5.4%
9/28/82	46185	297	Z			C-8/FC-143	<0.03	MPB	5.4%
10/11/82	46186	390	Z			C-8/FC-143	0.23	MPB	41.1%
10/12/82	46187	395	Z			C-8/FC-143	0.24	MPB	42.0%
10/14/82	46188	133	Z			C-8/FC-143	0.87	MPB	155.4% **
10/14/82	46189	138	Z			C-8/FC-143	0.92	MPB	164.3% **
10/15/82	46190	148	Z			C-8/FC-143	2.82	MPB	503.6% **
10/15/82	46191	150	Z			C-8/FC-143	0.76	MPB	135.7% **
10/15/82	46192	149	Z			C-8/FC-143	0.7	MPB	125.0% **
10/18/82	46193	345	Z			C-8/FC-143	0.12	MPB	21.4%
10/25/82	46194	360	Z			C-8/FC-143	0.04	MPB	7.1%
10/26/82	46195	371	Z			C-8/FC-143	0.35	MPB	62.5%
10/26/82	46196	370	Z			C-8/FC-143	0.76	MPB	135.7% **
10/27/82	46197	360	Z			C-8/FC-143	<0.03	MPB	5.4%
11/1/82	46198	97	Z			C-8/FC-143	1.32	MPB	235.7% **
11/1/82	46199	94	Z			C-8/FC-143	0.78	MPB	139.3% **
11/1/82	46200	96	Z			C-8/FC-143	2.01	MPB	358.9% **
11/13/82	46201	300	Z			C-8/FC-143	0.49	MPB	87.5%
11/13/82	46202	300	Z			C-8/FC-143	0.1	MPB	17.9%
11/13/82	46203	300	Z			C-8/FC-143	0.15	MPB	26.8%
11/13/82	46204	300	Z			C-8/FC-143	0.08	MPB	14.3%
11/16/82	46205	390	Z			C-8/FC-143	0.43	MPB	76.8%
11/16/82	46206	390	Z			C-8/FC-143	0.3	MPB	53.6%
11/16/82	46207	390	Z			C-8/FC-143	0.38	MPB	67.9%
11/16/82	46208	424	Z			C-8/FC-143	1.05	MPB	187.5% **
11/16/82	46209	417	Z			C-8/FC-143	0.47	MPB	83.9%
11/27/82	46210	420	Z			C-8/FC-143	<0.03	MPB	5.4%
11/27/82	46211	420	Z			C-8/FC-143	<0.03	MPB	5.4%
11/28/82	46212	369	Z			C-8/FC-143	0.1	MPB	17.9%
12/7/82	46213	316	Z			C-8/FC-143	0.05	MPB	8.9%
12/7/82	46214	316	Z			C-8/FC-143	0.05	MPB	8.9%
12/7/82	46215	317	Z			C-8/FC-143	0.09	MPB	16.1%

BTO : 08 TEFLON@

LOC : 702 FINE POWDER DRYER CONTROL ROOM (ALSO SEE TTF031

1/5/82	57285	Z	C-8/FC-143	0.37	MPB	66.1%
1/5/82	57286	Z	C-8/FC-143	0.3	MPB	53.6%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
1/5/82	57287		Z			C-8/FC-143	0.49	MPB	87.5%
1/25/82	57288		Z			C-8/FC-143	0.19	MPB	33.9%
1/30/82	57289		Z			C-8/FC-143	0.34	MPB	60.7%
2/1/82	57290		Z			C-8/FC-143	0.29	MPB	51.8%
2/5/82	57291		Z			C-8/FC-143	0.27	MPB	48.2%
2/7/82	57292		Z			C-8/FC-143	0.15	MPB	26.8%
2/13/82	57293		Z			C-8/FC-143	0.98	MPB	175.0% **
2/13/82	57294		Z			C-8/FC-143	0.13	MPB	23.2%
2/23/82	57295		Z			C-8/FC-143	0.34	MPB	60.7%
3/1/82	57296		Z			C-8/FC-143	0.48	MPB	85.7%
3/2/82	57297		Z			C-8/FC-143	0.31	MPB	55.4%
3/8/82	57298		Z			C-8/FC-143	2.76	MPB	492.9% **
3/8/82	57299		Z			C-8/FC-143	0.25	MPB	44.8%
3/8/82	57300		Z			C-8/FC-143	0.62	MPB	110.7% **
3/8/82	57301		Z			C-8/FC-143	0.98	MPB	175.0% **
3/8/82	57302		Z			C-8/FC-143	1.19	MPB	212.5% **
3/20/82	57303		Z			C-8/FC-143	0.24	MPB	42.9%
3/23/82	57304		Z			C-8/FC-143	0.15	MPB	26.8%
3/23/82	57305		Z			C-8/FC-143	0.14	MPB	25.0%
3/24/82	36461	390	Z			C-8/FC-143	0.15	MPB	26.8%
3/24/82	36462	390	Z			C-8/FC-143	0.22	MPB	39.3%
3/24/82	57306		Z			C-8/FC-143	0.15	MPB	26.8%
3/24/82	57307		Z			C-8/FC-143	0.22	MPB	39.3%
3/26/82	36463	345	Z			C-8/FC-143	0.04	MPB	7.1%
3/26/82	57308		Z			C-8/FC-143	0.04	MPB	7.1%
4/5/82	36464	306	Z			C-8/FC-143	0.38	MPB	67.9%
4/5/82	36465	300	Z			C-8/FC-143	0.37	MPB	68.1%
4/5/82	36466	306	Z			C-8/FC-143	0.38	MPB	67.9%
4/26/82	36467	390	Z			C-8/FC-143	0.26	MPB	46.4%
4/26/82	36468	390	Z			C-8/FC-143	0.07	MPB	12.5%
4/29/82	36469	249	Z			C-8/FC-143	0.17	MPB	30.4%
4/30/82	36470	330	Z			C-8/FC-143	0.06	MPB	10.7%
5/3/82	36471	302	Z			C-8/FC-143	0.05	MPB	8.9%
5/3/82	36472	292	Z			C-8/FC-143	2.22	MPB	396.4% **
5/3/82	36473	322	Z			C-8/FC-143	0.04	MPB	7.1%
5/3/82	36474	303	Z			C-8/FC-143	0.09	MPB	16.1%
6/1/82	36475	420	Z			C-8/FC-143	0.24	MPB	42.9%
6/1/82	36476	420	Z			C-8/FC-143	0.24	MPB	42.9%
6/1/82	36477	420	Z			C-8/FC-143	0.14	MPB	25.0%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/1/82	36478	420	Z			C-8/FC-143	0.03	MPB	5.4%
6/1/82	36479	420	Z			C-8/FC-143	0.41	MPB	73.2%
6/1/82	36480	420	Z			C-8/FC-143	<0.03	MPB	5.4%
6/6/82	36481	360	Z			C-8/FC-143	0.2	MPB	35.7%
6/7/82	36482	300	Z			C-8/FC-143	0.08	MPB	14.3%
6/7/82	36483	300	Z			C-8/FC-143	0.22	MPB	39.3%
6/7/82	36484	300	Z			C-8/FC-143	0.19	MPB	33.9%
6/14/82	36485	320	Z			C-8/FC-143	0.88	MPB	157.1% **
6/14/82	36486	320	Z			C-8/FC-143	0.32	MPB	57.1%
6/14/82	36487	320	Z			C-8/FC-143	0.25	MPB	44.6%
6/17/82	36488	386	Z			C-8/FC-143	0.15	MPB	28.8%
6/28/82	36489	331	Z			C-8/FC-143	0.14	MPB	25.0%
6/28/82	36490	330	Z			C-8/FC-143	0.67	MPB	119.6% **
7/11/82	36491	360	Z			C-8/FC-143	0.28	MPB	50.0%
7/12/82	36492	420	Z			C-8/FC-143	0.21	MPB	37.5%
7/12/82	36493	420	Z			C-8/FC-143	0.21	MPB	37.5%
7/13/82	36494	370	Z			C-8/FC-143	0.24	MPB	42.9%
7/28/82	36495	420	Z			C-8/FC-143	0.39	MPB	69.6%
8/2/82	36496	375	Z			C-8/FC-143	0.42	MPB	75.0%
8/2/82	36497	375	Z			C-8/FC-143	0.67	MPB	119.6% **
8/6/82	36498	450	Z			C-8/FC-143	0.2	MPB	35.7%
8/9/82	36499	390	Z			C-8/FC-143	0.19	MPB	33.9%
8/9/82	36500	390	Z			C-8/FC-143	0.16	MPB	28.6%
8/9/82	36501	390	Z			C-8/FC-143	0.21	MPB	37.5%
9/20/82	36502	300	Z			C-8/FC-143	0.35	MPB	62.5%
9/20/82	36503	300	Z			C-8/FC-143	0.39	MPB	69.6%
9/20/82	36504	300	Z			C-8/FC-143	0.2	MPB	35.7%
10/19/82	36505	360	Z			C-8/FC-143	0.08	MPB	14.3%
11/1/82	36506	285	Z			C-8/FC-143	0.3	MPB	53.6%
11/1/82	36507	285	Z			C-8/FC-143	0.2	MPB	35.7%
11/1/82	36508	285	Z			C-8/FC-143	0.3	MPB	53.6%
11/16/82	36509	419	Z			C-8/FC-143	0.77	MPB	137.5% **
11/29/82	36510	393	Z			C-8/FC-143	0.06	MPB	10.7%
12/14/82	36511	360	Z			C-8/FC-143	0.04	MPB	7.1%
12/14/82	36512	360	Z			C-8/FC-143	0.04	MPB	7.1%
12/14/82	36513	360	Z			C-8/FC-143	0.08	MPB	14.3%

BTO: 08 TEFLON@

LOC: 703 FINE POWDER PACKOUT ROOM

Tuesday, January 16, 2001 10:53:48 AM

Page 7 of 54

AJP00397

EID113132

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/6/82	34491	450	Z			C-8/FC-143	0.07	MPB	12.5%
9/22/82	9395	360	P		none	C-8/FC-143	<0.03	MPB	5.4%

BTO: 08 TEFLON@

LOC: 704 A/S - FINE POWDER C-8 WEIGH HOOD

1/6/82	51477		Z			C-8/FC-143	8.83	MPB	1576.8% **
1/7/82	51478		Z			C-8/FC-143	0.11	MPB	19.6%
1/26/82	51479		Z			C-8/FC-143	0.08	MPB	14.3%
7/10/82	34850	425	Z			C-8/FC-143	10.81	MPB	1930.4% **
7/10/82	34851	425	Z			C-8/FC-143	1.08	MPB	192.9% **
7/13/82	34852	370	Z			C-8/FC-143	0.69	MPB	123.2% **
7/13/82	34853	370	Z			C-8/FC-143	4.74	MPB	846.4% **
7/15/82	34854	390	Z			C-8/FC-143	0.63	MPB	112.5% **
12/15/82	34855	330	Z			C-8/FC-143	0.22	MPB	39.3%

BTO: 08 TEFLON@

LOC: 705 DISPERSION PACK OUT AREA

1/18/82	33217		P		none	C-8/FC-143	0.14	MPB	25.0%
3/4/82	60508		Z			C-8/FC-143	0.18	MPB	32.1%
6/12/82	11658	360	P		none	C-8/FC-143	0.05	MPB	8.9%
6/17/82	37341	371	Z			C-8/FC-143	0.12	MPB	21.4%
6/20/82	11659	420	P		none	C-8/FC-143	0.1	MPB	17.9%
9/28/82	37342	281	Z			C-8/FC-143	<0.03	MPB	5.4%
10/5/82	37343	405	Z			C-8/FC-143	0.18	MPB	32.1%

BTO: 08 TEFLON@

LOC: 706 FINE POWDER DRYER #3

1/5/82	48778		Z			C-8/FC-143	0.34	MPB	60.7%
1/5/82	48779		Z			C-8/FC-143	0.37	MPB	66.1%
1/6/82	48780		Z			C-8/FC-143	0.5	MPB	89.3%
1/19/82	48781		Z			C-8/FC-143	0.2	MPB	35.7%
1/19/82	48782		Z			C-8/FC-143	0.38	MPB	67.9%
1/25/82	48783		Z			C-8/FC-143	0.21	MPB	37.5%
1/25/82	48784		Z			C-8/FC-143	0.17	MPB	30.4%
1/25/82	48785		Z			C-8/FC-143	0.32	MPB	57.1%
1/25/82	48786		Z			C-8/FC-143	0.21	MPB	37.5%
1/28/82	48787		Z			C-8/FC-143	0.31	MPB	55.4%
2/1/82	48788		Z			C-8/FC-143	0.37	MPB	66.1%
2/1/82	48789		Z			C-8/FC-143	0.04	MPB	7.1%
2/5/82	48790		Z			C-8/FC-143	0.05	MPB	8.9%

Tuesday, January 16, 2001 10:53:48 AM

Page 8 of 54

AIP003998

EID113133

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/5/82	48791		Z			C-8/FC-143	0.08	MPB	14.3%
2/7/82	48792		Z			C-8/FC-143	0.15	MPB	26.8%
2/7/82	48793		Z			C-8/FC-143	0.19	MPB	33.9%
2/8/82	48794		Z			C-8/FC-143	0.24	MPB	42.9%
2/13/82	48795		Z			C-8/FC-143	0.31	MPB	55.4%
2/13/82	48796		Z			C-8/FC-143	0.31	MPB	55.4%
2/13/82	48797		Z			C-8/FC-143	0.4	MPB	71.4%
2/14/82	48798		Z			C-8/FC-143	1.39	MPB	248.2% **
2/14/82	48799		Z			C-8/FC-143	0.43	MPB	76.8%
2/22/82	48800		Z			C-8/FC-143	0.2	MPB	35.7%
3/1/82	48801		Z			C-8/FC-143	0.61	MPB	108.9% **
3/1/82	48802		Z			C-8/FC-143	1.5	MPB	267.9% **
3/1/82	48803		Z			C-8/FC-143	0.48	MPB	85.7%
3/6/82	48804		Z			C-8/FC-143	0.81	MPB	144.6% **
3/6/82	48805		Z			C-8/FC-143	0.75	MPB	133.9% **
3/6/82	48806		Z			C-8/FC-143	0.17	MPB	30.4%
3/6/82	48807		Z			C-8/FC-143	0.17	MPB	30.4%
3/10/82	48808		Z			C-8/FC-143	0.28	MPB	50.0%
3/10/82	48809		Z			C-8/FC-143	0.58	MPB	103.6% **
3/11/82	48810		Z			C-8/FC-143	0.58	MPB	103.6% **
3/15/82	48811		Z			C-8/FC-143	0.78	MPB	139.3% **
3/15/82	48812		Z			C-8/FC-143	0.16	MPB	28.6%
3/16/82	48813		Z			C-8/FC-143	0.82	MPB	146.4% **
3/16/82	48814		Z			C-8/FC-143	0.82	MPB	146.4% **
3/20/82	48815		Z			C-8/FC-143	0.29	MPB	51.8%
3/21/82	48816		Z			C-8/FC-143	0.05	MPB	8.9%
3/21/82	48817		Z			C-8/FC-143	0.37	MPB	66.1%
3/25/82	34082	352	Z			C-8/FC-143	0.55	MPB	98.2%
3/25/82	34083	355	Z			C-8/FC-143	0.37	MPB	66.1%
3/25/82	48818		Z			C-8/FC-143	0.55	MPB	98.2%
3/25/82	48819		Z			C-8/FC-143	0.37	MPB	66.1%
3/30/82	34084	457	Z			C-8/FC-143	0.1	MPB	17.9%
3/30/82	34085	453	Z			C-8/FC-143	0.1	MPB	17.9%
3/30/82	34086	445	Z			C-8/FC-143	0.23	MPB	41.1%
3/30/82	48820		Z			C-8/FC-143	0.1	MPB	17.9%
3/30/82	48821		Z			C-8/FC-143	0.1	MPB	17.9%
3/30/82	48822		Z			C-8/FC-143	0.23	MPB	41.1%
3/31/82	34087	368	Z			C-8/FC-143	0.08	MPB	14.3%
3/31/82	34088	367	Z			C-8/FC-143	0.08	MPB	14.3%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/31/82	34089	367	Z			C-8/FC-143	0.08	MPB	14.3%
3/31/82	48823		Z			C-8/FC-143	0.08	MPB	14.3%
3/31/82	48824		Z			C-8/FC-143	0.08	MPB	14.3%
3/31/82	48825		Z			C-8/FC-143	0.08	MPB	14.3%
4/6/82	34090	345	Z			C-8/FC-143	0.04	MPB	7.1%
4/6/82	34100	345	Z			C-8/FC-143	0.04	MPB	7.1%
4/12/82	34101	330	Z			C-8/FC-143	<0.03	MPB	5.4%
4/13/82	34102	315	Z			C-8/FC-143	0.28	MPB	50.0%
4/19/82	34103	360	Z			C-8/FC-143	0.36	MPB	64.3%
4/21/82	34104	379	Z			C-8/FC-143	3.52	MPB	628.6% **
4/21/82	34105	287	Z			C-8/FC-143	1.45	MPB	258.9% **
4/21/82	34106	389	Z			C-8/FC-143	0.65	MPB	116.1% **
4/26/82	34107	390	Z			C-8/FC-143	0.04	MPB	7.1%
4/26/82	34108	390	Z			C-8/FC-143	0.15	MPB	26.8%
4/27/82	34109	365	Z			C-8/FC-143	0.28	MPB	50.0%
4/27/82	34110	376	Z			C-8/FC-143	0.47	MPB	83.9%
4/28/82	34111	312	Z			C-8/FC-143	0.27	MPB	48.2%
4/29/82	34112	247	Z			C-8/FC-143	<0.03	MPB	5.4%
5/25/82	34113	360	Z			C-8/FC-143	0.2	MPB	35.7%
5/25/82	34114	360	Z			C-8/FC-143	0.12	MPB	21.4%
5/25/82	34115	360	Z			C-8/FC-143	0.03	MPB	5.4%
5/25/82	34116	360	Z			C-8/FC-143	0.03	MPB	5.4%
6/1/82	34117	420	Z			C-8/FC-143	0.07	MPB	12.5%
6/2/82	34118	360	Z			C-8/FC-143	0.68	MPB	121.4% **
6/2/82	34119	360	Z			C-8/FC-143	0.16	MPB	28.6%
6/2/82	34120	360	Z			C-8/FC-143	0.79	MPB	141.1% **
6/2/82	34121	360	Z			C-8/FC-143	0.4	MPB	71.4%
6/2/82	34122	360	Z			C-8/FC-143	0.5	MPB	89.3%
6/2/82	34123	360	Z			C-8/FC-143	<0.03	MPB	5.4%
6/2/82	34124	360	Z			C-8/FC-143	0.39	MPB	69.6%
6/7/82	34125	300	Z			C-8/FC-143	0.38	MPB	67.9%
6/7/82	34126	300	Z			C-8/FC-143	0.26	MPB	46.4%
6/7/82	34127	300	Z			C-8/FC-143	0.24	MPB	42.9%
6/8/82	34128	360	Z			C-8/FC-143	0.13	MPB	23.2%
6/28/82	34129	300	Z			C-8/FC-143	0.39	MPB	69.6%
6/28/82	34130	300	Z			C-8/FC-143	0.4	MPB	71.4%
6/29/82	34131	300	Z			C-8/FC-143	0.31	MPB	55.4%
6/29/82	34132	300	Z			C-8/FC-143	0.3	MPB	53.6%
7/11/82	34133	360	Z			C-8/FC-143	0.36	MPB	64.3%

Tuesday, January 16, 2001 10:53:48 AM

Page 10 of 54

ALP004000

EID113135

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/11/82	34134	360	Z			C-8/FC-143	<0.03	MPB	5.4%
7/11/82	34135	360	Z			C-8/FC-143	0.45	MPB	80.4%
7/12/82	34136	420	Z			C-8/FC-143	0.22	MPB	39.3%
7/12/82	34137	420	Z			C-8/FC-143	0.26	MPB	46.4%
7/12/82	34138	420	Z			C-8/FC-143	0.4	MPB	71.4%
7/28/82	34139	420	Z			C-8/FC-143	0.26	MPB	46.4%
7/28/82	34140	420	Z			C-8/FC-143	0.28	MPB	50.0%
8/2/82	34141	375	Z			C-8/FC-143	0.4	MPB	71.4%
8/3/82	34142	254	Z			C-8/FC-143	0.47	MPB	83.9%
8/3/82	34143	254	Z			C-8/FC-143	0.3	MPB	53.6%
8/9/82	34144	390	Z			C-8/FC-143	0.18	MPB	32.1%
8/11/82	34145	360	Z			C-8/FC-143	0.08	MPB	14.3%
8/11/82	34146	360	Z			C-8/FC-143	<0.03	MPB	5.4%
8/11/82	34147	360	Z			C-8/FC-143	0.12	MPB	21.4%
9/13/82	34148	360	Z			C-8/FC-143	0.28	MPB	50.0%
9/20/82	34149	300	Z			C-8/FC-143	0.03	MPB	5.4%
10/4/82	34150	325	Z			C-8/FC-143	0.22	MPB	39.3%
10/4/82	34151	325	Z			C-8/FC-143	0.22	MPB	39.3%
10/5/82	34152	405	Z			C-8/FC-143	0.22	MPB	39.3%
10/11/82	34153	390	Z			C-8/FC-143	0.11	MPB	19.6%
10/18/82	34154	345	Z			C-8/FC-143	0.51	MPB	91.1%
10/19/82	34155	360	Z			C-8/FC-143	0.33	MPB	58.9%
10/25/82	34156	360	Z			C-8/FC-143	0.16	MPB	28.6%
11/3/82	34157	360	Z			C-8/FC-143	0.12	MPB	21.4%
11/3/82	34158	360	Z			C-8/FC-143	0.27	MPB	48.2%
11/16/82	34159	390	Z			C-8/FC-143	0.64	MPB	114.3% **
11/27/82	34160	420	Z			C-8/FC-143	<0.03	MPB	5.4%
11/27/82	34161	420	Z			C-8/FC-143	<0.03	MPB	5.4%
11/29/82	34162	390	Z			C-8/FC-143	0.11	MPB	19.6%
11/29/82	34163	389	Z			C-8/FC-143	0.06	MPB	10.7%
11/29/82	34164	408	Z			C-8/FC-143	<0.03	MPB	5.4%
11/29/82	34165	375	Z			C-8/FC-143	0.07	MPB	12.5%
12/2/82	34166	390	Z			C-8/FC-143	0.12	MPB	21.4%
12/7/82	34167	313	Z			C-8/FC-143	0.04	MPB	7.1%
12/14/82	34168	360	Z			C-8/FC-143	0.08	MPB	14.3%
12/14/82	34169	360	Z			C-8/FC-143	0.2	MPB	35.7%
12/15/82	34170	330	Z			C-8/FC-143	0.04	MPB	7.1%

ALP004001

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO : 08 TEFLON@									
LOC : 707 FINE POWDER DRYER #2									
3/5/82	60335		Z			C-8/FC-143	0.86	MPB	153.6% **
4/1/82	37266	360	Z			C-8/FC-143	0.08	MPB	14.3%
4/1/82	37267	360	Z			C-8/FC-143	<0.03	MPB	5.4%
9/16/82	37268	360	Z			C-8/FC-143	0.04	MPB	7.1%
9/20/82	37269	300	Z			C-8/FC-143	0.99	MPB	176.8% **
9/22/82	37270	360	Z			C-8/FC-143	<0.03	MPB	5.4%
9/27/82	37271	353	Z			C-8/FC-143	<0.03	MPB	5.4%
BTO : 08 TEFLON@									
LOC : 708 P/S - FINE POWDER PACKOUT (08PJ)									
8/24/82	9385	360	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/25/82	9386	390	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/26/82	9387	350	P		none	C-8/FC-143	0.08	MPB	14.3%
8/29/82	9388	360	P		none	C-8/FC-143	0.32	MPB	57.1%
8/29/82	9389	360	P		none	C-8/FC-143	0.32	MPB	57.1%
8/29/82	34490	360	Z			C-8/FC-143	0.09	MPB	16.1%
10/27/82	9390	417	P		none	C-8/FC-143	0.03	MPB	5.4%
BTO : 08 TEFLON@									
LOC : 709 DRYER FLOATATION TANK									
1/6/82	49163		Z			C-8/FC-143	0.37	MPB	66.1%
1/6/82	49164		Z			C-8/FC-143	1.63	MPB	291.1% **
2/23/82	49165		Z			C-8/FC-143	1.08	MPB	192.9% **
4/1/82	34286	360	Z			C-8/FC-143	0.37	MPB	66.1%
6/2/82	34287	360	Z			C-8/FC-143	0.55	MPB	98.2%
6/8/82	34288	350	Z			C-8/FC-143	0.3	MPB	53.6%
6/16/82	34289	390	Z			C-8/FC-143	2.07	MPB	369.6% **
7/13/82	34290	370	Z			C-8/FC-143	0.08	MPB	14.3%
8/3/82	34291	254	Z			C-8/FC-143	0.52	MPB	92.9%
8/3/82	34292	254	Z			C-8/FC-143	0.74	MPB	132.1% **
8/11/82	34293	360	Z			C-8/FC-143	0.2	MPB	35.7%
BTO : 08 TEFLON@									
LOC : 710 FP&D AUTOCLAVE CONTROL ROOM									
9/7/82	46012	420	Z			C-8/FC-143	0.03	MPB	5.4%
9/8/82	46013	325	Z			C-8/FC-143	<0.03	MPB	5.4%
9/13/82	46014	360	Z			C-8/FC-143	0.16	MPB	28.6%
9/22/82	46015	360	Z			C-8/FC-143	0.04	MPB	7.1%

Tuesday, January 16, 2001 10:53:48 AM

Page 12 of 54

AJP004002

EID113137

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/4/82	48016	409	Z			C-8/FC-143	<0.03	MPB	5.4%
10/4/82	48017	409	Z			C-8/FC-143	<0.03	MPB	5.4%
10/12/82	48018	375	Z			C-8/FC-143	0.22	MPB	39.3%
11/11/82	48019	300	Z			C-8/FC-143	<0.03	MPB	5.4%
11/17/82	48020	300	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO: 08 TEFLON@
 LOC: 711 CLAVE AREA - GENERAL

9/16/82	48296	360	Z			C-8/FC-143	0.04	MPB	7.1%
---------	-------	-----	---	--	--	------------	------	-----	------

BTO: 08 TEFLON@
 LOC: 712 NORTH END OF DRYER #3

4/5/82	48297	296	Z			C-8/FC-143	1.03	MPB	183.9% **
4/12/82	48298	330	Z			C-8/FC-143	0.35	MPB	62.5%
4/12/82	48299	330	Z			C-8/FC-143	0.04	MPB	7.1%
4/12/82	48300	330	Z			C-8/FC-143	0.13	MPB	23.2%
4/12/82	48301	330	Z			C-8/FC-143	0.13	MPB	23.2%
4/19/82	48302	360	Z			C-8/FC-143	0.36	MPB	64.3%
4/19/82	48303	360	Z			C-8/FC-143	0.56	MPB	100.0% **
5/3/82	29568	289	P		none	C-8/FC-143	0.45	MPB	80.4%
6/1/82	48304	420	Z			C-8/FC-143	0.03	MPB	5.4%
6/28/82	48305	330	Z			C-8/FC-143	0.6	MPB	107.1% **
7/11/82	48306	360	Z			C-8/FC-143	0.27	MPB	48.2%
11/1/82	48307	285	Z			C-8/FC-143	0.31	MPB	55.4%

BTO: 08 TEFLON@
 LOC: 715 SOUTH END DRYER #2

1/6/82	62559		Z			C-8/FC-143	0.16	MPB	28.6%
1/6/82	62560		Z			C-8/FC-143	0.17	MPB	30.4%
1/7/82	62561		Z			C-8/FC-143	0.07	MPB	12.5%
1/19/82	62562		Z			C-8/FC-143	0.12	MPB	21.4%
2/5/82	62563		Z			C-8/FC-143	0.2	MPB	35.7%
2/7/82	62564		Z			C-8/FC-143	0.15	MPB	26.8%
2/8/82	62565		Z			C-8/FC-143	0.22	MPB	39.3%
2/14/82	62566		Z			C-8/FC-143	0.15	MPB	26.8%
2/14/82	62567		Z			C-8/FC-143	0.47	MPB	83.9%
2/23/82	62568		Z			C-8/FC-143	0.16	MPB	28.6%
2/23/82	62569		Z			C-8/FC-143	0.76	MPB	135.7% **
2/23/82	62570		Z			C-8/FC-143	0.84	MPB	150.0% **
3/2/82	62571		Z			C-8/FC-143	2.29	MPB	408.9% **

Tuesday, January 16, 2001 10:53:48 AM

Page 13 of 54

ALP004003

EID113138

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/2/82	62572		Z			C-8/FC-143	3.12	MPB	557.1% **
3/5/82	62573		Z			C-8/FC-143	0.62	MPB	110.7% **
3/5/82	62574		Z			C-8/FC-143	0.7	MPB	125.0% **
3/8/82	62575		Z			C-8/FC-143	0.5	MPB	89.3%
3/11/82	62576		Z			C-8/FC-143	0.39	MPB	69.6%
3/18/82	62577		Z			C-8/FC-143	0.78	MPB	139.3% **
3/18/82	62578		Z			C-8/FC-143	0.1	MPB	17.9%
3/20/82	62579		Z			C-8/FC-143	0.16	MPB	28.6%
3/23/82	62580		Z			C-8/FC-143	0.11	MPB	19.6%
3/24/82	45915	390	Z			C-8/FC-143	0.19	MPB	33.9%
3/24/82	62581		Z			C-8/FC-143	0.19	MPB	33.9%
3/26/82	45916	345	Z			C-8/FC-143	0.04	MPB	7.1%
3/26/82	62582		Z			C-8/FC-143	0.04	MPB	7.1%
4/1/82	45917	360	Z			C-8/FC-143	0.08	MPB	14.3%
4/6/82	45918	345	Z			C-8/FC-143	0.08	MPB	14.3%
4/6/82	45919	345	Z			C-8/FC-143	<0.03	MPB	5.4%
4/13/82	45920	310	Z			C-8/FC-143	0.09	MPB	16.1%
4/20/82	45921	375	Z			C-8/FC-143	0.04	MPB	7.1%
4/20/82	45922	375	Z			C-8/FC-143	0.04	MPB	7.1%
4/20/82	45923	375	Z			C-8/FC-143	0.04	MPB	7.1%
4/27/82	45924	362	Z			C-8/FC-143	0.08	MPB	14.3%
4/27/82	45925	361	Z			C-8/FC-143	0.12	MPB	21.4%
4/29/82	45926	244	Z			C-8/FC-143	<0.03	MPB	5.4%
6/3/82	45927	360	Z			C-8/FC-143	0.08	MPB	14.3%
6/8/82	45928	360	Z			C-8/FC-143	0.04	MPB	7.1%
6/8/82	45929	370	Z			C-8/FC-143	<0.03	MPB	5.4%
6/16/82	45930	420	Z			C-8/FC-143	0.31	MPB	55.4%
6/16/82	45931	420	Z			C-8/FC-143	0.14	MPB	25.0%
6/16/82	45932	390	Z			C-8/FC-143	0.55	MPB	98.2%
6/16/82	45933	420	Z			C-8/FC-143	0.25	MPB	44.6%
6/29/82	45934	300	Z			C-8/FC-143	0.21	MPB	37.5%
8/4/82	45935	390	Z			C-8/FC-143	<0.03	MPB	5.4%
8/12/82	45936	390	Z			C-8/FC-143	0.08	MPB	14.3%
8/12/82	45937	390	Z			C-8/FC-143	0.07	MPB	12.5%
9/13/82	45938	360	Z			C-8/FC-143	0.28	MPB	50.0%
9/27/82	45939	353	Z			C-8/FC-143	<0.03	MPB	5.4%
10/11/82	45940	390	Z			C-8/FC-143	0.07	MPB	12.5%
10/11/82	45941	390	Z			C-8/FC-143	0.09	MPB	16.1%
10/25/82	45942	360	Z			C-8/FC-143	<0.03	MPB	5.4%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
11/9/82	45943	322	Z			C-8/FC-143	0.04	MPB	7.1%
11/9/82	45944	315	Z			C-8/FC-143	0.14	MPB	25.0%
11/9/82	45945	322	Z			C-8/FC-143	0.27	MPB	48.2%
11/16/82	45946	390	Z			C-8/FC-143	<0.03	MPB	5.4%
11/27/82	45947	420	Z			C-8/FC-143	0.04	MPB	7.1%
12/7/82	45948	315	Z			C-8/FC-143	0.32	MPB	57.1%

BTO: 08 TEFLON@

LOC: 716 FINE POWDER C-8 PUMP AREA

1/26/82	62653		Z			C-8/FC-143	0.11	MPB	19.6%
9/28/82	46091	280	Z			C-8/FC-143	0.26	MPB	46.4%
11/28/82	46092	358	Z			C-8/FC-143	0.32	MPB	57.1%

BTO: 08 TEFLON@

LOC: 718 FINE POWDER DRYER AREA

10/4/82	46291	325	Z			C-8/FC-143	0.14	MPB	25.0%
10/4/82	46292	325	Z			C-8/FC-143	0.04	MPB	7.1%
10/4/82	46293	325	Z			C-8/FC-143	0.13	MPB	23.2%
11/16/82	46294	425	Z			C-8/FC-143	0.28	MPB	50.0%

BTO: 08 TEFLON@

LOC: 719 MOISTURE CHECK

6/9/82	29551	361	P		none	C-8/FC-143	0.17	MPB	30.4%
6/12/82	29552	360	P		none	C-8/FC-143	0.06	MPB	10.7%
6/20/82	29553	408	P		none	C-8/FC-143	0.07	MPB	12.5%
6/21/82	29554	390	P		none	C-8/FC-143	0.06	MPB	10.7%
9/28/82	46098	285	Z			C-8/FC-143	<0.03	MPB	5.4%
10/20/82	29555	300	P		none	C-8/FC-143	0.1	MPB	17.9%
10/21/82	29556	390	P		none	C-8/FC-143	0.25	MPB	44.6%
10/27/82	46099	430	Z			C-8/FC-143	0.09	MPB	16.1%
10/27/82	46100	372	Z			C-8/FC-143	0.08	MPB	14.3%
11/29/82	46101	375	Z			C-8/FC-143	0.08	MPB	14.3%

BTO: 08 TEFLON@

LOC: 723 AROUND FULL STAB TANK

1/23/82	49790		Z			C-8/FC-143	0.01	MPB	1.8%
3/26/82	49791		Z			C-8/FC-143	0.04	MPB	7.1%
4/4/82	34506	384	Z			C-8/FC-143	0.11	MPB	19.6%
4/4/82	34507	385	Z			C-8/FC-143	0.08	MPB	14.3%
6/30/82	34508	395	Z			C-8/FC-143	0.18	MPB	32.1%

Tuesday, January 16, 2001 10:53:48 AM

Page 15 of 54

ALP004005

EID113140

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/6/82	34509	450	Z			C-8/FC-143	0.13	MPB	23.2%
11/3/82	34510	360	Z			C-8/FC-143	0.08	MPB	14.3%
12/2/82	34511	390	Z			C-8/FC-143	0.11	MPB	19.6%

BTO: 08 TEFLON@

LOC: 724 ADDING NH4OH TO STAB TANK

3/11/82	52284		Z			C-8/FC-143	0.08	MPB	14.3%
---------	-------	--	---	--	--	------------	------	-----	-------

BTO: 08 TEFLON@

LOC: 726 AISLE IN FRONT OF WAX SEPARATOR

9/22/82	35475	360	Z			C-8/FC-143	0.08	MPB	14.3%
10/19/82	35476	360	Z			C-8/FC-143	0.08	MPB	14.3%
11/17/82	35477	300	Z			C-8/FC-143	0.03	MPB	5.4%
12/15/82	35478	330	Z			C-8/FC-143	0.09	MPB	16.1%

BTO: 08 TEFLON@

LOC: 727 FINE POWDER CELL AREA

10/12/82	35145	470	Z			C-8/FC-143	0.2	MPB	35.7%
11/11/82	35146	300	Z			C-8/FC-143	0.19	MPB	33.9%

BTO: 08 TEFLON@

LOC: 728 WAX ROOM - B-162 - 1ST FLOOR

2/24/82	60200		Z			C-8/FC-143	0.08	MPB	14.3%
3/3/82	60201		Z			C-8/FC-143	0.12	MPB	21.4%
3/6/82	60202		Z			C-8/FC-143	0.09	MPB	16.1%
3/15/82	60203		Z			C-8/FC-143	0.04	MPB	7.1%
3/18/82	60204		Z			C-8/FC-143	0.05	MPB	8.9%
3/25/82	37149	342	Z			C-8/FC-143	0.12	MPB	21.4%
3/25/82	60205		Z			C-8/FC-143	0.12	MPB	21.4%
3/26/82	37150	345	Z			C-8/FC-143	0.04	MPB	7.1%
3/31/82	37151	367	Z			C-8/FC-143	0.12	MPB	21.4%
3/31/82	60206		Z			C-8/FC-143	0.12	MPB	21.4%
4/8/82	37152	330	Z			C-8/FC-143	<0.03	MPB	5.4%
4/16/82	37153	378	Z			C-8/FC-143	0.12	MPB	21.4%
4/22/82	37154	368	Z			C-8/FC-143	0.08	MPB	14.3%
6/3/82	37155	360	Z			C-8/FC-143	0.25	MPB	44.6%
6/9/82	37156	345	Z			C-8/FC-143	0.32	MPB	57.1%
6/17/82	37157	388	Z			C-8/FC-143	0.15	MPB	26.8%
7/1/82	37158	300	Z			C-8/FC-143	0.01	MPB	1.8%
8/5/82	37159	390	Z			C-8/FC-143	0.15	MPB	26.8%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/9/82	37160	360	Z			C-8/FC-143	0.89	MPB	158.9% **
11/3/82	37161	360	Z			C-8/FC-143	0.12	MPB	21.4%
11/13/82	37162	300	Z			C-8/FC-143	0.05	MPB	8.9%
12/2/82	37163	390	Z			C-8/FC-143	0.12	MPB	21.4%

BTO: 08 TEFLON@

LOC: 729 HOLDUP TANK ROOM - B162

11/28/82	37147	363	Z		C-8/FC-143	0.1	MPB	17.9%
----------	-------	-----	---	--	------------	-----	-----	-------

BTO: 08 TEFLON@

LOC: 730 BLDG 162 - GENERAL AREAS

1/27/82	47663		Z		C-8/FC-143	0.16	MPB	28.6%
9/7/82	33757	420	Z		C-8/FC-143	0.1	MPB	17.9%
9/8/82	33758	325	Z		C-8/FC-143	0.18	MPB	32.1%

BTO: 08 TEFLON@

LOC: 800 P/S - DISPERSION PACKOUT (08PH)

6/30/82	46094	401	Z		C-8/FC-143	0.18	MPB	32.1%
9/1/82	29431	300	P	none	C-8/FC-143	0.31	MPB	55.4%

BTO: 08 TEFLON@

LOC: 802 P/S - FINE POWDER DRYER OPERATOR (08PI)

1/15/82	62644		Z		C-8/FC-143	0.07	MPB	12.5%
1/23/82	33526		P	none	C-8/FC-143	0.44	MPB	78.6%
1/27/82	33527		P	none	C-8/FC-143	0.04	MPB	7.1%
1/28/82	33528		P	none	C-8/FC-143	0.14	MPB	25.0%
2/13/82	33529		P	none	C-8/FC-143	0.46	MPB	82.1%
2/25/82	33530		P	none	C-8/FC-143	<0.03	MPB	5.4%
3/1/82	33531		P	none	C-8/FC-143	0.23	MPB	41.1%
3/3/82	33532		P	none	C-8/FC-143	0.2	MPB	35.7%
8/24/82	29385	360	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/25/82	29386	390	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/26/82	29387	350	P	none	C-8/FC-143	0.04	MPB	7.1%
9/9/82	29388	360	P	none	C-8/FC-143	0.28	MPB	50.0%
9/23/82	29389	375	P	none	C-8/FC-143	0.2	MPB	35.7%
9/29/82	29390	334	P	none	C-8/FC-143	<0.03	MPB	5.4%

BTO: 08 TEFLON@

LOC: 804 P/S - FINE POWDER AUTOCLAVE OPERATOR (08PE)

2/25/82	33586		P	none	C-8/FC-143	0.14	MPB	25.0%
---------	-------	--	---	------	------------	------	-----	-------

Tuesday, January 16, 2001 10:53:48 AM

Page 17 of 54

ALP004007

EID113142

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/10/82	33587		P		none	C-8/FC-143	0.16	MPB	28.6%
3/31/82	29501	368	P		none	C-8/FC-143	0.04	MPB	7.1%
3/31/82	62660		Z			C-8/FC-143	0.04	MPB	7.1%
4/8/82	29502	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/13/82	46097	325	Z			C-8/FC-143	<0.03	MPB	5.4%
4/30/82	29503	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
6/6/82	29504	360	P		none	C-8/FC-143	0.1	MPB	17.9%
12/2/82	29505	360	P		none	C-8/FC-143	1.88	MPB	335.7% **
12/16/82	29506	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
12/17/82	29507	360	P		none	C-8/FC-143	<0.03	MPB	5.4%
12/18/82	29508	600	P		none	C-8/FC-143	<0.03	MPB	5.4%
12/19/82	29509	417	P		none	C-8/FC-143	<0.03	MPB	5.4%
12/19/82	29510	409	P		none	C-8/FC-143	0.07	MPB	12.5%
12/19/82	29511	405	P		none	C-8/FC-143	<0.03	MPB	5.4%

BTO: 08 TEFLON@

LOC: 805 P/S - FINE POWDER FINISHING DISPERSION OP (08PH

3/1/82	33463		P		none	C-8/FC-143	0.16	MPB	28.6%
3/31/82	29348	368	P		none	C-8/FC-143	0.08	MPB	14.3%
3/31/82	62529		Z			C-8/FC-143	0.08	MPB	14.3%
4/5/82	28349	280	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/8/82	29350	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/13/82	45909	321	Z			C-8/FC-143	0.22	MPB	39.3%
4/16/82	45910	371	Z			C-8/FC-143	<0.03	MPB	5.4%
4/30/82	29351	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/30/82	29352	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/30/82	45911	330	Z			C-8/FC-143	0.05	MPB	8.9%
6/12/82	29353	360	P		none	C-8/FC-143	0.04	MPB	7.1%
6/20/82	29354	420	P		none	C-8/FC-143	0.14	MPB	25.0%
6/21/82	29355	390	P		none	C-8/FC-143	0.13	MPB	23.2%
6/21/82	29356	390	P		none	C-8/FC-143	0.24	MPB	42.9%
8/1/82	29357	420	P		none	C-8/FC-143	0.15	MPB	26.8%
8/24/82	29358	360	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/25/82	29359	390	P		none	C-8/FC-143	0.08	MPB	14.3%
8/26/82	29360	350	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/29/82	29361	360	P		none	C-8/FC-143	0.09	MPB	16.1%
10/7/82	45912	270	Z			C-8/FC-143	0.16	MPB	28.6%

AJP004008

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 807 P/S - ENVIRONMENTAL CONTROL OPERATOR									
1/1/82	33564		P		none	C-8/FC-143	0.1	MPB	17.9%
1/15/82	62658		Z			C-8/FC-143	0.11	MPB	19.6%
1/16/82	33565		P		none	C-8/FC-143	0.16	MPB	28.6%
1/22/82	33566		P		none	C-8/FC-143	0.08	MPB	14.3%
1/23/82	33567		P		none	C-8/FC-143	0.16	MPB	28.6%
1/27/82	33568		P		none	C-8/FC-143	0.04	MPB	7.1%
2/13/82	33569		P		none	C-8/FC-143	0.04	MPB	7.1%
3/10/82	33570		P		none	C-8/FC-143	0.24	MPB	42.9%
9/13/82	46095	360	Z			C-8/FC-143	0.12	MPB	21.4%
10/13/82	29447	360	P		none	C-8/FC-143	0.24	MPB	42.9%
10/14/82	46096	360	Z			C-8/FC-143	0.07	MPB	12.5%
11/17/82	29448	300	P		none	C-8/FC-143	0.02	MPB	3.6%
11/18/82	29449	395	P		none	C-8/FC-143	0.18	MPB	32.1%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 003 #1 OVEN COOLING TOWER

4/29/82	35644	398	Z			C-8/FC-143	<0.04	MPB	7.1%
5/3/82	35645	398	Z			C-8/FC-143	0.07	MPB	12.5%
6/28/82	35646	425	Z			C-8/FC-143	0.03	MPB	5.4%
8/30/82	35647	419	Z			C-8/FC-143	0.07	MPB	12.5%
11/24/82	35648	410	Z			C-8/FC-143	0.04	MPB	7.1%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 004 #2 OVEN COOLING TOWER

4/29/82	37989	396	Z			C-8/FC-143	<0.03	MPB	5.4%
6/28/82	37990	424	Z			C-8/FC-143	0.07	MPB	12.5%
8/30/82	37991	419	Z			C-8/FC-143	<0.03	MPB	5.4%
11/24/82	37992	411	Z			C-8/FC-143	0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 102 TELOMER A - THIRD LEVEL - DISTILLATION

1/16/82	33036		P		none	C-8/FC-143	0.16	MPB	28.6%
11/15/82	11320	360	P		none	C-8/FC-143	0.14	MPB	25.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 150 #2 TORUS DISC DRYER NE CORNER

7/19/82	38702	405	Z			C-8/FC-143	0.31	MPB	55.4%
7/28/82	38703	414	Z			C-8/FC-143	0.2	MPB	35.7%

Sample Dt	Sample #	Duration	Type	Employee Name	Part	Chemical	Conc	Unit	Percent
8/5/82	38704	449	Z			C-8/FC-143	0.71	MPB	126.8% **
8/8/82	38705	429	Z			C-8/FC-143	1.08	MPB	192.9% **
8/24/82	38706	404	Z			C-8/FC-143	1.65	MPB	294.6% **
8/26/82	38707	402	Z			C-8/FC-143	0.5	MPB	89.3%
9/7/82	38708	434	Z			C-8/FC-143	0.97	MPB	173.2% **
10/11/82	38709	408	Z			C-8/FC-143	0.05	MPB	8.9%
10/12/82	38710	398	Z			C-8/FC-143	0.4	MPB	71.4%
10/13/82	38711	412	Z			C-8/FC-143	0.38	MPB	67.9%
10/14/82	38712	418	Z			C-8/FC-143	0.11	MPB	19.6%
10/15/82	38713	421	Z			C-8/FC-143	0.25	MPB	44.6%
10/18/82	38714	407	Z			C-8/FC-143	0.64	MPB	114.3% **
10/18/82	38715	416	Z			C-8/FC-143	0.69	MPB	123.2% **
10/20/82	38716	420	Z			C-8/FC-143	0.36	MPB	64.3%
10/21/82	38717	415	Z			C-8/FC-143	0.38	MPB	67.9%
10/22/82	38718	397	Z			C-8/FC-143	0.29	MPB	51.8%
10/25/82	38719	404	Z			C-8/FC-143	0.67	MPB	119.6% **
10/26/82	38720	394	Z			C-8/FC-143	1.18	MPB	210.7% **
10/27/82	38721	405	Z			C-8/FC-143	0.43	MPB	76.8%
10/28/82	38722	418	Z			C-8/FC-143	0.52	MPB	92.9%
10/29/82	38723	409	Z			C-8/FC-143	0.48	MPB	85.7%
11/2/82	38724	416	Z			C-8/FC-143	0.29	MPB	51.8%
11/3/82	38725	412	Z			C-8/FC-143	0.11	MPB	19.6%
11/4/82	38726	400	Z			C-8/FC-143	0.18	MPB	32.1%
11/5/82	38727	412	Z			C-8/FC-143	0.21	MPB	37.5%
11/8/82	38728	417	Z			C-8/FC-143	0.32	MPB	57.1%
11/9/82	38729	408	Z			C-8/FC-143	0.4	MPB	71.4%
11/10/82	38730	409	Z			C-8/FC-143	0.25	MPB	44.6%
11/11/82	38731	398	Z			C-8/FC-143	0.49	MPB	87.5%
11/12/82	38732	408	Z			C-8/FC-143	0.18	MPB	32.1%
11/16/82	38733	412	Z			C-8/FC-143	0.22	MPB	38.3%
11/17/82	38734	416	Z			C-8/FC-143	<0.03	MPB	5.4%
11/18/82	38735	416	Z			C-8/FC-143	0.42	MPB	75.0%
11/19/82	38736	416	Z			C-8/FC-143	0.35	MPB	62.5%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 151 #2 TORUS DISC DRYER SW CORNER

7/18/82	38452	394	Z			C-8/FC-143	0.11	MPB	19.6%
7/19/82	38453	405	Z			C-8/FC-143	0.57	MPB	101.8% **
7/28/82	38454	413	Z			C-8/FC-143	0.21	MPB	37.5%

Tuesday, January 16, 2001 10:53:48 AM

Page 20 of 54

AJF004010

EID113145

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/5/82	38455	449	Z			C-8/FC-143	0.51	MPB	91.1%
8/8/82	38456	431	Z			C-8/FC-143	0.7	MPB	125.0% **
8/24/82	38457	404	Z			C-8/FC-143	1.07	MPB	191.1% **
8/28/82	38458	402	Z			C-8/FC-143	0.37	MPB	66.1%
9/7/82	38459	434	Z			C-8/FC-143	0.62	MPB	110.7% **
10/4/82	38460	406	Z			C-8/FC-143	0.26	MPB	46.4%
10/4/82	38461	406	Z			C-8/FC-143	0.26	MPB	46.4%
10/22/82	38462	395	Z			C-8/FC-143	0.33	MPB	58.9%
10/25/82	38463	404	Z			C-8/FC-143	1.42	MPB	253.6% **
10/25/82	38464	420	Z			C-8/FC-143	0.96	MPB	171.4% **
10/26/82	38465	394	Z			C-8/FC-143	0.51	MPB	91.1%
10/28/82	38466	418	Z			C-8/FC-143	0.5	MPB	89.3%
10/29/82	38467	409	Z			C-8/FC-143	0.5	MPB	89.3%
11/2/82	38468	416	Z			C-8/FC-143	0.28	MPB	50.0%
11/3/82	38469	411	Z			C-8/FC-143	0.07	MPB	12.5%
11/4/82	38470	400	Z			C-8/FC-143	0.17	MPB	30.4%
11/5/82	38471	413	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 152 #3 & #4 V-DISC PRESS

7/17/82	38346	411	Z			C-8/FC-143	0.81	MPB	144.6% **
7/18/82	38347	395	Z			C-8/FC-143	0.18	MPB	32.1%
7/19/82	38348	405	Z			C-8/FC-143	0.37	MPB	66.1%
7/20/82	38349	407	Z			C-8/FC-143	0.21	MPB	37.5%
7/28/82	38350	429	Z			C-8/FC-143	0.4	MPB	71.4%
7/28/82	38351	412	Z			C-8/FC-143	0.17	MPB	30.4%
7/29/82	38352	450	Z			C-8/FC-143	0.1	MPB	17.9%
8/5/82	38353	449	Z			C-8/FC-143	0.46	MPB	82.1%
8/8/82	38354	429	Z			C-8/FC-143	0.64	MPB	114.3% **
8/24/82	38355	418	Z			C-8/FC-143	1.81	MPB	323.2% **
8/26/82	38356	404	Z			C-8/FC-143	0.49	MPB	87.5%
9/7/82	38357	430	Z			C-8/FC-143	1.16	MPB	207.1% **

BTO: 18 TEFLON@ COPOLYMERS

LOC: 153 #2 RECYCLE TANK

7/17/82	38560	394	Z			C-8/FC-143	0.29	MPB	51.8%
7/17/82	38561	407	Z			C-8/FC-143	0.27	MPB	48.2%
7/19/82	38562	405	Z			C-8/FC-143	0.38	MPB	64.3%
7/20/82	38563	409	Z			C-8/FC-143	0.25	MPB	44.6%

Tuesday, January 16, 2001 10:53:48 AM

Page 21 of 54

AFP004011

EID113146

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/28/82	38564	410	Z			C-8/FC-143	0.21	MPB	37.5%
7/28/82	38565	416	Z			C-8/FC-143	0.07	MPB	12.5%
7/29/82	38566	395	Z			C-8/FC-143	0.91	MPB	162.5% **
8/5/82	38567	445	Z			C-8/FC-143	0.16	MPB	28.6%
8/8/82	38568	426	Z			C-8/FC-143	0.37	MPB	66.1%
8/24/82	38569	401	Z			C-8/FC-143	0.25	MPB	44.6%
8/26/82	38570	396	Z			C-8/FC-143	0.22	MPB	39.3%
9/7/82	38571	419	Z			C-8/FC-143	0.18	MPB	32.1%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 154 #2 FLUFF BOOSTER PUMP

8/24/82	38969	426	Z			C-8/FC-143	0.31	MPB	55.4%
8/26/82	38970	399	Z			C-8/FC-143	0.36	MPB	64.3%
9/7/82	38971	420	Z			C-8/FC-143	0.29	MPB	51.8%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 155 FLOTATION TANK

7/17/82	38267	432	Z			C-8/FC-143	1	MPB	178.6% **
7/18/82	38268	400	Z			C-8/FC-143	0.26	MPB	46.4%
7/19/82	38269	417	Z			C-8/FC-143	0.45	MPB	80.4%
7/20/82	38270	414	Z			C-8/FC-143	0.29	MPB	51.8%
7/28/82	38271	434	Z			C-8/FC-143	0.27	MPB	48.2%
7/29/82	38272	428	Z			C-8/FC-143	0.93	MPB	166.1% **
8/5/82	38273	454	Z			C-8/FC-143	0.42	MPB	75.0%
8/8/82	38274	445	Z			C-8/FC-143	0.77	MPB	137.5% **
8/24/82	38275	410	Z			C-8/FC-143	2.17	MPB	387.5% **
8/26/82	38276	402	Z			C-8/FC-143	1.16	MPB	207.1% **
9/7/82	38277	432	Z			C-8/FC-143	2.19	MPB	391.1% **
10/11/82	38278	415	Z			C-8/FC-143	1.04	MPB	185.7% **
10/12/82	38279	395	Z			C-8/FC-143	0.29	MPB	51.8%
10/13/82	38280	425	Z			C-8/FC-143	0.28	MPB	50.0%
10/14/82	38281	429	Z			C-8/FC-143	0.1	MPB	17.9%
10/15/82	38282	436	Z			C-8/FC-143	0.24	MPB	42.9%
10/18/82	38283	417	Z			C-8/FC-143	0.53	MPB	94.6%
10/19/82	38284	408	Z			C-8/FC-143	1.04	MPB	185.7% **
10/20/82	38285	422	Z			C-8/FC-143	0.44	MPB	78.6%
10/21/82	38286	419	Z			C-8/FC-143	0.07	MPB	12.5%
10/22/82	38287	407	Z			C-8/FC-143	0.26	MPB	46.4%
10/25/82	38288	426	Z			C-8/FC-143	0.17	MPB	30.4%

Sample Dt	Sample #	Duration	Type	Employee Name	Pres	Chemical	Conc	Unit	Percent
10/26/82	38289	394	Z			C-8/FC-143	0.15	MPB	26.8%
10/27/82	38290	405	Z			C-8/FC-143	0.39	MPB	69.6%
10/28/82	38291	418	Z			C-8/FC-143	1.31	MPB	233.9% **
10/29/82	38292	403	Z			C-8/FC-143	0.85	MPB	151.8% **
11/2/82	38293	417	Z			C-8/FC-143	0.32	MPB	57.1%
11/3/82	38294	413	Z			C-8/FC-143	0.1	MPB	17.9%
11/4/82	38295	393	Z			C-8/FC-143	0.29	MPB	51.8%
11/8/82	38296	417	Z			C-8/FC-143	0.18	MPB	32.1%
11/9/82	38297	406	Z			C-8/FC-143	0.53	MPB	94.6%
11/10/82	38298	410	Z			C-8/FC-143	0.29	MPB	51.8%
11/11/82	38299	401	Z			C-8/FC-143	0.53	MPB	94.6%
11/12/82	38300	407	Z			C-8/FC-143	0.44	MPB	78.6%
11/15/82	38301	413	Z			C-8/FC-143	0.11	MPB	19.6%
11/16/82	38302	411	Z			C-8/FC-143	0.29	MPB	51.8%
11/17/82	38303	410	Z			C-8/FC-143	<0.03	MPB	5.4%
11/18/82	38304	417	Z			C-8/FC-143	0.28	MPB	50.0%
11/19/82	38305	415	Z			C-8/FC-143	1	MPB	178.6% **

BTO: 18 TEFLON@ COPOLYMERS

LOC: 156 #2 BAGHOUSE PLATFORM

9/8/82	39118	427	Z			C-8/FC-143	0.07	MPB	12.5%
9/8/82	39119	306	Z			C-8/FC-143	<0.03	MPB	5.4%
9/10/82	39120	431	Z			C-8/FC-143	0.3	MPB	53.6%
9/13/82	39121	422	Z			C-8/FC-143	0.67	MPB	119.6% **
9/14/82	39122	413	Z			C-8/FC-143	0.55	MPB	98.2%
9/15/82	39123	420	Z			C-8/FC-143	0.09	MPB	16.1%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 157 FLAKE PACKOUT BIN-TOP

9/8/82	39049	427	Z			C-8/FC-143	0.71	MPB	128.8% **
9/9/82	39050	420	Z			C-8/FC-143	0.82	MPB	146.4% **
9/10/82	39051	415	Z			C-8/FC-143	0.62	MPB	110.7% **
9/13/82	39052	421	Z			C-8/FC-143	0.95	MPB	169.8% **
9/14/82	39053	421	Z			C-8/FC-143	2.78	MPB	496.4% **
9/15/82	39054	412	Z			C-8/FC-143	0.61	MPB	108.9% **

BTO: 18 TEFLON@ COPOLYMERS

LOC: 158 FLAKE PACKOUT BIN-BOTTOM

9/8/82	39007	437	Z			C-8/FC-143	0.27	MPB	48.2%
9/9/82	39008	422	Z			C-8/FC-143	0.39	MPB	69.6%

Tuesday, January 16, 2001 10:53:48 AM

Page 23 of 54

AJP004013

EID113148

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/10/82	39009	419	Z			C-8/FC-143	0.32	MPB	57.1%
9/13/82	39010	420	Z			C-8/FC-143	0.8	MPB	142.9% **
9/14/82	39011	418	Z			C-8/FC-143	0.86	MPB	153.6% **
9/15/82	39012	414	Z			C-8/FC-143	0.42	MPB	75.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 159 #2 SCREW CONVEYOR

9/8/82	39138	410	Z			C-8/FC-143	0.14	MPB	25.0%
9/9/82	39139	420	Z			C-8/FC-143	0.31	MPB	55.4%
9/10/82	39140	408	Z			C-8/FC-143	0.29	MPB	51.8%
9/13/82	39141	420	Z			C-8/FC-143	0.64	MPB	114.3% **
9/14/82	39142	420	Z			C-8/FC-143	0.59	MPB	105.4% **
9/15/82	39143	442	Z			C-8/FC-143	0.47	MPB	83.9%
12/1/82	39144	415	Z			C-8/FC-143	0.14	MPB	25.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 160 #2 FLAKE HOPPER

6/29/82	38399	395	Z			C-8/FC-143	0.04	MPB	7.1%
7/17/82	38400	415	Z			C-8/FC-143	0.18	MPB	32.1%
7/18/82	38401	393	Z			C-8/FC-143	0.3	MPB	53.6%
7/19/82	38402	405	Z			C-8/FC-143	0.31	MPB	55.4%
7/20/82	38403	411	Z			C-8/FC-143	0.14	MPB	25.0%
7/28/82	38404	409	Z			C-8/FC-143	0.18	MPB	32.1%
7/28/82	38405	415	Z			C-8/FC-143	0.11	MPB	19.6%
7/29/82	38406	395	Z			C-8/FC-143	0.14	MPB	25.0%
8/5/82	38407	445	Z			C-8/FC-143	0.47	MPB	83.9%
8/8/82	38408	425	Z			C-8/FC-143	0.28	MPB	50.0%
8/26/82	38409	397	Z			C-8/FC-143	0.29	MPB	51.8%
9/7/82	38410	421	Z			C-8/FC-143	0.27	MPB	48.2%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 161 FLAKE ENTRY MANIFOLD

9/8/82	39240	429	Z			C-8/FC-143	<0.03	MPB	5.4%
9/8/82	39241	311	Z			C-8/FC-143	<0.03	MPB	5.4%
9/10/82	39242	425	Z			C-8/FC-143	0.15	MPB	26.8%
9/13/82	39243	430	Z			C-8/FC-143	0.07	MPB	12.5%
9/14/82	39244	397	Z			C-8/FC-143	0.1	MPB	17.9%
9/15/82	39245	412	Z			C-8/FC-143	0.08	MPB	14.3%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 162 GLOVE BOX									
7/18/82	38647	404	Z			C-8/FC-143	0.07	MPB	12.5%
7/19/82	38648	406	Z			C-8/FC-143	0.26	MPB	48.4%
7/20/82	38649	419	Z			C-8/FC-143	0.14	MPB	25.0%
7/20/82	38650	404	Z			C-8/FC-143	0.07	MPB	12.5%
7/28/82	38651	429	Z			C-8/FC-143	0.07	MPB	12.5%
7/29/82	38652	432	Z			C-8/FC-143	0.1	MPB	17.9%
8/5/82	38653	433	Z			C-8/FC-143	0.07	MPB	12.5%
8/8/82	38654	447	Z			C-8/FC-143	0.17	MPB	30.4%
8/10/82	38655	395	Z			C-8/FC-143	<0.03	MPB	5.4%
8/24/82	38656	428	Z			C-8/FC-143	0.03	MPB	5.4%
8/26/82	38657	406	Z			C-8/FC-143	0.07	MPB	12.5%
9/7/82	38658	401	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 163 #2 MAKE UP AIR SUPPLY

7/17/82	38507	436	Z			C-8/FC-143	0.1	MPB	17.9%
7/18/82	38508	401	Z			C-8/FC-143	0.23	MPB	41.1%
7/19/82	38509	421	Z			C-8/FC-143	0.26	MPB	48.4%
7/20/82	38510	415	Z			C-8/FC-143	<0.03	MPB	5.4%
7/28/82	38511	423	Z			C-8/FC-143	0.07	MPB	12.5%
7/28/82	38512	421	Z			C-8/FC-143	0.21	MPB	37.5%
7/29/82	38513	435	Z			C-8/FC-143	0.27	MPB	48.2%
8/5/82	38514	451	Z			C-8/FC-143	0.25	MPB	44.8%
8/8/82	38515	444	Z			C-8/FC-143	0.27	MPB	48.2%
9/8/82	38516	428	Z			C-8/FC-143	0.07	MPB	12.5%
9/9/82	38517	426	Z			C-8/FC-143	0.34	MPB	60.7%
9/10/82	38518	424	Z			C-8/FC-143	0.18	MPB	32.1%
9/13/82	38519	427	Z			C-8/FC-143	0.44	MPB	78.6%
9/14/82	38520	412	Z			C-8/FC-143	0.23	MPB	41.1%
9/15/82	38521	420	Z			C-8/FC-143	0.37	MPB	66.1%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 164 B163 - 60 FT ROOF

9/8/82	39073	426	Z			C-8/FC-143	<0.03	MPB	5.4%
9/9/82	39074	426	Z			C-8/FC-143	0.13	MPB	23.2%
9/10/82	39075	424	Z			C-8/FC-143	0.34	MPB	60.7%
9/13/82	39076	427	Z			C-8/FC-143	0.63	MPB	112.5% **
9/14/82	39077	415	Z			C-8/FC-143	0.21	MPB	37.5%

Tuesday, January 16, 2001 12:12:47 PM

Page 25 of 54

AJP004015

EID113150

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/15/82	38978	430	Z			C-8/FC-143	0.13	MPB	23.2%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 166 FEP DISPERSION AREA SCALE

6/18/82	38918	410	Z			C-8/FC-143	0.04	MPB	7.1%
6/20/82	38919	412	Z			C-8/FC-143	0.05	MPB	8.9%
11/12/82	38920	403	Z			C-8/FC-143	<0.03	MPB	5.4%
11/15/82	38921	418	Z			C-8/FC-143	0.12	MPB	21.4%
11/16/82	38922	398	Z			C-8/FC-143	0.07	MPB	12.5%
11/17/82	38923	392	Z			C-8/FC-143	<0.03	MPB	5.4%
11/18/82	38924	401	Z			C-8/FC-143	0.07	MPB	12.5%
11/22/82	38925	416	Z			C-8/FC-143	0.03	MPB	5.4%
11/23/82	38926	420	Z			C-8/FC-143	7	MPB	1250.0% **
11/30/82	38927	411	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 167 FEP DISPERSION STABILIZATION TANKS

6/18/82	38809	404	Z			C-8/FC-143	0.06	MPB	10.7%
6/20/82	38810	421	Z			C-8/FC-143	0.03	MPB	5.4%
6/29/82	38811	395	Z			C-8/FC-143	0.07	MPB	12.5%
9/7/82	38812	339	Z			C-8/FC-143	<0.03	MPB	5.4%
11/12/82	38813	404	Z			C-8/FC-143	<0.03	MPB	5.4%
11/15/82	38814	414	Z			C-8/FC-143	0.2	MPB	35.7%
11/16/82	38815	403	Z			C-8/FC-143	0.07	MPB	12.5%
11/17/82	38816	400	Z			C-8/FC-143	<0.03	MPB	5.4%
11/18/82	38817	403	Z			C-8/FC-143	0.03	MPB	5.4%
11/22/82	38818	416	Z			C-8/FC-143	0.21	MPB	37.5%
11/23/82	38819	419	Z			C-8/FC-143	0.07	MPB	12.5%
11/30/82	38820	425	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 168 FEP DISPERSION ADDITION AREA PLATFORM

6/18/82	38759	415	Z			C-8/FC-143	0.05	MPB	8.9%
6/20/82	38760	410	Z			C-8/FC-143	<0.03	MPB	5.4%
6/29/82	38761	401	Z			C-8/FC-143	0.04	MPB	7.1%
9/7/82	38762	339	Z			C-8/FC-143	0.04	MPB	7.1%
11/12/82	38763	397	Z			C-8/FC-143	<0.03	MPB	5.4%
11/15/82	38764	396	Z			C-8/FC-143	0.04	MPB	7.1%
11/16/82	38765	405	Z			C-8/FC-143	0.15	MPB	26.8%
11/17/82	38766	398	Z			C-8/FC-143	0.04	MPB	7.1%

Tuesday, January 16, 2001 12:12:47 PM

Page 26 of 54

AJP004016

EID113151

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
11/18/82	38767	398	Z			C-8/FC-143	0.04	MPB	7.1%
11/22/82	38768	415	Z			C-8/FC-143	0.27	MPB	48.2%
11/23/82	38769	419	Z			C-8/FC-143	0.03	MPB	5.4%
11/30/82	38770	428	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 169 FEP DISPERSION C-8 RECIRCULATION PUMP

6/18/82	38859	415	Z			C-8/FC-143	0.02	MPB	3.6%
6/20/82	38860	412	Z			C-8/FC-143	<0.03	MPB	5.4%
6/29/82	38861	400	Z			C-8/FC-143	0.04	MPB	7.1%
9/7/82	38862	339	Z			C-8/FC-143	0.56	MPB	100.0% **
11/12/82	38863	399	Z			C-8/FC-143	<0.03	MPB	5.4%
11/15/82	38864	395	Z			C-8/FC-143	0.04	MPB	7.1%
11/16/82	38865	394	Z			C-8/FC-143	0.04	MPB	7.1%
11/17/82	38866	394	Z			C-8/FC-143	<0.03	MPB	5.4%
11/18/82	38867	403	Z			C-8/FC-143	0.04	MPB	7.1%
11/22/82	38868	415	Z			C-8/FC-143	0.1	MPB	17.9%
11/23/82	38869	419	Z			C-8/FC-143	0.07	MPB	12.5%
11/30/82	38870	404	Z			C-8/FC-143	0.04	MPB	7.1%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 182 LAB SUPERVISOR'S OFFICE 1ST FLOOR B-163

4/26/82	37734	400	Z			C-8/FC-143	0.11	MPB	19.6%
---------	-------	-----	---	--	--	------------	------	-----	-------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 189 B-163 MID ROOF H&V INLET

4/26/82	37942	426	Z			C-8/FC-143	0.17	MPB	30.4%
8/13/82	37943	380	Z			C-8/FC-143	0.15	MPB	26.8%
8/13/82	37944	379	Z			C-8/FC-143	0.12	MPB	21.4%
8/13/82	37945	379	Z			C-8/FC-143	<0.03	MPB	5.4%
8/30/82	37946	416	Z			C-8/FC-143	<0.03	MPB	5.4%
11/29/82	37947	424	Z			C-8/FC-143	0.05	MPB	8.9%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 204 FEP-DISP AREA-GENERAL

6/30/82	38208	396	Z			C-8/FC-143	0.1	MPB	17.9%
9/7/82	38209	399	Z			C-8/FC-143	0.13	MPB	23.2%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 207 FEP-POLY KETTLE OPERATORS DESK

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/11/82	39265	437	Z			C-8/FC-143	0.02	MPB	3.6%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 208 FEP-BLENDER PIT

1/7/82	48602		Z			C-8/FC-143	0.29	MPB	51.8%
1/25/82	48603		Z			C-8/FC-143	0.31	MPB	55.4%
1/25/82	48604		Z			C-8/FC-143	1.52	MPB	271.4% **
1/25/82	48605		Z			C-8/FC-143	0.99	MPB	176.8% **
1/27/82	48606		Z			C-8/FC-143	0.19	MPB	33.9%
1/27/82	48607		Z			C-8/FC-143	0.84	MPB	150.0% **
1/27/82	48608		Z			C-8/FC-143	0.6	MPB	107.1% **
1/28/82	48609		Z			C-8/FC-143	0.64	MPB	114.3% **
1/28/82	48610		Z			C-8/FC-143	1.09	MPB	194.6% **
1/28/82	48611		Z			C-8/FC-143	0.88	MPB	157.1% **
1/29/82	48612		Z			C-8/FC-143	0.32	MPB	57.1%
1/29/82	48613		Z			C-8/FC-143	1.17	MPB	208.9% **
1/29/82	48614		Z			C-8/FC-143	1.33	MPB	237.5% **
2/1/82	48615		Z			C-8/FC-143	4.03	MPB	719.6% **
2/1/82	48616		Z			C-8/FC-143	2.15	MPB	383.9% **
2/1/82	48617		Z			C-8/FC-143	0.29	MPB	51.8%
2/2/82	48618		Z			C-8/FC-143	0.19	MPB	33.9%
2/2/82	48619		Z			C-8/FC-143	0.17	MPB	30.4%
3/2/82	48620		Z			C-8/FC-143	0.04	MPB	7.1%
3/5/82	48621		Z			C-8/FC-143	0.22	MPB	39.3%
6/28/82	33998	425	Z			C-8/FC-143	0.82	MPB	146.4% **
8/30/82	33999	406	Z			C-8/FC-143	0.21	MPB	37.5%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 210 #1 COAGULATOR-2ND FLOOR

1/4/82	60293		Z			C-8/FC-143	0.68	MPB	121.4% **
1/5/82	60294		Z			C-8/FC-143	0.49	MPB	87.5%
1/6/82	60295		Z			C-8/FC-143	0.28	MPB	50.0%
1/7/82	60296		Z			C-8/FC-143	0.36	MPB	64.3%
1/8/82	60297		Z			C-8/FC-143	0.03	MPB	5.4%
1/14/82	60298		Z			C-8/FC-143	0.11	MPB	19.6%
1/15/82	60299		Z			C-8/FC-143	0.62	MPB	110.7% **
1/18/82	60300		Z			C-8/FC-143	0.03	MPB	5.4%
1/19/82	33168		P		none	C-8/FC-143	0.1	MPB	17.9%
1/21/82	60301		Z			C-8/FC-143	0.2	MPB	35.7%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/22/82	60302		Z			C-8/FC-143	0.31	MPB	55.4%
2/23/82	60303		Z			C-8/FC-143	0.45	MPB	80.4%
2/23/82	60304		Z			C-8/FC-143	0.03	MPB	5.4%
4/18/82	37204	409	Z			C-8/FC-143	0.14	MPB	25.0%
4/30/82	37205	401	Z			C-8/FC-143	0.11	MPB	19.6%
5/1/82	37206	369	Z			C-8/FC-143	0.08	MPB	14.3%
5/2/82	37207	410	Z			C-8/FC-143	0.07	MPB	12.5%
5/3/82	37208	406	Z			C-8/FC-143	<0.03	MPB	5.4%
5/9/82	37209	452	Z			C-8/FC-143	0.18	MPB	32.1%
6/8/82	37210	424	Z			C-8/FC-143	0.09	MPB	16.1%
6/8/82	37211	396	Z			C-8/FC-143	0.2	MPB	35.7%
6/16/82	37212	425	Z			C-8/FC-143	0.14	MPB	25.0%
6/18/82	37213	415	Z			C-8/FC-143	0.21	MPB	37.5%
6/22/82	37214	398	Z			C-8/FC-143	0.04	MPB	7.1%
6/23/82	37215	418	Z			C-8/FC-143	0.1	MPB	17.9%
6/23/82	37216	421	Z			C-8/FC-143	0.14	MPB	25.0%
6/24/82	37217	421	Z			C-8/FC-143	0.02	MPB	3.6%
6/24/82	37218	421	Z			C-8/FC-143	0.11	MPB	19.6%
6/29/82	37219	401	Z			C-8/FC-143	0.15	MPB	26.8%
6/30/82	37220	396	Z			C-8/FC-143	0.1	MPB	17.9%
6/30/82	37221	398	Z			C-8/FC-143	0.22	MPB	39.3%
8/26/82	37222	412	Z			C-8/FC-143	0.07	MPB	12.5%
8/27/82	37223	401	Z			C-8/FC-143	0.36	MPB	64.3%
8/29/82	37224	402	Z			C-8/FC-143	0.18	MPB	32.1%
9/1/82	11635	308	P		none	C-8/FC-143	0.32	MPB	57.1%
11/30/82	37225	397	Z			C-8/FC-143	0.22	MPB	39.3%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 212 #1 COAGULATOR-1ST FLOOR PLATFORM

1/23/82	53352		Z			C-8/FC-143	0.45	MPB	80.4%
4/18/82	35508	411	Z			C-8/FC-143	0.2	MPB	35.7%
6/16/82	35509	418	Z			C-8/FC-143	0.11	MPB	19.6%
6/18/82	35510	418	Z			C-8/FC-143	0.05	MPB	8.9%
6/22/82	35511	408	Z			C-8/FC-143	0.04	MPB	7.1%
8/26/82	35512	413	Z			C-8/FC-143	0.17	MPB	30.4%
8/27/82	35513	408	Z			C-8/FC-143	0.11	MPB	19.6%
10/11/82	35514	403	Z			C-8/FC-143	0.25	MPB	44.6%
10/12/82	35515	394	Z			C-8/FC-143	0.15	MPB	26.8%
10/13/82	35516	410	Z			C-8/FC-143	0.27	MPB	48.2%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/14/82	35517	411	Z			C-8/FC-143	0.04	MPB	7.1%
10/15/82	35518	417	Z			C-8/FC-143	0.24	MPB	42.9%
10/18/82	35519	413	Z			C-8/FC-143	0.27	MPB	48.2%
10/19/82	35520	398	Z			C-8/FC-143	0.29	MPB	51.8%
10/20/82	35521	410	Z			C-8/FC-143	0.17	MPB	30.4%
10/21/82	35522	406	Z			C-8/FC-143	0.24	MPB	42.9%
10/22/82	35523	412	Z			C-8/FC-143	0.4	MPB	71.4%
10/25/82	35524	430	Z			C-8/FC-143	0.19	MPB	33.9%
10/27/82	35525	399	Z			C-8/FC-143	0.11	MPB	19.6%
10/28/82	35526	416	Z			C-8/FC-143	0.17	MPB	30.4%
10/29/82	35527	419	Z			C-8/FC-143	0.03	MPB	5.4%
11/2/82	35528	421	Z			C-8/FC-143	0.03	MPB	5.4%
11/3/82	35529	412	Z			C-8/FC-143	0.03	MPB	5.4%
11/4/82	35530	405	Z			C-8/FC-143	0.04	MPB	7.1%
11/5/82	35531	421	Z			C-8/FC-143	0.05	MPB	8.9%
11/8/82	35532	395	Z			C-8/FC-143	0.44	MPB	78.8%
11/9/82	35533	392	Z			C-8/FC-143	0.19	MPB	33.9%
11/10/82	35534	394	Z			C-8/FC-143	<0.03	MPB	5.4%
11/11/82	35535	390	Z			C-8/FC-143	0.11	MPB	19.6%
11/12/82	35536	398	Z			C-8/FC-143	<0.03	MPB	5.4%
11/15/82	35537	403	Z			C-8/FC-143	0.04	MPB	7.1%
11/16/82	35538	396	Z			C-8/FC-143	0.3	MPB	53.6%
11/17/82	35539	396	Z			C-8/FC-143	<0.03	MPB	5.4%
11/18/82	35540	407	Z			C-8/FC-143	0.07	MPB	12.5%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 214 FEP-#1 TORUS DISK DRYER (CLEAN) ROOM

1/4/82	51544	Z		C-8/FC-143	0.79	MPB	141.1% **
1/5/82	51545	Z		C-8/FC-143	0.46	MPB	82.1%
1/6/82	51546	Z		C-8/FC-143	0.59	MPB	105.4% **
1/8/82	51547	Z		C-8/FC-143	0.07	MPB	12.5%
2/9/82	51548	Z		C-8/FC-143	4.02	MPB	717.9% **
2/10/82	51549	Z		C-8/FC-143	1.87	MPB	333.9% **
2/11/82	51550	Z		C-8/FC-143	2.95	MPB	526.8% **
2/11/82	51551	Z		C-8/FC-143	1.18	MPB	210.7% **
2/11/82	51552	Z		C-8/FC-143	0.19	MPB	33.9%
2/16/82	51553	Z		C-8/FC-143	0.49	MPB	87.5%
2/17/82	51554	Z		C-8/FC-143	0.43	MPB	76.8%
2/18/82	51555	Z		C-8/FC-143	0.17	MPB	30.4%

AJP004020

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/19/82	51556		Z			C-8/FC-143	0.16	MPB	28.6%
2/23/82	51557		Z			C-8/FC-143	0.35	MPB	62.5%
4/29/82	34874	391	Z			C-8/FC-143	2.28	MPB	407.1% **
5/2/82	34875	422	Z			C-8/FC-143	30.38	MPB	5425.0% **
5/3/82	34876	406	Z			C-8/FC-143	6.51	MPB	1162.5% **
5/12/82	34877	400	Z			C-8/FC-143	0.28	MPB	50.0%
5/27/82	34878	403	Z			C-8/FC-143	2.12	MPB	378.6% **
5/27/82	34879	403	Z			C-8/FC-143	2.12	MPB	378.6% **
5/28/82	34880	421	Z			C-8/FC-143	1.28	MPB	228.6% **
5/28/82	34881	421	Z			C-8/FC-143	1.28	MPB	228.6% **
6/8/82	34882	422	Z			C-8/FC-143	1.46	MPB	260.7% **
6/17/82	34883	408	Z			C-8/FC-143	7.27	MPB	1298.2% **
6/17/82	34884	423	Z			C-8/FC-143	7.04	MPB	1257.1% **
6/22/82	34885	477	Z			C-8/FC-143	1.11	MPB	198.2% **
6/25/82	34886	411	Z			C-8/FC-143	1.59	MPB	283.9% **
6/29/82	34887	418	Z			C-8/FC-143	1.92	MPB	342.9% **
7/9/82	34888	432	Z			C-8/FC-143	6.19	MPB	1105.4% **
7/17/82	34889	408	Z			C-8/FC-143	0.81	MPB	144.6% **
7/17/82	34890	408	Z			C-8/FC-143	0.7	MPB	125.0% **
7/18/82	34891	398	Z			C-8/FC-143	0.18	MPB	32.1%
7/20/82	34892	407	Z			C-8/FC-143	0.15	MPB	26.8%
7/20/82	34893	407	Z			C-8/FC-143	0.14	MPB	25.0%
7/29/82	34894	410	Z			C-8/FC-143	1.18	MPB	210.7% **
7/29/82	34895	410	Z			C-8/FC-143	0.29	MPB	51.8%
8/4/82	34896	446	Z			C-8/FC-143	3.23	MPB	576.8% **
8/6/82	34897	411	Z			C-8/FC-143	6.89	MPB	1230.4% **
8/7/82	34898	418	Z			C-8/FC-143	4.55	MPB	812.5% **
8/9/82	34899	446	Z			C-8/FC-143	1.53	MPB	273.2% **
8/10/82	34900	447	Z			C-8/FC-143	2.45	MPB	437.5% **
8/11/82	34901	437	Z			C-8/FC-143	1.98	MPB	353.6% **
9/24/82	34902	406	Z			C-8/FC-143	1.52	MPB	271.4% **
9/24/82	34903	406	Z			C-8/FC-143	1.53	MPB	273.2% **
9/27/82	34904	468	Z			C-8/FC-143	3.83	MPB	683.9% **
9/27/82	34905	468	Z			C-8/FC-143	3.71	MPB	662.5% **
9/30/82	34906	470	Z			C-8/FC-143	1.66	MPB	296.4% **
9/30/82	34907	470	Z			C-8/FC-143	1.66	MPB	296.4% **
10/1/82	34908	445	Z			C-8/FC-143	0.26	MPB	46.4%
10/1/82	34909	445	Z			C-8/FC-143	0.23	MPB	41.1%
10/11/82	34910	409	Z			C-8/FC-143	1.4	MPB	250.0% **

Tuesday, January 16, 2001 12:12:47 PM

Page 31 of 54

AJP004021

EID113156

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/12/82	34911	395	Z			C-8/FC-143	0.02	MPB	3.6%
10/13/82	34912	414	Z			C-8/FC-143	1.11	MPB	198.2% **
10/14/82	34913	415	Z			C-8/FC-143	1.1	MPB	198.4% **
10/15/82	34914	421	Z			C-8/FC-143	1.37	MPB	244.6% **
10/19/82	34915	403	Z			C-8/FC-143	1.87	MPB	333.9% **
10/26/82	34916	395	Z			C-8/FC-143	16.5	MPB	2946.4% **
11/8/82	34917	416	Z			C-8/FC-143	4.23	MPB	755.4% **
11/9/82	34918	408	Z			C-8/FC-143	5.83	MPB	1041.1% **
11/11/82	34919	401	Z			C-8/FC-143	6.03	MPB	1076.8% **
11/12/82	34920	408	Z			C-8/FC-143	5.22	MPB	932.1% **
11/15/82	34921	413	Z			C-8/FC-143	3.78	MPB	675.0% **
11/19/82	34922	414	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 215 FEP-POLYKETTLE CONTROL ROOM

2/22/82	53936		Z			C-8/FC-143	0.03	MPB	5.4%
2/23/82	53937		Z			C-8/FC-143	<0.03	MPB	5.4%
4/26/82	35698	396	Z			C-8/FC-143	0.07	MPB	12.5%
4/30/82	35697	403	Z			C-8/FC-143	<0.03	MPB	5.4%
5/1/82	35698	439	Z			C-8/FC-143	<0.03	MPB	5.4%
5/2/82	35699	416	Z			C-8/FC-143	0.03	MPB	5.4%
5/3/82	35700	403	Z			C-8/FC-143	0.31	MPB	55.4%
5/9/82	35701	453	Z			C-8/FC-143	1.25	MPB	223.2% **
5/13/82	35702	420	Z			C-8/FC-143	0.67	MPB	119.6% **
5/27/82	35703	409	Z			C-8/FC-143	0.22	MPB	39.3%
5/27/82	35704	409	Z			C-8/FC-143	0.22	MPB	39.3%
5/28/82	35705	418	Z			C-8/FC-143	0.18	MPB	32.1%
5/28/82	35706	418	Z			C-8/FC-143	0.18	MPB	32.1%
6/8/82	35707	392	Z			C-8/FC-143	0.22	MPB	39.3%
6/9/82	35708	395	Z			C-8/FC-143	0.13	MPB	23.2%
9/24/82	35709	445	Z			C-8/FC-143	0.03	MPB	5.4%
9/24/82	35710	445	Z			C-8/FC-143	0.03	MPB	5.4%
9/27/82	35711	453	Z			C-8/FC-143	<0.03	MPB	5.4%
9/30/82	35712	421	Z			C-8/FC-143	0.38	MPB	67.9%
9/30/82	35713	421	Z			C-8/FC-143	0.03	MPB	5.4%
11/2/82	35714	402	Z			C-8/FC-143	0.04	MPB	7.1%
11/10/82	35715	410	Z			C-8/FC-143	0.04	MPB	7.1%

AJP004022

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 216 P/S - WET FIN OP (18PA) ALSO SEE TCP149									
2/23/82	53386		Z			C-8/FC-143	0.04	MPB	7.1%
3/3/82	32492		P		none	C-8/FC-143	0.03	MPB	5.4%
3/4/82	32493		P		none	C-8/FC-143	0.03	MPB	5.4%
3/4/82	32494		P		none	C-8/FC-143	0.07	MPB	12.5%
3/8/82	32495		P		none	C-8/FC-143	0.25	MPB	44.6%
3/9/82	32496		P		none	C-8/FC-143	0.04	MPB	7.1%
3/11/82	32497		P		none	C-8/FC-143	0.04	MPB	7.1%
3/12/82	32498		P		none	C-8/FC-143	0.07	MPB	12.5%
3/14/82	32499		P		none	C-8/FC-143	0.14	MPB	25.0%
3/25/82	32500		P		none	C-8/FC-143	0.08	MPB	14.3%
3/25/82	32501		P		none	C-8/FC-143	0.12	MPB	21.4%
10/13/82	10445	397	P		none	C-8/FC-143	0.24	MPB	42.9%
10/14/82	10446	411	P		none	C-8/FC-143	0.14	MPB	25.0%
10/15/82	10447	391	P		none	C-8/FC-143	0.07	MPB	12.5%
10/18/82	10448	408	P		none	C-8/FC-143	0.15	MPB	26.8%
10/19/82	35589	405	Z			C-8/FC-143	0.11	MPB	19.6%
10/20/82	10449	400	P		none	C-8/FC-143	0.03	MPB	5.4%
10/21/82	10450	400	P		none	C-8/FC-143	0.07	MPB	12.5%
10/22/82	10451	392	P		none	C-8/FC-143	0.23	MPB	41.1%
10/29/82	10452	390	P		none	C-8/FC-143	0.09	MPB	16.1%
11/2/82	10453	426	P		none	C-8/FC-143	<0.03	MPB	5.4%
11/4/82	35590	423	Z			C-8/FC-143	<0.03	MPB	5.4%
11/5/82	10454	395	P		none	C-8/FC-143	<0.03	MPB	5.4%
11/8/82	35591	395	Z			C-8/FC-143	<0.03	MPB	5.4%
11/15/82	10455	441	P		none	C-8/FC-143	0.13	MPB	23.2%
11/16/82	35592	390	Z			C-8/FC-143	0.08	MPB	14.3%
11/17/82	35593	393	Z			C-8/FC-143	0.04	MPB	7.1%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 217 FEP CONTROL ROOM-COMPUTER AREA

6/8/82	38212	422	Z			C-8/FC-143	0.04	MPB	7.1%
6/16/82	38213	422	Z			C-8/FC-143	0.17	MPB	30.4%
6/18/82	38214	416	Z			C-8/FC-143	0.07	MPB	12.5%
6/22/82	38215	404	Z			C-8/FC-143	0.03	MPB	5.4%
6/23/82	38216	418	Z			C-8/FC-143	0.03	MPB	5.4%
6/24/82	38217	421	Z			C-8/FC-143	0.03	MPB	5.4%
6/28/82	38218	435	Z			C-8/FC-143	0.07	MPB	12.5%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/29/82	38219	412	Z			C-8/FC-143	1.05	MPB	187.5% **
8/4/82	38220	400	Z			C-8/FC-143	<0.03	MPB	5.4%
8/6/82	38221	415	Z			C-8/FC-143	0.35	MPB	62.5%
8/7/82	38222	409	Z			C-8/FC-143	0.28	MPB	50.0%
8/9/82	38223	442	Z			C-8/FC-143	<0.03	MPB	5.4%
8/10/82	38224	726	Z			C-8/FC-143	<0.03	MPB	5.4%
8/11/82	38225	422	Z			C-8/FC-143	<0.03	MPB	5.4%
9/27/82	38226	453	Z			C-8/FC-143	<0.03	MPB	5.4%
10/1/82	38227	418	Z			C-8/FC-143	<0.03	MPB	5.4%
10/1/82	38228	418	Z			C-8/FC-143	<0.03	MPB	5.4%
10/12/82	38229	405	Z			C-8/FC-143	0.07	MPB	12.5%
10/13/82	38230	414	Z			C-8/FC-143	0.26	MPB	46.4%
10/14/82	38231	406	Z			C-8/FC-143	0.03	MPB	5.4%
10/15/82	38232	400	Z			C-8/FC-143	0.07	MPB	12.5%
10/18/82	38233	401	Z			C-8/FC-143	0.14	MPB	25.0%
10/19/82	38234	398	Z			C-8/FC-143	0.15	MPB	26.8%
10/20/82	38235	394	Z			C-8/FC-143	0.07	MPB	12.5%
10/21/82	38236	415	Z			C-8/FC-143	0.18	MPB	32.1%
10/22/82	38237	305	Z			C-8/FC-143	0.34	MPB	60.7%
10/25/82	38238	400	Z			C-8/FC-143	0.07	MPB	12.5%
10/27/82	38239	421	Z			C-8/FC-143	0.34	MPB	60.7%
10/29/82	38240	395	Z			C-8/FC-143	0.15	MPB	26.8%
11/3/82	38241	400	Z			C-8/FC-143	<0.03	MPB	5.4%
11/4/82	38242	400	Z			C-8/FC-143	<0.03	MPB	5.4%
11/5/82	38243	390	Z			C-8/FC-143	<0.03	MPB	5.4%
11/8/82	38244	399	Z			C-8/FC-143	<0.03	MPB	5.4%
11/9/82	38245	408	Z			C-8/FC-143	0.04	MPB	7.1%
11/11/82	38246	414	Z			C-8/FC-143	0.04	MPB	7.1%
11/12/82	38247	396	Z			C-8/FC-143	0.04	MPB	7.1%
11/15/82	38248	405	Z			C-8/FC-143	0.37	MPB	66.1%
11/17/82	38249	403	Z			C-8/FC-143	<0.03	MPB	5.4%
11/18/82	38250	412	Z			C-8/FC-143	<0.03	MPB	5.4%
11/19/82	38251	396	Z			C-8/FC-143	0.11	MPB	19.6%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 218 FEP FOREMANS OFFICE

11/24/82	39297	400	Z			C-8/FC-143	0.18	MPB	32.1%
----------	-------	-----	---	--	--	------------	------	-----	-------

AIP004024

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 220 #2 COAGULATOR-1ST FLOOR PLATFORM									
4/18/82	35811	410	Z			C-8/FC-143	0.2	MPB	35.7%
5/27/82	35812	402	Z			C-8/FC-143	0.32	MPB	57.1%
5/27/82	35813	402	Z			C-8/FC-143	0.32	MPB	57.1%
5/28/82	35814	417	Z			C-8/FC-143	0.14	MPB	25.0%
5/28/82	35815	417	Z			C-8/FC-143	0.14	MPB	25.0%
6/8/82	35816	426	Z			C-8/FC-143	0.07	MPB	12.5%
6/8/82	35817	392	Z			C-8/FC-143	0.22	MPB	39.3%
6/16/82	35818	420	Z			C-8/FC-143	0.07	MPB	12.5%
6/18/82	35819	418	Z			C-8/FC-143	0.04	MPB	7.1%
6/22/82	35820	404	Z			C-8/FC-143	<0.03	MPB	5.4%
8/26/82	35821	413	Z			C-8/FC-143	0.04	MPB	7.1%
8/27/82	35822	408	Z			C-8/FC-143	0.07	MPB	12.5%
11/30/82	35823	401	Z			C-8/FC-143	0.04	MPB	7.1%

BTO: 18 TEFLON@ COPOLYMERS									
LOC: 221 P/S - FEP PROCESS PK OPERATOR (18PA)									
2/22/82	55217		Z			C-8/FC-143	0.11	MPB	19.6%
8/4/82	36064	457	Z			C-8/FC-143	0.13	MPB	23.2%
8/6/82	36065	447	Z			C-8/FC-143	0.07	MPB	12.5%
8/7/82	36066	428	Z			C-8/FC-143	0.07	MPB	12.5%
8/9/82	36067	417	Z			C-8/FC-143	0.07	MPB	12.5%
12/1/82	36068	411	Z			C-8/FC-143	0.07	MPB	12.5%

BTO: 18 TEFLON@ COPOLYMERS									
LOC: 224 FEP DISPERSION BLENDING AREA									
1/21/82	51424		Z			C-8/FC-143	0.08	MPB	14.3%
1/27/82	51425		Z			C-8/FC-143	<0.03	MPB	5.4%
2/2/82	51426		Z			C-8/FC-143	0.03	MPB	5.4%
2/16/82	51427		Z			C-8/FC-143	0.07	MPB	12.5%
2/16/82	51428		Z			C-8/FC-143	0.18	MPB	32.1%
2/28/82	51429		Z			C-8/FC-143	0.07	MPB	12.5%
3/2/82	51430		Z			C-8/FC-143	0.11	MPB	19.6%
3/2/82	51431		Z			C-8/FC-143	0.03	MPB	5.4%
3/3/82	51432		Z			C-8/FC-143	0.03	MPB	5.4%
3/4/82	51433		Z			C-8/FC-143	0.13	MPB	23.2%
3/5/82	51434		Z			C-8/FC-143	0.07	MPB	12.5%
3/8/82	51435		Z			C-8/FC-143	0.14	MPB	25.0%
3/9/82	51436		Z			C-8/FC-143	0.07	MPB	12.5%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/9/82	51437		Z			C-8/FC-143	0.07	MPB	12.5%
8/13/82	34793	349	Z			C-8/FC-143	0.52	MPB	92.9%
8/13/82	34794	346	Z			C-8/FC-143	0.46	MPB	82.1%
8/13/82	34795	346	Z			C-8/FC-143	0.88	MPB	157.1% **
10/26/82	34796	360	Z			C-8/FC-143	0.08	MPB	14.3%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 225 C-8 PREPARATION AREA

11/24/82	39315	396	Z			C-8/FC-143	2.39	MPB	426.8% **
12/3/82	39316	405	Z			C-8/FC-143	0.04	MPB	7.1%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 226 TRAY CONVEYER-OVEN FEED

5/27/82	35334	401	Z			C-8/FC-143	0.32	MPB	57.1%
5/27/82	35335	401	Z			C-8/FC-143	0.32	MPB	57.1%
5/28/82	35336	421	Z			C-8/FC-143	0.17	MPB	30.4%
5/28/82	35337	421	Z			C-8/FC-143	0.17	MPB	30.4%
6/8/82	35338	395	Z			C-8/FC-143	0.11	MPB	19.6%
6/8/82	35339	424	Z			C-8/FC-143	0.11	MPB	19.6%
6/17/82	35340	410	Z			C-8/FC-143	0.17	MPB	30.4%
6/17/82	35341	411	Z			C-8/FC-143	0.18	MPB	32.1%
6/17/82	35342	419	Z			C-8/FC-143	0.05	MPB	8.9%
6/22/82	35343	481	Z			C-8/FC-143	0.12	MPB	21.4%
6/25/82	35344	400	Z			C-8/FC-143	0.18	MPB	32.1%
6/29/82	35345	424	Z			C-8/FC-143	0.03	MPB	5.4%
8/3/82	35346	407	Z			C-8/FC-143	<0.03	MPB	5.4%
8/3/82	35347	409	Z			C-8/FC-143	<0.03	MPB	5.4%
8/3/82	35348	407	Z			C-8/FC-143	<0.03	MPB	5.4%
8/3/82	35349	408	Z			C-8/FC-143	0.04	MPB	7.1%
8/4/82	35351	406	Z			C-8/FC-143	0.21	MPB	37.5%
8/4/82	35352	414	Z			C-8/FC-143	0.07	MPB	12.5%
8/4/82	35353	411	Z			C-8/FC-143	0.04	MPB	7.1%
8/4/82	35354	468	Z			C-8/FC-143	0.06	MPB	10.7%
8/4/82	35350	410	Z			C-8/FC-143	0.07	MPB	12.5%
8/6/82	35355	407	Z			C-8/FC-143	0.03	MPB	5.4%
8/6/82	35356	410	Z			C-8/FC-143	<0.03	MPB	5.4%
8/6/82	35357	410	Z			C-8/FC-143	<0.03	MPB	5.4%
8/6/82	35358	409	Z			C-8/FC-143	0.07	MPB	12.5%
8/10/82	35359	407	Z			C-8/FC-143	<0.03	MPB	5.4%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/11/82	35360	406	Z			C-8/FC-143	0.04	MPB	7.1%
9/24/82	35361	395	Z			C-8/FC-143	0.04	MPB	7.1%
9/24/82	35362	395	Z			C-8/FC-143	0.04	MPB	7.1%
9/27/82	35363	462	Z			C-8/FC-143	<0.03	MPB	5.4%
9/27/82	35364	464	Z			C-8/FC-143	0.13	MPB	23.2%
9/30/82	35365	437	Z			C-8/FC-143	0.07	MPB	12.5%
9/30/82	35366	437	Z			C-8/FC-143	0.03	MPB	5.4%
10/1/82	35367	435	Z			C-8/FC-143	<0.03	MPB	5.4%
10/1/82	35368	435	Z			C-8/FC-143	<0.03	MPB	5.4%
10/4/82	35369	410	Z			C-8/FC-143	0.07	MPB	12.5%
10/4/82	35370	411	Z			C-8/FC-143	0.07	MPB	12.5%
11/28/82	35371	404	Z			C-8/FC-143	0.07	MPB	12.5%
11/29/82	35372	410	Z			C-8/FC-143	0.03	MPB	5.4%
11/30/82	35373	397	Z			C-8/FC-143	<0.03	MPB	5.4%
11/30/82	35374	395	Z			C-8/FC-143	<0.03	MPB	5.4%
12/1/82	35375	413	Z			C-8/FC-143	<0.03	MPB	5.4%
12/2/82	35376	410	Z			C-8/FC-143	<0.03	MPB	5.4%
12/2/82	35377	405	Z			C-8/FC-143	<0.03	MPB	5.4%
12/3/82	35378	403	Z			C-8/FC-143	0.03	MPB	5.4%
12/3/82	35379	403	Z			C-8/FC-143	<0.03	MPB	5.4%
12/6/82	35380	410	Z			C-8/FC-143	0.03	MPB	5.4%
12/6/82	35381	410	Z			C-8/FC-143	0.04	MPB	7.1%
12/7/82	35382	403	Z			C-8/FC-143	0.07	MPB	12.5%
12/7/82	35383	404	Z			C-8/FC-143	<0.03	MPB	5.4%
12/13/82	35384	401	Z			C-8/FC-143	0.07	MPB	12.5%
12/13/82	35385	400	Z			C-8/FC-143	0.04	MPB	7.1%
12/14/82	35386	396	Z			C-8/FC-143	0.04	MPB	7.1%
12/14/82	35387	395	Z			C-8/FC-143	0.04	MPB	7.1%
12/15/82	35388	401	Z			C-8/FC-143	0.4	MPB	71.4%
12/15/82	35389	401	Z			C-8/FC-143	0.04	MPB	7.1%
12/16/82	35390	414	Z			C-8/FC-143	<0.03	MPB	5.4%
12/16/82	35391	411	Z			C-8/FC-143	<0.03	MPB	5.4%
12/17/82	35392	408	Z			C-8/FC-143	<0.03	MPB	5.4%
12/17/82	35393	410	Z			C-8/FC-143	<0.03	MPB	5.4%

BTD: 18 TEFLON@ COPOLYMERS

LOC: 227 FEP FLAKE HOPPER

2/23/82 61447 Z

4/29/82 37592 392 Z

C-8/FC-143 0.1 MPB 17.9%

C-8/FC-143 0.04 MPB 7.1%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
5/1/82	37593	367	Z			C-8/FC-143	0.04	MPB	7.1%
5/2/82	37594	427	Z			C-8/FC-143	0.03	MPB	5.4%
5/3/82	37595	401	Z			C-8/FC-143	<0.03	MPB	5.4%
5/11/82	37596	453	Z			C-8/FC-143	0.09	MPB	16.1%
6/28/82	37597	424	Z			C-8/FC-143	0.21	MPB	37.5%
8/4/82	37598	443	Z			C-8/FC-143	0.24	MPB	42.9%
8/6/82	37599	402	Z			C-8/FC-143	1.43	MPB	255.4% **
8/9/82	37600	449	Z			C-8/FC-143	0.1	MPB	17.9%
8/10/82	37601	434	Z			C-8/FC-143	0.03	MPB	5.4%
8/10/82	37602	446	Z			C-8/FC-143	0.27	MPB	48.2%
8/24/82	37603	401	Z			C-8/FC-143	0.19	MPB	33.9%
8/27/82	37604	405	Z			C-8/FC-143	0.14	MPB	25.0%
8/29/82	37605	402	Z			C-8/FC-143	0.07	MPB	12.5%
8/30/82	37606	412	Z			C-8/FC-143	0.22	MPB	39.3%
9/24/82	37607	421	Z			C-8/FC-143	0.07	MPB	12.5%
9/24/82	37608	401	Z			C-8/FC-143	0.04	MPB	7.1%
9/27/82	37609	461	Z			C-8/FC-143	0.06	MPB	10.7%
9/27/82	37610	461	Z			C-8/FC-143	0.03	MPB	5.4%
9/30/82	37611	436	Z			C-8/FC-143	0.17	MPB	30.4%
9/30/82	37612	436	Z			C-8/FC-143	0.24	MPB	42.9%
10/1/82	37613	436	Z			C-8/FC-143	<0.03	MPB	5.4%
10/1/82	37614	436	Z			C-8/FC-143	0.04	MPB	7.1%
10/4/82	37615	411	Z			C-8/FC-143	0.26	MPB	46.4%
10/4/82	37616	411	Z			C-8/FC-143	0.28	MPB	50.0%
11/29/82	37617	402	Z			C-8/FC-143	0.17	MPB	30.4%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 228 FEP, TRAY OUT CLEANUP

10/5/82	39291	405	Z			C-8/FC-143	0.11	MPB	19.6%
---------	-------	-----	---	--	--	------------	------	-----	-------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 229 P/S - FEP OVEN OPERATOR (18PB)

3/11/82	10969	0	P	none	C-8/FC-143	0.04	MPB	7.1%
3/12/82	32757		P	none	C-8/FC-143	0.04	MPB	7.1%
3/18/82	32758		P	none	C-8/FC-143	0.08	MPB	14.3%
4/8/82	10970	295	P	none	C-8/FC-143	<0.03	MPB	5.4%
4/13/82	10971	405	P	none	C-8/FC-143	0.07	MPB	12.5%
4/18/82	10972	393	P	none	C-8/FC-143	0.14	MPB	25.0%
4/19/82	10973	399	P	none	C-8/FC-143	<0.03	MPB	5.4%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/24/82	10974	400	P		none	C-8/FC-143	0.11	MPB	19.6%
4/26/82	10975	410	P		none	C-8/FC-143	0.17	MPB	30.4%
4/27/82	10976	395	P		none	C-8/FC-143	0.04	MPB	7.1%
4/28/82	10977	395	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/30/82	10978	400	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/30/82	35985	391	Z			C-8/FC-143	<0.03	MPB	5.4%
5/1/82	10979	400	P		none	C-8/FC-143	<0.03	MPB	5.4%
5/1/82	10980	400	P		none	C-8/FC-143	<0.03	MPB	5.4%
5/2/82	35986	420	Z			C-8/FC-143	<0.03	MPB	5.4%
5/4/82	10981	410	P		none	C-8/FC-143	0.07	MPB	12.5%
11/29/82	10982	374	P		none	C-8/FC-143	<0.03	MPB	5.4%
11/30/82	10983	416	P		none	C-8/FC-143	0.14	MPB	25.0%
12/2/82	10984	405	P		none	C-8/FC-143	<0.03	MPB	5.4%
12/6/82	10985	400	P		none	C-8/FC-143	0.07	MPB	12.5%
12/7/82	35987	397	Z			C-8/FC-143	0.03	MPB	5.4%
12/13/82	10986	409	P		none	C-8/FC-143	0.04	MPB	7.1%
12/13/82	10987	402	P		none	C-8/FC-143	<0.03	MPB	5.4%
12/14/82	10988	417	P		none	C-8/FC-143	0.17	MPB	30.4%
12/15/82	10989	403	P		none	C-8/FC-143	0.04	MPB	7.1%
12/16/82	10990	412	P		none	C-8/FC-143	<0.03	MPB	5.4%
12/17/82	10991	412	P		none	C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 230 FEP-TRAYOUT

2/16/82	59477		Z			C-8/FC-143	0.04	MPB	7.1%
2/19/82	59478		Z			C-8/FC-143	0.1	MPB	17.9%
2/22/82	59479		Z			C-8/FC-143	0.07	MPB	12.5%
2/23/82	59480		Z			C-8/FC-143	0.04	MPB	7.1%
3/11/82	59481		Z			C-8/FC-143	0.07	MPB	12.5%
3/12/82	59482		Z			C-8/FC-143	0.11	MPB	19.6%
3/18/82	59483		Z			C-8/FC-143	0.11	MPB	19.6%
4/8/82	37000	395	Z			C-8/FC-143	0.14	MPB	25.0%
4/13/82	37001	407	Z			C-8/FC-143	0.29	MPB	51.8%
4/14/82	37002	403	Z			C-8/FC-143	0.07	MPB	12.5%
4/18/82	37003	398	Z			C-8/FC-143	0.08	MPB	14.3%
4/19/82	37004	397	Z			C-8/FC-143	0.22	MPB	39.3%
4/23/82	37005	392	Z			C-8/FC-143	<0.03	MPB	5.4%
4/24/82	37006	398	Z			C-8/FC-143	<0.03	MPB	5.4%
4/26/82	37007	413	Z			C-8/FC-143	0.11	MPB	19.6%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/27/82	37008	396	Z			C-8/FC-143	0.11	MPB	19.6%
4/28/82	37009	405	Z			C-8/FC-143	0.03	MPB	5.4%
4/30/82	37010	404	Z			C-8/FC-143	0.22	MPB	39.3%
5/1/82	37011	485	Z			C-8/FC-143	0.12	MPB	21.4%
5/2/82	37012	425	Z			C-8/FC-143	0.14	MPB	25.0%
5/3/82	37013	395	Z			C-8/FC-143	0.11	MPB	19.6%
5/4/82	37014	410	Z			C-8/FC-143	0.14	MPB	25.0%
5/12/82	37015	402	Z			C-8/FC-143	0.13	MPB	23.2%
6/8/82	37016	422	Z			C-8/FC-143	0.1	MPB	17.9%
6/8/82	37017	392	Z			C-8/FC-143	0.08	MPB	14.3%
6/17/82	37018	419	Z			C-8/FC-143	0.03	MPB	5.4%
6/22/82	37019	480	Z			C-8/FC-143	0.03	MPB	5.4%
6/25/82	37020	401	Z			C-8/FC-143	0.03	MPB	5.4%
6/28/82	37021	421	Z			C-8/FC-143	0.03	MPB	5.4%
8/3/82	37022	408	Z			C-8/FC-143	0.03	MPB	5.4%
8/4/82	37023	413	Z			C-8/FC-143	0.15	MPB	28.8%
8/4/82	37024	443	Z			C-8/FC-143	<0.03	MPB	5.4%
8/6/82	37025	434	Z			C-8/FC-143	0.07	MPB	12.5%
8/7/82	37026	419	Z			C-8/FC-143	0.07	MPB	12.5%
8/9/82	37027	432	Z			C-8/FC-143	0.07	MPB	12.5%
8/10/82	37028	418	Z			C-8/FC-143	0.03	MPB	5.4%
8/10/82	37029	417	Z			C-8/FC-143	<0.03	MPB	5.4%
9/24/82	37030	420	Z			C-8/FC-143	0.07	MPB	12.5%
9/24/82	37031	420	Z			C-8/FC-143	0.04	MPB	7.1%
9/27/82	37032	465	Z			C-8/FC-143	<0.03	MPB	5.4%
9/27/82	37033	465	Z			C-8/FC-143	0.08	MPB	10.7%
9/30/82	37034	236	Z			C-8/FC-143	0.05	MPB	8.9%
9/30/82	37035	436	Z			C-8/FC-143	0.03	MPB	5.4%
10/1/82	37036	456	Z			C-8/FC-143	0.1	MPB	17.9%
10/1/82	37037	456	Z			C-8/FC-143	<0.03	MPB	5.4%
10/4/82	37038	411	Z			C-8/FC-143	0.11	MPB	19.6%
10/4/82	37039	411	Z			C-8/FC-143	0.14	MPB	25.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 231 FEP-OVEN CR (VACATED 9/97)

4/24/82	37517	400	Z			C-8/FC-143	0.07	MPB	12.5%
5/11/82	37518	448	Z			C-8/FC-143	0.14	MPB	25.0%
5/13/82	37519	422	Z			C-8/FC-143	<0.03	MPB	5.4%
6/8/82	37520	424	Z			C-8/FC-143	0.17	MPB	30.4%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/8/82	37521	395	Z			C-8/FC-143	0.21	MPB	37.5%
6/22/82	37522	479	Z			C-8/FC-143	0.03	MPB	5.4%
6/25/82	37523	401	Z			C-8/FC-143	0.11	MPB	19.6%
6/29/82	37524	424	Z			C-8/FC-143	0.07	MPB	12.5%
8/4/82	37525	438	Z			C-8/FC-143	<0.03	MPB	5.4%
8/6/82	37526	447	Z			C-8/FC-143	0.06	MPB	10.7%
8/7/82	37527	427	Z			C-8/FC-143	0.04	MPB	7.1%
8/9/82	37528	417	Z			C-8/FC-143	<0.03	MPB	5.4%
8/10/82	37529	407	Z			C-8/FC-143	0.04	MPB	7.1%
8/11/82	37530	406	Z			C-8/FC-143	<0.03	MPB	5.4%
9/24/82	37531	439	Z			C-8/FC-143	0.07	MPB	12.5%
9/24/82	37532	439	Z			C-8/FC-143	0.03	MPB	5.4%
9/27/82	37533	479	Z			C-8/FC-143	<0.03	MPB	5.4%
9/27/82	37534	479	Z			C-8/FC-143	<0.03	MPB	5.4%
9/30/82	37535	432	Z			C-8/FC-143	<0.03	MPB	5.4%
9/30/82	37536	432	Z			C-8/FC-143	<0.03	MPB	5.4%
10/1/82	37537	439	Z			C-8/FC-143	<0.03	MPB	5.4%
10/1/82	37538	439	Z			C-8/FC-143	<0.03	MPB	5.4%
10/4/82	37539	438	Z			C-8/FC-143	0.03	MPB	5.4%
10/4/82	37540	438	Z			C-8/FC-143	<0.03	MPB	5.4%
11/29/82	37541	405	Z			C-8/FC-143	0.05	MPB	8.9%
11/30/82	37542	397	Z			C-8/FC-143	<0.03	MPB	5.4%
12/1/82	37543	412	Z			C-8/FC-143	<0.03	MPB	5.4%
12/2/82	37544	405	Z			C-8/FC-143	<0.03	MPB	5.4%
12/3/82	37545	398	Z			C-8/FC-143	<0.03	MPB	5.4%
12/6/82	37546	411	Z			C-8/FC-143	<0.03	MPB	5.4%
12/7/82	37547	400	Z			C-8/FC-143	0.04	MPB	7.1%
12/13/82	37548	399	Z			C-8/FC-143	0.04	MPB	7.1%
12/14/82	37549	402	Z			C-8/FC-143	0.04	MPB	7.1%
12/15/82	37550	398	Z			C-8/FC-143	0.07	MPB	12.5%
12/16/82	37551	407	Z			C-8/FC-143	<0.03	MPB	5.4%
12/17/82	37552	410	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 237 FEP SLAB RACKS (when slabs present)

4/1/82	36632	395	Z			C-8/FC-143	0.05	MPB	8.9%
4/1/82	36633	399	Z			C-8/FC-143	0.07	MPB	12.5%
4/2/82	36634	400	Z			C-8/FC-143	<0.03	MPB	5.4%
4/2/82	36635	392	Z			C-8/FC-143	<0.03	MPB	5.4%

Tuesday, January 16, 2001 12:12:47 PM

Page 41 of 54

AJP004031

EID113166

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/13/82	36636	404	Z			C-8/FC-143	0.03	MPB	5.4%
4/13/82	36637	402	Z			C-8/FC-143	0.18	MPB	32.1%
12/1/82	36638	417	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 244 FEP SLAB STRIPPER

4/29/82	37300	397	Z			C-8/FC-143	0.07	MPB	12.5%
5/14/82	37301	447	Z			C-8/FC-143	<0.03	MPB	5.4%
6/28/82	37302	420	Z			C-8/FC-143	0.17	MPB	30.4%
8/30/82	37303	420	Z			C-8/FC-143	0.03	MPB	5.4%
11/29/82	37304	414	Z			C-8/FC-143	0.05	MPB	8.9%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 246 FEP-OUTSIDE TORUS DISK DRYER (CLEAN) ROOM

1/4/82	61696		Z			C-8/FC-143	0.32	MPB	57.1%
1/5/82	61697		Z			C-8/FC-143	0.07	MPB	12.5%
1/6/82	61698		Z			C-8/FC-143	0.1	MPB	17.9%
1/7/82	61699		Z			C-8/FC-143	0.1	MPB	17.9%
1/8/82	61700		Z			C-8/FC-143	0.03	MPB	5.4%
2/10/82	61701		Z			C-8/FC-143	0.34	MPB	60.7%
2/11/82	61702		Z			C-8/FC-143	0.19	MPB	33.9%
2/12/82	61703		Z			C-8/FC-143	0.21	MPB	37.5%
2/16/82	61704		Z			C-8/FC-143	0.18	MPB	32.1%
2/17/82	61705		Z			C-8/FC-143	0.24	MPB	42.9%
2/18/82	61706		Z			C-8/FC-143	0.1	MPB	17.9%
2/19/82	61707		Z			C-8/FC-143	0.03	MPB	5.4%
2/23/82	61708		Z			C-8/FC-143	1.19	MPB	212.5% **
4/29/82	37798	391	Z			C-8/FC-143	0.04	MPB	7.1%
5/14/82	37799	445	Z			C-8/FC-143	<0.03	MPB	5.4%
6/8/82	37800	422	Z			C-8/FC-143	0.11	MPB	19.6%
6/17/82	37801	410	Z			C-8/FC-143	0.18	MPB	32.1%
6/17/82	37802	423	Z			C-8/FC-143	0.1	MPB	17.9%
6/22/82	37803	475	Z			C-8/FC-143	0.12	MPB	21.4%
6/25/82	37804	411	Z			C-8/FC-143	0.18	MPB	32.1%
6/29/82	37805	418	Z			C-8/FC-143	0.29	MPB	51.8%
8/24/82	37806	423	Z			C-8/FC-143	0.45	MPB	80.4%
11/29/82	37807	404	Z			C-8/FC-143	0.13	MPB	23.2%

AJP004032

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 247 FEP-#2 COAGULATOR - 2ND FLOOR									
1/4/82	61732		Z			C-8/FC-143	0.21	MPB	37.5%
1/5/82	61733		Z			C-8/FC-143	0.24	MPB	42.9%
1/6/82	61734		Z			C-8/FC-143	0.14	MPB	25.0%
1/7/82	61735		Z			C-8/FC-143	0.21	MPB	37.5%
1/8/82	61736		Z			C-8/FC-143	0.03	MPB	5.4%
1/14/82	61737		Z			C-8/FC-143	0.31	MPB	55.4%
1/15/82	61738		Z			C-8/FC-143	0.09	MPB	16.1%
1/18/82	61739		Z			C-8/FC-143	0.16	MPB	28.6%
1/19/82	61740		Z			C-8/FC-143	0.26	MPB	46.4%
1/21/82	61741		Z			C-8/FC-143	0.26	MPB	46.4%
4/18/82	37823	408	Z			C-8/FC-143	0.28	MPB	50.0%
4/30/82	37824	402	Z			C-8/FC-143	0.07	MPB	12.5%
5/1/82	37825	369	Z			C-8/FC-143	0.22	MPB	39.3%
5/2/82	37826	410	Z			C-8/FC-143	0.07	MPB	12.5%
5/3/82	37827	405	Z			C-8/FC-143	<0.03	MPB	5.4%
5/9/82	37828	455	Z			C-8/FC-143	0.12	MPB	21.4%
5/27/82	37829	407	Z			C-8/FC-143	0.25	MPB	44.6%
5/27/82	37830	407	Z			C-8/FC-143	0.25	MPB	44.6%
5/28/82	37831	423	Z			C-8/FC-143	0.27	MPB	48.2%
5/28/82	37832	423	Z			C-8/FC-143	0.27	MPB	48.2%
6/8/82	37833	424	Z			C-8/FC-143	0.2	MPB	35.7%
6/8/82	37834	395	Z			C-8/FC-143	0.38	MPB	67.9%
6/16/82	37835	422	Z			C-8/FC-143	0.26	MPB	46.4%
6/18/82	37836	416	Z			C-8/FC-143	0.13	MPB	23.2%
6/22/82	37837	397	Z			C-8/FC-143	0.21	MPB	37.5%
6/23/82	37838	422	Z			C-8/FC-143	0.32	MPB	57.1%
6/23/82	37839	421	Z			C-8/FC-143	0.17	MPB	30.4%
6/24/82	37840	419	Z			C-8/FC-143	0.24	MPB	42.9%
6/24/82	37841	418	Z			C-8/FC-143	0.14	MPB	25.0%
6/29/82	37842	401	Z			C-8/FC-143	0.26	MPB	46.4%
6/30/82	37843	399	Z			C-8/FC-143	0.39	MPB	69.6%
8/4/82	37844	404	Z			C-8/FC-143	0.54	MPB	96.4%
8/6/82	37845	400	Z			C-8/FC-143	0.66	MPB	117.9% **
8/7/82	37846	401	Z			C-8/FC-143	0.75	MPB	133.9% **
8/7/82	37847	403	Z			C-8/FC-143	0.5	MPB	89.3%
8/9/82	37848	438	Z			C-8/FC-143	0.23	MPB	41.1%
8/10/82	37849	424	Z			C-8/FC-143	0.32	MPB	57.1%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/11/82	37850	422	Z			C-8/FC-143	0.11	MPB	19.6%
8/26/82	37851	412	Z			C-8/FC-143	0.11	MPB	19.6%
8/27/82	37852	397	Z			C-8/FC-143	0.11	MPB	19.6%
8/30/82	37853	402	Z			C-8/FC-143	0.26	MPB	48.4%
8/30/82	37854	414	Z			C-8/FC-143	0.36	MPB	64.3%
9/27/82	37855	460	Z			C-8/FC-143	0.12	MPB	21.4%
9/27/82	37856	460	Z			C-8/FC-143	<0.03	MPB	5.4%
9/30/82	37857	422	Z			C-8/FC-143	0.07	MPB	12.5%
9/30/82	37858	422	Z			C-8/FC-143	0.34	MPB	60.7%
10/1/82	37859	423	Z			C-8/FC-143	0.07	MPB	12.5%
10/1/82	37860	423	Z			C-8/FC-143	<0.03	MPB	5.4%
10/4/82	37861	409	Z			C-8/FC-143	0.69	MPB	176.8% **
10/4/82	37862	409	Z			C-8/FC-143	1.02	MPB	182.1% **
10/11/82	37863	437	Z			C-8/FC-143	0.39	MPB	69.6%
10/12/82	37864	406	Z			C-8/FC-143	0.25	MPB	44.6%
10/13/82	37882	408	Z			C-8/FC-143	0.46	MPB	82.1%
10/14/82	37883	406	Z			C-8/FC-143	0.14	MPB	25.0%
10/15/82	37884	399	Z			C-8/FC-143	0.22	MPB	39.3%
10/18/82	37885	401	Z			C-8/FC-143	0.15	MPB	26.8%
10/19/82	37886	397	Z			C-8/FC-143	0.32	MPB	57.1%
10/20/82	37887	393	Z			C-8/FC-143	0.18	MPB	32.1%
10/21/82	37888	415	Z			C-8/FC-143	0.17	MPB	30.4%
10/22/82	37889	410	Z			C-8/FC-143	0.4	MPB	71.4%
10/25/82	37890	401	Z			C-8/FC-143	0.29	MPB	51.8%
10/27/82	37891	421	Z			C-8/FC-143	0.42	MPB	75.0%
10/29/82	37892	395	Z			C-8/FC-143	0.32	MPB	57.1%
11/2/82	37893	402	Z			C-8/FC-143	0.11	MPB	19.6%
11/3/82	37894	341	Z			C-8/FC-143	0.18	MPB	32.1%
11/4/82	37895	400	Z			C-8/FC-143	0.07	MPB	12.5%
11/5/82	37896	390	Z			C-8/FC-143	0.18	MPB	32.1%
11/8/82	37897	413	Z			C-8/FC-143	0.17	MPB	30.4%
11/9/82	37898	408	Z			C-8/FC-143	0.37	MPB	66.1%
11/10/82	37899	410	Z			C-8/FC-143	0.14	MPB	25.0%
11/11/82	37900	413	Z			C-8/FC-143	0.32	MPB	57.1%
11/12/82	37901	396	Z			C-8/FC-143	0.32	MPB	57.1%
11/15/82	37902	409	Z			C-8/FC-143	0.18	MPB	32.1%
11/16/82	37903	402	Z			C-8/FC-143	0.15	MPB	26.8%
11/17/82	37904	413	Z			C-8/FC-143	0.02	MPB	3.6%
11/18/82	37905	413	Z			C-8/FC-143	0.07	MPB	12.5%

Tuesday, January 16, 2001 12:12:47 PM

Page 44 of 54

AJP004034

EID113169

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
11/19/82	37906	395	Z			C-8/FC-143	0.04	MPB	7.1%
11/30/82	37907	396	Z			C-8/FC-143	0.26	MPB	46.4%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 248 FEP - #1 BLENDER

1/5/82	62026		Z			C-8/FC-143	0.03	MPB	5.4%
1/6/82	62027		Z			C-8/FC-143	0.11	MPB	19.6%
1/7/82	62028		Z			C-8/FC-143	0.07	MPB	12.5%
1/8/82	62029		Z			C-8/FC-143	0.03	MPB	5.4%
1/14/82	62030		Z			C-8/FC-143	0.56	MPB	100.0% **
1/15/82	62031		Z			C-8/FC-143	0.3	MPB	53.6%
1/18/82	62032		Z			C-8/FC-143	0.1	MPB	17.9%
1/19/82	62033		Z			C-8/FC-143	0.25	MPB	44.6%
1/21/82	62034		Z			C-8/FC-143	0.07	MPB	12.5%
1/21/82	62035		Z			C-8/FC-143	0.04	MPB	7.1%
1/21/82	62036		Z			C-8/FC-143	0.07	MPB	12.5%
1/22/82	62037		Z			C-8/FC-143	0.17	MPB	30.4%
1/23/82	62038		Z			C-8/FC-143	0.03	MPB	5.4%
1/24/82	62039		Z			C-8/FC-143	0.26	MPB	46.4%
1/25/82	62040		Z			C-8/FC-143	0.28	MPB	50.0%
1/27/82	62041		Z			C-8/FC-143	0.07	MPB	12.5%
1/28/82	62042		Z			C-8/FC-143	0.22	MPB	39.3%
1/29/82	62043		Z			C-8/FC-143	0.16	MPB	28.6%
2/1/82	62044		Z			C-8/FC-143	0.24	MPB	42.9%
2/16/82	62045		Z			C-8/FC-143	0.07	MPB	12.5%
2/16/82	62046		Z			C-8/FC-143	0.07	MPB	12.5%
2/17/82	62047		Z			C-8/FC-143	0.39	MPB	69.6%
2/18/82	62048		Z			C-8/FC-143	0.07	MPB	12.5%
2/19/82	62049		Z			C-8/FC-143	0.03	MPB	5.4%
2/23/82	62050		Z			C-8/FC-143	0.04	MPB	7.1%
2/28/82	62051		Z			C-8/FC-143	0.06	MPB	10.7%
3/2/82	62052		Z			C-8/FC-143	0.14	MPB	25.0%
3/2/82	62053		Z			C-8/FC-143	0.07	MPB	12.5%
3/3/82	62054		Z			C-8/FC-143	0.03	MPB	5.4%
3/4/82	62055		Z			C-8/FC-143	0.14	MPB	25.0%
3/4/82	62056		Z			C-8/FC-143	0.03	MPB	5.4%
3/5/82	62057		Z			C-8/FC-143	0.07	MPB	12.5%
3/8/82	62058		Z			C-8/FC-143	0.13	MPB	23.2%
3/9/82	62059		Z			C-8/FC-143	0.07	MPB	12.5%

Tuesday, January 16, 2001 12:12:47 PM

Page 45 of 54

AJP004035

EID113170

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/9/82	62060		Z			C-8/FC-143	0.17	MPB	30.4%
5/12/82	38073	399	Z			C-8/FC-143	0.14	MPB	25.0%
5/27/82	38074	399	Z			C-8/FC-143	0.46	MPB	82.1%
5/27/82	38075	399	Z			C-8/FC-143	0.46	MPB	82.1%
5/28/82	38076	420	Z			C-8/FC-143	0.17	MPB	30.4%
5/28/82	38077	420	Z			C-8/FC-143	0.17	MPB	30.4%
6/8/82	38078	428	Z			C-8/FC-143	0.24	MPB	42.9%
6/8/82	38079	390	Z			C-8/FC-143	0.22	MPB	39.3%
6/16/82	38080	423	Z			C-8/FC-143	0.07	MPB	12.5%
6/18/82	38081	423	Z			C-8/FC-143	0.07	MPB	12.5%
6/22/82	38082	404	Z			C-8/FC-143	0.04	MPB	7.1%
6/23/82	38083	417	Z			C-8/FC-143	0.1	MPB	17.9%
6/24/82	38084	421	Z			C-8/FC-143	0.03	MPB	5.4%
6/3/82	38085	397	Z			C-8/FC-143	0.11	MPB	19.6%
6/4/82	38086	401	Z			C-8/FC-143	0.03	MPB	5.4%
6/6/82	38087	434	Z			C-8/FC-143	0.34	MPB	60.7%
6/7/82	38088	423	Z			C-8/FC-143	0.1	MPB	17.9%
6/9/82	38089	431	Z			C-8/FC-143	0.14	MPB	25.0%
6/10/82	38090	416	Z			C-8/FC-143	<0.03	MPB	5.4%
6/11/82	38091	417	Z			C-8/FC-143	0.07	MPB	12.5%
6/29/82	38092	408	Z			C-8/FC-143	0.07	MPB	12.5%
9/24/82	38093	434	Z			C-8/FC-143	<0.03	MPB	5.4%
9/24/82	38094	434	Z			C-8/FC-143	<0.03	MPB	5.4%
9/27/82	38095	472	Z			C-8/FC-143	<0.03	MPB	5.4%
9/27/82	38096	472	Z			C-8/FC-143	<0.03	MPB	5.4%
9/30/82	38097	470	Z			C-8/FC-143	0.12	MPB	21.4%
9/30/82	38098	470	Z			C-8/FC-143	0.09	MPB	16.1%
10/1/82	38099	445	Z			C-8/FC-143	<0.03	MPB	5.4%
10/1/82	38100	445	Z			C-8/FC-143	0.03	MPB	5.4%
10/4/82	38101	446	Z			C-8/FC-143	0.1	MPB	17.9%
10/4/82	38102	446	Z			C-8/FC-143	0.06	MPB	10.7%
10/11/82	38103	411	Z			C-8/FC-143	0.1	MPB	17.9%
10/12/82	38104	394	Z			C-8/FC-143	0.11	MPB	19.6%
10/13/82	38105	410	Z			C-8/FC-143	0.22	MPB	39.3%
10/14/82	38106	401	Z			C-8/FC-143	0.07	MPB	12.5%
10/15/82	38107	414	Z			C-8/FC-143	0.32	MPB	57.1%
10/18/82	38108	413	Z			C-8/FC-143	0.25	MPB	44.6%
10/19/82	38109	400	Z			C-8/FC-143	0.18	MPB	32.1%
10/20/82	38110	410	Z			C-8/FC-143	0.11	MPB	19.6%

Tuesday, January 16, 2001 12:12:47 PM

Page 46 of 54

AJP004036

EID113171

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/21/82	38111	406	Z			C-8/FC-143	0.32	MPB	57.1%
10/22/82	38112	413	Z			C-8/FC-143	0.37	MPB	66.1%
10/25/82	38113	436	Z			C-8/FC-143	0.1	MPB	17.9%
10/26/82	38114	403	Z			C-8/FC-143	0.11	MPB	19.6%
10/27/82	38115	398	Z			C-8/FC-143	0.37	MPB	66.1%
10/28/82	38116	416	Z			C-8/FC-143	0.21	MPB	37.5%
10/29/82	38117	422	Z			C-8/FC-143	0.03	MPB	5.4%
11/2/82	38118	421	Z			C-8/FC-143	0.03	MPB	5.4%
11/3/82	38119	412	Z			C-8/FC-143	0.03	MPB	5.4%
11/4/82	38120	405	Z			C-8/FC-143	0.04	MPB	7.1%
11/8/82	38121	395	Z			C-8/FC-143	0.15	MPB	26.8%
11/9/82	38122	392	Z			C-8/FC-143	0.19	MPB	33.9%
11/10/82	38123	394	Z			C-8/FC-143	<0.03	MPB	5.4%
11/11/82	38124	390	Z			C-8/FC-143	0.07	MPB	12.5%
11/12/82	38125	400	Z			C-8/FC-143	1.76	MPB	314.3% **
11/15/82	38126	403	Z			C-8/FC-143	0.07	MPB	12.5%
11/15/82	38127	421	Z			C-8/FC-143	<0.03	MPB	5.4%
11/16/82	38128	398	Z			C-8/FC-143	0.04	MPB	7.1%
11/17/82	38129	396	Z			C-8/FC-143	0.04	MPB	7.1%
11/18/82	38130	409	Z			C-8/FC-143	0.04	MPB	7.1%
11/19/82	38132	414	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 249 FEP - #2 BLENDER

1/5/82	61980		Z			C-8/FC-143	0.07	MPB	12.5%
1/6/82	61981		Z			C-8/FC-143	0.18	MPB	32.1%
1/7/82	61982		Z			C-8/FC-143	0.07	MPB	12.5%
1/8/82	61983		Z			C-8/FC-143	0.07	MPB	12.5%
1/14/82	61984		Z			C-8/FC-143	0.21	MPB	37.5%
1/15/82	61985		Z			C-8/FC-143	0.07	MPB	12.5%
1/18/82	61986		Z			C-8/FC-143	0.13	MPB	23.2%
1/19/82	61987		Z			C-8/FC-143	0.14	MPB	25.0%
1/21/82	61988		Z			C-8/FC-143	0.04	MPB	7.1%
1/22/82	61989		Z			C-8/FC-143	0.03	MPB	5.4%
1/23/82	61990		Z			C-8/FC-143	0.14	MPB	25.0%
1/24/82	61991		Z			C-8/FC-143	0.35	MPB	62.5%
1/25/82	61992		Z			C-8/FC-143	0.82	MPB	148.4% **
1/28/82	61993		Z			C-8/FC-143	0.25	MPB	44.6%
1/29/82	61994		Z			C-8/FC-143	0.15	MPB	26.8%

Tuesday, January 16, 2001 12:12:47 PM

Page 47 of 54

AJP004037

EID113172

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/1/82	61995		Z			C-8/FC-143	0.36	MPB	64.3%
2/16/82	61996		Z			C-8/FC-143	0.07	MPB	12.5%
2/16/82	61997		Z			C-8/FC-143	0.08	MPB	14.3%
2/17/82	61998		Z			C-8/FC-143	0.31	MPB	55.4%
2/18/82	61999		Z			C-8/FC-143	0.03	MPB	5.4%
2/18/82	62000		Z			C-8/FC-143	0.03	MPB	5.4%
2/28/82	62001		Z			C-8/FC-143	0.07	MPB	12.5%
3/2/82	62002		Z			C-8/FC-143	0.07	MPB	12.5%
3/3/82	62003		Z			C-8/FC-143	0.03	MPB	5.4%
3/4/82	62004		Z			C-8/FC-143	0.18	MPB	32.1%
3/4/82	62005		Z			C-8/FC-143	0.03	MPB	5.4%
3/5/82	62006		Z			C-8/FC-143	0.1	MPB	17.9%
3/8/82	62007		Z			C-8/FC-143	0.1	MPB	17.9%
3/9/82	62008		Z			C-8/FC-143	0.09	MPB	16.1%
3/9/82	62009		Z			C-8/FC-143	0.11	MPB	19.6%
5/12/82	38020	398	Z			C-8/FC-143	0.11	MPB	19.6%
6/8/82	38021	428	Z			C-8/FC-143	0.03	MPB	5.4%
6/8/82	38022	395	Z			C-8/FC-143	0.2	MPB	35.7%
6/16/82	38023	424	Z			C-8/FC-143	0.1	MPB	17.9%
6/18/82	38024	416	Z			C-8/FC-143	0.06	MPB	10.7%
6/22/82	38025	406	Z			C-8/FC-143	0.04	MPB	7.1%
6/23/82	38026	417	Z			C-8/FC-143	0.09	MPB	16.1%
6/24/82	38027	421	Z			C-8/FC-143	0.03	MPB	5.4%
8/3/82	38028	397	Z			C-8/FC-143	0.31	MPB	55.4%
8/4/82	38029	401	Z			C-8/FC-143	0.13	MPB	23.2%
8/6/82	38030	414	Z			C-8/FC-143	0.11	MPB	19.6%
8/29/82	38031	408	Z			C-8/FC-143	0.15	MPB	26.8%
11/30/82	38032	401	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 250 B-163 2ND FLOOR LUNCHROOM

2/23/82	61611		Z			C-8/FC-143	0.04	MPB	7.1%
4/23/82	37742	400	Z			C-8/FC-143	<0.03	MPB	5.4%
5/11/82	37743	453	Z			C-8/FC-143	0.12	MPB	21.4%
5/13/82	37744	425	Z			C-8/FC-143	<0.03	MPB	5.4%
6/16/82	37745	422	Z			C-8/FC-143	0.03	MPB	5.4%
6/18/82	37746	416	Z			C-8/FC-143	<0.03	MPB	5.4%
6/22/82	37747	403	Z			C-8/FC-143	<0.03	MPB	5.4%
6/24/82	37748	420	Z			C-8/FC-143	0.14	MPB	25.0%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/24/82	37749	436	Z			C-8/FC-143	0.03	MPB	5.4%
6/28/82	37750	435	Z			C-8/FC-143	0.03	MPB	5.4%
6/29/82	37751	414	Z			C-8/FC-143	0.07	MPB	12.5%
8/25/82	37752	389	Z			C-8/FC-143	<0.03	MPB	5.4%
11/24/82	37753	396	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 252 2ND FLOOR HALL B-163

4/24/82	37681	453	Z			C-8/FC-143	0.03	MPB	5.4%
6/28/82	37682	433	Z			C-8/FC-143	0.03	MPB	5.4%
8/25/82	37683	394	Z			C-8/FC-143	0.04	MPB	7.1%
11/24/82	37684	415	Z			C-8/FC-143	0.07	MPB	12.5%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 253 B-163 S-W WALL 1ST FLOOR - VEND/MACHS

4/26/82	37970	420	Z			C-8/FC-143	0.03	MPB	5.4%
5/11/82	37971	441	Z			C-8/FC-143	0.14	MPB	25.0%
6/28/82	37972	426	Z			C-8/FC-143	0.03	MPB	5.4%
8/27/82	37973	413	Z			C-8/FC-143	0.07	MPB	12.5%
11/24/82	37974	414	Z			C-8/FC-143	0.04	MPB	7.1%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 255 P/S - FEP EXTRUDER OPERATOR (18PB)

3/11/82	31267		P		none	C-8/FC-143	0.37	MPB	66.1%
3/12/82	31268		P		none	C-8/FC-143	0.04	MPB	7.1%
3/14/82	31269		P		none	C-8/FC-143	0.22	MPB	39.3%
3/15/82	31270		P		none	C-8/FC-143	0.07	MPB	12.5%
3/18/82	31271		P		none	C-8/FC-143	0.07	MPB	12.5%
3/19/82	31272		P		none	C-8/FC-143	0.07	MPB	12.5%
3/21/82	31273		P		none	C-8/FC-143	0.14	MPB	25.0%
3/22/82	31274		P		none	C-8/FC-143	0.11	MPB	19.6%
3/24/82	31275		P		none	C-8/FC-143	0.17	MPB	30.4%
4/1/82	9421	401	P		none	C-8/FC-143	0.02	MPB	3.6%
4/2/82	9422	388	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/5/82	9423	409	P		none	C-8/FC-143	0.14	MPB	25.0%
4/6/82	9424	407	P		none	C-8/FC-143	0.07	MPB	12.5%
4/7/82	9425	398	P		none	C-8/FC-143	0.03	MPB	5.4%
4/7/82	9426	400	P		none	C-8/FC-143	0.08	MPB	14.3%

ALP004039

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO : 18 TEFLON@ COPOLYMERS									
LOC : 260 FEP SLAB SHREDDER AREA									
3/11/82	61568		Z			C-8/FC-143	0.07	MPB	12.5%
3/12/82	61569		Z			C-8/FC-143	0.22	MPB	39.3%
3/14/82	61570		Z			C-8/FC-143	0.07	MPB	12.5%
3/15/82	61571		Z			C-8/FC-143	0.1	MPB	17.9%
3/16/82	61572		Z			C-8/FC-143	0.07	MPB	12.5%
3/18/82	61573		Z			C-8/FC-143	0.11	MPB	19.6%
3/19/82	61574		Z			C-8/FC-143	1.11	MPB	198.2% **
3/21/82	61575		Z			C-8/FC-143	0.07	MPB	12.5%
3/22/82	61576		Z			C-8/FC-143	0.17	MPB	30.4%
3/23/82	61577		Z			C-8/FC-143	0.04	MPB	7.1%
3/24/82	61578		Z			C-8/FC-143	0.16	MPB	28.6%
3/24/82	61579		Z			C-8/FC-143	0.22	MPB	39.3%
4/1/82	37655	404	Z			C-8/FC-143	0.04	MPB	7.1%
4/2/82	37656	401	Z			C-8/FC-143	<0.03	MPB	5.4%
4/2/82	37657	420	Z			C-8/FC-143	0.07	MPB	12.5%
4/5/82	37658	406	Z			C-8/FC-143	0.24	MPB	42.9%
4/6/82	37659	406	Z			C-8/FC-143	0.07	MPB	12.5%
4/8/82	37660	400	Z			C-8/FC-143	<0.03	MPB	5.4%
6/28/82	37661	428	Z			C-8/FC-143	0.03	MPB	5.4%
8/25/82	37662	415	Z			C-8/FC-143	0.04	MPB	7.1%
11/24/82	37663	421	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO : 18 TEFLON@ COPOLYMERS
LOC : 268 FEP-EXTRUDER OPERATOR DESK (CR GONE 9/97)

2/23/82	56449		Z			C-8/FC-143	0.03	MPB	5.4%
3/11/82	56450		Z			C-8/FC-143	0.04	MPB	7.1%
3/12/82	56451		Z			C-8/FC-143	0.1	MPB	17.9%
3/14/82	56452		Z			C-8/FC-143	0.43	MPB	76.8%
3/15/82	56453		Z			C-8/FC-143	0.06	MPB	10.7%
3/16/82	56454		Z			C-8/FC-143	0.07	MPB	12.5%
3/18/82	56455		Z			C-8/FC-143	0.11	MPB	19.6%
3/19/82	56456		Z			C-8/FC-143	0.07	MPB	12.5%
3/21/82	56457		Z			C-8/FC-143	<0.03	MPB	5.4%
3/22/82	56458		Z			C-8/FC-143	0.11	MPB	19.6%
3/24/82	56459		Z			C-8/FC-143	0.11	MPB	19.6%
3/25/82	56460		Z			C-8/FC-143	0.12	MPB	21.4%
4/1/82	36306	401	Z			C-8/FC-143	0.03	MPB	5.4%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/2/82	36307	393	Z			C-8/FC-143	0.07	MPB	12.5%
4/2/82	36308	402	Z			C-8/FC-143	<0.03	MPB	5.4%
4/5/82	36309	409	Z			C-8/FC-143	0.07	MPB	12.5%
4/6/82	36310	407	Z			C-8/FC-143	<0.03	MPB	5.4%
4/7/82	36311	398	Z			C-8/FC-143	<0.03	MPB	5.4%
5/9/82	36312	467	Z			C-8/FC-143	0.12	MPB	21.4%
5/13/82	36313	417	Z			C-8/FC-143	<0.03	MPB	5.4%
6/22/82	36314	498	Z			C-8/FC-143	0.2	MPB	35.7%
6/25/82	36315	402	Z			C-8/FC-143	0.02	MPB	3.6%
6/29/82	36316	425	Z			C-8/FC-143	0.12	MPB	21.4%
8/25/82	36317	412	Z			C-8/FC-143	<0.03	MPB	5.4%
11/29/82	36318	404	Z			C-8/FC-143	0.11	MPB	19.6%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 273 FEP-PACKOUT ROOM-SW CORNER

3/14/82	61621		Z			C-8/FC-143	0.28	MPB	50.0%
3/15/82	61622		Z			C-8/FC-143	0.11	MPB	19.6%
3/16/82	61623		Z			C-8/FC-143	0.07	MPB	12.5%
3/19/82	61624		Z			C-8/FC-143	0.11	MPB	19.6%
3/21/82	61625		Z			C-8/FC-143	0.04	MPB	7.1%
3/22/82	61626		Z			C-8/FC-143	<0.03	MPB	5.4%
3/23/82	61627		Z			C-8/FC-143	<0.03	MPB	5.4%
4/5/82	37768	399	Z			C-8/FC-143	<0.03	MPB	5.4%
4/6/82	37769	406	Z			C-8/FC-143	<0.03	MPB	5.4%
4/8/82	37770	396	Z			C-8/FC-143	<0.03	MPB	5.4%
4/13/82	37771	406	Z			C-8/FC-143	<0.03	MPB	5.4%
4/14/82	37772	405	Z			C-8/FC-143	<0.03	MPB	5.4%
4/19/82	37773	398	Z			C-8/FC-143	0.07	MPB	12.5%
4/22/82	37774	400	Z			C-8/FC-143	<0.03	MPB	5.4%
4/23/82	37775	397	Z			C-8/FC-143	<0.03	MPB	5.4%
4/26/82	37776	410	Z			C-8/FC-143	0.07	MPB	12.5%
4/27/82	37777	403	Z			C-8/FC-143	0.07	MPB	12.5%
4/28/82	37778	395	Z			C-8/FC-143	<0.03	MPB	5.4%
5/14/82	37779	445	Z			C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 274 FEP-PACKOUT ROOM-ON DISCHARGE CHUTE

3/24/82	55950		Z			C-8/FC-143	0.07	MPB	12.5%
---------	-------	--	---	--	--	------------	------	-----	-------

ALP004041

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 275 P/S - FEP PACKOUT ROOM OPERATOR (18PD)									
3/14/82	31350		P		none	C-8/FC-143	0.14	MPB	25.0%
3/15/82	31351		P		none	C-8/FC-143	0.07	MPB	12.5%
3/16/82	31352		P		none	C-8/FC-143	0.07	MPB	12.5%
3/19/82	31353		P		none	C-8/FC-143	0.11	MPB	19.6%
3/21/82	31354		P		none	C-8/FC-143	0.14	MPB	25.0%
3/22/82	31355		P		none	C-8/FC-143	0.19	MPB	33.9%
3/23/82	31356		P		none	C-8/FC-143	<0.03	MPB	5.4%
3/24/82	31357		P		none	C-8/FC-143	0.07	MPB	12.5%
4/5/82	9492	399	P		none	C-8/FC-143	0.1	MPB	17.9%
4/6/82	9493	406	P		none	C-8/FC-143	0.1	MPB	17.9%
4/8/82	9494	396	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/13/82	9495	405	P		none	C-8/FC-143	0.07	MPB	12.5%
4/22/82	9496	395	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/23/82	9497	395	P		none	C-8/FC-143	0.04	MPB	7.1%
4/26/82	9498	410	P		none	C-8/FC-143	0.17	MPB	30.4%
4/27/82	9499	397	P		none	C-8/FC-143	0.04	MPB	7.1%
4/28/82	9500	395	P		none	C-8/FC-143	0.11	MPB	19.6%

BTO: 18 TEFLON@ COPOLYMERS									
LOC: 281 FEP-2ND LEVEL ROOF-H&V FOR FINISHING AREA									
4/24/82	34585	400	Z			C-8/FC-143	0.07	MPB	12.5%
6/28/82	34586	431	Z			C-8/FC-143	0.03	MPB	5.4%
8/27/82	34587	414	Z			C-8/FC-143	0.04	MPB	7.1%
11/29/82	34588	422	Z			C-8/FC-143	0.05	MPB	8.9%

BTO: 18 TEFLON@ COPOLYMERS									
LOC: 292 P/S - SHREDDER OPERATOR									
3/11/82	33331		P		none	C-8/FC-143	0.55	MPB	98.2%
3/12/82	11779	0	P		none	C-8/FC-143	0.07	MPB	12.5%
3/14/82	33332		P		none	C-8/FC-143	0.07	MPB	12.5%
3/15/82	33333		P		none	C-8/FC-143	0.11	MPB	19.6%
3/16/82	33334		P		none	C-8/FC-143	0.11	MPB	19.6%
3/18/82	33335		P		none	C-8/FC-143	0.08	MPB	14.3%
3/19/82	33336		P		none	C-8/FC-143	0.28	MPB	50.0%
3/21/82	33337		P		none	C-8/FC-143	0.11	MPB	19.6%
3/22/82	33338		P		none	C-8/FC-143	0.17	MPB	30.4%
3/23/82	33339		P		none	C-8/FC-143	<0.03	MPB	5.4%
3/24/82	33340		P		none	C-8/FC-143	0.11	MPB	19.6%

Tuesday, January 16, 2001 12:12:47 PM

Page 52 of 54

AJP004042

EID113177

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/2/82	11780	400	P		none	C-8/FC-143	0.07	MPB	12.5%
4/2/82	11781	401	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/5/82	11782	406	P		none	C-8/FC-143	0.07	MPB	12.5%
4/6/82	11783	406	P		none	C-8/FC-143	0.15	MPB	26.8%
4/7/82	11784	400	P		none	C-8/FC-143	0.03	MPB	5.4%
4/8/82	11785	400	P		none	C-8/FC-143	<0.03	MPB	5.4%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 293 P/S - FEP DISPERSION OPERATOR (18PK)

1/21/82	33345		P		none	C-8/FC-143	0.11	MPB	19.6%
1/22/82	33346		P		none	C-8/FC-143	0.11	MPB	19.6%
1/23/82	33347		P		none	C-8/FC-143	0.07	MPB	12.5%
1/24/82	33348		P		none	C-8/FC-143	0.07	MPB	12.5%
2/2/82	33349		P		none	C-8/FC-143	0.04	MPB	7.1%
2/16/82	33350		P		none	C-8/FC-143	0.07	MPB	12.5%
2/16/82	33351		P		none	C-8/FC-143	0.04	MPB	7.1%
3/2/82	33352		P		none	C-8/FC-143	0.04	MPB	7.1%
3/2/82	33353		P		none	C-8/FC-143	0.04	MPB	7.1%
3/2/82	33354		P		none	C-8/FC-143	0.04	MPB	7.1%
3/3/82	11786	0	P		none	C-8/FC-143	0.03	MPB	5.4%
3/4/82	11787	0	P		none	C-8/FC-143	0.03	MPB	5.4%
3/4/82	11788	0	P		none	C-8/FC-143	0.07	MPB	12.5%
3/5/82	33355		P		none	C-8/FC-143	0.22	MPB	39.3%
3/8/82	11789	0	P		none	C-8/FC-143	0.25	MPB	44.6%
3/9/82	11790	0	P		none	C-8/FC-143	0.04	MPB	7.1%
3/9/82	33356		P		none	C-8/FC-143	0.15	MPB	26.8%
10/6/82	11791	375	P		none	C-8/FC-143	0.02	MPB	3.6%
11/4/82	11792	390	P		none	C-8/FC-143	<0.03	MPB	5.4%
11/8/82	11793	365	P		none	C-8/FC-143	0.04	MPB	7.1%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 294 MIXING C-8 SOLUTION

2/11/82	61742		Z			C-8/FC-143	4.7	MPB	839.3% **
2/28/82	61743		Z			C-8/FC-143	0.73	MPB	130.4% **
3/2/82	61744		Z			C-8/FC-143	1.9	MPB	339.3% **
8/13/82	37938	348	Z			C-8/FC-143	0.79	MPB	141.1% **

BTO : 18 TEFLON@ COPOLYMERS

LOC : 295 DRY FLAKE PACKOUT

2/17/82	61615		Z			C-8/FC-143	0.24	MPB	42.9%
---------	-------	--	---	--	--	------------	------	-----	-------

Tuesday, January 16, 2001 12:12:47 PM

Page 53 of 54

AJP004043

EID113178

Sample Dt	Sample #	Duration Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/17/82	61616	Z			C-8/FC-143	0.14	MPB	25.0%
2/18/82	61617	Z			C-8/FC-143	0.37	MPB	66.1%
2/18/82	61618	Z			C-8/FC-143	0.07	MPB	12.5%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 296 COAGULATOR SAMPLING

1/4/82	61662	Z			C-8/FC-143	0.48	MPB	85.7%
1/5/82	61663	Z			C-8/FC-143	1.94	MPB	346.4% **
1/6/82	61664	Z			C-8/FC-143	2.01	MPB	368.9% **
1/7/82	61665	Z			C-8/FC-143	0.48	MPB	85.7%
1/8/82	61666	Z			C-8/FC-143	0.32	MPB	57.1%
1/14/82	61667	Z			C-8/FC-143	0.48	MPB	85.7%
1/15/82	61668	Z			C-8/FC-143	0.48	MPB	85.7%
1/18/82	61669	Z			C-8/FC-143	0.3	MPB	53.6%
1/19/82	61670	Z			C-8/FC-143	22.54	MPB	4025.0% **

BTO: 18 TEFLON@ COPOLYMERS

LOC: 298 FEP SHIFT FOREMAN'S OFFICE

4/23/82	37708	400	Z		C-8/FC-143	0.04	MPB	7.1%
12/3/82	37709	405	Z		C-8/FC-143	<0.03	MPB	5.4%

AJP004044