

MD-3-A

PACKAGE TICKET

(DRY AND PASTE ONLY)

CODE KD 786 LOT 33652

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PQ
------------	---------	-----------	----------	----

2500	1	T- 157		
------	---	--------	--	--

2550	1	T- 41		
------	---	-------	--	--

STUMP

TOTAL NET WT. 5050 PKG. N-CODE _____PROD. SPVR. SW DATE 1/11/80 WHSE. OPER. _____

CO 04 CODE KO-786-D PKO.
→ JAN-6 33652
EST. WGT. 862 LBS.

PROCESSING INSTRUCTIONS: BATCH UNIT

25 247	PROCESSES KO-786-D (P)	APPROVED BY EWK 9-21-76 DCG 9-21-76
	TYPED BY jlc 11-15-76	
	MAKING NOTES	

REMARKS

TOTAL WEIGHT 4962 (Req. _____)

AME: "KROLOR" ORANGE R

NON-BLEEDING

INSTRUCTIONS				-PRESSING-		RECORD				
AT				PRESSLOAD		1ST	2ND	3RD	4TH	5TH
ATE	10:30 AM			STARTED		1 PM				
IME				CAKES USED		48				
RELEASED BY	PCU			WATER ON		5:00 PM				
RESS	23	24	25	HRS. WASHED		11				
O. OF CAKES	46	52	48	OHMS		5000				
RESS with	AGITATION			HRS. WASHED						
ASH TO 5000	OHMS with 35-45°F water			OHMS						
EST AFTER 6	HOURS			HRS. WASHED						
OAD	on 6 cars			OHMS						
				CAKE CONDITION						
				NO. CARS LOADED		6				
				EXPLAIN LOSSES	Possible color loss bleed with vapor filling					

AMPLES 1-8 oz. jar
DELIVER TO CTL For color

SAMPLED BY 401 RELEASED BY A. J.

-DRYING-

DRY 16 HOURS AT 2200F L.V.	LUMP: - OK - WET - SALTS - CONTAMINATED
EMP.	
	ADDITIONAL DRYING HOURS REQUIRED
AMPLES	NO. DRUMS: 16
DELIVER TO	NO. CARS PULLED
	LUMP WGT. 5061
	SAMPLED BY
	RELEASED BY

-GRINDING-

938 HSP 3/32" SCREEN 3500 RPM	SCREEN	RPM
MAX. TEMP. 210°F	MAX. TEMP.	°F
	EXPLAIN LOSSES	
AMPLE AFTER WITHOUT MIXING	DATE MIXED	
AMPLES 1 Env. + 1 Pint Can		
DELIVER TO CTL	SAMPLED BY	RELEASED BY

0.00 *

3.40 *

0.14 -

3.65 *

0.14 -

3.25 *

0.14 -

3.35 *

0.14 -

3.23 *

0.14 -

3.47 *

0.14 -

3.56 *

0.14 -

3.59 *

0.14 -

3.50 *

0.14 -

3.30 *

0.14 -

3.45 *

0.14 -

3.54 *

0.14 -

3.41 *

0.14 -

2.99 *

0.14 -

2.99 *

0.14 -

2.25 *

0.14 -

50.61 *

0.00 *