General Services Administration

1965

PLAINTIFF'S EXHIBIT

JM 985

MTC 014988

gHQ 396

1/1

GENERAL SERVICES ADMINISTRATION

Region 3
Washington, D.C. 20407

FEB 4 1965

IN REPLY REFER TO:
3BCRPG

Johns-Manville
Research Center
Manville, New Jersey 08835

Gentlemen:

This is in reply to your inquiry of January 27, 1965, regarding payment of your invoice, numbered D/M-980, in the amount of $750.00.

Your invoice was paid December 9, 1964, in the amount of $750.00 on check numbered 76,289,941 and mailed to you at Manville, New Jersey.

We hope you have now received your check at the above address.

Sincerely yours,

Lillian Stewart
(Mrs.) Lillian Stewart
Acting Assistant Chief
Accounts Payable Branch

Called ~~Goldwaithe~~ Goldwaithe's office will call back.

X 368 -

04- 235001

4/13/65 sent copy of letter again requesting payment

087098

Keep Freedom in Your Future With U.S. Savings Bonds

MTC 014989

JOHNS-MANVILLE

SERVICE CORPORATION

MANVILLE, NEW JERSEY • TELEPHONE: RANDOLPH 5-5000

February 12, 1965

General Services Administration
Region 3
Washington, D.C. 20407

Ref: 3BCRPG

Attention: Mrs. Lillian Stewart, Accounts Payable Brandh

Dear Mrs. Stewart:

I am sorry to report that I have not been able to locate your check #76,289,941 in the amount of $750.00.

If you have the cancelled check, I would appreciate having a photostatic copy of the front and back in order that I may be able to trace it.

Very truly yours,

(Mrs.) L. Viscione
Accounts Payable Department

NOTE: A copy of your invoice to help you identify the above mentioned check.

L. Bernardi
Claims & Accounts
Payable Branch

MTC 014990

087097

NOTE: I dontt need a copy of the invoice. I want a copy of your cancelled check. As far as my records go, I never received your check and tha attached bill remains unpaid on my records. Please refer to L. Stewart's letter of 2/4/65.

I did not receive your check.

L. Viscione

February 12, 1965

General Services Administration
Region 3
Washington, D.C. 20407

Ref: 3BCRPG

Attention: Mrs. Lillian Stewart, Accounts Payable Brandh

Dear Mrs. Stewart:

I am sorry to report that I have not been able to locate your check #76,289,941 in the amount of $750.00.

If you have the cancelled check, I would appreciate having a photostatic copy of the front and back in order that I may be able to trace it.

Very truly yours,

(Mrs.) L. Visciono
Accounts Payable Department

087096

MTC 014991

GENERAL SERVICES ADMINISTRATION

Region 3
Washington, D.C. 20407

APR 22 1965

IN REPLY REFER TO:
3BCRPG

. Johns-Manville
Research Center
Manville, New Jersey

Gentlemen:

Further reply is hereby made to your letter of January 27, 1965, and subsequent note regarding payment of your Invoice No. D/M 980 in the amount of $750.00 against Contract No. GS-00P-23056 (CCC).

We regret that the wrong check number was given you in our letter of February 4, 1965. The correct check number is 76,248,941 in the amount of $750.00, dated December 9, 1965, payable to Johns-Manville, Manville, New Jersey. This check has not been returned to the Department of the Treasury, Return Check Section.

If you are unable to determine that Check No. 76,248,941 has been received, we will be glad to issue a stop payment upon your request.

Sincerely yours,

Lillian Stewart

(Mrs.) Lillian Stewart
Acting Assistant Chief
Accounts Payable Branch

087095

Keep Freedom in Your Future With U.S. Savings Bonds

MTC 014992

April 27, 1965

General Services Administration
Region 3
Washington, D.C. 20407

Attention: Lillian Stewart, Acting Assistant Chief
Accounts Payable Branch

File: [illegible]

Dear Mrs. Stewart,

We have not received your check # 76,248,941. Please issue a stop payment and send through another check.

Thank you.

Very truly yours,

(Mrs.) L. Visciano
Accounts Payable Department

087094

MTC 014993

MAY 7 1965

[redacted]

[redacted]
[redacted]
[redacted]
[redacted]

Gentlemen:

[redacted] is a letter from Johns-Manville Service Corporation, Manville, New Jersey, which states that Department of Treasury Check No. 76,248,941, dated December 9, 1964, has not been received and requests that a stop payment be issued.

Please place a stop payment on Check No. 76,248,941 and have a replacement check issued.

Sincerely yours,

(signed) L. A. Stewart

(Mrs.) Lillian Stewart
Acting Assistant Chief
Accounts Payable Branch

Enclosure

Courtesy Copy

087092

MTC 014994

Standard Form No. 1180c
GAO 6000 1180-410



ADVICE OF REQUEST FOR STOP PAYMENT

(Forward to Payee or Claimant)

1. Date of Request	2. Reason	3. Amount	4. Date of Check	5. Symbol	6. Check Number
[illegible]	☐ Non-receipt ☐ Other ☐ x'l if confirmation ☐ Lost ☐ Stolen	[illegible]	[illegible]	[illegible]	[illegible]

7. Payee's Name (Enter only when not identical to the claimant's name in Box 9)

8. Remarks (Including identification or reference)	9. Claimant of Check and Current Address
[illegible]	[illegible] [illegible] [illegible] [illegible]

10. NOTICE TO PAYEE OR CLAIMANT

087091

Your claim is being handled by the Office of the Treasurer of the United States, Check Claims Division, Washington, D. C. 20226. Please read and carefully observe the instructions on the other side of this form.

MTC 014995



087090

MTC 014997



087089

MTC 014998

Memo

Date 6-14-65

To R. Goldthwaite - J.H.O.

cc: D. Grimm - Acctg.

SUBJECT: GSA Treasury Ck # 76 248941
$750.00

Per phone conversation, I am forwarding photostatic copy of check & letter.

Please check and advise. My debit #980 for $750.00 is still outstanding.

The credit belongs to Manville.

SIGNED L. Viscine LOCATION Manville

cc

Form 3-2C Printed in U.S.A.

WHY FILE THIS!

087086

6-15-65

Jim Worley Toledo Data Processing Center will you please handle the attached correspondence sent up by Manville. Check in question was processed by Chemical Bank Dec 18 1964. Please contact - below re credit

RA Goldthwaite

MTC 014999

X-396

TREASURY DEPARTMENT

FISCAL SERVICE

WASHINGTON, D.C.

JUN 9 1965

ADDRESS REPLY TO:
CHECK CLAIMS DIVISION
TREASURER OF THE UNITED STATES
WASHINGTON, D.C. 20226
PLEASE REFER TO CC- 5 mbc

Johns Manville Service Corporation
Manville, New Jersey

c/o L. Viscione
Accts Payable Department

Sir:

There is attached a copy of the following described check which was the subject of your recent inquiry:

Number	Payee	Endorsement and Date of Deposit
76,248,941	Johns Manville	L. E. Credited to the account of the within named payee absence of endorsement guaranteed Chemical Bank New York Trust Company.

The check has been paid bearing the above endorsement which indicates that you have received credit for its amount. If your account has not been credited, however, you no doubt will be able to effect an adjustment upon showing the check copy to the banking institution whose endorsement the check bears. Please advise the Treasurer of the United States, Check Claims Division, Washington, D. C. 20226., if you are not successful in adjusting the matter concerning THIS check.

In the event this is not the check that you had reference to in your letter of claim, please communicate further with the office from which you expected the payment, furnishing any information you have concerning the missing item.



087087

MTC 015000

TREASURY DEPARTMENT

FISCAL SERVICE

WASHINGTON, D.C. JUN 9 1965

ADDRESS REPLY TO:
CHECK CLAIMS DIVISION
TREASURER OF THE UNITED STATES
WASHINGTON D.C. 20226
PLEASE REFER TO CC- 5 mbc

Johns Manville Service Corporation
Manville, New Jersey

c/o L. Viscione
Accts Payable Department

Sir:

There is attached a copy of the following described check which was the subject of your recent inquiry:

Number	Payee	Endorsement and Date of Deposit
76,248,941	Johns Manville	L. E. Credited to the account of the within named payee absence of endorsement guaranteed Chemical Bank New York Trust Company.

The check has been paid bearing the above endorsement which indicates that you have received credit for its amount. If your account has not been credited, however, you no doubt will be able to effect an adjustment upon showing the check copy to the banking institution whose endorsement the check bears. Please advise the Treasurer of the United States, Check Claims Division, Washington, D.C. 20226., if you are not successful in adjusting the matter concerning THIS check.

In the event this is not the check that you had reference to in your letter of claim, please communicate further with the office from which you expected the payment, furnishing any information you have concerning the missing item.

Very truly yours,

TREASURER OF THE UNITED STATES

MTC 015001

TUS 1208-1

Keep Freedom in Your Future With U.S. Savings Bonds

087088

GENERAL SERVICES ADMINISTRATION
WASHINGTON 25, D. C.

OFFICIAL BUSINESS

3BCRPG

POSTAGE AND FEES PAID
U. S.
GENERAL SERVICES ADMINISTRATION

Johns-Manville Service Corporation
Manville, New Jersey

Cashier

087033

40

MTC 015002

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

July 13, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Amosite, 250 Tons
Lot No. 724-A, Grade "DX"
Contract BSD-SM-64-12
S/S Joseph Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Fiber Length	Average
			Length	Per Cent	Gram-Inches	Fiber Length
JM 2716J	0.2%	none	0-1"	39.2	19.6	1.3 in.
Spec.	max 2.0%	max 5.0%	1-2"	35.5	53.3	min 1.0 in.
			over 2"	23.4	58.5	
			Rock	1.9	--	
				100.0	131.4	

This sample passes the National Stockpile Purchase Specification P-4-R4, dated June 10, 1963.

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skierski
File

087114

MTC 015003

DEBIT MEMORANDUM

Johns-Manville Service Corporation

Manville, N.J.

DATE 8/2/65

DEBIT MEMO NO. D/M 639

ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
Washington 25, D.C.

SHIPPED TO: Same

CLOSED 7/31/65 CE 78203115

Do Not Deduct

Reference JVT#4418

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F. O. B.

QUANTITY	DESCRIPTION	PRICE	AMOUNT

Date	Fiber Type	Lot	Grade	Reported	JM#		
6/15/60	Crocidilite	623 C	"B"	6/29/65	2717J		75 00
6/18/63	Amosite	723 A	"D-3"	6/30/65	2715J		20 00
6/10/63	Amosite	721 A	"K-3"	6/18/65	2713J		20 00
6/10/63	Amosite	722 A	"BK"	6/22/65	2714J		20 00
6/10/63	Amosite	724 A	"BK"	7/13/65	2716J		20 00
							$155 00

MANVILLE GRO # GRO #

RECD

PRO-QUANTITY COST AMOUNT X DIV ACCOUNT REC

DEBIT

1-7-04480-639
X 8 87000 050 960 0050 4105
1v

087108

FORM 3692-64A Printed in U.S.A.

MTC 015005

Memo

Date

To Mr. Skiersk,

cc:

SUBJECT: If this does not belong to you, would you please forward it to the proper party.

Thank you,
JAN

0871094 "Jerry's (chubby) friend
Accts Pay.

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY 08835 • TELEPHONE (201) RANDOLPH 2-9000

June 29, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Crocidolite, 250 Tons
Lot 623-C, Grade "S"
Contract BSD-SM-64-12
S/S Jesse Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Fiber Length Required Over ¼"	Ro-Tap 50 gm #16 US Sieve
			Length	Per Cent		
JM 2717J	0.7%	none	0-¼"	32.3	67.7%	94.1%
Spec.	max 2.0%	max 5.0%	¼-½"	55.3	min 50.0%	min 90.0%
			over ½"	12.4		
				100.0		

This sample passes the National Stockpile Material Purchase Specification Asbestos Crocidolite, Harsh, dated June 15, 1960.

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skierski
File

087110

MTC 015008

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY 08835 • TELEPHONE: (201) RANDOLPH 2-9000

June 30, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Amosite, 250 Tons
Lot No. 723-A, Grade "D-3"
Contract BSD-SM-64-12
S/S Joseph Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Fiber Length	Avg Fiber Length
			Length	Per Cent	Gram-Inches	
JM 2715J	0.2%	none	0-2"	14.1	7.05	1.4 in.
Spec.	max 2.0%	max 5.0%	2-6"	85.9	128.85	min 1.0 in.
			over 6"	--	--	
				100.0	135.90	

This sample passes the National Stockpile Material Purchase Specification for Asbestos-Amosite, dated July 18, 1963.

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skieraki
File

087111

MTC 015009

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY 08835 • TELEPHONE: (201) RANDOLPH 2-9000

June 18, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Amosite, 400 Tons
Lot 721-A, Grade K-3
Contract BSD-SM-64-12
S/S Sumatra
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

		Foreign	Fiber Length		Fiber Length	
Sample	Moisture	Matter	Length	Per Cent	Gram-Inches	Avg Fiber Length
JM 2713J	0.1%	none	0-½"	45.6	11.4	.81 in.
Spec.	max 2.0%	max 5.0%	½-2"	53.2	66.5	min .50 in.
			over 2"	1.2	3.0	
				100.0	80.9	

This sample passes the National Stockpile Purchase Specification P-4-R4, dated June 10, 1963.

William C. Streib

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skierski
File

087112

MTC 015010

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY 08835 • TELEPHONE: (201) RANDOLPH 2-9000

June 22, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Amosite, 250 Tons
Lot No. 722-A, Grade "DX"
Contract BSD-SM-64-12
S/S Jesse Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Fiber Length	Avg Fiber Length
			Length	Per Cent	Gram-Inches	
JM 2714J	0.1%	None	0-1"	49.6	24.8	1.16 in.
Spec.	max 2.0%	max 5.0%	1-2"	27.4	41.1	min 1.00 in.
			Over 2"	20.2	50.5	
			Rock	2.8	--	
				100.0	116.4	

This sample passes the National Stockpile Purchase Specification P-4-R4, dated June 10, 1963.

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skierski
File

087113

MTC 015011

DEBIT MEMORANDUM

Johns-Manville Service Corporation

Manville, N.J.

DATE 10/14/65

DEBIT MEMO NO.

B/M 851

ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
Washington 25, D.C.

SHIPPED TO:

Do Not D

CLOSED: 12/1/65 dc#81,860,711

Reference Jvi # 4481

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F.O.B.

QUANTITY	DESCRIPTION	PRICE	AMOUNT

Date	Fiber Type	Lot	Grade	Reported	JM #		
6/10/63	Amosite	725 A	"DK"	9/30/65	2726J	20.00	20 00
7/18/63	Amosite	726 A	"D-3"	10/4/65	2727J	20.00	20 00
							$40 00

MANVILLE GRO # GRO 5

PRO-QUANTITY COST ... WORDER

1-7-04480-851
X 8 87000 050 960 0050 4105
1v

087102

FORM 3692-64A Printed in U.S.A.

MTC 015012

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

September 30, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Amosite, 600 Tons
Lot No. 725-A, Grade "DX"
Contract BSD-SM-64-12
S/S Letitia Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Fiber Length Gram-Inches	Avg Fiber Length
			Length	Per Cent		
JM 2726J	0.2%	none	0-1"	26.1	13.05	1.4 in.
Spec.	max 2.0%	max 5.0%	1-2"	59.9	89.45	min 1.0 in.
			over 2"	14.0	35.00	
				100.0	138.50	

This sample passes the National Stockpile Purchase Specification P-4-R4, dated June 10, 1963.

William C Streib

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skierski
File

087103

MTC 015013

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER

P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

October 4, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Amosite, 250 Tons
Lot No. 726-A, Grade "D-3"
Contract BSD-SM-64-12
S/S Reuben Tipton
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Fiber Length Gram-Inches	Avg Fiber Length
			Length	Per Cent		
JM 2727J	0.2%	none	0-2"	11.7	11.7	3.7 in.
Spec.	max 2.0%	max 5.0%	2-6"	85.8	343.2	min 2.0 in.
			over 6"	2.5	16.25	
				100.0	371.15	

This sample passes the Purchase Specification for Asbestos Amosite, dated July 18, 1963.

William C. Streib
William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skierski
File

087104

MTC 015014

DEBIT MEMORANDUM

Johns-Manville Service Corporation

Manville, N.J.

DATE 11/30/65

DEBIT MEMO NO. D/M 999

ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
Washington 25, D.C.

SHIPPED TO:

CLOSED: 12/22/65 ck#81996458 Reference 4446

Do Not Deduct

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F. O. B.

QUANTITY	DESCRIPTION	PRICE	AMOUNT
	Date / Fiber Type / Lot / Grade / Reported / [illegible] #		
	6/10/63 Amosite 729-A "[illegible]" 11/12/65 27307	20.00	20 00
	6/10/63 Amosite 728-A "[illegible]" 11/11/65 27307	20.00	20 00
			$40 00

MANVILLE GRO # GRO $
RECD CKD
PRO-QUANTITY COST AMOUNT X DIV ACCOUNT RESP EXP SUB ACCT W-ORDER

1-7- 04480 999
X 8 87000 050 960 0050 $105
lv

087145

FORM 3692-64A Printed in U.S.A.

MTC 015015

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

November 11, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Amosite, 250 Tons
Lot No. 728-A, Grade "MD"
Contract BSD-SM-64-12
S/S Reuben Tipton
Port of Baton Rouge, La. 70814

Sample	Moisture	Foreign Matter	Fiber Length		Fiber Length Gram-Inches	Avg Fiber Length Required
			Length	Per Cent		
JM 2730J	0.4%	none	0-3/4"	46.0	17.3	.93 in.
Spec.	max 2.0%	max 5.0%	3/4-2"	52.7	72.5	min .75 in.
			over 2"	1.3	3.3	
				100.0	93.1	

This sample passes the National Stockpile Purchase Specification P-4-R4, dated June 10, 1963.

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skierski
File

087146

MTC 015016

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

November 12, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Amosite, 463.5 Tons
Lot 729-A, Grade "DX"
Contract BSD-SM-64-12
S/S Reuben Tipton
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Fiber Length Gram-Inches	Avg Fiber Length Required
			Length	Per Cent		
JM 2730J	0.4%	none	0-1"	27.7	13.9	1.39 in.
Spec.	max 2.0%	max 5.0%	1-2"	55.2	82.8	min 1.00 in.
			over 2"	17.1	42.7	
				100.0	139.4	

This sample passes the National Stockpile Purchase Specification P-4-R4, dated June 10, 1963.

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skierski
File

087147

MTC 015017

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

File 1965

March 18, 1966

Mr. J. H. Bonicard, Inspector, DMS
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Amosite, 250 Tons
Lot No. 728-A, Grade "MD"
Contract BSD-SM-64-12
S/S Reuben Tipton
Port of Baton Rouge, La. 70814

Please make the following correction in my letter to you, dated November 11, 1965, on the above subject. In the first column under "Sample", it should read JM 2729J, not JM 2730J.

Thank you.

Very truly yours,

William C. Streib

eh
cc: General Services Administration
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skierski
File

D87148

MTC 015018

108.000

083317A

DEBIT MEMORANDUM

Johns-Manville Service Corporation

Manville, N.J.

DATE 1/12/65

DEBIT MEMO NO. D/M 92

ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
18th & F Streets
Washington 25, D.C.

SHIPPED TO:

Do Not Deduct

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F. O. B.

QUANTITY	DESCRIPTION	AMOUNT
	General Services Contract DSD-SM-64-12 Asbestos Crocidolite GSA Samples	

CLOSED

Reference JW # 4269

1/27/65 ~~cdt~~ 76,633,917

Date	Fiber Type	Lot	Grade	Reported	JM #
	[illegible] Crocidolite	612-C	"S"	11/16	2689J

1 sample	75.00	$75.00

DEBIT

960 per Pete

1-7-04480-92
X 8 87000 050 0050 4105
1v

087142

FORM 3692-64A Printed in U.S.A.

MTC 015020

To be processed
RCS

W. C. Winblad) Washington, D. C.
R. A. Greenhow)
P. C. Skierski
A. C. Smith
W. C. Streib

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

JOHNS-MANVILLE JM PRODUCTS

okay to put there in Jan '65

reported November 16, 1964

Mr. J. H. Bonicard, Inspector, DMS
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

$15.

Crocidolite, 500 Tons
Lot 612-C, Grade "S"
Contract BSD-SM-64-12
S/S Sumatra
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length Length	Fiber Length Per Cent	Average Fiber Length Required over $\frac{11}{24}$	Ro-Tap 50 Grm #16 U.S. Sieve
JM 2689J	0.5%	none	0-$\frac{1}{4}$"	24.0	76.0%	97.0%
Spec.	max 2.0%	max 5.0%	$\frac{1}{4}$-$\frac{1}{2}$"	59.5	min 50.0%	min 90.0%
			over $\frac{1}{2}$"	16.5		
				100.0		

This sample passes the Material Purchase Specification Asbestos-Crocidolite, Harsh, dated June 15, 1960.

W. C. Streib

jms

cc: General Services Administration
Defense Materials Service
Inspection Division
18th and F Streets
Washington, D. C. 20405

087143

MTC 015021

DEBIT MEMORANDUM

Johns-Manville Service Corporation

Manville, N.J.

DATE 1/12/65

DEBIT MEMO NO. D/M 92

ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
15th & F Streets
Washington 25, D.C.

SHIPPED TO:

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F. O. B.

QUANTITY	DESCRIPTION	PRICE	AMOUNT
	General Services Contract DSD-SM-64-12 Asbestos Crocidolite GSA Samples		
	Date / Fiber Type / Lot / Grade / Reported / JM #		
	[illegible] Crocidolite 612-C "S" 11/16 [illegible]		
	1 sample	75.00	$75.00
	1-7-04480-92 X 8 87000 050 0050 4105 1v	087144	

FORM 3692-64A Printed in U.S.A.

MTC 015022

Bill : General Services Administration
Defense Materials Service
Inspection Division
18th + F streets
Washington, D.C. 20405

Research & Engineering Center
November 19, 1964

P. C. Skierski

Fiber Testing for Government

In accord with the General Services Contract GS-00P-23056(CCC), would you please arrange to bill the proper parties for our testing services on the following fiber samples.

Asbestos Crocidolite GSA Samples

Date	Fiber Type	Lot	Grade	Reported	JM Number
5/18/64	Crocidolite	605C-1	"S"	8/24/64	2678J
5/18/64	Crocidolite	604C-1	"S"	9/1/64	2679J
5/18/64	Crocidolite	606C-1	"S"	9/10/64	2680J
5/18/64	Crocidolite	607C-1	"S"	9/10/64	2681J
7/29/64	Crocidolite	608C-1	"S"	9/30/64	2684J
7/29/64	Crocidolite	609C	"S"	10/2/64	2685J
7/29/64	Crocidolite	610C	"S"	11/2/64	2686J
8/29/64	Crocidolite	611C	"S"	11/3/64	2687J
8/29/64	Crocidolite	613C	"S"	11/3/64	2688J
	Crocidolite				

As indicated above, we have tested ~~nine~~ ten crocidolite samples at $75/sample which comes to a total outstanding charge of ~~$675~~ $750.

I have made arrangements that you be included on the distribution of each report we make to the government covering each fiber sample. Upon receipt of these reports you could make arrangements for the proper billing in the future.

W. C. Streib

eh
cc: A. C. Smith
P. H. Soroka
L. J. Bartolanzo
File

MTC 015023

087099

11/27/64

Jo,

Would you please issue a debit memo for $750.- and credit 8-87000-050- -0050-4105. If you need an approval on the debit memo prior to pending it out, forward it to W.C. Streib, Research. The contract number along with the sample information should be shown on the bill. Can you return this letter to me or must you retain it for your records? Have a happy.

Pete Skwarski

MTC 015024

087100

DEBIT MEMORANDUM

Site 1965

Johns-Manville Service Corporation

Manville, N.J.

DATE 11/30/64

DEBIT MEMO NO. D/M 980

ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
18th & F Streets
Washington, D.C. 20405

SHIPPED TO:

wrote 1/27/65

DO NOT Deduct.

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F. O. B.

FILE

QUANTITY	DESCRIPTION	PRICE	AMOUNT
	General Services Contract GS-00P-23056 (OCC) Asbestos Crocidolite GSA Samples		

Date	Fiber Type	Lot	Grade	Reported	JM #
5/18/64	Crocidolite	605C-1	"S"	8/24/64	2678J
5/18/64	" "	604C-1	"	9/1/64	2679J
5/18/64	" "	606C-1	"	9/10/64	2680J
5/18/64	" "	607C-1	"	[illegible]	[illegible]
7/29/64	" "	608C-1	"	[illegible]	[illegible]
7/29/64	" "	609C	"	[illegible]	[illegible]
7/29/64	" "	610C	"	11/2/64	2686J
8/29/64	" "	611C	"	11/[illegible]/64	2687J
8/29/64	" "	613C	"	11/3/64	2688J
6/15/64	" "	614C	"	11/17/64	2690J

1965 JO

30217

6/16/65

per T. [illegible]

CLOSED: Referenced

DEBIT

10 Samples @ 75.00ea. $750.00

1-7-04480-980 960
X 8 87000 050 0050 4105
1v

PRO-QUANTITY COST AMOUNT X DIV ACCOUNT RESP EXP SUB ACCT W-ORDER

X

FORM 3692-64A Printed in U.S.A.

087101

MTC 015025

DEBIT MEMORANDUM

Johns-Manville Service Corporation

Manville, N.J.

DATE 9/20/65

DEBIT MEMO NO. D/M 741

ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
Washington 25, D.C.

SHIPPED TO:

Do Not Deduct

CLOSED: 10/4/65 ck 78,589,642

Reference Jo 1# 4442

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F.O.B.

QUANTITY	DESCRIPTION						AMOUNT
	Date	Type	Lot	Grade	Reported	JM#	
	6/15/60	Crocidolite	684C	"S"	8/31/65	2722J	75 00
	6/10/63	Amosite	730-A	"NK"	9/3/65	2723E	20 00
							895 00

MANVILLE GRO # GRO $

RECD CKD

PRO-QUANTITY COST AMOUNT X DIV ACCOUNT RESP EXP SUB ACCT W-ORDER

X

1-7- 4480-741
X 8 87000 050 960 0050 4105
1v

087105

FORM 3692-64A Printed in U.S.A.

MTC 015026

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

September 3, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Amosite, 250 Tons
Lot No. 730-A, Grade "DX"
Contract BSD-SM-64-12
S/S Shirley Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Fiber Length	Avg Fiber Length
			Length	Per Cent	Gram-Inches	
JM 2723J	0.4%	none	0-1"	13.4	6.7	1.5 in.
Spec.	max 2.0%	max 5.0%	1-2"	64.9	97.35	min 1.0 in.
			over 2"	21.7	54.25	
				100.0	158.30	

This sample passes the National Stockpile Purchase Specification P-4-R4, dated June 10, 1963.

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

P.S.
Zip Code 08835.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skierski
File

087106

MTC 015027

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

August 31, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana

Dear Sir:

Crocidolite, 1000 Tons
Lot No. 624-C, Grade "S"
Contract BSD-SM-64-12
S/S Kenneth Mackay
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Avg Fiber Length Required over ¼"	Ro-Tap 50 gm #16 US Sieve
			Length	Per Cent		
JM 2722J	0.8%	none	0-¼"	29.6	70.4%	95.8%
Spec.	max 2.0%	max 5.0%	¼-½"	59.1	min 50.0%	min 90.0%
			over ½"	11.3		
				100.0		

This sample passes the Material Purchase Specification Asbestos-Crocidolite, Harsh, dated June 15, 1960.

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

P.S.
Zip Code 08835.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skierski
File

087107

MTC 015028

DEBIT MEMORANDUM

Johns-Manville Service Corporation

Manville, N.J.

DATE 2/19/65

DEBIT MEMO NO. D/M 210

ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
18th & F Streets
Washington, D.C. 20405

SHIPPED TO:

CLOSED: 3/19/65 ck# 76,867,671

Reference JVI # 4299

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F. O. B.

QUANTITY	DESCRIPTION	PRICE	AMOUNT
	General Services Contract CS-DOP-23056 (COC) Crocidolite and Amosite Samples		

Date	Fibre Type	Lot	Grade	Reported	JM #			
6/10/63	Amosite	713-A	K-3	2/3/65	2698 J	@	20.00	20 00
6/15/60	Crocidolite	617-C	S	1/25/65	2697 J	@	75.00	75 00
6/15/60	" "	618-C	S	1/21/65	2696 J	@	75.00	75 00
7/18/63	Amosite	711-A	D-3	12/30/64	2692 J	@	20.00	20 00
6/10/63	" "	712-A	W-3	12/30/64	2693 J	@	20.00	20 00
6/15/60	Crocidolite	616-C	S	12/30/64	2694 J	@	75.00	75 00
6/15/60	" "	615-C	S	12/2/64	2691 J	@	75.00	75 00
								$360 00

DEBIT

MANVILLE GRO # GRO $
RECD CKD

PRO-QUANTITY	COST	AMOUNT	X	DIV	ACCOUNT	RESP	EXP	SUB ACCT	W-ORDER
			X						

1-7-04480-210
X 8 87000 050 731 0050 $105
1v

087115

FORM 3692-64A Printed in U.S.A.

MTC 015029

bcc: A. C. Smith
P. C. Skierski
W. C. Winblad, Washington, D. C.
R. A. Greenhow, Washington, D. C.
File: 411.11

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

December 2, 1964

Mr. J. H. Bonicard, Inspector, DMS
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Crocidolite, 250 tons
Lot 615-C, Grade "S"
Contract BSD-SM-64-12
S/S Stella Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length	Fiber Length Per Cent	Fiber Length Required Over $\frac{1}{4}$ Inch	RoTap 50 Grams #16 U.S. Sieve
JM 2691J	0.6%	none	0-$\frac{1}{4}$"	35.5	64.5%	95.8%
Spec.	max 2.0%	max 5.0%	$\frac{1}{4}$-$\frac{1}{2}$"	52.5	min 50.0%	min 90.0%
			over $\frac{1}{2}$"	12.0		
				100.0		

This sample passes the Material Specification Asbestos Crocidolite, Harsh, dated June 15, 1960.

William C. Streib

WCSjms

cc: General Services Administration
Defense Materials Service
Inspection Division
Washington 25, D. C.

087116

MTC 015030

hcc:A. C. Smith
P. C. Skierski
R. R. A. Greenhow, Wash.D.C.
W. C. Winblad,
File: 411-11

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

December 30, 1964

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Crocidolite, 750 Tons
Lot 616-C, Grade "S"
Contract BSD-SM-64-12
S/S Kenneth MacKay
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Avg. Fiber Length Req'd Over 1/2-in.	RoTap 50 Grms. #16 U.S. Sieve
			Length	Per Cent		
JM 2694J	0.6%	none	0-$\frac{1}{4}$"	30.0	69.9%	95.0%
Spec.	max 2.0%	max 5.0%	$\frac{1}{4}$-$\frac{1}{2}$"	59.3	min 50.0%	min 90.0%
			Over $\frac{1}{2}$"	10.6		
				100.0		

This sample passes the Material Purchase Specification Asbestos-Crocidolite, Harsh, dated June 15, 1960.

William C. Streib

WCSjms

cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D.C.

087117

MTC 015031

bcc: A. C. Smith
P. C. Skierski
R. A. Greenhow, Wash.D.C.
W. C. Winblad,
File: 411-11

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

December 30, 1964

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Amosite, 250 Tons
Lot 712-A, Grade W-3
Contract BSD-SM-64-12
S/S Gibbes Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length Length	Fiber Length Per Cent	Fiber Length Gram Inches	Average Fiber Length
JM 2693J	0.4%	none	0-½"	55.0	13.8	.76 in.
Spec.	max 2.0%	max 5.0%	½-2"	39.6	48.5	min .50 in.
			Over2"	5.4	13.5	
				100.0	75.8	

This sample passes the National Stockpile Purchase Specification P-4-R4, dated June 10, 1963.

William C. Streib

WCS:jms

cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

087118

MTC 015032

bcc: A. C. Smith
P. C. Skierski
R. A. Greenhow, Washington, D. C.
W. C. Winblad, "
File: 411-11

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

December 30, 1964

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Amosite, 250 Tons
Lot 711-A, Grade D-3
Contract BSD-SM-64-12
S/S Gibbes Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Fiber Length Gram Inches	Average Fiber Length
			Length	Per Cent		
JM 2692J	0.3%	none	0-2"	15.7	15.7	3.6 in.
Spec.	max 2.0%	max 5.0%	2-6"	82.3	329.2	min 2.0 in.
			Over 6"	2.0	13.0	
				100.0	357.9	

This sample passes the Purchase Specification for Asbestos-Amosite, dated July 18, 1963.

William C. Streib

WCSjms

cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

087119

MTC 015033

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

January 21, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Crocidolite, 1000 Tons
Lot 618-C, Grade "S"
Contract BSD-SM-64-12
S/S Reuben Tipton
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Avg Fiber Length Required	Ro-Tap 50 gm
			Length	Per Cent	Over ¼ in.	#16 US Sieve
JM 2696J	0.4%	none	0-¼"	24.0	76.0%	97.8%
Spec.	max 2.0%	max 5.0%	¼-½"	62.8	min 50.0%	min 90.0%
			over ½"	13.2		
				100.0		

This sample passes the Material Purchase Specification for Asbestos-Crocidolite, Harsh, dated June 15, 1960.

William C. Streib

William C. Streib

eh

cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D.C.
R. A. Greenhow, Washington, D.C.
A. C. Smith
P. C. Skierski
File

087120

MTC 015034

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

January 25, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Crocidolite, 250 Tons
Lot 617-C, Grade "S"
Contract BSD-SM-64-12
S/S S.A. Pioneer
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length	Length Per Cent	Avg Fiber Length Required over ¼"	Ro-Tap 50 gm #16 US Sieve
JM 2697J	0.6%	none	0-¼"	25.0	75.0%	95.8%
Spec.	max 2.0%	max 5.0%	¼-½"	60.0	min 50.0%	min 90.0%
			over ½"	15.0		
				100.0%		

This sample passes the Material Purchase Specification Asbestos-Crocidolite, Harsh, dated June 15, 1960.

William C. Streib

William C. Streib

eh

cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D.C.
R. A. Greenhow, Washington, D.C.
A. C. Smith
P. C. Skierski
File

087121

MTC 015035

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY • TELEPHONE: (201) RANDOLPH 2-9000

February 3, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Amosite, 300 Tons
Lot No. 713-A, Grade K-3
Contract BSD-SM-64-12
S/S S.A. Pioneer
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length Length	Fiber Length Per Cent	Fiber Length Gram-Inches	Avg Fiber Length
JM 2698J	0.2%	none	0-½"	36.9	9.3	.96 in.
Spec.	max 2.0%	max 5.0%	½-2"	56.8	71.0	min .50 in.
			over 2"	6.3	15.8	
				100.0	96.1	

This sample passes the National Stockpile Purchase Specification P-4-R4, dated June 10, 1963.

W C Streib
W. C. Streib

eh

cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D.C.

bcc: W. C. Winblad, Washington, D.C.
R. A. Greenhow, Washington, D.C.
A. C. Smith
P. C. Skierski
File

087122

MTC 015036

2-16-65

Lil,

Please bill: General Services Administration
Defense Materials Service
Inspection Division
18th + F Streets
Wash. D.C. 20405

for the following:

General Services Contract CS-OOP-23056 (CCC)
Crocidolite and Amosite Samples

Date	Fiber Type	Lot	Grade	Reported	JM #	
6-10-63	Amosite	713-A	K-3	2-3-65	2698 J	@ 20.
6-15-60	Crocidolite	617-C	"S"	1-25-65	2697 J	@ 75
6-15-60	"	618-C	"	1-21-65	2696 J	" "
7-18-63	Amosite	711-A	D-3	12-30-64	2692 J	@ 20.
6-10-63	"	712-A	W-3	12-30-64	2693 J	"
6-15-60	Crocidolite	616-C	"S"	12-30-64	2694 J	@ 75.-
6-15-60	"	615-C	"	12-2-64	2691 J	" "

Total amount $ 360.-

Credit code 8-87000-050-731-0050-4105

Pete Skierski

P.S. Aren't we Johns-Manville Products Corp.? The JM Service Corp. has me confused. Did we discuss it previously?

087123

MTC 015037

DEBIT MEMORANDUM

Johns-Manville Service Corporation
Manville, N.J.

DATE 2/29/65

DEBIT MEMO NO. DM-830
ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
18th & F Streets
Washington, D.C. 20405

SHIPPED TO:

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F. O. B.

QUANTITY	DESCRIPTION	PRICE	AMOUNT

General Services Contract GS-SOP-63056 (CCC)
Crocidolite and Amosite Samples

Date	Fibre Type	Lot	Grade	Reported	Wt #		PRICE	AMOUNT
6/10/63	Amosite	713-A	E-3	2/3/65	2698 J	@	20.00	20 00
6/15/60	Crocidolite	617-C	S	1/23/65	2697 J	@	75.00	75 00
6/15/60	" "	618-C	S	1/21/65	2696 J	@	75.00	75 00
7/18/63	Amosite	711-A	B-3	12/30/64	2692 J	@	20.00	20 00
6/10/63	" "	712-A	W-3	12/30/64	2693 J	@	20.00	20 00
6/15/60	Crocidolite	616-C	S	12/30/64	2694 J	@	75.00	75 00
6/15/60	" "	615-C	S	12/2/64	2691 J	@	75.00	75 00
								$350 00

DEBIT

1-7-04480-210
X 8 87000 050 731 0090 $105
lv

087124

FORM 3692-64A Printed in U.S.A.

MTC 015038

DEBIT MEMORANDUM

Johns-Manville Service Corporation

Manville, N.J.

DATE 6/23/65

DEBIT MEMO NO. D/M 566

ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
Washington 25, D.C.

SHIPPED TO:

CLOSED: 7/26/65 ck # 77 871 473 4392

Reference

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F. O. B.

QUANTITY	DESCRIPTION	PRICE	AMOUNT

Date	Fiber Type	Lot	Grade	Reported	JM#	
6/15/60	Crocidolite	622C	"S"	6/10/65	2709J	75 00
6/10/63	Amosite	720A	"MD"	6/17/65	2712J	20 00
						$95 00

MANVILLE GRO # GRO $

RECD CKD

PRO-QUANTITY COST AMOUNT X DIV ACCOUNT RESP EXP SUB ACCT W-ORDER

X

DEBIT

1-7-04480-566
X 8 87000 050 960 0050 4105
lv

087125

FORM 3692-64A Printed in U.S.A.

MTC 015039

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY 08835 • TELEPHONE: (201) RANDOLPH 2-9000

June 17, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Amosite, 250 Tons
Lot No. 720-A, Grade "MD"
Contract BSD-SM-64-12
S/S Sumatra
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Fiber Length Gram-Inches	Avg Fiber Length
			Length	Per Cent		
JM 2712J	0.2%	none	0-3/4"	51.6	19.4	.89 in.
Spec.	max 2.0%	max 5.0%	3/4-2"	44.4	61.1	min .75 in.
			over 2"	3.2	8.0	
			rock	0.8	--	
				100.0	88.5	

This sample passes the National Stockpile Purchase Specification P-4-R4, dated June 10, 1963.

William C. Streib

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skierski
File

087126

MTC 015040

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY 08835 • TELEPHONE: (201) RANDOLPH 2-9000

June 10, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Crocidolite, 500 Tons
Lot No. 622C, Grade "S"
Contract BSD-SM-64-12
S/S Rotte
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Avg Fiber Length Required over ¼"	Ro-Tap 50 gm #16 US Sieve
			Length	Per Cent		
JM 2709J	0.4%	none	0-¼"	45.6	54.4%	95.9%
Spec.	max 2.0%	max 5.0%	¼-½"	44.4	min 50.0%	min 90.0%
			over ½"	10.0		
				100.0		

This sample passes the National Stockpile Material Purchase Specification Asbestos-Crocidolite, Harsh, dated June 15, 1960.

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D.C.

bcc: W. C. Winblad, Washington, D.C.
P. C. Skierski
File

087127

MTC 015041

DEBIT MEMORANDUM

Johns-Manville Service Corporation

Manville, N.J.

DATE 6/23/63

DEBIT MEMO NO.
D/M 566
ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
Washington 25, D.C.

SHIPPED TO:

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F. O. B.

QUANTITY	DESCRIPTION	PRICE	AMOUNT
	Date / Fiber Type / Lot / Grade / Reported / JMF		
	6/15/63 Crocidolite 6[illegible] "[illegible]" 6/10/63 27[illegible]		75 00
	6/18/63 Amosite 7[illegible] "[illegible]" 6/17/63 27[illegible]		[illegible] 00
			[illegible] 00

DEBIT

1-7-04480-566
X 8 87000 050 960 0050 4105
1v

087128

FORM 3692-64A Printed in U.S.A.

MTC 015042

DEBIT MEMORANDUM

Johns-Manville Service Corporation

Manville, N.J.

DATE 6/9/65

DEBIT MEMO NO. D/M 527

ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
Washington 25, D.C.

SHIPPED TO:

CLOSED: 6/25/65 ck# 77 598577

Reference Jt 1 FF 4373

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F. O. B.

QUANTITY	DESCRIPTION	PRICE	AMOUNT
	General Services Contract DSD-SM-64-12		

Date	Type	Lot	Grade	Reported	JM#		
6/15/60	Crocidolite	621-C	"S"	5/24/65	2708J	75.00	75 00
6/10/63	Amosite	716 A	MD	5/17/65	2705J	20.00	20 00
							895 00

DEBIT

MANVILLE GRO # GRO $ Pg

RCD CHD

PRO-QUANTITY COST AMOUNT X DIV ACCOUNT RESP EXP SUB ACCT W-ORDER

X

1-7-04480-527
X 8 87000 050 960 0050 4105
1v

087129

FORM 3692-64A Printed in U.S.A.

MTC 015043

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY 08835 • TELEPHONE: (201) RANDOLPH 2-9000

May 17, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Amosite, 250 Tons
Lot 716A, Grade MD
Contract BSD-SM-64-12
S/S Velma Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Fiber Length Gram-Inches	Avg Fiber Length
			Length	Per Cent		
JM 2705J	0.3%	none	0-3/4"	35.6	13.4	1.0 in.
Spec.	max 2.0%	max 5.0%	3/4-2"	62.9	86.5	min .75 in.
			over 2"	1.5	3.8	
				100.0	103.7	

This sample passes the National Stockpile Purchase Specification P-4-R4, dated June 10, 1963.

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D.C.
P. C. Skieroski
File

087130

MTC 015044

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER

P.O. BOX 159 • MANVILLE, NEW JERSEY 08835 • TELEPHONE: (201) RANDOLPH 2-9000

May 24, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Crocidolite, 500 Tons
Lot 621-C, Grade "S"
Contract BSD-SM-64-12
S/S S.A. Pioneer
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Fiber Length Required	Ro-Tap 50 Grams
			Length	Per Cent	Over ¼ in.	#16 U.S. Sieve
JM 2708J	0.4%	None	0-¼"	31.0	69.0%	95.8%
Spec.	max 2.0%	max 5.0%	¼-½"	61.4	min 50%	min 90%
			over ½"	7.6		
				100.0		

This sample passes the Materials Purchase Specification for Asbestos Crocidolite, Harsh, dated June 15, 1960.

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skieraki
File

087131

MTC 015045

DEBIT MEMORANDUM

Johns-Manville Services Corporation

Manville, N.J.

DATE 4/30/65

DEBIT MEMO NO. D/M 430

ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
18th & F Streets
Washington, D.C. 20405

SHIPPED TO:

CLOSED: 5/14/65 5/14/65 ck # 77,217,871

Reference JV # 1 4343

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F. O. B.

QUANTITY	DESCRIPTION	PRICE	AMOUNT
	General Services Contract BSD-SM-64-12 Amosite Samples		

Date	Fibre Type	Lot	Grade	Reported	JM#		
6/10/63	Amosite	715A	DK	4/21/65	2703J	20.00	20 00
6/10/63	Amosite	717A	DK	4/8/65	2700J	20.00	20 00
6/15/60	Crocidolite	620C	S	4/8/65	2701J	75.00	75 00
							$115 00

MANVILLE GRO # CR $

RECD CKD

PRO-QUANTITY COST AMOUNT X B/A ACCOUNT RESP EXP SUB ACCT W-ORDER

X

1-7-04480-430
X 8 8700 050 960 0050 4105

FORM 3692-64A Printed in U.S.A.

087136

MTC 015046

4-27-65

Lil,

Here are 3 more charges to be made to our beloved Uncle Sam. I finally convinced W. Streib that he received the big credit of $700.-, even though JM hasn't received it.

If you have any questions do not hesitate to call me on X401 at the Research Center in Findlay, N.J.

Peter

087137

MTC 015047

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY 08835 • TELEPHONE: (201) RANDOLPH 2-9000

April 21, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Amosite, 250 Tons
Lot 715-A, Grade "DX"
Contract BSD-SM-64-12
S/S Velma Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length	Length Per Cent	Fiber Length Gram-Inches	Average Fiber Length
JM 2703J	0.1%	none	0-1"	32.4	16.2	1.3"
Spec.	max 2.0%	max 5.0%	1-2"	51.2	76.8	min 1.0"
			over 2"	16.4	41.0	
				100.0%	134.0	

This sample passes the National Stockpile Purchase Specification P-4-R4, dated June 10, 1963.

William C. Streib

eh

cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D.C.

bcc: W. C. Winblad, Washington, D.C.
P. C. Skierski
File

087138

MTC 015048

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY 08835 • TELEPHONE: (201) RANDOLPH 2-9000

April 8, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Amosite, 250 Tons
Lot 717-A, Grade DX
Contract BSD-SM-64-12
S/S Margaret Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length	Length Per Cent	Fiber Length Gram-Inches	Avg Fiber Length
JM 2700J	0.1%	none	0-1"	29.6	14.8	1.4"
Spec.	max 2.0%	max 5.0%	1-2"	47.6	71.4	min 1.0"
			over 2"	22.8	57.0	
				100.0	143.2	

This sample passes the National Stockpile Purchase Specification P-4-R4, dated June 10, 1963.

William C. Streib

eh

cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D.C.
P. C. Skieraski
File

087139

MTC 015049

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY 08835 • TELEPHONE: (201) RANDOLPH 2-9000

April 8, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Crocidolite, 750 Tons
Lot 620-C, Grade "S"
Contract BSD-SM-64-12
S/S Margaret Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length	Length Per Cent	Avg Fiber Length Over ¼"	Ro-Tap #16 US Sieve
JM 2701J	0.6%	none	0-¼"	40.0	60.0%	95.9%
Spec.	max 2.0%	max 5.0%	¼-½"	51.6	min 50.0%	min 90.0%
			over ½"	8.4		
				100.0		

This sample passes the National Stockpile Material Purchase Specification Asbestos-Crocidolite, Harsh, dated June 15, 1960.

William C. Streib

eh

cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D.C.
P. C. Skieraki
File

087140

MTC 015050

DEBIT MEMORANDUM

Johns-Manville Services Corporation

Manville, N.J.

DATE 4/30/65

DEBIT MEMO NO. D/M 430

ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
18th & F Streets
Washington, D.C. 20405

SHIPPED TO:

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F. O. B.

QUANTITY	DESCRIPTION	PRICE	AMOUNT
	General Services Contract [illegible]-12 Amosite Samples		

Date	Fibre Type	Lot	Grade	Reported	Ref		
6/10/63	Amosite	713A	DK	4/21/65	2703J	20.00	20 00
6/10/63	Amosite	717A	DK	4/8/65	2700J	20.00	20 00
6/15/60	Crocidolite	6200	S	4/8/65	2701J	75.00	75 00
							$115 00

1-7-04480-430
X 8 8700 050 960 0050 4105

087141

FORM 3692-64A Printed in U.S.A.

MTC 015051

DEBIT MEMORANDUM

Johns-Manville Service Corporation

Manville, N.J.

DATE 5/18/65

DEBIT MEMO NO. D/M 466

ALWAYS REFER TO THIS NUMBER

BILL TO: General Services Administration
Defense Materials Service
Inspection Division
Washington 25, D.C.

SHIPPED TO:

CLOSED: 6/2/65 det# 77,444,269

Reference JM # 4360

YOUR ORDER NO.	OUR ORDER NO.	DATE SHIPPED	VIA	CAR NO.	NO. OF PACKAGES	GROSS WEIGHT	TERMS	F. O. B.

QUANTITY	DESCRIPTION	PRICE	AMOUNT
	General Services Contract DSD-SM-64-12		

Date	Fiber Type	Lot	Grade	Reported JM #		
6/15/60	Crocidolite	619C	"B"	5/5/65 2702J	75.00	$ 75 00
7/18/63	Amosite	714A	"D-3"	5/5/65 2704J	20.00	20 00
7/18/63	Amosite	718A	"D-3"	5/11/65 2707J	20.00	20 00
						$115 00

MANVILLE GRO # GRO $

PRO-QUANTITY ... W-ORDER

DEBIT

1-7-04480-466
X 8 87000 050 960 0050 4105
1v

087132

FORM 3692-64A Printed in U.S.A.

MTC 015052

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY 08835 • TELEPHONE: (201) RANDOLPH 2-9000

May 5, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Crocidolite, 250 S. Tons
Lot 619C, Grade "S"
Contract BSD-SM-64-12
S/S Velma Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Avg Fiber Length	Ro-Tap 50 gm
			Length	Per Cent	Required over ¼"	#16 U.S. Sieve
JM 2702J	0.5%	none	0-¼"	26.9	73.1%	94.4%
Spec.	max 2.0%	max 5.0%	¼-½"	62.5	min 50.0%	min 90.0%
			over ½"	10.6		
				100.0		

This sample passes the Material Purchase Specification for Asbestos-Crocidolite, Harsh, dated June 15, 1960.

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skierski
File

087133

MTC 015053

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY 08835 • TELEPHONE: (201) RANDOLPH 2-9000

May 5, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Amosite, 250 S. Tons
Lot 714A, Grade "D-3"
Contract BSD-SM-64-12
S/S Velma Lykes
Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length Length	Fiber Length Per Cent	Fiber Length Gram-Inches	Avg Fiber Length
JM 2704J	0.2%	none	0-2"	5.7	5.7	3.8 in.
Spec.	max 2.0%	max 5.0%	2-6"	94.3	377.2	min 2.0 in.
			+6"	0	0	
				100.0	382.9	

This sample passes the National Stockpile Purchase Specification BA-SP-5, dated July 18, 1963.

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skieraski
File

087134

MTC 015054

JOHNS-MANVILLE
RESEARCH & ENGINEERING CENTER
P.O. BOX 159 • MANVILLE, NEW JERSEY 08835 • TELEPHONE: (201) RANDOLPH 2-9000

May 11, 1965

Mr. J. H. Bonicard, Inspector, DMS (3)
2695 North Sherwood Forest Drive
Baton Rouge, Louisiana 70814

Dear Sir:

Amosite, 350 S. Tons
Lot 718A, Grade D-3
Contract BSD-SM-64-12
S/S Sheldon Lykes
Port of Baton Rouge, La.

The test data on the subject sample were as follows:

Sample	Moisture	Foreign Matter	Fiber Length		Fiber Length	Avg Fiber Length
			Length	Per Cent	Gram-Inches	
JM 2707J	0.1%	none	0-2"	8.8	8.8	3.8"
Spec.	max 2.0%	max 5.0%	2-6"	89.3	357.2	min 2.0"
			+6"	1.9	12.4	
				100.0	378.4	

This sample passes the Purchase Specification for Asbestos-Amosite, dated July 18, 1963.

William C. Streib

eh
cc: General Services Administration (6)
Defense Materials Service
Inspection Division
Washington 25, D. C.

bcc: W. C. Winblad, Washington, D. C.
P. C. Skieraski
File

087135

MTC 015055