

FILE NAME: Reichhold (REI)

DATE: 1980 REI021

DOC#: REI021

DOCUMENT DESCRIPTION: Material Safety Data Sheet


MATERIAL SAFETY DATA SHEET

NP472.6-90

AUTHORITY OF THE GOVERNMENT OF CANADA TO REPRODUCE THIS DOCUMENT

[illegible]

BR000015



MOLDING COMPOUNDS

PHENOLIC

MATERIAL SAFETY DATA SHEET

Section V-HEALTH HAZARD DATA

1. **Preparation:** Wash hands thoroughly with soap and water. Wear gloves and a mask.
2. **Handling:** Handle the animal gently. Use a restraint if necessary.
3. **Examination:** Examine the animal for signs of distress or injury.
4. **Restraint:** Use a restraint if necessary. Do not use force.
5. **Release:** Release the animal into its enclosure. Wash hands and gloves.
6. **Disposal:** Dispose of the animal properly. Do not release it into the wild.

Section VI—REACTIVITY DATA

[illegible]

Section VII: SPILL OR LEAK PROCEDURES

Ventilate area well. Wear respirator if dust is generated.

Water-Digestion Method

2. Used #112 in accordance with State and Federal regulations

Section VIII - SPECIAL PROTECTION INFORMATION

[illegible]

Section IX: SPECIAL PRECAUTIONS

FROM 100% TO 200% temperature expansion and moisture. Both affect product performance. Do not breath heated vapors from molding process.

RPL COST STANDARD		PRODUCT CODE 35310-4	
FORMULATION DATE - 04-77		FORMULATING PLANT 017	
REMARKS FORMULA HISTORY		SCALE 100	
RAW CODE	11	PHENOLIC WOLD CONC	LBS
FIN. CODE	100	EXPIRATION DATE	01-01-77

FORMULA				UNIT COST	MATERIAL COST	YIELD PER UNIT
RAW MATERIAL DESCRIPTION	MATERIAL CODE	1 PERCENT	2 LBS			
FURSKEL	00001-00		144 LBS			
HYPO. TECH	00242-00		242 LBS			
COI. STANMATE PT. 55	00245-00		61 LBS			
HYPOPH. ACTD 100	00248-00		8 LBS			
HYPOPH. LINE. 528	00250-00		30 LBS			
STEAR. ALUMIN.	00252-00		52 LBS			
BETA BOSTER. PLAC	00252-00		52 LBS			
STEAR. LINEAT	00252-00		120 LBS			
CHLOR. CLAY	00252-00		300 LBS			
ALUM. CHLORIDE	00252-00		372 LBS			
ALUM. SALT	00252-00		175 LBS			
BURICK. BRIND	00452-00		12 LBS			
PHENOLIC INTERMEDIATE	00452-00	0.017	1422 LBS			
PHENOLIC INTERMEDIATE	00452-00	0.013	225 LBS			

NO RECORDS TO ANYONE
EXCEPT TO THE
MANUFACTURING
DEPARTMENT
HIGHLY CONFIDENTIAL

LOSS QUANTITY	4558	9A-B 4
YIELD	4788	9A-B 4
QUALITY CODE CONTAINING IMPURITIES OR DEFECTS		

RAW MATERIAL COST				RATE PER HUND	CONVERSION COST
RAW CODE	1 PERCENT	2 LBS	3 TOTAL		
003-0	2-2		2-2		

CONVERSION COST				RATE PER HUND	CONVERSION COST
RAW CODE	1 PERCENT	2 LBS	3 TOTAL		
003-0	2-2		2-2		

CONTAINER COST				RATE PER HUND	CONVERSION COST
RAW CODE	1 PERCENT	2 LBS	3 TOTAL		
003-0	2-2		2-2		

WAREHOUSING & HANDLING
BULK HANDLING CHARGE
BULK WAREHOUSING & HANDLING CHARGE
CONTAINER WAREHOUSING & HANDLING CHARGE

35310-4-0043

[illegible]

03/12/94

12

SYNTHETIC RESIN COMPOUND

NOBLE AND THROAT.

for sale in the U.S. only.

உயர்வு.

READ MATERIAL SAFETY DATA SHEET BEFORE USE

KEEP OUT OF REACH OF CHILDREN

KATZMOROV CHEMICALS, INC.

325 North Broadway

WHITE, PEARLINE, INC., 10503

Indemnity or consequential damages



RI-000014

of the state of the

the state of the

the state of the

the state of the

the state of the

the state of the

the state of the

the state of the

the state of the

the state of the

the state of the

the state of the



EXHIBIT 6

GMA T120

FOR INDUSTRIAL USE ONLY

SYNTHETIC RESIN COMPOUND

**CAUTION! DUST OR VAPORS MAY CAUSE IRRITATION OF SKIN, EYES,
NOSE AND THROAT.**

Avoid breathing dust or vapors. Avoid contact with skin and eyes. Use only with adequate ventilation. Use protective equipment and clothing for confined handling and to avoid breathing dust or vapors.

FIRST AID: On contact, wash skin with soap and water. Wash eyes with plenty of water. Wash contaminated clothing before reuse. If swallowed, induce vomiting and call physician.

READ MATERIAL SAFETY DATA SHEET BEFORE USING.

KEEP OUT OF REACH OF CHILDREN

REICHOLD CHEMICALS, INC.
525 North Broadway
WHITE PLAINS, N.Y. 10603

"The information herein is to assist customers in determining whether our products are suitable for their applications. Our products are intended for sale to industrial and commercial customers. We request that customers inspect and test our products before use and satisfy themselves as to contents and suitability. Nothing herein shall constitute a warranty, express or implied, including any warranty of merchantability or fitness, nor is protection from any law or patent to be inferred. All patent rights are reserved. The exclusive remedy for all proven claims is replacement of our materials and in no event shall we be liable for special, incidental or consequential damages."

CAUTION

Contains Asbestos Fibers

Avoid Creating Dust

Breathing Asbestos Dust
May Cause Serious Bodily Harm



RI-00414