



GEORGIA-PACIFIC

INTERDEPARTMENTAL COMMUNICATION

DATE: June 21, 1973

TO: Mr. E. B. Hollingsworth

LOCATION: Wilmington

FROM: J. D. Rauch

LOCATION: Akron

SUBJECT: OSHA INSPECTION - AKRON, N.Y. PLANT

cc: Mr. H. W. Peele - Wilm.
Mr. R. Schifferle - Akron

PLAINTIFF'S EXHIBIT

GP-1917

Regarding my memo of 6-18-73, this subject, we wish to advise the following violation may be considered abated.

Serious violation - Citation Number 2

"Failure of the Employer to provide, and for employees to use, U. S. Bureau of Mines Approved respirators"

On June 19, 1973 we posted a notice to all Employees that approved respirators are available and must be worn at all times when in the asbestos exposure areas outlined by OSHA.

Serious violation - Citation Number 3

"Failure of Employer to establish a respirator program throughout the dry mixing area"

Abated by above mentioned notice, copy attached.

Other violations - Citation Number 3

"Failure of the employer to establish a personal monitoring program at intervals not greater than 6 months"

Two such tests were conducted for an 8 hour period on June 18, 1973 by a qualified tester with approved instruments. These test filters are being checked at this time by the Buffalo Testing Laboratories. We have scheduled regular monitoring tests in the future as required by OSHA.

Other violations - Citation Number 4

"Failure of employer to post caution signs at all approaches to the Joint Compound mixing and pack out areas"

Approved signs were posted on 6-18-73 as required.

At this time we feel that these are the only citations we can take care of without further instructions.


J. D. R.

THIS COPY FOR