Animal Feed

Corn Silage

FY-77

| SAMPLE NUMBER | DATE IN | ANALYST | DATE ASS'N | GROWER ADDRESS | RESULTS OF ANALYSIS | DATE OUT |
|---|---|---|---|---|---|---|
| INV 76-20-196 | 2/5 | FDT | 6/14 | [redacted] Bremen, Indiana | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/8 |
| INV 76-20-197 | 2/5 | FDT | 6/14 | ✓ [redacted] Nappanee, Indiana | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/8 |
| INV 76-20-198 | 2/5 | FDT | 6/14 | [redacted] Nappanee, Indiana | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/8 |
| INV 76-66-403 | 3/17 | FDT | 6/14 | ✓ [redacted] Huntertown, Indiana | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/8 |
| INV 76-66-404 | 3/17 | FDT | 6/14 | ✓ [redacted] Huntertown, Indiana | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/8 |
| INV 76-66-405 | 3/31 | FDT | 6/14 | ✓ [redacted] Fort Wayne, Indiana | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/8 |
| INV 76-66-406 | 3/31 | FDT | 6/14 | ✓ [redacted] Fort Wayne, Indiana | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/8 |
| INV 76-20-663 | 3/25 | FDT | 6/14 | ✓ [redacted] Indianapolis, Indiana ✓ | O 1.98ppm Aroclor 1254 Conf. by TLC<br>C 2.30ppm Aroclor 1254 Conf. by TLC | 7/6 |
| INV 76-20-664 | 3/25 | FDT | 6/14 | ✓ [redacted] Franklin, Indiana | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/8 |
| INV 76-20-665 | 3/25 | FDT | 6/14 | ✓ [redacted] Indianapolis, Indiana | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/8 |
| INV 76-20-666 | 3/25 | FDT | 6/14 | ✓ [redacted] Indianapolis, Indiana | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/8 |
| | | | | | | |
| INV 76-30-380 | 4/6 | FDT | 6/14 | ✓ [redacted] New Palestine, Ind. | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/8 |
| | | | | | | |
| | | | | | | |

MONS 080610

Animal Feeds Alfalfa FY-77

| SAMPLE NUMBER | DATE IN | ANALYST | DATE ASS'ND | GROWER ADDRESS | RESULTS OF ANALYSIS | DATE OUT |
|---|---|---|---|---|---|---|
| 76-20-143 | 2/5 | FDT | 7/15 | 643 Lakeville Indiana | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 8/2 |
| [illegible] | [illegible] | FDT | 7/15 | [illegible] | [illegible] | [illegible] |
| [illegible] | [illegible] | [illegible] | [illegible] | Toledo Ohio | [illegible] | [illegible] |
| [illegible] | [illegible] | [illegible] | [illegible] | Fremont Nebraska | [illegible] | [illegible] |
| [illegible] | [illegible] | [illegible] | [illegible] | Toledo Ohio | [illegible] | [illegible] |
| [illegible] | [illegible] | [illegible] | [illegible] | Fremont Nebraska | [illegible] | [illegible] |
| [illegible] | [illegible] | [illegible] | [illegible] | Toledo, Ohio | [illegible] | [illegible] |
| [illegible] | [illegible] | [illegible] | [illegible] | Fort Wayne In 46805 | [illegible] | [illegible] |
| 76-20-414 | 4/7 | FDT | 7/15 | Vincennes, Indiana<br>Mill, Schuyler, Nebraska | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 8/2 |
| INV 76-20-415 | 4/7 | FDT | 7/15 | Vincennes, Indiana 46 | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 8/2 |
| [illegible] | [illegible] | [illegible] | [illegible] | Toledo, Ohio | [illegible] | [illegible] |
| 76-20-745 | 4/8 | FDT | 7/15 | Indianapolis, Indiana | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 8/2 |

MONS 080611

FY 77 Special Survey of Enfamil for PCB's (f/u to Indiana Spec. Rawmill Survey)

| SAMPLE NUMBER | DATE IN | ANALYST | DATE ASS'ND | GROWER ADDRESS | RESULTS OF ANALYSIS | DATE OUT |
|---|---|---|---|---|---|---|
| 16-20-472 | 6/7 | ME L | 8/4 | Mead Johnson 65 Evansville Indiana | NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED | 8/23 |
| 16-20-473 | 6/7 | ME L | 8/4 | " | NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED | 8/23 |
| 6-20-474 | 6/7 | ME L | 8/4 | " | NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED | 8/23 |
| 6-20-475 | 6/7 | ME L | 8/4 | " | NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED | 8/23 |
| 6-20-476 | 6/7 | ME L | 8/4 | " | NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED | 8/23 |
| 6-20-477 | 6/7 | ME L | 8/4 | " | NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED | 8/23 |

MONS 080612

FY 76/77

Indiana Raw Milk Survey (Special Survey for PCB's)

| SAMPLE NUMBER | DATE RCVD | ANALYST | DATE ASSIGNED | (1) GROWER ADDRESS all on file | ISBH No. | RESULTS OF ANALYSIS | DATE OUT |
|---|---|---|---|---|---|---|---|
| 76-21-223 | 6/18 | BJS | 6/18 | Gosport, Indiana | 606 | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED NO PCB'S DETECTED | 7/9 |
| 76-21-224 | | BJS | | Gosport, Indiana | 601 | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED NO PCB'S DETECTED | 7/9 |
| 76-21-225 | | BJS | | Quincy, Indiana | 55-14 | Trace Dieldrin<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED NO PCB'S DETECTED | 7/9 |
| 76-21-226 | | BJS | | Martinville, Indiana | 55-10 | 0.07ppm heptachlor epoxide<br>Trace - Dieldrin No PCB's detected | 7/1 |
| 76-21-227 | | BJS | | Monrovia, Indiana | | 0.08ppm heptachlor epoxide<br>No PCB's detected | 7/1 |
| 76-21-228 | | BJS | | Monrovia, Indiana | 55-16<br>6158 | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED NO PCB'S DETECTED | 7/9 |
| 76-21-229 | | BJS | | Monrovia, Indiana | 55-15<br>6158 | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED NO PCB'S DETECTED | 7/9 |
| 76-21-230 | 6/18 | BJS | 6/18 | Camby, Indiana | 55-24<br>6113 | 0.56 ppm Aroclor 1254<br>NO CHLORINATED PESTICIDES DETECTED NO ORGANOPHOSPHATE PESTICIDES DETECTED | 7/ |
| 76-21-231 | 6/23 | WED | 6/23 | Bedford, Indiana | 47-48 | NO CHLORINATED PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/ |
| 76-21-233 | 6/23 | WED | 6/23 | Williams, Indiana | 47-53 | Trace Dieldrin was detected<br>NO PCB'S DETECTED | 7/ |
| 76-21-234 | 6/23 | WED | 6/23 | Williams, IN | 47-30 | NO CHLORINATED PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/ |
| 76-21-235 | 6/23 | WED | 6/23 | Williams, Indiana | 47-31 | 0.14 ppm Dieldrin<br>1.14 ppm Arochlor 1254 | 7/ |
| 76-21-236 | 6/23 | WED | 6/23 | Bedford, IN | 47-56 | NO CHLORINATED PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/ |
| 76-21-238 | 6/23 | WED | 6/23 | Williams, IN | ISBH# 47-28 | NO CHLORINATED PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/ |
| 76-21-237 | 6/23 | WED | 6/23 | Williams, IN | 47-10 | O 16.1 ppm Aroclor 1254<br>C 17.6 ppm Aroclor 1254<br>0.03ppm hept. epox NO PCB'S DETECTED | 7/ |

MONS 080613

| SAMPLE NUMBER | DATE IN | ANALYST | DATE ASSIGNED | GROWER ADDRESS | ISBH No. | FY 77 Indiana Raw Milk RESULTS OF ANALYSIS (Special Survey for PcB's) | DATE OUT |
|---|---|---|---|---|---|---|---|
| 16-21-239 | 6/25 | [illegible] | 6/25 | Clayton, Indiana | 32-38 | 0.05 ppm heptachlor epoxide<br>0.10 ppm methoxychlor<br>NO PCB'S DETECTED | 7/16 |
| 16-21-240 | 6/25 | [illegible] | 6/25 | Frankfort, Indiana | 32-34 | 0.03 ppm heptachlor epoxide<br>0.06 ppm dieldrin<br>NO PCB'S DETECTED | 7/16 |
| 16-21-167 | 6/24 | BJS | 6/24 | Indianapolis, Indiana | 32-45 | D 3.14 ppm PCB's as Aroclor 1254<br>C 3.63 ppm PCB's " " " | 7/12 |
| 16-21-168 | 6/24 | BJS | 6/24 | Indianapolis Indiana | 32-47 | D 11.51 ppm PCB's " " "<br>C 10.13 ppm PCB's " " " | 7/12 |
| 16-21-169 | 6/24 | BJS | 6/24 | Plainfield, Indiana | 32-48 | 0.71 ppm Aroclor 1254<br>NO CHLORINATED PESTICIDES DETECTED | 7/9 |
| 16-21-170 | 6/24 | BJS | 6/24 | Ladoga Indiana | 54-35 | D- 5.21 ppm PCB's as Aroclor 1254. 5.13 ppm PCB's as Aroclor 1254<br>C- 4.77 ppm PCB's as Aroclor 1254 | 7/12 |
| 16-21-171 | 6/24 | BJS | 6/24 | Ladoga Indiana | 54-34 | 0.05 ppm heptachlor epoxide<br>NO PCB'S DETECTED | 7/9 |
| 16-21-172 | 6/24 | BJS | 6/24 | Peachdale, Indiana | 67-47 | 0.09 ppm heptachlor epoxide<br>NO PCB'S DETECTED | 7/9 |
| 16-21-173 | 6/24 | BJS | 6/24 | Clinton, Indiana | 32-44 | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 7/9 |
| 16-21-174 | 6/25 | [illegible] | 6/25 | Indianapolis Indiana | 7 | 0.02 ppm hept. epox<br>0.17 ppm dieldrin<br>NO PCB'S DETECTED | 7/16 |
| 16-21-175 | 6/25 | [illegible] | 6/25 | Indianapolis, Indiana | 49-30 | 0.04 ppm hept. epox.<br>0.12 ppm dieldrin<br>NO PCB'S DETECTED | 7/16 |
| 16-21-176 | 6/25 | [illegible] | 6/25 | Bloomfield Indiana | 28-23 | 0.05 ppm hept. epox<br>0.05 ppm dieldrin<br>NO PCB'S DETECTED | 7/16 |
| 16-21-177 | 6/25 | [illegible] | 6/25 | [illegible] | 55-34 | 0.02 ppm dieldrin<br>NO PCB'S DETECTED | 7/16 |
| 16-47-321 | 7/1 | [illegible] | 7/1 | Brownsburg, Indiana | ISBH# 32-58 | D 3.80 ppm Aroclor 1254 0.11 ppm hept. epox<br>C 3.17 ppm Aroclor 1254 | 7/28 |
| 16-47-322 | 7/1 | [illegible] | 7/1 | Lizbeth, Indiana | ISBH# 6-43 | 0.06 ppm hept. epox.<br>trace dieldrin<br>NO PCB'S DETECTED | 9/2 |
| [illegible] | 7/1 | [illegible] | 7/1 | [illegible] | ISBH# | 0.12 ppm hept. epox | [illegible] |

MONS 080614

| SAMPLE NUMBER | DATE IN | ANALYST | DATE ASS'N | (3) GROWER ADDRESS | ID ISBN No. | Indiana Raw Milk RESULTS OF ANALYSIS (Special Survey for PCB's | DATE OUT |
|---|---|---|---|---|---|---|---|
| 76-67-324 | 7/1 | WED | 7/1 | [redacted] Whitestown IN | ISBN# 6-32 | Trace hept. epox. Trace dieldrin NO PCB'S DETECTED | 8/2 |
| 76-67-325 | 7/1 | WED | 7/1 | [redacted] Zionsville, IN | ISBN# 6-62 | Trace hept. epox. 0.10 ppm dieldrin NO PCB'S DETECTED | 8/2 |
| 76-67-326 | 7/1 | WED | 7/1 | [redacted] Zionsville IN | ISBN# 6-44 | 0.05 ppm hept. epox Trace Dieldrin 0.5 ppm Aroclor 1254 | 8/2 |
| 76-67-327 | 7/1 | WED | 7/1 | [redacted] Danville IN | Co. ISBN# 32-11 | C 0.23 ppm methoxychlor 0.13 ppm dieldrin C 2.75 ppm methoxychlor | 7/29 |
| 76-67-361 | 7/1 | BJS | 7/1 | [redacted] Fairland Indiana | 73-67 | 0.12 ppm heptachlor epoxide NO PCB'S DETECTED | 7/13 |
| 76-67-362 | 7/1 | BJS | 7/1 | [redacted] Fountaintown, Indiana | 73-64 | NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED | 7/1 |
| 76-67-363 | 7/1 | BJS | 7/1 | [redacted] New Palestine, Indiana | 30-6 | 0.06 ppm heptachlor epoxide NO PCB'S DETECTED | 7/1 |
| 76-67-364 | 7/1 | BJS | 7/1 | [redacted] New Palestine, Indiana | 30-7 | 0.04 ppm heptachlor epoxide NO PCB'S DETECTED | 7/1 |
| 76-67-365 | 7/1 | BJS | 7/1 | [redacted] Greenfield Indiana | 30-45 | Trace heptachlor epoxide Trace dieldrin NO PCB'S DETECTED | 7/1 |
| 76-67-366 | 7/1 | BJS | 7/1 | [redacted] Greenfield Indiana | 30-33 | 0.06 heptachlor epoxide, trace dieldrin 0.32 ppm methoxychlor NO PCB'S DETECTED | 7/1 |
| 76-67-367 | 7/1 | BJS | 7/1 | [redacted] Greenfield, Indiana | 30-1 | Trace heptachlor epoxide NO PCB'S DETECTED | 7/1 |
| 77-67-328 | 7/1 | BJS | 7/1 | [redacted] Greensburg, Indiana | 16-33 | O 0.54 ppm dieldrin 0.23 ppm hept. epox C 0.56 ppm dieldrin | 7/1 |
| 77-67-329 | 7/1 | BJS | 7/1 | [redacted] Greensburg, Indiana | 16-41 | O 0.45 ppm dieldrin 0.18 ppm hept epox C 0.36 ppm dieldrin | 7/1 |
| 77-67-330 | 7/1 | BJS | 7/1 | [redacted] Milroy, Indiana | 70-48 | O 0.32 ppm dieldrin 0.21 ppm hept. epox C 0.24 ppm dieldrin | 7/1 |
| 77-67-331 | 7/1 | BJS | 7/1 | [redacted] Milroy, Indiana | 70-23 | 0.09 ppm Hept. Epox, 0.15 ppm Dieldrin NO PCB'S DETECTED MONS 080615 | 7/1 |
| 77-67-332 | 7/1 | BJS | 7/1 | [redacted] Milroy, Indiana | 70-52 | 0.10 ppm Hept. Epox. 0.15 ppm Dieldrin NO PCB'S DETECTED | 7/1 |
| | | | | | | 0.10 ppm Hept. Epox. NO PCB'S DETECTED | 7/1 |

| SAMPLE NUMBER | DATE IN | ANALYST | DATE ASSIGNED | GROWER ADDRESS | ISDH No. | FY 77 Indiana Raw Milk (Special Surveillance for PCB's) RESULTS OF ANALYSIS | DATE OUT |
|---|---|---|---|---|---|---|---|
| 76-67-381 | 7/7 | BJS | 7/13 | [redacted] 5513 Westfield IN | 29-10 | 0.02 ppm Hept. Epox. Trace Dieldrin NO PCB'S DETECTED | 7/26 |
| 76-67-382 | 7/7 | BJS | 7/13 | [redacted] Noblesville, IN | 29-12 | Trace Heptachlor Epoxide NO PCB'S DETECTED | 7/26 |
| 76-67-383 | 7/7 | BJS | 7/13 | [redacted] Westfield IN | 29-14 | 0.06 ppm Hept. Epox. Trace Dieldrin NO PCB'S DETECTED | 7/26 |
| 76-20-646 | 7/7 | BJS | 7/13 | [redacted] Noblesville Indiana | 27-13 | 0.05 ppm Hept. Epox. 0.10 ppm Dieldrin NO PCB'S DETECTED | 7/26 |
| 76-20-647 | 7/7 | BJS | 7/13 | [redacted] Noblesville Indiana | 29-9 | 0.04 ppm Hept. Epoxide Trace Dieldrin 0.17 ppm Aroclor 1254 | 7/26 |
| 76-20-648 | 7/7 | BJS | 7/13 | [redacted] Westfield, IN | 29-19 | 0.03 ppm Hept. Epox. Trace Dieldrin NO PCB'S DETECTED | 7/26 |
| 76-20-651 | 7/7 | BJS | 7/13 | [redacted] Williams IN | 47-9 | 0.03 ppm Hept. Epox Trace Dieldrin NO PCB'S DETECTED | 7/26 |
| 76-67-388 | 7/9 | WJS | 7/13 | [redacted] Shelbyville, Indiana | 73-121 | Trace Hept. Epox Trace Dieldrin NO PCB'S DETECTED | 8/3 |
| 76-67-389 | 7/9 | WJS | 7/13 | [redacted] Carthage Indiana | 70-72 | Trace hept. epox Trace Dieldrin NO PCB'S DETECTED | 8/3 |
| 76-67-387 | 7/9 | WJS | 7/13 | [redacted] Spiceland, Indiana | 33-71 | 0.03 ppm hept. epox. 0.03 ppm dieldrin Trace Aroclor 1254 | 8/3 |
| 76-67-3711 | 7/9 | WJS | 7/13 | [redacted] New Castle Indiana | 33-16 | 0.18 ppm lindane Trace dieldrin Trace hept. epox | 8/3 |
| 76-67-372 | 7/9 | WJS | 7/13 | [redacted] New Castle, Indiana | 33-20 | Trace hept. epox Trace dieldrin NO PCB'S DETECTED | 8/3 |
| 76-67-373 | 7/7 | WJS | 7/13 | [redacted] | 33-14 | Trace hept. epox Trace dieldrin NO PCB'S DETECTED | 8/3 |
| 76-67-374 | 7/9 | WJS | 7/13 | [redacted] New Castle Indiana | 33-13 | ① 2.62 ppm Aroclor 1254 Trace hept. epox Trace Diel ② 2.11 ppm Aroclor 1254 | 8/3 |
| 76-67-375 | 7/9 | WJS | 7/13 | [redacted] Cambridge Indiana | 89-1 | 0.03 ppm hept. epox 0.04 ppm dieldrin NO PCB'S DETECTED | 8/3 |
| [illegible] | 7/11 | WJS | 7/13 | [redacted] | 29-11 | 0.02 ppm hept. epox NO PCB'S DETECTED | 8/3 |

MUNS 080616

(5)

FY 77/77 Indiana Raw Milk ink (Special Survey for PCB's)

| SAMPLE NUMBER | DATE IN | ANALYST | DATE ASS | GROWER ADDRESS | ISBA No | RESULTS OF ANALYSIS | DATE OU |
|---|---|---|---|---|---|---|---|
| 77-19-699 | 7/13 | WMR | 7/15 | Brazil Indiana | 11-6 | 0.03 ppm hept. epox 0.06 ppm dieldrin NO PCB'S DETECTED | 8/6 |
| 77-20-650 | 7/13 | WMR | 7/15 | Danville, Indiana | 32-22 | 0.02 ppm hept. epox. 0.03 ppm dieldrin NO PCB'S DETECTED | 8/6 |
| 77-20-652 | 7/13 | WMR | 7/15 | Danville, Indiana | 32-30 | 0.02 ppm hept. epox 0.06 ppm dieldrin NO PCB'S DETECTED | 8/6 |
| 77-20-653 | 7/13 | WMR | 7/15 | Danville Indiana | 32-29 | 0.02 ppm hept. epox. 0.03 ppm dieldrin NO PCB'S DETECTED | 8/6 |
| 77-20-654 | 7/13 | WMR | 7/15 | Ladoga Indiana | 54-1 | 0.07 ppm heptachlor epoxide 0.10 ppm dieldrin NO PCB'S DETECTED | 8/6 |
| 77-20-655 | 7/13 | [illegible] | 7/13 | Ladoga, Indiana | 54-30 | 0.09 ppm hept. epox, 0.09 ppm dieldrin. 1.30 ppm Aroclor 1254 | 8/17 |
| 77-20-656 | 7/13 | [illegible] | 7/13 | Jamestown, Indiana | 6-14 | NO CHLORINATED PESTICIDES DETECTED NO ORGANOPHOSPHATE PESTICIDES DETECTED NO PCB'S DETECTED | 8/18 |
| 77-20-657 | 7/13 | [illegible] | 7/13 | Pittsboro, Indiana | 32-93 | 0.07 ppm hept. epox NO PCB'S DETECTED NO ORGANOPHOSPHATE PESTICIDES DETECTED | 8/18 |
| 77-20-658 | 7/13 | [illegible] | 7/13 | Brazil, Indiana | 11-19 | 0.04 ppm hept epox NO PCB'S DETECTED NO ORGANOPHOSPHATE PESTICIDES DETECTED | 8/18 |
| 77-20-659 | 7/13 | [illegible] | 7/13 | Brazil, Indiana | 11-3 | NO CHLORINATED PESTICIDES DETECTED NO ORGANOPHOSPHATE PESTICIDES DETECTED NO PCB'S DETECTED | 8/18 |
| 77-20-660 | 7/13 | [illegible] | 7/13 | Brazil Indiana | 84-1 | 0.05 ppm hept. epox. NO ORGANOPHOSPHATE PESTICIDES DETECTED NO PCB'S DETECTED | 8/1 |
| 77-67-241 | 7/13 | [illegible] | [illegible] | Greensburg, Indiana | 16-31 | 0.08 ppm hept. epox, trace dieldrin NO PCB'S DETECTED | 8/1 |
| 77-67-242 | 7/13 | BJS | 7/21 | Greensburg, Indiana | 16-37 | 0-0.34 ppm dieldrin, 0.07 hept. epox, 0.56 Aroclor 1254 C-0.28 ppm dieldrin | 9/1 |
| 77-67-243 | 7/13 | BJS | 7/21 | Greensburg, Indiana | 16-38 | Trace hept. epox trace methoxychlor Trace dieldrin NO PCB'S DETECTED | 8/[illegible] |
| 77-67-261 | 7/13 | BJS | 7/21 | Greencastle, Indiana | 67-4 | Trace hept. epox 0.34 ppm methoxychlor Trace dieldrin NO PCB'S DETECTED | 8/[illegible] |
| 77-67-262 | 7/13 | BJS | 7/21 | Brazil Indiana | 84-5 | Trace hept. epox 1.37 ppm Aroclor 1254. Trace dieldrin | 8/[illegible] |
| [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | Trace hept. epox NO PCB'S DETECTED | 8/[illegible] |

MONS 080617

FY 76/77
Indiana Rest Mill
(Special Survey for PCB's)

| SAMPLE NUMBER | DATE IN | ANALYST | DATE ASSIGNED | GROWER ADDRESS (6) | ISBN No. | RESULTS OF ANALYSIS | DATE OUT |
|---|---|---|---|---|---|---|---|
| 77-67-264 | 7/13 | BJS | 7/21 | Brazil Indiana | 11-37 | 0.03 ppm hept. epox Trace dieldrin NO PCB'S DETECTED | 8/3 |
| 77-67-266 | 7/13 | BJS | 7/21 | Ziansville Indiana | 6-50 | O 15.59 ppm Aroclor 1254 C 10.9 ppm Aroclor 1254 | 8/3 |
| 77-67-281 | 7/13 | MEL | 7/28 | Rogersville Indiana | 41-54 | 0.04 ppm hept. epox, trace dieldrin NO PCB'S DETECTED | 8/17 |
| 77-67-283 | 7/13 | BJS | 8/2 | Franklin Indiana | 41-49 | 0.02 ppm a-BHC, 0.03 ppm hept. epox, Trace dieldrin NO PCB'S DETECTED | 8/15 |
| 77-67-283 | 7/13 | BJS | 7/28 | Morgantown Indiana | 41-65 | NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED | 8/17 |
| 77-67-284 | 7/13 | BJS | 7/28 | Trafalgar Indiana | 41-42 | Trace heptachlor epoxide NO PCB'S DETECTED | 8/17 |
| 77-67-285 | 7/13 | BJS | 7/28 | Trafalgar, Indiana | 41-55 | Trace heptachlor epoxide NO PCB'S DETECTED | 8/17 |
| 77-67-334 | 7/13 | MEL | 7/28 | Elwood Indiana | 49-35 | Trace heptachlor epoxide NO PCB'S DETECTED | 8/17 |
| 77-67-335 | 7/13 | MEL | 7/28 | Mooresville Indiana | 55-7 | 0.03 ppm hept epox NO PCB'S DETECTED | 8/17 |
| 77-67-336 | 7/13 | MEL | 7/28 | Mooresville Indiana | 55-20 | 0.08 ppm hept. epox, 0.04 ppm trans nonachlor trace dieldrin trace Aroclor 1254 | 8/17 |
| 77-67-337 | 7/13 | MEL | 7/28 | Mooresville Indiana | 55-19 | Sub #5 A - 0.03 ppm heptachlor epoxide Sub #5 B - 0.03 ppm hept epox trace dieldrin trace Aroclor 1254 | 8/17 |
| 77-67-338 | 7/13 | BJS | 7/28 | Martinsville Indiana | 55-22 | 0.02 ppm a-BHC, 0.03 ppm hept. epox, trace dieldrin NO PCB'S DETECTED | 8/17 |
| 77-67-339 | 7/13 | BJS | 7/28 | Martinsville, Indiana | 55-13 | O 4.00 ppm Aroclor 1254 C 4.20 ppm Aroclor 1254 MONS 080618 | 8/25 |
| 77-67-340 | 7/13 | BJS | 7/28 | Martinville Indiana | 55-23 | 0.01 ppm a-BHC, 0.03 ppm hept epox., trace dieldrin NO PCB'S DETECTED | 8/17 |
| 77-67-377 | 7/13 | BJS | 8/3 | Milroy Indiana | 70-9 | Trace Hept. Epox Trace dieldrin NO PCB'S DETECTED. | 8/18 |
| | 7/ | | | | | 0.13 ppm hept. epox(4) | |

(1)

FY 77 [redacted] Indiana Pow Mill (Special Survey for PCB's)

| SAMPLE NUMBER | DATE IN | ANALYST | DATE ASS'ND | GROWER ADDRESS | ISBN No | RESULTS OF ANALYSIS | DATE OUT |
|---|---|---|---|---|---|---|---|
| 77-67-379 | 7/13 | MEL | 7/28 | [redacted] Greensburg, Indiana | 633 16-40 | | 8/18 |
| 77-67-385 | 7/13 | BJS | 8/3 | [redacted] Greensburg, Indiana | 634 16-39 | 0.10 ppm dieldrin<br>0.05 ppm hept. epox<br>NO PCB'S DETECTED | 8/18 |
| [redacted] | | | | | | | |
| 75-20-647 | 7/7 | BJS | 7/7 | [redacted] Noblesville, Indiana | 635 29-23 | 0.06 ppm Hept. Epox.<br>0.09 ppm Dieldrin<br>NO PCB'S DETECTED | 7/26 |
| SILAGE 77-67-265 | 7/13 | WMR | 7/22 | [redacted] Brazil, Indiana | 636 84-5 | 5.78 ppm Aroclor 1254<br>1.26 ppm Aroclor 1254<br>(SILAGE SCRAPING) | 7/30 |
| 77-67-386 | 8/3 | WED | 8/23 | [redacted] Danville, Indiana | 32-11 | 0.84 ppm methoxychlor trace hept. epox.<br>0.09 ppm dieldrin trace pp' DDE | 9/10 |

MONS 080619

FY - 77
NON - SURVEY SPLS

| SAMPLE NUMBER | DATE IN | ANALYST | DATE ASS'NE | PRODUCT | GROWER ADDRESS | RESULTS OF ANALYSIS | DATE OUT |
|---|---|---|---|---|---|---|---|
| ✓ | 8/ | M | 8/ | [illegible] | [illegible] Sturgis, MI | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 8/ |
| ✓ | [illegible] | [illegible] | 8/ | [illegible] | [illegible] Sturgis, MI | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 8/ |
| ✓ | [illegible] | [illegible] | 8/ | [illegible] | [illegible] Sturgis, MI | NO CHLORINATED PESTICIDES DETECTED<br>NO ORGANOPHOSPHATE PESTICIDES DETECTED<br>NO PCB'S DETECTED | 8/ |
| 76-21-306 | 5/6 | DJB | 5/6 | Hay | Kenneth Hawkins<br>Springville, IN | 0.30 ppm PCB as. Aroclor 1016 (348) | 9/1 |
| 76-21-307 | 5/6 | DJB | 5/6 | Soil + Roots - Sub 1<br>Grass + Hay - Sub 2 | " | Sub 1 - 6.00 ppm Aroclor 1242 (357)<br>Sub 2 - 0.43 ppm PCBs. Aroclor 1016 (348) | 9/1 |
| [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] Battle Creek, MI | [illegible] | 9/14 |

MONS 080620