




COMPARISON CHART FOR PACKING AND GASKET MATERIALS



This Garlock Comparison Chart has been designed to allow quick conversion from any major packing manufacturer to the appropriate Garlock style number.

The index below will tell you on which page to find the packing manufacturer. On that page, the style numbers are in numerical order.

We have used Garlock trade names and descriptions for all the products. They, of course, apply only to the Garlock style numbers shown in the right-hand columns.

Packing Company	Page No.
Anchor	1
Belmont Pkg & Rubber	3
Chesterton	7
Collins	8
John Crane	10
Greene - Tweed	12
Hercules	14
Johns - Manville	16
Raybestos - Manhattan	17
Southeastern Products	19

ANCHOR	DESCRIPTION	GARLOCK
25-B-1	Rubber — 40 duro	1
25-B-1	Rubber — 50 duro	152
25-B-4 & 25-B-6	Rubber — 60 duro	91
30-N-27	Neoprene — 50 duro	8312
30-N-27	Neoprene — 60 duro	7986
30-N-30	Neoprene — 70 duro	8639
30-N-31	Neoprene — 80 duro	7797
35-H-8	Buna N — 50 duro	8892
35-H-8 & 35-H-9	Buna N — 60 duro	9122
100	Cross Expansion-duck & rubber-ring	711
103	Braided asbestos-hot oil-ring	176
105 & 110	High pressure asbestos-ring-rubber back	150
105 & 112	High pressure asbestos-ring-rubber core	144
117	Square plaited asbestos-ring	234
117-W	Square plaited wire inserted asbestos-ring	244
118	Braided asbestos-square-ring	233
123 & 178	Hollow center duck-ring	366
125-127 & 135	Low pressure duck & rubber-ring	333
125-H	Low pressure duck & rubber-ring	333
126 & 128	Low pressure duck & rubber-ring	333
130	Low pressure duck & rubber-ring	333
140	Fine white hydraulic-ring-regular cure-spiral	261
140	Fine white hydraulic-ring-regular cure-solid	260
140-RH	Fine white hydraulic ring-rock hard-spiral cut	261-RH
140-RH	Fine white hydraulic ring-rock hard-solid	260-RH
150	Waterproof hydraulic flax-ring-hard	90
189	Braided cotton-graphited-ring	66
195	High pressure Diagonal-ring	87
199	Braided copper-ring	344
200	Cross expansion-duck & rubber-spiral	711
205 & 210	High pressure asbestos-spiral-rubber back	150
205 & 212	High pressure asbestos-spiral-rubber core	144
223 & 278	Hollow center duck - spiral	366
225-227 & 235	Low pressure duck & rubber - spiral	333
295	High pressure diagonal - spiral	87
300	Cross expansion - duck & rubber - coil	711
303	Braided asbestos - hot oil - coil	176
305 & 310	High pressure asbestos - coil - rubber back	150
305 & 312	High pressure asbestos - coil - rubber coil	144
314	Twisted asbestos - valve stem	117-T
315	Round braid high temperature-valve stem	17
316	Round braid cabcock	1700

ANCHOR	DESCRIPTION	GARLOCK
317	Square plaited asbestos-coil	234
317-W	Square plaited wire inserted asbestos-coil	244
318	Braided asbestos-square-coil	233
319	Round braid asbestos-valve stem	117-B
323 & 378	Hollow center duck - coil	366
325-327 & 335	Low pressure duck & rubber - coil	333
337	White hydraulic - heavy duck	33 Spec.
340	Fine white hydraulic - coil-regular cure	262
340-RH	Fine white hydraulic-coil-rock hard	262-RH
350	Waterproof hydraulic flax-coil-hard	90
362	Ramie-regular lubrication	5788
363	Ramie - W.P.H. Lubrication	5781
380	"Line Flax"	16
381	"Pure Flax"	31
383	Jute	35
389	Braided cotton-graphited-coil	66
395	High pressure diagonal-coil	87
399	Braided copper-coil	344
402 & 403	Vegetable fibre	681
405	Wire inserted-woven asbestos-white	605
406	Wire inserted-woven asbestos-red & black	625
410	Black rubber	353
415 & 435	Red rubber-standard	7125
416	Red rubber-wire inserted	24
421 & 423	Cloth inserted rubber	159
424	Compressed asbestos (SBR)	7021
425 & 484-A	Compressed asbestos-Navy Grade	7735
433 & 434	Diaphragm-rubber	619
450	Compressed asbestos (Neoprene)	7228
451 & Target	Compressed asbestos (Buna N)	8748
475	Red rubber - premium	22
801	Shredded lead - coil	982
801	Shredded lead - ring	962
806	Plastic-Monel inserted asbestos jacket	5855
808-AL	Plastic with metal - steam to 550 deg. F.	926
808-C	Plastic-no metal-steam & oil to 700 deg. F.	930
809	Plastic-inconel inserted asbestos jacket	127
811	Twisted lead foil - spiral	632
811	Twisted lead foil - ring	632
820	Plastic with metal-gasoline & oil to 500 deg. F.	927
820 NJ	Plastic dry graphitized - to 750 deg. F.	908
851	Twisted lead foil-asbestos core-spiral	631

ANCHOR	DESCRIPTION	GARLOCK
851	Twisted lead foil-asbestos core-ring	631
862 & 863	Twisted aluminum foil-asbestos core-spiral	633
862 & 863	Twisted aluminum foil-asbestos core-ring	633
888	Square plaited blue asbestos	230
900-AR & 915-AN	CHEVRON asbestos & nitrile	532
900-DR & 915-DN	CHEVRON - duck & nitrile	432
1109	Square plaited blue asbestos & TFE	5298
1121	LATTICE BRAID TFE-TFE impregnated	5888
1122	LATTICE BRAID TFE-TFE impregnated-lubricated	5889
1160	LATTICE BRAID TFE ribbon	5733
1161	LATTICE BRAID blue asbestos & TFE	5880
1162	LATTICE BRAID white asbestos & TFE	5861
1300	LATTICE BRAID asbestos-soft lubrication	733
1302	LATTICE BRAID asbestos-gasoline resistant	734
1304	LATTICE BRAID asbestos-heavy lubrication	730
1309	LATTICE BRAID blue asbestos-acid resistant	736
1314	LATTICE BRAID wire inserted asbestos & armored corners	732
1316	LATTICE BRAID wire inserted asbestos	735
1320	LATTICE BRAID flax-regular lubrication	740
1324	LATTICE BRAID flax-W.P.H. lubrication	745
1330	LATTICE BRAID cotton	751
1342	Graphite filament packing	GARFITE 100
1404	Tan pure gum - 35 duro	6023
4250	Compressed blue asbestos	7705
5700	Diaphragm-neoprene & nylon	8798
5717	Diaphragm-neoprene	7992

BELMONT	DESCRIPTION	GARLOCK
15-C	Fine White Hydraulic Coil regular cure	262
15-R	Fine White hydraulic ring-regular cure-spiral cut	261
15-R	Fine white hydraulic-ring-regular cure-solid	260
25-C	Fine white hydraulic-coil-rock hard	262-RH
25-R	Fine white hydraulic-ring-rock hard-spiral cut	261-RH
25-R	Fine white hydraulic ring-rock hard-solid	260-RH
30-C	High pressure asbestos-coil-rubber back	150
30-S	High pressure asbestos-spiral-rubber back	150
30-R	High pressure asbestos-ring-rubber back	150
47-C	High pressure asbestos-coil-rubber coil	144
47-S	High pressure asbestos-spiral rubber core	144
47-R	High pressure asbestos-ring-rubber core	144
102-C	Low pressure duck & rubber coil	333
102-S	Low pressure duck & rubber spiral	333

BELMONT	DESCRIPTION	GARLOCK
102-R	Low pressure duck & rubber ring	333
102-R	Low pressure duck & rubber ring	333
102-R	Low pressure duck & rubber ring	333
102-R	Low pressure duck & rubber ring	333
102-R	Low pressure duck & rubber ring	333
161-C	Braided copper-coil	344
161-R	Braided Copper-ring	344
188	Braided asbestos-hot oil-spiral	176
189-C	Braided asbestos-hot oil-coil	176
189-R	Braided asbestos-hot oil-ring	176
203-C	High pressure diagonal-coil	87
203-S	High pressure diagonal-spiral	87
203R	High pressure diagonal-ring	87
225-GF	Graphite Filament packing	GARFITE 100
303-C	Waterproof hydraulic flax-coil-hard	90
303-R	Waterproof hydraulic flax-ring-hard	90
304-C	Waterproof hydraulic flax-coil-soft	90-S
304-R	Waterproof hydraulic flax-ring-soft	90-S
305-C	Waterproof hydraulic flax-coil - very soft	90-VS
305-R	Waterproof hydraulic flax-ring-very soft	90-VS
319-C	Hollow center duck-coil	366
319-S	Hollow center duck-spiral	366
319-R	Hollow center duck-ring	366
401	"Line Flax"	26
404	"Pure Flax"	31
406	Jute	35
552-C	Braided cotton-graphited-coil	66
552-R	Braided cotton-graphited - ring	66
571	Compressed asbestos (SBR)	7021
584	Compressed asbestos (Neoprene)	7228
585	Compressed asbestos (Buna N)	8748
595	Compressed asbestos-Navy grade	7735
601	Red rubber-standard	7125
602	Black rubber	353
603	Wire inserted-woven asbestos-white	605
604	Red rubber-premium	22
605	Red rubber-wire inserted	24
610	Round braid asbestos-valve stem	117-B
610-C	Round braid asbestos-coil	243
610-R	Round braid asbestos-ring	243
611	Wire inserted-woven asbestos-red & black	625
612	Cloth inserted rubber	159

BELMONT	DESCRIPTION	GARLOCK
618	Diaphragm-rubber	619
650	Vegetable fibre	681
657	Diaphragm-neoprene	7992
667	Diaphragm-neoprene	7430
668	Diaphragm-rubber	7543
677	Diaphragm-neoprene & nylon	8798
717	Round braid cabcock	1700
740	Twisted asbestos-valve stem	117-T
745-C	Braided asbestos-square-coil	233
745-R	Braided asbestos-square-ring	233
754-PC	Square plaited asbestos-coil	234
754-PR	Square plaited asbestos-ring	234
754-WC	Square plaited wire inserted asbestos-coil	244
754-WR	Square plaited wire inserted asbestos-ring	244
764	Square plaited asbestos-Moly lubricated	231
952	CHEVRON - ALL homogeneous nitrile	8452
956	CHEVRON - duck & butyl	433
958	CHEVRON - duck & nitrile	432
959	CHEVRON - duck & rubber (foods)	8051
960	CHEVRON - rubber & asbestos fiber	7815
962	CHEVRON - asbestos & nitrile	532
1000-C	Cross expansion-duck & rubber-coil	711
1000-S	Cross expansion-duck & rubber-spiral	711
1000-R	Cross expansion-duck & rubber-ring	711
1101-4	Neoprene-40 duro	7491
1101-5	Neoprene-50 duro	8312
1101-6	Neoprene - 60 duro	7986
1101-7	Neoprene-70 duro	8639
1101-8	Neoprene-80 duro	7797
1120	Ramie-regular lubrication	5788
1125	Ramie-W.P.H. Lubrication	5781
1201-4	Buna N-40 duro	9513
1201-5	Buna N-50 duro	8892
1201-6	Buna N-60 duro	9122
1300	Silicone Sponge	9383
1301-5	Silicone-50 duro	9536
1301-7	Silicone-70 duro	9297
1301-8	Silicone-80 duro	9294
1400	Compressed asbestos (SBR)	7819
1510	LATTICE BRAID asbestos-heavy lubrication	730
1511	LATTICE BRAID asbestos-controlled lubrication	731
1512	LATTICE BRAID asbestos-soft lubrication	733

BELMONT	DESCRIPTION	GARLOCK
1513	LATTICE BRAID asbestos-gasoline resistant	734
1514	LATTICE BRAID blue asbestos-acid resistant	736
1515	LATTICE BRAID wire inserted asbestos & armored corners	732
1516	LATTICE BRAID wire inserted asbestos	735
1517	LATTICE BRAID flax-regular lubrication	740
1518	LATTICE BRAID flax-W.P.H. lubrication	745
1519	LATTICE BRAID cotton	751
1520	LATTICE BRAID asbestos-ungraphitized	737
2003-C	Shredded lead - coil	982
2003-R	Shredded lead-ring	962
2056-C	Shredded lead-cotton jacket-coil	981
2056-R	Shredded lead-cotton jacket-ring	981
2080	Twisted lead foil-asbestos core-spiral	631
2080-R	Twisted lead foil-asbestos core-ring	631
2081-S	Twisted lead foil-spiral	632
2081-R	Twisted lead foil-ring	632
2085-S	Twisted aluminum foil-asbestos core-spiral	633
2085-R	Twisted aluminum foil-asbestos core-ring	633
2090-S	Twisted copper foil-asbestos core-spiral	635
2090-R	Twisted copper foil-asbestos core-ring	635
3040	LATTICE BRAID - asbestos & TFE lubricated	5862
3055	LATTICE BRAID - TFE Ribbon	5733
3060	TFE Plastic	9166
3063	LATTICE BRAID blue asbestos & TFE	5881
3064	Square plaited blue asbestos & TFE	5298
3065	LATTICE BRAID blue asbestos & TFE	5880
3066	LATTICE BRAID blue asbestos & TFE	5780
3070	LATTICE BRAID white asbestos & TFE	5861
3071	Braided white asbestos & TFE Square	5502
3076	LATTICE BRAID white asbestos & TFE	5875
3085	LATTICE BRAID TFE-TFE impregnated	5888
3090	LATTICE BRAID TFE-TFE impregnated-lubricated	5889
4000	Plastic-with metal-steam to 500 deg. F.	926
4003	Plastic-blue asbestos-acid service	924
4005	Plastic with metal-gasoline & oil to 500 deg. F.	927
4010	Plastic with metal-steam & oil to 700 deg. F.	928
4020	Plastic-no metal-steam & oil to 700 deg. F.	930
4030	Plastic-dry graphitized-to 750 deg. F.	908
4035	Plastic-dry graphitized-to 550 deg. F.	909
4040	Plastic-monel inserted asbestos jacket	5855
4041	Plastic-inconel inserted asbestos jacket	127
6106	Square plaited gasoline packing	237

BELMONT	DESCRIPTION	GARLOCK
6504	Square plaited blue asbestos	230
6575	Black hydraulic-medium duck	33 reg.
6576	White hydraulic-heavy duck	33 spec.
6731	Square plaited asbestos & lead	644
6734	Felted blue asbestos	8554
6735	Compressed blue asbestos	7705

CHESTERTON	DESCRIPTION	GARLOCK
55	Low pressure duck & rubber - coil	333
55	Low pressure duck & rubber - spiral	333
60	Low pressure duck & rubber - ring	333
62	Low pressure duck & rubber - ring	333
80	"Line Flax"	26
82	"Pure Flax"	31
84	Jute	35
85	Waterproof hydraulic flax-coil-hard	90
90	Fine white hydraulic-coil-regular cure	262
92	Fine white hydraulic-coil-rock hard	262-RH
93	Fine white hydraulic-ring-regular cure	261
94	Fine white hydraulic-ring-rock hard-spiral cut	261-RH
95	Fine white hydraulic-ring-regular cure-solid	260
98	Fine white hydraulic-ring-rock hard-solid	260-RH
100	Red rubber-standard	7125
119	Cloth inserted rubber	159
120	Diaphragm-rubber	619
140	Vegetable fibre	681
211 & 235	Compressed asbestos-navy grade	7735
230	Wire inserted-woven asbestos-red & black	625
240	Wire inserted-woven asbestos-white	605
260	Compressed blue asbestos	7705
270	Compressed asbestos (neoprene)	7228
310	Round braid asbestos-coil	243
312	Square plaited wire inserted asbestos-coil	244
312	Square plaited wire inserted asbestos-ring	244
315	Square plaited asbestos-moly lubricated	231
320	Square plaited blue asbestos & TFE	5298
324	LATTICE BRAID TFE-TFE Impregnated	5888
340	Square plaited gasoline packing	237
350	High pressure asbestos-spiral-rubber back	150
350	High pressure asbestos-ring-rubber back	150
375	Graphite filament packing	GARFITE 100
420	Braided copper - coil	344

CHESTERTON	DESCRIPTION	GARLOCK
500	Twisted asbestos-valve stem	117-T
510	Round braid asbestos - valve stem	117-B
550	Plastic-with metal-steam to 550 deg. F.	926
555	Twisted lead foil-asbestos core-spiral	631
600-PE	CHEVRON - duck & butyl	433
600-S & 600-HO	CHEVRON - asbestos & nitrile	532
600-W & 600-CO	CHEVRON - duck & nitrile	432
666	Twisted aluminum foil-asbestos core-spiral	633
5010	Round braid high temperature-valve stem	17

COLLINS	DESCRIPTION	GARLOCK
16	Fine white hydraulic-coil-regular cure	262
17	Fine white hydraulic-coil-rock hard	262-RH
47-G	Square plaited gasoline packing	237
150	Waterproof hydraulic flax-ring-hard	90
155	Waterproof hydraulic flax-coil-hard	90
160	Fine white hydraulic-ring-regular cure-solid	260
162	Fine white hydraulic-ring-rock hard-solid	260-RH
163	Fine white hydraulic-ring-regular cure-spiral cut	261
190 & 194	Low pressure duck & rubber - ring	333
190 & 194	Low pressure duck & rubber - ring	333
192 & 196	Low pressure duck & rubber - ring	333
197 & 1102	Low pressure duck & rubber - coil	333
197 & 1102	Low pressure duck & rubber - spiral	333
198	Low pressure duck & rubber - ring	333
199	Low pressure duck & rubber - ring	333
522	CHEVRON - duck & butyl	432
540-SB	Square plaited blue asbestos & TFE	5298
540-SW	Square plaited white asbestos & TFE	5894
561	LATTICE BRAID TFE ribbon	5733
902	Red rubber - premium	22
902-1/2	Red rubber - wire inserted	24
906	Cloth inserted rubber	159
911	Diaphragm - rubber	619
915	Black rubber	353
918	Compressed asbestos (SBR)	7021
920	Compressed asbestos - Navy grade	7735
933	Vegetable fibre	681
952	Red rubber - standard	7125
1137	Braided asbestos-square-ring	233
1138	Braided asbestos-square-coil	233
1140	Round braid asbestos-ring	243

COLLINS	DESCRIPTION	GARLOCK
1141	Round braid asbestos-coil	243
1142	Round braid asbestos-valve stem	117-B
1143	Twisted asbestos-valve stem	117-T
1146	Square plaited asbestos-ring	234
1147	Square plaited asbestos-coil	234
1148	Square plaited wire inserted asbestos-ring	244
1149	Square plaited wire inserted asbestos-coil	244
1152	LATTICE BRAID asbestos-soft lubrication	733
1153	LATTICE BRAID wire inserted asbestos	735
1154	LATTICE BRAID wire inserted asbestos & armored corners	732
1156	LATTICE BRAID asbestos-gasoline resistant	734
1157	LATTICE BRAID blue asbestos-acid resistant	736
1158	LATTICE BRAID asbestos-heavy lubrication	730
1159	LATTICE BRAID asbestos-controlled lubrication	731
1160	Braided cotton-graphited-ring	66
1161	Braided cotton-graphited-coil	66
1162	LATTICE BRAID cotton	751
1200	High pressure diagonal-coil	87
1203	High pressure diagonal-spiral	87
1205	High pressure diagonal-ring	87
1220, 1233 & 1235	CHEVRON - duck & nitrile	432
1228	Square plaited blue asbestos	230
1232 & 1237	CHEVRON - asbestos & nitrile	532
1240	Cross expansion - duck & rubber - ring	711
1241	Cross expansion-duck & rubber - spiral	711
1242	Cross expansion - duck & rubber - coil	711
1250	High pressure asbestos - ring - rubber back	150
1251	High pressure asbestos - coil - rubber back	150
1252	High pressure asbestos - spiral - rubber back	150
1286	Hollow center duck - ring	366
1287	Hollow center duck - - spiral	366
1288	Hollow center duck - coil	366
1300	High pressure asbestos - ring - rubber core	144
1303	High pressure asbestos - spiral - rubber core	144
1304	High pressure asbestos - coil - rubber coil	144
1312	Round braid high temperature - valve stem	17
1405	"Line Flax"	26
1409	"Pure Flax"	31
1413	Jute	35
1416	LATTICE BRAID flax - regular lubrication	740
1417	LATTICE BRAID flax - W.P.H. Lubrication	745
1442	Round braid cabcock	1700

COLLINS	DESCRIPTION	GARLOCK
1468	Braided copper - ring	344
1469	Braided copper - coil	344
1641	Braided asbestos - hot oil - coil	176
1642	Braided asbestos - hot oil - ring	176
1644	Square plaited asbestos & lead	644
1964	Plastic - monel inserted asbestos jacket	5855
1965	Plastic - inconel inserted asbestos jacket	127
1970	Plastic - with metal - steam to 550 deg. F.	926
1972	Plastic-with metal-gasoline & oil to 550 deg. F.	927
1974	Plastic - dry graphitized - to 750 deg. F.	908
3004	Compressed asbestos (Neoprene)	7228
3025	Neoprene - 40 duro	7491
3025	Neoprene - 50 duro	8312
3025	Neoprene - 60 duro	7986
3025	Neoprene - 70 duro	8639
3025	Neoprene - 80 duro	7797
3030-C	Shredded lead - coil	982
3030-R	Shredded lead - ring	962
3035	Diaphragm-neoprene	7992
5400	Square plaited asbestos-moly lubricated	231
5716	Cork & fibre	660
7141	Diaphragm-rubber	7543
7150	Diaphragm-neoprene & nylon	8798
7552	Twisted copper foil-asbestos core-spiral	635
7554	Twisted lead foil-asbestos core-spiral	7554
7555	Twisted lead foil-spiral	632
7558	Twisted aluminum foil-asbestos core-spiral	633

JOHN CRANE	DESCRIPTION	GARLOCK
6-AM & 187	Plastic-monel inserted asbestos jacket	5855
100-AL	Twisted aluminum foil - asbestos core - spiral	633
100-CU	Twisted copper foil - asbestos core - spiral	635
100-M	Twisted lead foil - spiral	632
101-AL	Twisted aluminum foil - asbestos core - ring	633
101-CU	Twisted copper foil - asbestos core - ring	635
101-M	Twisted lead foil - ring	632
177-AL & 187-1	Plastic - inconel inserted asbestos jacket	127
222	Wire inserted - woven asbestos - red & black	625
333	Compressed asbestos (SBR)	7021
444	Vegetable fibre	681
550	Braided copper - coil	344
551	Braided copper - ring	344

JOHN CRANE	DESCRIPTION	GARLOCK
555	Red rubber - standard	7125
555	Red rubber - premium	22
666	Red rubber - wire inserted	24
704	LATTICE BRAID TFE Ribbon	5733
777	Wire inserted - woven asbestos - red & black	159
800	High pressure asbestos - spiral - rubber back	150
801	High pressure asbestos - ring - rubber back	150
802	High pressure asbestos - spiral - rubber core	144
803	High pressure asbestos - ring - rubber core	144
804	Braided asbestos - square - coil	233
804-D	Braided asbestos-hot oil - coil	176
810	Square plaited asbestos - coil	234
810-W	Square plaited wire inserted asbestos - coil	244
811	Square plaited asbestos - ring	234
811-W	Square plaited wire inserted asbestos - ring	244
812 & 896	Square plaited blue asbestos	230
814	Twisted asbestos-valve stem	117-T
815	Round Braid asbestos-valve stem	117-B
816	Round braid cabcock	1700
820 & 821	CHEVRON - duck & nitrile	432
823 & 824	CHEVRON - asbestos and nitrile	532
832	Low pressure duck & rubber - coil	333
832	Low pressure duck & rubber - spiral	333
833	Low pressure duck & rubber - ring	333
833	Low pressure duck & rubber - ring	833
834	Low pressure duck & rubber - ring	333
835	Cross expansion - duck & rubber - spiral	711
836	Cross expansion - duck & rubber - ring	711
843	Fine white hydraulic - coil - regular cure	262
844	Fine white hydraulic - ring - regular cure	261
845	Fine white hydraulic - coil - rock hard	262-RH
846	Fine white hydraulic - ring - rock hard - spiral cut	261-RH
861	Waterproof hydraulic flax - coil - hard	90
862	"Line Flax"	26
863	"Pure Flax"	31
865	Jute	35
888	Compressed asbestos (Buna N)	8748
997	Diaphragm - rubber	619
998	Diaphragm - neoprene	7992
999	Neoprene - 40 duro	7491
999	Neoprene - 50 duro	8312
999	Neoprene - 60 duro	7986

JOHN CRANE	DESCRIPTION	GARLOCK
999	Neoprene - 70 duro	8639
999	Neoprene - 80 duro	7797
1625-GF	Graphite filament packing	GARFITE 100
1810	Square plaited gasoline packing	237
2150	Compressed asbestos - Navy grade	7735
C-98	Square plaited blue asbestos & TFE	5298
SS # 1 & # 3	Plastic-dry graphitized to 500 deg. F.	909
SS # 2	Plastic-dry graphitized to 750 deg. F.	908
SS # 5	Plastic - blue asbestos - acid service	924

GREENE, TWEED	DESCRIPTION	GARLOCK
1000 & 1200	Braided Asbestos - square - coil	233
1001 & 1201	Braided Asbestos - square - ring	233
1007	LATTICE BRAID Asbestos - controlled lubrication	731
1010	Twisted Asbestos - valve stem	117-T
1020	Round Braid Asbestos - valve stem	117-B
1020	Round Braid Asbestos - coil	243
1021	Round Braid Asbestos - ring	243
1030	Square Plaited Asbestos - coil	234
1031	Square Plaited Asbestos - ring	234
1040	Square Plaited Wire Inserted Asbestos - coil	244
1041	Square Plaited Wire Inserted Asbestos - ring	244
1107	LATTICE BRAID Asbestos - gasoline resistant	734
1130	Braided Asbestos - hot oil - coil	176
1131	Braided Asbestos - hot oil - ring	176
1207	LATTICE BRAID Asbestos - soft lubrication	733
1300	Square plaited blue asbestos	230
1307	LATTICE BRAID blue asbestos - acid resistant	736
1335	Square Plaited blue asbestos & TFE	5298
1337	LATTICE BRAID blue asbestos & TFE	5880
1345	Braided White Asbestos & TFE - square	5502
1347	LATTICE BRAID White Asbestos & TFE	5861
1500	Plastic - with metal - Steam to 550 deg. F.	926
1600	"Line Flax"	26
1605	"Pure Flax"	31
1607	LATTICE BRAID Flax - regular lubrication	740
1610	Waterproof Hydraulic Flax - Coil - Hard	90
1611	Waterproof Hydraulic Flax - Ring - Hard	90
1617	LATTICE BRAID Flax - W.P.H. Lubrication	745
1801	Braided Cotton - Graphited - Ring	66
1807	LATTICE BRAID Cotton	751
2100	Fine White Hydraulic - Coil - Regular Cure	262

GREENE, TWEED	DESCRIPTION	GARLOCK
2101	Fine White Hydraulic - ring - Regular Cure - Spiral Cut	261
2110	Fine White Hydraulic - coil - Rock Hard	262-RH
2111	Fine White Hydraulic - Ring - Rock Hard - Spiral Cut	261-RH
2120	Cross Expansion - Duck & Rubber - Spiral	711
2121	Cross Expansion - Duck & Rubber - Ring	711
2125	Low Pressure Duck & Rubber - Coil	333
2125	Low Pressure Duck & Rubber - Spiral	333
2126	Low Pressure Duck & Rubber - Ring	333
2126	Low Pressure Duck & Rubber - Ring	333
2203	High Pressure Asbestos - Spiral - Rubber Core	144
2204	High Pressure Asbestos - Ring - Rubber Core	144
2205	High Pressure Asbestos - Spiral - Rubber Back	150
2206	High Pressure Asbestos - Coil - Rubber Back	150
2207	High Pressure Asbestos - Ring - Rubber Back	150
2400	Round Braid Cabcock	1700
2401, 2501, 2400, 2500 & 2502	CHEVRON Asbestos & Nitrile	532
2410 & 2510 2411 & 2511 2412 & 2512	CHEVRON - Duck & Nitrile	432
2414 & 2514	CHEVRON - Duck & Butyl	433
2520	CHEVRON - Rubber & Asbestos Fiber	7815
2875	Compressed Asbestos (SBR)	7819
2900 & 2905	Compressed Asbestos - Navy Grade	7735
2910	Compressed Asbestos (Buna N)	8748
2915 & 2935	Compressed Asbestos (Neoprene)	7228
2920	Wire Inserted - Woven Asbestos - White	605
2925	Wire Inserted - Woven Asbestos - Red & Black	625
2930	Red Rubber - Premium	22
2932	Red Rubber - Standard	7125
2940	Cloth Inserted Rubber	159
2950	Diaphragm - Rubber	619
2960	Vegetable Fibre	681
2970	Compressed Blue Asbestos	7705
4000	Twisted Aluminum Foil - Asbestos Core - Spiral	633
4001	Twisted Aluminum Foil - Asbestos Core - Ring	633
4010	Twisted Lead Foil - Asbestos Core - Spiral	631
4011	Twisted Lead Foil - Asbestos Core - Ring	631
4060	Plastic - Monel Inserted Asbestos Jacket	5855
4062	Plastic - Inconel Inserted Asbestos Jacket	127

HERCULES	DESCRIPTION	GARLOCK
100	High Pressure Asbestos - coil - rubber core	144
100	High Pressure Asbestos - spiral - rubber core	144
100	High Pressure Asbestos - Ring - rubber core	144
101	High Pressure Asbestos - coil rubber back	150
101	High Pressure Asbestos - spiral - rubber back	150
101	High Pressure Asbestos - ring - rubber back	150
120	Twisted Asbestos - valve stem	117-T
121	Plastic-Inconel Inserted Asbestos Jacket	127
124	Round Braid High Temperature - Valve Stem	17
125	Square Plaited Asbestos - Coil	234
125	Square Plaited Asbestos - Ring	234
127	Braided Asbestos - Hot Oil - Spiral	176
127	Braided Asbestos - Hot Oil - Coil	176
127	Braided Asbestos - Hot Oil - Ring	176
132	LATTICE BRAID Asbestos - Soft Lubrication	733
135	LATTICE BRAID Asbestos - Controlled Lubrication	731
137	LATTICE BRAID Asbestos - Gasoline Resistant	734
138	Square Plaited Gasoline Packing	237
150	Square Plaited Asbestos - Moly Lubricated	231
191	Square Plaited Blue Asbestos	230
192	LATTICE BRAID Blue Asbestos - Acid Resistant	736
201	"Pure Flax"	31
207	Ramie - Regular Lubrication	5788
227	Ramie W.P.H. Lubrication	5781
228	Waterproof Hydraulic Flax - Coil - Hard	90
228	Waterproof Hydraulic Flax - Ring - Hard	90
228	Waterproof Hydraulic Flax - Coil - Soft	90-S
228	Waterproof Hydraulic Flax - Ring - Soft	90-S
232	LATTICE BRAID Flax - Regular Lubrication	740
248	LATTICE BRAID Flax - W.P.H. Lubrication	745
300	Low Pressure Duck & Rubber - Coil	333
300	Low Pressure Duck & Rubber - Spiral	333
300	Low Pressure Duck & Rubber - Ring	333
333	Hollow Center Duck - Coil	366
333	Hollow Center Duck - Spiral	366
333	Hollow Center Duck - Ring	366
350	Fine White Hydraulic - Coil - Regular Cure	262
350	Fine White Hydraulic - Ring - Regular Cure - Spiral Cut	261
350-RH	Fine White Hydraulic - Coil - Rock Hard	262-RH
350-RH	Fine White Hydraulic - Ring - Rock Hard - Spiral Cut	261-RH
405	Twisted Lead Foil - Spiral	632
405	Twisted Lead Foil - Ring	632

HERCULES	DESCRIPTION	GARLOCK
411	Twisted Lead Foil - Asbestos Core - Spiral	631
411	Twisted Lead Foil - Asbestos Core - Ring	631
425	Twisted Aluminum Foil - Asbestos Core - Spiral	633
425	Twisted Aluminum Foil - Asbestos Core - Ring	633
499	Braided Copper - Coil	344
499	Braided Copper - Ring	344
502	Red Rubber - Premium	22
503	Red Rubber - Standard	7125
504	Black Rubber	353
509	Cloth Inserted Rubber	159
515	Neoprene - 70 Duro	8639
517	Neoprene - 60 Duro	7986
533	Diaphragm - Rubber	619
536	Diaphragm - Neoprene	7992
537	Diaphragm - Neoprene & Nylon	8798
550	Cork & Fibre	660
553	Vegetable Fibre	681
560	Compressed Asbestos (Buna N)	8748
562	Compressed Asbestos (Neoprene)	7228
565	Compressed Asbestos - Navy Grade	7735
569	Compressed Asbestos (SBR)	7819
570	Compressed Blue Asbestos	7705
571	Felted Blue Asbestos	8554
580	Wire Inserted - Woven Asbestos - Red & Black	625
735	Tan Pure Gum - 35 Duro	6023
803	CHEVRON - Asbestos & Nitrile	532
804	CHEVRON - Duck & Nitrile	432
805	CHEVRON - Duck & Rubber (Foods)	8051
806	CHEVRON - Duck & Butyl	433
835	CHEVRON - Buna N	8452
1040-B	LATTICE BRAID Blue Asbestos & TFE	5880
1040-W	LATTICE BRAID White Asbestos & TFE	5861
1050	LATTICE BRAID TFE-TFE Impregnated	5888
1060	LATTICE BRAID TFE-TFE Impregnated - Lubricated	5889
1740	Neoprene - 40 Duro	7491
1750	Neoprene - 50 Duro	8312
2740	Buna N - 40 Duro	9513
2750	Buna N - 50 Duro	8892
2760	Buna N - 60 Duro	9122
4751	Silicone - 50 Duro	9536
4771	Silicone - 70 Duro	9297
4781	Silicone - 80 Duro	9294

HERCULES	DESCRIPTION	GARLOCK
8140W	LATTICE BRAID - Asbestos & TFE Lubricated	5862

JOHNS MANVILLE	DESCRIPTION	GARLOCK
2	Round Braid Cabcock	1700
7	Square Plaited Asbestos	234
11	Square Plaited Wire Inserted Asbestos	244
18	Square Plaited Gasoline Packing	237
25	Compressed Asbestos (SBR)	7819
32	High Pressure Asbestos - Rubber Core	144
60 & 61	Compressed Asbestos - Navy Grade	7735
70	Compressed Asbestos (SBR)	7021
76	Compressed Asbestos (Neoprene)	7228
83	Felted Blue Asbestos	8554
84	Compressed Blue Asbestos	7705
100	Wire Inserted - Woven Asbestos - White	605
101	Wire Inserted - Woven Asbestos - Red & Black	625
104	Neoprené - 40 Duro	7491
104	Neoprene - 50 Duro	8312
104	Neoprene - 60 Duro	7986
104	Neoprene - 70 Duro	8639
104	Neoprene - 80 Duro	7797
105	Diaphragm - Neoprene	7992
107	Red Rubber - Standard	7125
107	Red Rubber - Premium	22
108	Red Rubber - Wire Inserted	24
109	Cloth Inserted Rubber	159
112	Black Rubber	353
115	Diaphragm - Rubber	619
166	High Pressure Asbestos - Rubber Back	150
171 & 172	Low Pressure Duck & Rubber	333
175	Ramie - W.P.H. Lubrication	5781
175-N	Ramie - Regular Lubrication	5788
182	White Hydraulic - Regular Cure	262
182-RH	Fine White Hydraulic - Rock Hard	262-RH
183	High Pressure Diagonal	87
188	"Line Flax"	28
189	"Pure Flax"	31
190	Ramie - Regular Lubrication	5788
193	Twisted Asbestos - Valve stem	117-T
222	Round Braid Asbestos - Valve Stem	117-B
223	Braided Asbestos - Square	233
240	Waterproof Hydraulic Flax - Hard	90

JOHNS MANVILLE	DESCRIPTION	GARLOCK
253	LATTICE BRAID Asbestos - Ungraphited	737
254 & 255	LATTICE BRAID Asbestos - Soft Lubrication	733
257	LATTICE BRAID Wire Inserted Asbestos	735
270	LATTICE BRAID Asbestos - Gasoline Resistant	734
271	Cross Expansion - Duck & Rubber	711
280	Braided Copper	344
323	Square Plaited Gasoline Packing	237
390	Hollow Center Duck	366
392	Twisted Aluminum Foil - Asbestos Core - Spiral	633
393	Twisted Lead Foil - Asbestos Core - Spiral	631
397	Plastic - Inconel Inserted Asbestos Jacket	127
401, 405, 408, 443 & 449	CHEVRON - Duck & Nitrile	432
446 & 447	CHEVRON - Duck & Butyl	433
610	Plastic - with metal - Steam to 550 deg. F.	926
620	Plastic - with metal - Gasoline & Oil to 550 deg. F.	927
711	Vegetable Fibre	681
731	Braided Asbestos - Hot Oil	176
2008	LATTICE BRAID - White Asbestos & TFE	5861
2009	LATTICE BRAID - Asbestos & TFE - Lubricated	5862
2018	Square Plaited Blue Asbestos	230
2011	Braided White Asbestos & TFE - Square	5502
4191	Jute	35

RAYBESTOS MANHATTAN	DESCRIPTION	GARLOCK
65	Silicone - 50 Duro	9536
67	Silicone - 70 Duro	9297
68	Silicone - 80 Duro	9294
121-C	High Pressure Asbestos - Coil - Rubber Back	150
121-R	High Pressure Asbestos - Ring - Rubber Back	150
121-S	High Pressure Asbestos - Spiral - Rubber Back	150
122	High Pressure Asbestos - Spiral - Rubber Core	144
122-C	High Pressure Asbestos - Coil - Rubber Coil	144
122-R	High Pressure Asbestos - Ring - Rubber Core	144
200	Twisted Asbestos - Valve Stem	117-T
300	Round Braid Asbestos - Valve Stem	117-B
303	Plastic - Monel Inserted Asbestos Jacket	5855
325 & 350-MW	Plastic - Inconel Inserted Asbestos Jacket	127
355	Round Braid Asbestos - Coil	243
355-R	Round Braid Asbestos - Ring	243
360	Braided Asbestos - Square - Coil	233
360-R	Braided Asbestos - Square - Ring	233

**RAYBESTOS
MANHATTAN**

DESCRIPTION

GARLOCK

365	Square Plaited Asbestos - Coil	234
365-R	Square Plaited Asbestos - Ring	234
366	Square Plaited Wire Inserted Asbestos - Coil	244
366-R	Square Plaited Wire Inserted Asbestos - Ring	244
376	Braided Asbestos - Hot Oil - Spiral	176
376-C	Braided Asbestos - Hot Oil - Coil	176
376-R	Braided Asbestos - Hot Oil - Ring	176
380	Square Plaited Blue Asbestos	230
395	Braided Copper - Coil	344
395-R	Braided Copper - Ring	344
400-C & 404-C	Low Pressure Duck & Rubber - Coil	333
400-R-404-A-404-R	Low Pressure Duck & Rubber - Ring	333
400-R-404-A-404-R	Low Pressure Duck & Rubber - Ring	333
400-S & 404-S	Low Pressure Duck & Rubber - Spiral	333
400-SR & 404-SR	Low Pressure Duck & Rubber - Ring	333
404-DR	Low Pressure Duck & Rubber - Ring	333
405-C	Cross Expansion - Duck & Rubber - Coil	711
405-R	Cross Expansion - Duck & Rubber - Ring	711
405-S	Cross Expansion - Duck & Rubber - Spiral	711
410-C	Fine White Hydraulic Coil-Regular Cure	262
410-R	Fine White Hydraulic-Ring-Regular Cure-Spiral Cut	261
410-R	Fine White Hydraulic Ring-Regular Cure-Solid	260
412-C	Fine White Hydraulic-Coil-Rock Hard	262-RH
412-R	Fine White Hydraulic-Ring-Rock Hard-Spiral Cut	261-RH
412-R	Fine White Hydraulic-Ring-Rock Hard-Solid	260-RH
413	White Hydraulic-Heavy Duck	33 Spec.
416	Black Hydraulic-Medium Duck	33 Reg.
420-C	Hollow Center Duck - Coil	366
420-R	Hollow Center - Duck - Ring	366
420-S	Hollow Center Duck - Spiral	366
430-C	High Pressure Diagonal - Coil	87
430-R	High Pressure Diagonal - Ring	87
430-S	High Pressure Diagonal - Spiral	87
512	"Line Flax"	26
515	Waterproof Hydraulic Flax-Coil-Hard	90
515-R	Waterproof Hydraulic Flax - Ring - Hard	90
522	"Pure Flax"	31
532	Jute	35
540	Ramie-Regular or Lubrication	5788
541	Ramie - W.P.H. Lubrication	5781
600	Wire Inserted Woven Asbestos - Red & Black	625
603	Wire Inserted - Woven Asbestos - White	605

**RAYBESTOS
MANHATTAN****DESCRIPTION****GARLOCK**

609	Tan Pure Gum - 35 Duro	6023
610	Neoprene - 40 Duro	7491
610	Neoprene - 50 Duro	8312
611	Neoprene - 60 Duro	7986
620	Rubber - 40 Duro	1
625-R	Red Rubber - Standard	7125
626 & 627	Rubber - 50 Duro	152
627	Rubber - 60 Duro	91
630	Black Rubber	353
635	Cloth Inserted Rubber	159
645	Diaphragm - Rubber	619
646	Diaphragm - Neoprene	7992
646	Diaphragm - Neoprene	7430
648	Vegetable Fibre	681
650	Compressed Asbestos (SBR)	7021
663 & 670	Compressed Asbestos - Navy Grade	7735
840-SB	Square Plaited Blue Asbestos & TFE	5298
841 & 843	TFE Plastic	9166
846	LATTICE BRAID TFE Ribbon	5733
847	LATTICE BRAID TFE-TFE Impregnated	5888
925	Twisted Aluminum Foil - Asbestos Core - Spiral	633
925-R	Twisted Aluminum Foil - Asbestos Core - Ring	633
1203	CHEVRON - Asbestos & Nitrile	532
1204 & 1215	CHEVRON - Duck & Nitrile	432
1212	CHEVRON - Duck & Butyl	433
1275	CHEVRON - Buna N	9452
1840-A	Plastic - no metal - Steam & Oil to 700 deg. F.	930
1840-B	Plastic - with metal - Steam to 550 deg. F.	926
1840-C	Plastic - with metal - Gasoline & Oil to 550 deg. F.	927
1845	Plastic - dry graphitized - to 550 deg. F.	909
K-68	Compressed Asbestos (Neoprene)	7228

SEPCO**DESCRIPTION****GARLOCK**

1	Long Line flax - Square Braided	26
1-GR	Long line flax - Graphited	36
ML-1	Long line flax - LATTICE BRAID	740
2	Medium line flax - Square Braid	31
2-GR	Medium line flax - Graphited	31
2-WPH	Medium line flax - Square Braid - Waterproofed	131
3	Short Line - Square Braid "Commercial" Flax	42 & 43
3-GR	Commercial Flax - Graphited	53
5-WPH	Long line flax - Square braided - Waterproofed	90

SEPCO	DESCRIPTION	GARLOCK
ML-5-WPH	Long line flax - LATTICE BRAID - Waterproofed	745
6	Long Line India Jute - Square Braided	35
6-GR	Long Line India Jute - Graphited	52
7	Long Line Ramie - Square Braided	535 & 562
7-M	Long Line Ramie - Square Braided - Marine Lubricated	5788
7-WPH	Long Line Ramie - Square Braided - Waterproofed	5781
9	Cotton - Square Braided	66
ML-9	Cotton - LATTICE BRAID	751
ML-10	TFE Ribbon - LATTICE BRAID	5733
11	Duck and Rubber - Steam	777
12	Duck and Rubber - Ammonia	778
13	Plastic - Non-Metallic	931
14	Plastic - Metallic	926
15	Plastic - Oil Resistant	927
17	Plastic - Bulk	931-8
20	Red Rubber Sheet	22
21	Diagonal Expansion	87 & 107
22	Duck and Rubber - Cross Expansion	711
50	Black Gum Rubber Sheet, 55-65 Duro	8817
60-W	Asbestos Cloth - Rubber Impregnated - Wire Inserted	605
70	Asbestos Cloth - Rubber Impregnated - Wire Inserted - Red and Black	625
76	High Pressure Wire Inserted Asbestos Gasket Tape Rubber Impregnated	612
76-NI	High pressure Gasket Tape Wire Inserted - Neoprene Impregnated	8240
79-HH	Asbestos Boiler Handhole Gaskets	604
79-MH	Asbestos Boiler Manhole Gaskets	601-2-8
151-RB	High Pressure Rod Asbestos - Rubber Back - Square	150
151-RC	High Pressure Rod Asbestos - Rubber Core - Square	145
ML-165	High Pressure Asbestos - LATTICE BRAID	733
168	Gasoline Resistant Asbestos - Square Braid	237
ML-168	Gasoline Resistant Asbestos - LATTICE BRAID	734
184	Aluminum Foil Twisted Over Asbestos Core	915
200	Compressed Asbestos Sheet (SBR)	900
204	Twisted - Asbestos Valve Stem	117-T
212	White Hydraulic - Regular Cure	262
213	White Hydraulic - Rock Hard	262-RH
240	Compressed Asbestos Sheet - Neoprene Binder	7228
257	CHEVRON Packing - Duck & Neoprene	431
258	CHEVRON Packing - White Neoprene & Duck - For Food	8051
259	CHEVRON Packing - Asbestos & Neoprene	531
270	Neoprene & Duck Piston Cups	7130

SEPCO	DESCRIPTION	GARLOCK
300	Compressed Asbestos Sheet - Navy Grade	7735
304	Braided Asbestos Valve Stem	117-B
304-W	Braided Asbestos Valve Stem - Wire Inserted	5855
305	High Temperature Asbestos Valve Stem	1700
310-SB	Die Formed for Soot Blower	5501
340	Neoprene Sheet, 55-65 Duro	7986
400	Compressed Blue African Asbestos	7705
402	Square Plaited Asbestos	234
402-W	Square Plaited - Asbestos - Wire Inserted	244
ML-402	LATTICE BRAID - Asbestos	730 & 731
ML-402-W	LATTICE BRAID - Asbestos - Wire Inserted	735
ML-402-A	LATTICE BRAID Asbestos - Armored Corners	732
440	Vegetable Fibre Sheet	681
445	Vegetable Fibre and Cork	660
502-SQ	Braid-Over-Braid Asbestos - Squared	233
502-WSQ	Braid-Over-Braid Asbestos - Wire Inserted - Squared	233-W
700	Twisted Asbestos Wick	Wick
800	Twisted Asbestos Rope	Rope
845	Square Braided Blue Asbestos	230
ML-845	LATTICE BRAID Blue Asbestos	736
900	Cloth Inserted Rubber Sheet	19
902	Cloth Both Sides - Rubber Sheet	179
1000	Rubber Diaphragm Sheet	619
1000-N	Neoprene Diaphragm Sheet	7992
1006	Square Braided Copper	344
1300	Pure Gum Rubber - Floating Stock	6023
ML-2225	White Asbestos 35% TFE LATTICE BRAID	5861 & 5875
ML-2235	TFE Filament - Impregnated - LATTICE BRAID	5888
ML-2236	TFE Filament - Non-Impregnated - LATTICE BRAID	5883
ML-2245	Blue Asbestos 35% TFE - LATTICE BRAID	5880
5000	Virgin TFE Sheet	8764
5010	Virgin TFE Moulded Rod	8764
5015	Virgin TFE Extruded Rod	8764
5030	Virgin TFE Molded Tubing	8764
5035	Virgin TFE Extruded Tubing	8764
5050	Virgin TFE Solid Gaskets	8764