

1899

P.F.P.
S.I.C.
S.E.P.
S.C.
P.F.P.
S.I.C.
S.E.P.
S.C.

0007-SWP-042484

N23084

avg 40

Here But. 21 3/4 1-4 3/5 2-1 21 3/4

less than trust
" " " "

0007-SWP-042487

0007-SWP-000125851

Steamship Paint
Put up in 1 gal., 5 gal. and 55 gal.

CAT. NO.
2875
2877
2878
2879
2880
2882

This is a superior quality of paint made especially for the purpose indicated. It dries very quickly, leaving a hard, elastic surface and is absolutely non-tack. It has great covering capacity and is low in cost.

Steamship Liquid Red Lead

Put up in 1 gal., 5 gal. and 55 gal.

CAT. NO.
2849 (Pigment is strictly pure Red Lead)
2848 (Pigments are strictly pure Red Lead and strictly pure White Lead equal parts)

The economy in the use of Steamship Liquid Red Lead on hulls, holds, smoke stacks, etc., is from the fact that it does not get hard in the package and consequently there is no waste. All liquid red leads on the market other than our own, unless used immediately, become hard in the package and subject like any other paint to great loss, often as great as 25 per cent. of the original quantity.

Adapted also for Structural Iron Work, Bridge

0007-SWP-042488

