

Monsanto


Monsanto Company
800 N. Lindbergh Boulevard
St. Louis, Missouri 63188
Phone: (314) 694-1000

TOXICITY AND SAFE HANDLING OF ASKAREL

On the basis of animal toxicity studies, the Askarels may be considered only slightly toxic from the standpoint of accidental ingestion or a single accidental massive skin exposure. Similarly, single exposures to high concentrations of vapors (when heated sufficiently to volatilize) or high concentrations of decomposition products (if the fluid is accidentally discharged into the fire chamber) are not serious hazards because the irritating character of such concentrations preclude voluntary exposure.

Repeated or prolonged skin exposure should be avoided since the Askarel fluids act as solvents for fats and oils of the skin. Removal of these natural, protective barriers can lead to drying and chapping such as occurs with exposures to paint thinners. More important, the fluid may be absorbed if it is allowed to remain on the unbroken skin. For these reasons, we recommend that the skin be washed with soap and water if there is contact. A skin burn resulting from accidental contact with hot fluid should be treated in the normal manner for any thermal burn due to hot oils.

Because of low vapor pressure, there is no significant vapor inhalation hazard when an Askarel fluid is at room temperature. For example, there is no vapor exposure problem while transferring the fluid from its shipping container to the using equipment. On the other hand, the vapors emitted by Askarels heated to elevated temperatures are injurious on prolonged or repeated exposure. The "Threshold Limit Value" or atmospheric vapor concentration which cannot be safely exceeded (on a daily basis) is 0.5 - 1.0 milligrams of Askarel vapor per cubic meter of air in the workroom.


R. Emmet Kelly, M. D.
Medical Director

March 4, 1971

DSW 282886

STLCOPCB4064215