

FILE NAME: Owens-Corning (OC)

DATE: 1968 Jan 11

DOC#: OC310

DOCUMENT DESCRIPTION: Newspaper Articles with Cover Memo - Fatal Cancer Showing Up Among Those Handling Asbestos

Castleman File: Owens-Corning Fiberglass

w/c = with cover letter or memo If DATE = 0, undated

CD-ROM Document #: OCF 30 DATE 1973

✓ article in ✓ newspaper ^{w/c} _h medical journal ___ trade journal

___ published presentation from conference

___ published government report

___ government inspection results

___ unpublished internal report

___ unpublished presentation from conference

___ memo _____

___ letter _____

___ warning label

___ sales literature

___ medical records


meeting ___ agenda ___ minutes ___ attendee list

___ legal filing of defense

___ legal filing of plaintiff

___ legal deposition of _____

___ other _____



AMSTERDAM, NEW YORK 12010 • 518-843-3900

January 11, 1968

Mr. Fred Kiel
Owens Corning Fiberglas Corp.
717 Fifth Avenue
New York, N.Y. 10022

Dear Fred:

Enclosed please find the article discussed during
my visit of 4 January.

Many thanks for the opportunity to visit with you.

Best Wishes.

Very truly yours,

POLYPLY, INC.

A handwritten signature in cursive script, reading "Roger B. Knowles".

Roger B. Knowles
President

RBK/ah

Enc.

01 027 0379

361

Rare, Fatal Cancer Is Showing Up Among Those Handling Asbestos

By Thomas O'Toole

Washington Post Staff Writer

A fatal cancer of the chest and abdominal cavities is cropping up among the Nation's asbestos workers.

So rare that 20 years ago it wasn't even in the medical textbooks, the cancer is called mesothelioma, and seems almost peculiar to people exposed to asbestos.

But oddly, those stricken with the deadly disease include a nurse whose father worked in an asbestos plant, and a man who handled asbestos for no more than a month while he insulated the plumbing in his own house.

Any attention the disease gets might come none too soon. More than 1 million tons of asbestos is consumed annually these days in the United States, with more than 3000 separate uses being reported for the fiber. There are at least 100,000 asbestos workers

in the United States, more than half of whom did not begin working with asbestos until 10 years ago.

In terms of the number of persons involved, the apparent asbestos peril may be even greater than that posed by uranium mines. Last May Labor Secretary W. Willard Wirtz established the first Federal radiation limits for underground uranium mines following disclosure that an estimated 115 men had died from lung cancer in a mining population never higher than 3600.

Mesothelioma was first spotlighted in 1960, when a South African doctor found 82 cases among the people living and working in the Cape of Good Hope asbestos fields. The same doctor turned up 87 more cases in the next two years.

Nobody knows how many Americans have had mesothe-

lioma. Even today, doctors have trouble spotting it — whether they're trying to diagnose it in a person still

See ASBESTOS, A4, Col. 1

Fatal Cancer Is Showing Up Among Asbestos Workers

...fire or pin it down at autopsy.

But in three separate studies in the last three years, doctors have turned up 71 cases. Oddly, 11 of them appeared to have had no real exposure to asbestos. But the other 60 either worked with asbestos, lived with people who did or lived in neighborhoods where the air was heavily laden with asbestos dust.

The first American study was one run in 1964 by Dr. Irving J. Selikoff of New York's Mount Sinai Hospital. Tracing the lives of 332 New York area members of the Asbestos Workers Union who were on the union rolls before Jan. 1, 1943, Dr. Selikoff found that 235 of them had died by Jan. 1, 1963.

Some of what he found did not surprise him. For example, 12 of the 235 died of asbestos, a long-known but devastatingly fatal (due to anti-boiler) disease brought on by years of breathing in asbestos dust.

But Dr. Selikoff also found that 45 of the men had died of lung cancer, a rate 6.8 times higher than that in the normal adult male population. Even more surprising, he found five deaths due to mesothelioma.

Dr. Selikoff then launched a follow-on study of 307 consecutive deaths among asbestos "insulation" workers throughout the whole Northeast. Again, to his surprise, he turned up 10 deaths due to mesothelioma.

About the same time, the Pennsylvania State Department of Health began a blind study to find how mesothelioma might be affecting the more than 5000 asbestos workers scattered about the state. The Department sent questionnaires to 162 hospitals in the southeastern part of the state, asking the hospitals to report all mesothelioma diagnoses between 1958 and 1963. Back came 42 documented cases of the disease, only 11 of which could not be traced to asbestos exposure.

Ten victims of the disease turned out to be men who worked in asbestos plants. Eight were people who lived near asbestos plants most of their lives. Three were members of families who had one or more asbestos worker members—a 3-year-old girl whose father was an asbestos engineer, a nurse whose father had worked for 35 years in an asbestos plant and a woman who

with two sons who worked as asbestos insulators in a shipyard.

Of 10 deaths that seemed to have only a questionable connection with asbestos exposure, two turned out to be almost bizarre. One was a Swiss cheese maker, who worked almost his entire life around a large boiler covered with asbestos insulation that flaked off at the touch. Another was a worker in a brewery, where beer is filtered through pulp filters made essentially of cotton fiber and asbestos.

The most convincing study is the most recent one—conducted by a team of doctors working out of Middlesex General Hospital in New Brunswick, N.J., a few miles from the Nation's largest asbestos plant, one that employs 3000 workers.

In the past three years, no fewer than 18 cases of mesothelioma passed through Middlesex General. Only two of the 18 were not workers at the nearby asbestos plant, one a woman who apparently inhaled asbestos dust in laying her husband's work clothes, the second a spinster who lived one block from the plant.

A relatively "new" disease, mesothelioma is also one of the most difficult diseases to confront modern medicine. It is almost impossible to treat. Middlesex General's Dr. Maximal Borow says that even the most potent anticancer drugs have no effect on it. About all that radiation treatments do, he says, is remove some of the fluid that builds up in the lungs from the disease.

"The disease is 100 per cent fatal," Dr. Borow states, "and usually takes less than a year after diagnosis to run its course."

Nobody knows why it attacks some asbestos workers and not others, or why some victims of the disease get it after an apparently mild exposure to asbestos. The University of Michigan School of Medicine cites one case of a man who was exposed to asbestos for about a month while he insulated his house. Six years later, he was dead of mesothelioma.

Even the nature of the disease is little understood. While it is generally known that the disease attacks the lining of the chest and abdomen, nobody knows how it gets there. When asbestos dust is in-



A worker operates a blower in a Canadian asbestos insulation plant.

in the lungs, where they form gummy deposits. This explains how mesothelioma gets started, and perhaps even lung cancer. One theory is that the gummy substance that builds up around the asbestos fibers lodged in the lung can cause cancer elsewhere in the body. But how does it do it? Nobody knows.

Because it is such a new and little understood disease, mesothelioma is also creating some serious social and economic problems.

No state lists the disease in its workmen compensation laws, so nobody afflicted with it can be paid damages for his affliction. Even now, the first test cases are in the courts, where they may conceivably stay for the next 5 to 10 years.

The fact that nobody knows how much exposure to asbestos can bring on the disease has created controversy, too. Most laws stipulate that asbestos workers be in an environment where there is no more than five million particles of asbestos dust per one cubic foot of air—a regulation that many in the asbestos industry fought years to get approved.

But with mesothelioma, the disease might be brought on by exposure to as little as one-tenth or one-hundredth that limit.

Despite obstacles like these, research has begun in a handful of places to find out more to the disease. He's doing it relate to an earlier in about the asbestos. Mount Sinai's Dr. Selikoff is now conducting a \$350 grant from the National Cancer Institute. Dr. Selikoff is now conducting the 1500 represents the asbestos workers in the New Jersey plant. The health problem in the future may be very extensive. Dr. Borow studied. "and serious."

It wasn't easy getting the money. Dr. Borow went to 40 many doctors think that organizations before he got it. "It takes 20 years of exposure including the American Cancer Society and the Public Health Service. Some declared that the numbers of malignancies in the mesothelioma problem is just beginning to occur and a beginning. "Since the malignancy substantially increase in" Dr. Borow says that he is in the process of setting up a traveling exhibit to bring attention

Home for the Holidays?
PROMPT ALTERATIONS on clothing
before you return to school.

ASBESTOS—From Page A1

Fatal Cancer Is Showing Up Among Asbestos Workers

live or die it down at with two sons who worked as asbestos insulators in a shipyard.

But in three separate studies in the last three years doctors have turned up 71 cases. Only 11 of them appeared to have had no real exposure to asbestos. But the other 60 either worked with asbestos or lived with people who did or lived in neighborhoods where the air was heavily laden with asbestos dust.

The first American study was one run in 1964 by Dr. Irving J. Selikoff of New York's Mount Sinai Hospital. Tracing the lives of 632 New York area members of the Asbestos Workers Union who were on the union rolls before Jan. 1, Dr. Selikoff found that 11 of them had died of

what he found to be a new disease. For example, 12 of the 353 died of asbestosis, a long-known but increasingly fatal lung disease brought on by years of breathing in asbestos dust.

But Dr. Selikoff also found that 46 of the men had died of lung cancer, a rate 6.6 times higher than that in the normal adult male population. Even more surprising, he found five deaths due to mesothelioma.

Dr. Selikoff then launched a follow-up study of 507 asbestotic deaths among asbestos or insulator workers throughout the whole Northeast. Again, to his surprise, he turned up 16 deaths due to mesothelioma.

About the same time, the Pennsylvania State Department of Health began a blind study to find how mesothelioma might be affecting the more than 3000 asbestos workers scattered about the state.

The Department sent questionnaires to 162 hospitals in the southeastern part of the state asking the hospitals to report all mesothelioma diagnoses between 1958 and 1963.

Back came 42 documented cases of the disease, only 11 of which could not be traced to asbestos exposure.

Time of the disease is to be men who in asbestos plants or people who lived close plants most of their lives. There were members of families who had one or more asbestos worker members—a 9-year-old girl whose father was an asbestos engineer, a nurse whose father had worked for 35 years in an asbestos plant and a woman

in the lungs, where they form gummy deposits. This explains how asbestosis gets started, and perhaps even lung cancer.

One theory is that the gummy substance that builds up around the asbestos fibers lodged in the lung can cause cancer elsewhere in the body. But how does it do it? Nobody knows. Because it is such a new and little understood disease, mesothelioma is also creating some serious social and economic problems.

No state lists the disease in its workmen compensation laws, so nobody afflicted with it can be paid damages for his affliction. Even now, the first test cases are in the courts, where they may conceivably stay for the next 5 to 10 years.

The fact that nobody knows how much exposure to asbestos can bring on the disease has created controversy, too.

Most laws stipulate that asbestos workers be in an environment where there is no more than five million particles of asbestos dust per one cubic foot of air—a regulation that many in the asbestos industry fought years to get passed.

But with mesothelioma, the disease might be brought on by exposure to as little as one-tenth or one-hundredth that limit.

Despite obstacles like these, research has begun in a handful of places to find out more



A worker operates a blower in a Canadian asbestos insulation plant.

to the disease. He's doing it, relate to an earlier time with a \$2500 grant from the National Cancer Institute. Selikoff is now constantly monitoring the 1500 members of the Asbestos Workers Union in metropolitan New York. The Philadelphia local of the same union has started a similar program with Hahnemann Hospital to uncover more information.

Midwestern General's Dr. Borow says that he is in the process of setting up a traveling exhibit to bring attention to the disease. He's doing it, relate to an earlier time with a \$2500 grant from the National Cancer Institute. Selikoff is now constantly monitoring the 1500 members of the Asbestos Workers Union in metropolitan New York. The Philadelphia local of the same union has started a similar program with Hahnemann Hospital to uncover more information.

"The disease is 100 per cent fatal," Dr. Borow states, "and usually takes less than a year after diagnosis to run its course."

Nobody knows why it attacks some asbestos workers and not others, or why some victims of the disease get it after an apparently mild exposure to asbestos. The University of Michigan School of Medicine cites one case of a man who was exposed to asbestos for about a month while he insulated his house. Six years later, he was dead of mesothelioma.

Even the nature of the disease is little understood. While it is generally known that the disease attacks the lining of the chest and abdomen, nobody knows how it gets there.

When asbestos dust is inhaled, the fibers get trapped

01 027 0381