

GEORGIA-PACIFIC
CORPORATION

BLOOMINGDALE ROAD • AKRON, NEW YORK 14001 • 716-842-8421

November 19, 1973

Mr. Chester C. Whiteside, Area Director
U. S. Department of Labor
Occupational Safety and Health Administration
203 Midtown Plaza
700 East Water Street
Syracuse, New York 14210

Subject: O. S. H. A. Citation - CSHO No. P-1568
Akron, New York Joint System

Dear Mr. Whiteside:

This is a follow-up report on my November 1, 1973 report regarding the above subject. At this time we would enter the following report.

On November 12, 1973 we had to revert to our pre October 1973 Joint Compound formulation. This means our bag products once again contain asbestos fibers.

This change is due to poor customer acceptance of our revised product. We have had to recall many shipments of material that is asbestos free and replace it with the asbestos formula. At this time we are working on a formula correction and would expect to have an improved asbestos free product on the market in the near future.

We have also reverted to our pre October 1, 1973 procedures to protect our employees from asbestos fiber exposure. It is important that we have the results of your Department's tests of 9/28/73 and 10/26/73 so we can determine if our protective measures are adequate.

Our Permanent Engineering and Administrative controls is still on schedule and no problems are anticipated in this regard.

If you or your staff require further information, please advise.

Very truly yours,
GEORGIA PACIFIC CORP.


J. D. Rauch
Plant Manager

cc: Mr. Alfred Barden
U. S. Department of Labor, Occupational Safety & Health Adm.
1515 Broadway - 1 Astor Plaza, Room 3445
New York, New York
10036

BUILDING MATERIALS • PULP AND PAPER • CHEMICALS

NOV 20 1973