MD-3-A

PACKAGE TICKET (DRY AND PASTE ONLY)

CODE [illegible] LOT [illegible]

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PQ
	29	3672	M-34	
	STUMP			

TOTAL NET WT. [illegible] PKG. N–CODE

PROD. SPVR.	DATE	WHSE. OPER.
	[illegible]	[illegible]

CG 18 CODE GP-501-D PKG. ____

→

EST. WGT. 3142 LBS.

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
GP-501-D (P)	EWK 03-17-75
	DCG 03-17-75
TYPED BY	
emw062979	

MAKING NOTES

REMARKS

AME: RAMAPO® GREEN B — NON-BLEEDING

INSTRUCTIONS — -PRESSING- — RECORD

							1ST	2ND	3RD	4TH	5TH
ART					202	PRESSLOAD					
ATE					15-27	STARTED	9:30	5PM			
IME					1010	CAKES USED	54	46			
ELEASED BY					EC	WATER ON	1PM	7PM			
RESS	12	20	21	26	L	HRS. WASHED	9	13			
O. OF CAKES	3 x 36	2 x 42	2 x 42	3 x 40		OHMS	5000	5MM			
RESS with AGITATION						HRS. WASHED					
ASH TO 4000 OHMS with 35-75°F water						OHMS					
EST AFTER 3 HOURS						HRS. WASHED					
OAD on 8 cars						OHMS					
• DO NOT LOAD on A-14B-D CARS						CAKE CONDITION		24	3		
• DO NOT USE A-14B-D EQUIPMENT						NO. CARS LOADED					
• IF BLUE CARS USED HIGH PRESSURE HOSE PANS BEFORE USE						EXPLAIN LOSSES					

AMPLES
ELIVER TO — SAMPLED BY — RELEASED BY BJL

-DRYING-

DRY 30 HRS AT 140°F

• NO DRYER ON EITHER SIDE SHOULD BE SET ABOVE 180

• LEAVE ON TRACK FOR 1/2 HR Before DUMPING

LUMP: - OK - WET - SALTS - CONTAMINATE

Dryer sections used:

Color appears okay Can not explain high yield

ADDITIONAL DRYING HOURS REQUIRED

NO. DRUMS 25

AMPLES — NO. CARS PULLED — LUMP WGT. 3673

ELIVER TO — SAMPLED BY — RELEASED BY RH

-GRINDING-

ILL 7 or 8 LSP 3/32" RP SCREEN 1785 RPM	SCREEN RPM
AX. TEMP. °F	MAX. TEMP. °F
• IF A-14B-D IN MILL LAST, SCRUB MILL CLEAN DUST CABINET EQUIPMENT & CHANGE BAGS BEFORE GRINDING	EXPLAIN LOSSES
AMPLE WITHOUT MIXING	DATE MIXED 5-27-81
AMPLES 1 Env & 2 Pt Cans	

DUP050097281

2/202

CO 18 CODE GP-501-D PKG.

→MAY -0-81- 21473

EST. WGT. 3142 LBS.

29

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
GP-501-D (P)	EWK 03-17-75
	DCG 03-17-75
TYPED BY	
emw062979	

MAKING NOTES

REMARKS

NAME: RAMAPO® GREEN B NON-BLEEDING

INSTRUCTIONS -PRESSING- RECORD

VAT					
DATE					
TIME					
RELEASED BY					
PRESS	12	20	21	26	2
NO. OF CAKES	3 x 36	2 x 42	2 x 42	3 x 40	

PRESS with AGITATION

WASH TO 4000 OHMS with 35-75°F water

TEST AFTER 3 HOURS

LOAD on 8 cars

SAMPLES

DELIVER TO

PRESSLOAD	1ST	2ND	3RD	4TH	5TH
STARTED					
CAKES USED					
WATER ON					
HRS. WASHED					
OHMS					
HRS. WASHED					
OHMS					
HRS. WASHED					
OHMS					
CAKE CONDITION					
NO. CARS LOADED					

EXPLAIN LOSSES

SAMPLED BY RELEASED BY

-DRYING-

Dry 12 hrs at 180°F
Dry 12 hrs at 140°F

Std & Abrev Dry P & S
Sides 180 DN
Cool - 100
Use 41 Gal L/P

SAMPLES

DELIVER TO

LUMP: - OK - WET - SALTS - CONTAMINATED

Dryer sections used:

ADDITIONAL DRYING HOURS REQUIRED

NO. DRUMS

NO. CARS PULLED LUMP WGT.

SAMPLED BY RELEASED BY

-GRINDING-

MILL 7 or 8 LSP 3/32" RP SCREEN 1785 RPM

MAX. TEMP. °F

Use 41 Gal L/P

SAMPLE WITHOUT MIXING

SAMPLES- 1 Fny & 2 Pt Cans

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

DATE MIXED

SAMPLED BY RELEASED BY

DUP050097282

CP-501

1473
41
305

0.00 *

1.50 +
0.14 —
1.36 *

1473
41
100

1.36 +
1.35 +
0.14 —
2.57 *

2.57 +
1.50 +
0.14 —
1.65 +
0.14 —
1.55 +
0.14 —
1.55 +
0.14 —
1.70 +
0.14 —
1.50 *
0.14 —
1.55 +
0.14 —
1.52 +
0.14 —
1.60 +
0.14 —
1.59 +
0.14 —
1.55 +
0.14 —
1.60 +
0.14 —
19.75 *

1473
51
85

1.72 +
0.14 —
1.54 +
0.14 —
1.82 +
0.14 —
1.68 +
0.14 —
2.01 +
0.14 —
1.69 +
0.14 —
1.65 +
0.14 —
1.70 +
0.14 —
1.69 +
0.14 —
1.76 +
0.14 —
1.26 +
0.14 —
19.75 +
36.73 *

DUP050097283