

W. B. Papageorge - General Offices, B1ND

March 1, 1974

PCB EFFLUENT STANDARDS

Messrs.

D. B. Hosmer - E1SF
J. R. Savage - B2SL
E. S. Tucker - T3F
P. L. Wright - A2SC

H. S. Bergen - B2SL
W. R. Corey - B2SL
K. W. Easley - 1920
R. E. Keller - T1B
P. S. Park - A3SA
J. F. Stapleton - B2SA
E. P. Wheeler - A2SA

As you know, we must submit written testimony relating to PCB effluent standards by March 15. In order to meet this date I believe we must adhere to the following schedule.

March 7	All material proposed for inclusion in testimony be submitted to W. B. Papageorge.
March 8	Assemble first draft. Arrange for reproduction of attachments (literature, etc.).
March 11 & 12	Obtain approvals. Revise as required.
March 13 & 14	Typing, copying, collating, etc. (initially over 50 copies).
March 15, 18, etc.	Mailings to customers, Department of Commerce, etc. (additional 100 copies).

I would appreciate receiving six copies of your contribution promptly. Keep in mind that the final testimony must be submitted in affidavit form and cross-examination under oath will occur. Selection of Monsanto witnesses will be made later.

Topic assignments are as follows:

E. S. Tucker	PCB characteristics; physical, chemical Biodegradation Definition Analytical methodology Sampling
P. L. Wright	Toxicity Bioaccumulation Biomagnification Proposed effluent standard

0004295

145
WATER_PCB-00038311

- 2 -

D. B. Hosmer/ Manufacturing PCB control practices
J. R. Savage Economic considerations pertaining to Monsanto
 operations

W. B. Papageorge Preamble
 Monsanto sales policy
 Current uses
 Benefits
 Etc.

I am attempting to arrange for a discussion with Dr. G. Fred
Lee, Consultant, to determine if he can be of any assistance.
As soon as I have determined his availability, I will make final
arrangements.

W. B. Papageorge

/bt

0004296

WATER_PCB-00038312