

FILE NAME: Pfizer (PFIZ)

DATE: 1970 May 15

DOC#: PFIZ011

DOCUMENT DESCRIPTION: Memo RE Asbestos in Kilnoise

76
IPB:arks

Inter-Office Communication

MINERALS, PIGMENTS AND METALS DIVN
CHAS. FRIZER & CO., INC.
826 NATIONAL BANK BLDG.
TOLEDO, OHIO 43604



Bailey, Jr.

May 15, 1970

E. Rourke


cc: R. Linnett, D. Holmes,
R. L. Plantz, D. Ingram

as in Kilnoise

ing products containing asbestos are in trouble because of air
on problems. The city of New York recently shut down all jobs
this material was being applied and I know many of the manufacturers
proofing material containing asbestos are desperately looking for
itute material. This was first pointed out at the 1969 Plasterer's
tion in Las Vegas and I know it will be a point of serious discussion
orthcoming Technical Meeting and Board of Directors Meeting
-25 in Winnipeg, Canada, of which I am planning to attend as a
r of the Technical Committee. Since Kilnoise does contains
s, I don't know whether or not problem will arise with regards
ise and whether or not we will have any ramifications on it such
g boycotted by the industry. I would suggest that we look for
material that would be suitable to use in place of asbestos in
e.

I I discussed that this would probably be a job for research in

Harry Rourke
Harry Rourke



SAMPLE 15803

520 04106