MD-3-A

PACKAGE TICKET (DRY AND PASTE ONLY)

CODE KY-787 LOT 36030

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PO
1730	1	T	87	
1780	1	T	193	
	LUMP STUMP	3460		

TOTAL NET WT. 3570 PKG. N-CODE

PROD. SPVR.	DATE	WHSE. OPER.
[illegible]	[illegible]	

N32135

23/240

CG 03 CODE KY-787-D PKG. ____

→ JUN-11 36080

EST. WGT. 1090 LBS.

OK
FP

3490

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
KY-787-D (Q)	EWK 9/22/76
	DCG 9/27/76
RETYPED BY	
CJH 4/2/80	

MAKING NOTES

REMARKS

NAME: KROLOR - YELLOW MEDIUM

NON-BLEEDING

-PRESSING-

INSTRUCTIONS						RECORD					
VAT	240					PRESSLOAD	1ST	2ND	3RD	4TH	5TH
DATE	6-13					STARTED	3-[illegible]				
TIME	9450					CAKES USED	46				
RELEASED BY	[illegible]					WATER ON	9 Am				
PRESS	22	23	24	25		HRS. WASHED	4 K				
NO. OF CAKES	46	46	52	48		OHMS	2000				
PRESS WITH		AGITATION				HRS. WASHED					
WASH TO 2000		OHMS WITH 35-75 F WATER				OHMS					
TEST AFTER 2		HOURS				HRS. WASHED					
LOAD ON 6 CARS						OHMS					
						CAKE CONDITION	6				
						NO. CARS LOADED					
						EXPLAIN LOSSES					

SAMPLES 1-8 OZ JAR

DELIVER TO CTL FOR COLOR

SAMPLED BY 472 RELEASED BY [illegible]

-DRYING-

DRY 12 HRS AT 220 °F
THEN DRY 6 HRS AT 160 °F

LUMP: - OK - WET - SALTS - CONTAMINATE

ADDITIONAL DRYING HOURS REQUIRED

NO. DRUMS 13

SAMPLES

DELIVER TO

NO. CARS PULLED

SAMPLED BY

LUMP WGT. 3460

RELEASED BY [illegible]

-GRINDING-

MILL 939 HSP 3/32" RP SCREEN 3500 RPM

MAX. TEMP. 150 °F

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

SAMPLE AFTER / WITHOUT MIXING

SAMPLES 1 ENV & 1 PT. CAN

DELIVER TO C T L

DATE MIXED

SAMPLED BY

RELEASED BY

DUP050456783

N32135.01

33080
41
225

0.00 *
0.00M+

2.83 +
0.14 -
2.83 +
0.14 -
2.80 +
0.14 -
2.73 +
0.14 -
2.69 +
0.14 -
2.66 +
0.14 -
2.83 +
0.14 -
2.91 +
0.14 -
2.75 +
0.14 -
2.83 +
0.14 -
2.77 +
0.14 -
2.83 +
0.14 -
2.91 +
0.14 -
34.60 *
34.60M+

N32135.02

DUP050456784