MD-3-A

**PACKAGE TICKET** (DRY AND PASTE ONLY)

CODE 50789 LOT 38014

| NET WT/PKG | NO. PKG | PACK. WGT | LOCATION | PO |
|---|---|---|---|---|
| 2672 | 1 | T-219 | | |
| 2720 | 1 | T-234 | | |
| | | | | |
| | | | | |
| | | | | |
| | STUMP | LUMP | 5,400 | |

TOTAL NET WT. 5,393 PKG. N-CODE

| PROD. SPVR. | DATE | WHSE. OPER. |
|---|---|---|
| [illegible] | 12/2/80 | |

N34627

DUP050104683

24
24P

CG 04 CODE KO-789-D PKG. ____

→ NOV · 24 80 38014

EST. WGT. 1032 LBS.

TOTAL WGT. 5232#

PROCESSING INSTRUCTIONS: BATCH UNIT

| | PROCESSES | APPROVED BY |
|---|---|---|
| | | |
| | | |
| | | |
| | TYPED BY | |

MAKING NOTES

REMARKS

NAME:

NON-BLEEDING

| INSTRUCTIONS | | | -PRESSING- | | | RECORD | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| VAT | | | 24T | | | PRESSLOAD | 1ST | 2ND | 3RD | 4TH | 5TH |
| DATE | | | 11-25-80 | | | STARTED | 4 PM | | | | |
| TIME | | | 2:10 P | | | CAKES USED | 52 | | | | |
| RELEASED BY | | | | | | WATER ON | 10P | | | | |
| PRESS | 22 | 23 | 24 | 25 | | HRS. WASHED | 7½ | | | | |
| NO. OF CAKES | 46 | 46 | 52 | 48 | | OHMS | 8003 | | | | |
| PRESS WITH | | AGITATION | | | | HRS. WASHED | | | | | |
| WASH TO 5000 | | OHMS WITH 35-75 F WATER | | | | OHMS | | | | | |
| TEST AFTER | | HOURS | | | | HRS. WASHED | | | | | |
| LOAD ON 6 CARS | | | | | | OHMS | | | | | |
| | | | | | | CAKE CONDITION | | | | | |
| | | | | | | NO. CARS LOADED | 7 | | | | |
| | | | | | | EXPLAIN LOSSES | | | | | |
| SAMPLES 1-8 OZ JAR | | | | | | | | | | | |
| DELIVER TO CTL FOR COLOR | | | | | | SAMPLED BY #469 | | RELEASED BY | | | |

-DRYING-

| | |
|---|---|
| DRY 16 HOURS AT 220 F | LUMP: - OK - WET - SALTS - CONTAMINATE |
| | Color appeared dry Released batch 12-1-80 |
| | ADDITIONAL DRYING HOURS REQUIRED |
| | NO. DRUMS 18 |
| AMPLES | NO. CARS PULLED 7 LUMP WGT. 5400 |
| ELIVER TO | SAMPLED BY RELEASED BY |

-GRINDING-

| | |
|---|---|
| ILL 938 3/32" RP SCREEN 3500 RPM | SCREEN RPM |
| AX. TEMP. 210 °F | MAX. TEMP. °F |
| | EXPLAIN LOSSES |
| AMPLE / WITHOUT MIXING | DATE MIXED |
| AMPLES 1 ENV ± 1 PINT CAN | |
| ELIVER TO CTL | SAMPLED BY RELEASED BY |

DUP050104684

0

38014

41

69

0

309
14
311
14
301
14
307
14
307
14
295
14
309
14
307
14
316
14
305
14
320
14
332
14
334
14
319
14
313
14
317
14
315
14
335
14
5400

DUP050104685