


CCB *ccb*
file



August 20, 1974

Mr. E. H. Feierabend
Vice President - Mfg.
FPG - Winchester

Subject: Comparative Asbestos Levels

The attached table lists the asbestos levels at the majority of work locations where concentrations above 5 fibers/ml have been found during one or more surveys since August, 1972. Locations where levels have been consistently low (below 5 fibers/ml) are not listed in the table. Exposures on the third shift are apparently well below the T.L.V. at all locations, and no data covering the January 31-February 2, 1973 survey date is included.

If you have any questions regarding the attached information, please let me know.

M. David Gidley
M. David Gidley, Manager
Industrial Hygiene and
Environmental Control

✓MDG:rej
Att.
CC: D. K. Rennie

SPNY 007149

WINCHESTER - F.P.G.
COMPARATIVE ASBESTOS LEVELS

LOCATION	ASBESTOS LEVELS		ASBESTOS LEVELS		ASBESTOS LEVELS		ASBESTOS LEVELS		ASBESTOS LEVELS	
	June, 1974	September, 1973	September, 1973	October, 1972	October, 1972	August, 1972	fibers/ml	fibers/ml	fibers/ml	fibers/ml
Block Preform #13	11.2	3.36	7.7	8.1	6.01					
Blok Preform No. 2	6.74	5.9	6.04		4.62					
Blok Preform No. 3	6.97			26.4	22.0	21.7				
Blok Preform No. 8	5.05	5.9	3.7	2.21						
Blok Preform No. 1	7.5	4.9	8.1	3.9						
Blok Fin.-Finish Gr.#142A	5.15	2.94	8.8							
Blok Finish-Printing Mach.	5.96	2.13	5.84							
Disc Brake Preform #1	5.09	7.4								
Disc Brake Preform #2	6.68	2.4	2.5	5.7						
Disc Brake Preform #3	3.09	5.85	5.3							
Book Preform No. 11 & 15	2.29	4.84	7.3	1.02						
Book Preform #6	4.08	4.42	7.8	1.9						
Blok Press Dept.	2.12		2.9							

SPNY 007150