



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 10**

1200 Sixth Avenue, Suite 155
Seattle, WA 98101

WATER
DIVISION

February 7, 2023

Mr. Lyle Gardipe
Coeur D'alene Tribe
P.O. Box 408
Plummer, ID 83851

**Re: Violation for Failure to Monitor and Report Combined Radium (-226 & -228)
Coeur D'alene Sub-Agency, PWS ID 101600002**

Dear Mr. Gardipe:

The EPA did not receive sample results for Combined Radium (-226 & -228) for 1/1/2020 - 12/31/2022 as required under the National Primary Drinking Water Regulations (NPDWR), according to 40 CFR §141.26. As a result, Coeur D'alene Sub-Agency is in violation of the NPDWRs.

Coeur D'alene Sub-Agency is currently scheduled to take 1 sample every 3 years at Pump House. Results must be reported to the EPA by the 10th of the month following the sampling period.

To return to compliance you must either:

1. Submit Combined Radium (-226 & -228) sample results from 1/1/2020 - 12/31/2022, if a sample was collected during the period.

OR

1. Collect Combined Radium (-226 & -228) samples at Pump House and submit the results to EPA.
2. Notify customers of this violation within one year in your Consumer Confidence Report (CCR).

This letter serves as initial notification of non-compliance under the Safe Drinking Water Act for the regulation and time period cited. EPA supports compliance assistance and encourages early action to return to compliance. Issues not addressed in a timely manner may be referred to enforcement. Prior to an enforcement action for the cited violation(s), EPA Region 10 will offer government-to-government consultation, in accordance with the [EPA Policy on Consultation and Coordination with Indian Tribes](#).

Please contact the Groundwater and Drinking Water Section at (206) 553-6253 or R10TribalDW@epa.gov to determine next steps or if you have questions.

Sincerely,

**KAREN
BURGESS**

Digitally signed by
KAREN BURGESS
Date: 2023.02.07
20:36:28 -08'00'

Karen Burgess, Manager
Groundwater and Drinking Water Section

cc: Laddie Folster, IHS Spokane District Office