FILE NAME: Westinghouse (WH)

DATE: 1969

DOC#: WH020

DOCUMENT DESCRIPTION: Warning Label for Cloth

weak internal
health warning
on cloth

1969

M 41511BF thru BG Rev B

CLOTH, ASBESTOS Oct 5, 1969

CAUTION: DO NOT BREATHE LARGE QUANTITIES OF DUST. SEE SPDS A-20.

SUPPLIERS - American Asbestos Textile Corp, Stanbridge & Sterigere St, Norristown, Pa
Raybestos-Manhattan, Inc, Arnold & Steigel Sts, Manheim, Pa
Union Asbestos & Rubber Co, 1111 W Perry St, Bloomington, Ill
(Additional suppliers below for 41511BF only)
Gerlock, Inc, 402 Main St, Palmyra, NY
Johns-Manville, 22 E 40th St, NYC 16
U S Rubber Co, 1230 Ave of Americas, NYC 20

ORDER FROM SUPPLIER AS - (41511BF)Asbestos Cloth, stating Grade & Weight
(41511BG)Asbestos Cloth, Construction 22 x 11, stating Grade and Weight.

CHARACTERISTICS - (User:PH)Asbestos cloth 40" wide, as follows:

Material	Previous Material	Grade	Per Cent Asbestos	Weight Lb/Sq Yd
41511BF	7794-1	AA	90 - 95	2.5
41511BG*	7794-2	AAA	95 - 99	2.3

*NOTE: Construction is 22 x 11.

APPLICATION - Turbine insulation covers for blankets, mattresses, bags or pads.

SPECIFY AS - ASB CLOTH, stating number.

Printed in U.S.A. © Corp Std R&D (Fed. CODE IDENT NO. 79500)

MSS - Trial Exhibit 1640 April 2006

PLAINTIFF'S EXHIBIT WH-749

28001132