Monsanto

FEB 19 1974

FROM (NAME & LOCATION) F. L. Turner - General Offices - C3SB

DATE February 14, 1974

SUBJECT PCB Testing of Monsanto PE Bottles

REFERENCE

TO :
A. Adakonis - 1950
B. G. Barham - 1520
H. R. Brenner - C2SC
R. C. Coates - 1790
D. T. Danielson - 1830
T. F. Evans - C3SA
R. Fukuchi - 1525
G. Green - 1880
O. Hicks - T2F
D. N. Hosig - 1280
W. M. Hunt - 1525
G. T. Kennedy - 1050
D. C. Lewis - C3SB
M. McClain - 1830
J. L. McCollough - 1880
B. Minalga - 1880
P. Mongillo - 1280
L. Mount - 1950
W. G. Nelson IV - C3SA
E. J. Smith - 1520
M. A. Stock - 1880
E. J. Szymanski - 1880
E. S. Tucker - T2F
J. VanDyke - 1510
R. VanSambeek - 1050

[redacted]
R. Johle - 1890
R. E. Keller - T1B
W. J. McCord - F4WB
W. Marshall - 1890
W. B. Papageorge - B1ND
F. D. Wharton, Jr. - C3SC
E. P. Wheeler - A2SA

Polychlorinated biphenyls are extremely stable substances considered toxic by all recognized federal agencies. A recent series of careful PE bottle samplings at Monsanto blow molding plants, conducted by Mel Stock and tested by Monsanto's MICC research laboratories, indicates "essentially undetectable levels of PCBs". Findings in parts per billion are shown on the attached letter.

We are gratified with the knowledge that Monsanto PE containers are free of PCBs and appreciate greatly the coordinating, sampling and analysis by those concerned.

F. L. Turner

F. L. Turner

/dtk

DSW 552676

IN - 10 REV. 1 72