MD-3-A

PACKAGE TICKET (DRY AND PASTE ONLY)

CODE Ky. 788 LOT E1088

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PO
50	70	3500		
STUMP	Lump	3488		

TOTAL NET WT. 3500 PKG. N–CODE 1003

PROD. SPVR. DATE WHSE. OPER.

5/7/X

32
240

CS 03 CODE KY-788-D PKG. ____

→ MA[illegible]-D-81-E1088

EST. WGT. 960 LBS.

OK
A

3610

Total Wgt. ~~3560~~# Req(_____)

PROCESSING INSTRUCTIONS: BATCH UNI

PROCESSES	APPROVED B
KY-788-D (J)	EWK 9/22/7
	DCG 9/27/7
TYPED BY	
NE 2/17/77	

MAKING NOTES

REMARKS

NAME: "KROLOR" YELLOW - LIGHT NON-BLEEDING

E C

INSTRUCTIONS -PRESSING- RECORD

VAT	240					PRESSLOAD	1ST	2ND	3RD	4TH	5TH
DATE	5-4-81					STARTED	2 Am				
TIME	1:35 Am					CAKES USED	40				
RELEASED BY	[illegible]					WATER ON	6 AM				
PRESS	22	23	24			HRS. WASHED	2,000				
NO. OF CAKES	46	46	46			OHMS	2,000				

PRESS With AGITATION

WASH TO 2000 OHMS with 35-75°F water

TEST AFTER 2 HOURS

LOAD on 6 cars

HRS. WASHED

OHMS

HRS. WASHED

OHMS

CAKE CONDITION

NO. CARS LOADED 6

EXPLAIN LOSSES

A.K.

SAMPLES 1- 8oz JAR

DELIVER TO CTL for Color

SAMPLED BY RELEASED BY BLL

-DRYING-

Dry 12 hrs at 220 °F

Then Dry 8 hrs at 160 °F

LUMP: - OK - WET - SALTS - CONTAMINATE

No record of any processing losses can not account for low yield

ADDITIONAL DRYING HOURS REQUIRED

No Drums 17

SAMPLES

DELIVER TO

NO. CARS PULLED LUMP WGT. 3488

SAMPLED BY RELEASED BY RH

-GRINDING-

MILL 939 HSP 3/32" RP SCREEN 3500 RPM

MAX. TEMP. 150 °F

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

SAMPLE / WITHOUT MIXING

SAMPLES 1 Env. & 1 Pt can

DELIVER TO C T L

DATE MIXED

SAMPLED BY RELEASED BY

DUP050096282

1088
41
100

2.20 +
0.12 -
2.44 +
0.12 -
2.15 +
0.12 -
2.04 +
0.12 -
2.46 +
0.12 -
2.15 +
0.12 -
2.17 +
0.12 -
2.26 +
0.12 -
2.12 +
0.12 -
2.03 +
0.12 -
2.10 +
0.12 -
2.20 +
0.12 -
2.32 +
0.12 -
2.30 +
0.12 -
2.22 +
0.12 -
2.20 +
0.12 -
1.16 +
0.12 -
34.48 *

17 DRUMS

DUP050096283