



Glidden

GLIDDEN PAINT PRICE LIST NO. 88 VIII

RUSTMASTER GLOSS ENAMEL Y-470 LINE

A high quality versatile enamel of excellent quality. It has exceptional ease of application and may be applied by brushing or spraying as a finish coat over metal with Y-470 or Y-471 Rustmaster Primer. Rustmaster Gloss Enamel guards against rusting of machinery and equipment in the factory and on the farm as well as metal surfaces around the home and schools such as metal window frames and casings, iron fences, railings, bicycles, lawn mowers, playground equipment, etc.

Royal Blue, Greenfield, Slate, Gloss Black, Flat Black, Aluminum....	8.98	2.79	1.60	.99
Suntone, Flare Red	8.98	2.79	1.60	.99
White	8.98	2.79	1.60	.99

APPLICATION—Brush, Spray

DRYING TIME—Overnight

THINNER—Turpentine or Mineral Spirits for Brushing; VM & P Naphtha for Spraying

COVERAGE—Up to 500 Sq. Ft. per gallon

RUSTMASTER METAL PRIMER Y-470

A new, unexcelled, fast drying corrosion resistant exterior and interior metal primer containing revolutionary Phenolic Resin Penetrating (U.S. Patent No. 2978424) that cuts through rust and seals metal pores, locking out air and corrosive moisture. A finish coat of Rustmaster Enamel will provide an exceptionally durable coating

APPLICATION—Brush, Spray

DRYING TIME—Overnight

THINNER—Turpentine or Mineral Spirits for brushing; VM & P Naphtha for spraying

COVERAGE—Up to 500 Sq. Ft. per gallon

RUSTMASTER GALVANNE PRIMER Y-471

Provides longer-lasting protection for galvanized metal and aluminum. Use on new galvanized steel without chemical treatment. This prime coat may be used as a finish coat or recoated with Rustmaster Enamel, Endurance House Paint or Japalac.

APPLICATION—Brush, Roller, Spray

DRYING TIME—48 hours

THINNER—Turpentine, Mineral Spirits

COVERAGE—Approx. 350 Sq. Ft. per gallon

PAINT AND VARNISH REMOVERS

MADE-LITE PAINT AND VARNISH REMOVER Y-70

A top-quality remover. Contains no alkalis, acids, oils or water. Does not raise the grain or discolor the wood. Evaporates very slowly. Very effective in removing old paint, enamel, lacquer and baked japan

GLID-STRIP (Non-Flammable) Y-71 (Wash-Away Paint and Varnish Remover)

A non-flammable, water-flush paint and varnish remover that stays wet longer and permits working on larger areas. Has less tendency to run and sag on upright surfaces due to its heavy body. Easy to use. Just brush it on, wait a few minutes, then wash it off with water. GLID-STRIP also acts as a cleaner for old, hardened nylon and pure bristle paint and varnish brushes. Will soften latex paints for easy removal

*AVAILABLE IN 5-GAL. CANS
AT 10¢ PER GALLON LESS THAN 1-GAL. PRICES.

PAGE 10

GLD027804

Glidden

GLIDDEN RETAIL PRICE LIST No. 88-7-11

SPRAY ENAMELS AND PRIMER

**JAPALAC SPRAY ENAMEL Y-4000—LINE
In Ready-to-Spray Cans**

All-purpose, interior-exterior enamel in pressurized aerosol cans ready for immediate spraying. Extra-durable, quick-drying enamel of brilliant beauty. Gives professional appearance to porch and lawn furniture, bicycles, toys, tables, chairs, etc. Ideal for wickerwork. Colors match regular JAPALAC Alkyd Enamel colors. In addition, JAPALAC SPRAY ENAMEL is available in ready-to-spray interior-exterior Aluminum, rich Gold and a clear finish.

White, All Colors and Clear

APPLICATION—Spray

DRYING TIME—10 minutes

(13 oz.)
1.59

(4 oz.)
.86

Gals. Qts. Pts. ½ Pts.

RUSTMASTER PRIMER Y-4030 (Spray Can)

Same quality as Rustmaster Metal Primer Y-470, packed in handy spray can for easy, instant use. Ideal for hard-to-reach areas

APPLICATION—Spray

DRYING TIME—Overnight for recoating

(13 oz.)
1.89

MISCELLANEOUS

**SPRED SURFACENE Y-56
(Liquid Surface Conditioner and Brush Cleaner)**

A clear liquid that can be applied to old enameled, painted or varnished surfaces to clean the surface, dull the gloss and insure good adhesion for a new finish coat. Eliminates the work and dust of sanding and prepares surfaces for refinishing in one easy operation. SURFACENE may also be used as a brush cleaner

APPLICATION—Cloth or Brush

5.48

1.79

1.10

**SPRED SPACKING Y-75
(100% Latex Spackling Compound)**

A ready-to-use spackling compound. Will not bleed through paint or flash. Does not shrink. Dries to a "puff" which may be easily sanded. Does not clog sandpaper. Excellent adhesion

APPLICATION—Putty Knife

DRYING TIME—30 minutes

THINNER—Water

7.68

2.39

.89

**SILICONE SLICK SPRAY Y-58
(Miracle Lubricant with 1001 Uses)**

A new, spray lubricant that protects and preserves while it lubricates. An excellent ice and water repellent. Push button spray lubricates hard-to-reach parts and areas. Makes windows, drawers, doors and other sticking items slide freely. Stops squeaks

(16 oz.)
2.95

(6 oz.)
1.59

SPRED BRUSH AND ROLLER CLEANER Y-60

A new easy way to clean Varnish, Enamel, Epoxy, Lacquer, Urethane, Synthetics, Shellac, Polyester and Silicone from brushes and rollers

4.98

1.69

1.10

BLOCKAID Y-1971

An all-purpose, water-resistant material for masonry filling, sealing, patching and coating — stops water seepage. Can be tinted with DRAMATONE Tinting Colors

(50# bag)
11.49

(12½# bag)
3.49

Glidden

***DRIWAL (Silicone) Y-534**

A transparent, water-repellent finish for exterior, above-ground brick, stone and masonry. Does the job in ONE COAT. Keeps rain water from penetrating the pores. Resists efflorescence and staining. Masonry surfaces show no visible change in color or texture when treated with this material. Recommended for use on brick and mortar, concrete, cement-base paints, asbestos-cement combinations, sandstone, stucco and stones other than limestone. Not to be used on cinder block or other lightweight aggregate concrete blocks with extremely porous surfaces. This invisible water-repellent coating contains silicone to combat masonry deterioration. Not recommended for limestone surfaces

APPLICATION—Brush, Spray

DRYING TIME—2 hours

THINNER—None required

COVERAGE—125 to 275 Sq. Ft. per gallon depending on porosity of surface

Gals.

Qts.

Pts.

½ Pts.

5.18

—

—

—

SPRED CRETE Y-1955

A one part, pre-mixed latex-cement compound which offers outstanding advantages in patching and resurfacing masonry. Add water only. Repair concrete driveways, cement floors, masonry steps, loose bricks, loose mortar joints, stucco, set patio stones and blocks

(25# bag)

(12# bag)

6.29

4.99

—

—

PORCH AND DECK ENAMELS

**POLYURETHANE PLASTIC FLORENAMEL
Y-890 LINE**

A high quality enamel for interior and exterior floors of wood, metal and concrete.

White and Ready-Mixed Colors

§818 Pastel Tint Base (124 oz.) (31 oz.)

§880 Deep Tint Base (120 oz.) (30 oz.)

§887 Intermediate Tint Base (122 oz.) (30.5 oz.)
For Tinting Special Colors

8.38

2.59

—

—

7.98

2.49

—

—

7.58

2.39

—

—

7.83

2.44

—

—

APPLICATION—Brush, Roller

DRYING TIME—4-6 hours to touch, 24 hours for recoat

THINNER—Mineral Spirits

COVERAGE—Up to 600 Sq. Ft. per gallon

CRAFTSMAN FLORENAMEL Y-841 LINE

A high-gloss alkyl type enamel specially formulated for interior and exterior floors, steps and basement floors

APPLICATION—Brush, Roller

DRYING TIME—4-6 hours to touch; 24 hours for recoat

THINNER—Mineral Spirits or Turpentine

COVERAGE—600 Sq. Ft. per gallon

—

—

—

—

*AVAILABLE IN 5-GAL. CANS

AT 10c PER GALLON LESS THAN 1-GAL. PRICES.

§SHORT FILLED TO ALLOW ADDITION OF COLORANT.

Glidden

RECOMMENDED RETAIL PRICE LIST 1988 V.B.I.

**EXTERIOR WOOD MASONRY
SHINGLE AND SHAKE FINISHES**

***SPRED HOUSE PAINT Y-3600 LINE**

(100% LATEX EXTERIOR PAINT)

A new blister-resistant house paint for exterior wood and masonry. May be applied without primer over sound previously painted surfaces which are in good condition. Has a remarkable fast drying time of thirty minutes, which practically eliminates damage from bugs, rain and dust. May be applied over damp surfaces. Has long lasting velvet-like sheen. Once the Spred House Paint system is used on a house, future paintings will require only one coat.

White and Colors

\$3625 White Tint Base (124 oz.) (31 oz.)
For Tinting Special Colors

APPLICATION—Brush, Roller, Spray Gun

DRYING TIME—4 hours for recoating

THINNER—Water

COVERAGE—Approx. 450 Sq. Ft. per gallon on smooth surface

Gals.

Qts.

Pts.

½ Pts.

8.48

2.64

—

—

8.38

2.59

—

—

***SPRED PRIME COAT Y-3651**

(Thin with Mineral Spirits)

Spred Primecoat provides a firm foundation on new or unpainted exterior surfaces. The ideal undercoat that creates the finest possible two coat paint job when porous surfaces have been previously painted. This Primecoat has been especially formulated for Spred House Paint

APPLICATION—Brush, Roller, Spray Gun

DRYING TIME—48 hours

THINNER—Turpentine or Mineral Spirits

COVERAGE—450-550 Sq. Ft. per gallon

8.48

2.64

—

—

***SPRED GLIDE-ON Y-3600 LINE**

(Vinyl-Latex Exterior Masonry Paint)

An exterior vinyl-latex masonry paint, unaffected by the alkalinity found in all masonry surfaces. Designed for use on stucco, concrete, brick, concrete block, cinder block, asbestos shingle and panel siding, unglazed tile and primed metal. Keeps out moisture yet the surface "breathes" to let vapor escape from inside. A tough vinyl film that resists driving rains, hottest sunshine, mildew, snow and ice, sea air and salt water spray, strongest smog, dust and chemical fumes. Resists cracking, peeling, fading, blistering, acid and alkali action.

White and Colors

\$3518 Pastel Tint Base (124 oz.) (31 oz.)

\$3580 Deep Tint Base (120 oz.) (30 oz.)

\$3587 Intermediate Tint Base (122 oz.) (30.5 oz.)

For Tinting Special Colors

APPLICATION—Brush, Roller, Spray

DRYING TIME—Overnight for recoating

THINNER—Water

COVERAGE—Up to 400 Sq. Ft. per gallon

7.38

2.29

—

—

7.18

2.24

—

—

6.38

2.14

—

—

6.73

2.19

—

—

*AVAILABLE IN 5-GAL. CANS

AT 10¢ PER GALLON LESS THAN 1-GAL. PRICES.

SHORT FILLED TO ALLOW ADDITION OF COLORANT.

PAGE 13

GLD027807

Glidden

RECEIVED THEATRE CITY NO. 88-1111

***ENDURANCE® HOUSE PAINT Y-1800 LINE**

(For Siding, Trim and Shutters)

Contains more heavy-bodied, pure linseed oil per gallon for longer life; pure white lead for added strength, water-resistance and extra durability; titanium for whiteness and hiding; zinc oxide to combat mildew; magnesium silicate for protection against cracking and checking. The exclusive Glidden formula makes this the finest, longest-lasting, self-cleaning exterior house paint manufactured. May be tinted with DRAMATONE Tinting Colors.

1800 Outside White	—	—	—	—
1800 Regular Colors and Black	—	—	—	—
1892 Non-Chalking Trim White	—	—	—	—
1828 Crylite Green	—	—	—	—
1861 Shutter Green	9.38	2.84	1.60	—
1872 Dark Walnut	7.98	2.49	1.45	—
1871 Dark Blue	7.98	2.49	1.45	—
§1818 Pastel Tint Base (124 oz.) (31 oz.)	—	—	—	—
§1877 Intermediate Tint Base (122 oz.) (30.5 oz.)	—	—	—	—
§1880 Deep Tint Base (120 oz.) (30 oz.)	—	—	—	—
For Tinting Special Colors				

APPLICATION—Brush, Spray, Roller

DRYING TIME—16 hours; recoat in 72 hours

THINNER—Mineral Spirits or Turpentine

COVERAGE—550 Sq. Ft. per gallon

***ENDURANCE IMPERIAL ONE-COAT Y-1867
WHITE HOUSE PAINT (Alkyd Fortified)**

Premium quality self-cleaning white exterior paint. Gives extra hiding and coverage with its built-in second coat. Has depth and richness of enamel. Easy brushing. Once over is enough with this amazing one-coat paint! Fortified with alkyds to give extra durability and lasting beauty

APPLICATION—Brush, Spray

THINNER—Mineral Spirits or Turpentine

DRYING TIME—48 hours

COVERAGE—550 Sq. Ft. per gallon

***ENDURANCE EXTERIOR BASECOAT Y-1851**

Exterior primer for new wood and previously painted wood that is badly weathered or chalked. Use it to spot-prime bare spots resulting from peeling and flaking. Made from specially prepared oils to produce the elasticity, adhesion and control penetration necessary for finest exterior paint jobs

APPLICATION—Brush, Spray

DRYING TIME—48 hours for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—450 to 500 Sq. Ft. per gallon

*AVAILABLE IN 5-GAL. CANS
AT 10¢ PER GALLON LESS THAN 1-GAL. PRICES.
§SHORT FILLED TO ALLOW ADDITION OF COLORANT.

Gals.	Qts.	Pts.	½ Pts.
—	—	—	—
—	—	—	—
—	—	—	—
—	—	—	—
9.38	2.84	1.60	—
7.98	2.49	1.45	—
7.98	2.49	1.45	—
—	—	—	—
—	—	—	—
—	—	—	—
—	—	—	—
9.58	2.89	—	—
—	—	—	—
—	—	—	—

Glidden

SUGGESTED RETAIL PRICES LIST NO. 88-1911

GLID-TONE® WOOD STAINS—EXTERIOR Y-290

A completely new type stain with maximum beauty and durability for wood surfaces that are subjected to outdoor exposure

APPLICATION—Brush

DRYING TIME—24 hours under normal conditions

THINNER—Mineral Spirits

COVERAGE—200-300 Sq. Ft. per gallon

Gals.

Qts.

Pts.

½ Pts.

6.18

1.95

—

—

*ENDURANCE VELVET (Flat Exterior Finish) Y-2700 LINE

FOR WOOD SHINGLES, SHAKES, WOOD SIDING AND TRIM. May be used also on metal surfaces. It brushes easily and will produce a beautiful flat finish in one coat over most previously painted surfaces if the color contrast is not great. Dries dust free in one hour. It provides a "breather type" film which aids the elimination of internal moisture.

White and Colors

7.48

2.34

—

—

§2718 Pastel Tint Base (124 oz.) (31 oz.)

7.38

2.29

—

—

§2787 Intermediate Tint Base (122 oz.) (30.5 oz.)

7.21

2.19

—

—

§2780 Deep Tint Base (120 oz.) (30 oz.)
For Tinting Special Colors

7.12

2.09

—

—

APPLICATION—Brush, Spray

DRYING TIME—Dust-free 1 hour; 48 hours for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—Up to 550 Sq. Ft. per gallon

*ENDURANCE BARN PAINT Y-300

A new, highest quality paint with excellent hiding power. It dries to a tough glossy film that withstands the rigors of the roughest weather. Provides long-lasting protection for barns, sheds, granaries, silos, water tank exteriors, storehouses, fences, etc. Use it on exterior wood and metal.

APPLICATION—Brush, Spray

DRYING TIME—Overnight; 36 hours for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—500 Sq. Ft. per gallon

6.38

1.99

—

—

*EVERON HOUSE PAINT Y-2200 WHITE

An excellent paint that stays clean and bright because of its special formula which provides controlled chalking. A superior finish for all wood surfaces exposed to weather and changing climatic conditions. Resists fumes in industrial areas! EVERON HOUSE PAINT brushes easily, penetrates deeply when used as a primer, adheres tenaciously as a finish coat, dries with an elastic, high gloss finish that remains firm and durable. EVERON is truly the economical HOUSE PAINT

APPLICATION—Brush, Roller, Spray

DRYING TIME—16 hours; recoat in 48 hours

THINNER—Mineral Spirits or Turpentine

COVERAGE—550 Sq. Ft. per gallon

—

—

—

—

*AVAILABLE IN 5-GAL. CANS

AT 10¢ PER GALLON LESS THAN 1-GAL. PRICES.

§SHORT FILLED TO ALLOW ADDITION OF COLORANT.

PAGE 15



SELECTED PRICES LISTED IN 1988

	Gals.	Qts.	Pts.	½ Pts.
*CRAFTSMAN HOUSE PAINT PRIMER 184-W-715	—	—	—	—
*CRAFTSMAN NON-CHALK WHITE 2-W-705	—	—	—	—
*STOCK FARM WHITE PAINT Y-596 An excellent low cost exterior paint for use on wood surfaces such as fences, barns, outbuildings, sheds, etc. This material, produced for use in stock farms, is formulated without lead pigments, and contains wood preservatives. The creosote-like odor tends to repel livestock. APPLICATION—Brush, Spray DRYING TIME—Overnight, 24 hours for recoating THINNER—Mineral Spirits or Turpentine COVERAGE—Up to 450 Sq. Ft. per gallon depending upon surface condition	6.58	—	—	—
*SURFACE BOND Y-55 (SEALS POWDERY MASONRY SURFACES) A high quality, clear finish bonding coat. Designed to penetrate deeply into chalky surfaces left by previous coats of cement bondings or powder type paints on masonry surfaces. Dries hard to help prevent further chalking. Anchors old surface to make a perfect bond for SPRED GLIDE-ON, as well as other exterior and interior masonry paints. APPLICATION—Brush, Spray DRYING TIME—1 to 4 days depending upon drying conditions THINNER—Turpentine or Mineral Spirits COVERAGE—300-400 Sq. Ft. per gallon NOTE: Although the formulations and recommendations contained in this price list have been established through careful evaluation, users of Glidden paints are urged to obtain specific information concerning their painting requirements. Seller's liability shall in no event exceed value of this material, which is warranted only to conform to formula or sample. Seller hereby expressly excludes all other express or implied warranties whatsoever.	7.18	2.29	—	—

*AVAILABLE IN 5-GAL. CANS
AT 10¢ PER GALLON LESS THAN 1-GAL. PRICES.

16

Glidden

SUGGESTED RETAIL PRICE LISTING: \$88.99

[illegible]

PAGE 17

01 0007011

CODE NUMBER AND DESCRIPTION

Y-1 . . . Glid-Tone Gloss Varnish	Y-983 Poly. Florenamel Harbor Gray	Y-3050 . . . Craftsman Latex Pt. Alaska White	Y-4008 . . . Japalac Spray Aluminum
Y-30 Glid-Tone Redwood Cl. Finish	Y-894 Poly. Florenamel Chat. Gray	Y-3051 . . . Craftsman Latex Pt. Tusk Ivory	Y-4009 . . . Japalac Spray Gold
Y-31 . . . Glid-Tone Redwood Stain	Y-895 Poly. Florenamel Spice Wood	Y-3052 . . . Craftsman Latex Pt. Spearmint	Y-4010 Japalac Spray Clear Plastic
Y-37 . . . Xpert Satin Sheen	Y-1201 Glid-Tone Var. Stain, Dk. Oak	Y-3053 Craftsman Latex Pt. Azalea	Y-4011 Japalac Spray Copper Tone
Y-47 Glid-Tone Satin Sheen Varnish	Y-1202 Glid-Tone Var. Stain, Walnut	Y-3054 . . . Craftsman Latex Pt. Pewter Gray	Y-4015 . . . Japalac Spray Enamel Lemon Yellow
Y-48 . . . Glid-Tone Spar Varnish	Y-1203 Glid-Tone Varn. Stain, Mah.	Y-3055 . . . Craftsman Latex Pt. Aqua	Y-4016 . . . Japalac Spray Enamel Greenbrier
Y-50 . . . Rockspar Varnish	Y-1207 . . . Japalac Brilliant Black	Y-3056 . . . Craftsman Latex Pt. Hemp	Y-4017 . . . Japalac Spray Flat White
Y-51 . . . Xpert Clear Gloss	Y-1208 . . . Japalac Flat Black	Y-3057 . . . Craftsman Latex Pt. Brook Blue	Y-4019 . . . Japalac Spray Tan Bark
Y-55 . . . Surface Bond	Y-1212 . . . Japalac Bud Green	Y-3058 Craftsman Latex Pt. Maytime	Y-4030 . . . Rustmaster Primer
Y-58 . . . Silicone Slick Spray	Y-1217 . . . Japalac Ultra White	Y-3059 . . . Craftsman Latex Pt. Bone White	Y-4516 . . . Interior Base Coat
Y-60 . . . Spread Brush & Roller Cleaner	Y-1218 . . . Japalac Pastel Tint Base	Y-3090 Spread Stip. Text. Bone White	Y-4550 . . . Speedenamel White
Y-66 . . . Spread Surface	Y-1219 . . . Japalac Dawn Gray	Y-3400 Spread Sat. High Hiding White	Y-4551 . . . Speedenamel Black
Y-70 . . . Adelite Paint & Var. Remover	Y-1222 . . . Japalac Screen Black	Y-3401 . . . Spread Satin Pale Ivory	Y-4552 . . . Speedenamel Orange
Y-74 Glid-Strip Paint & Var. Remover	Y-1246 . . . Japalac Rich Blue	Y-3405 Spread Satin Confetti Yellow	Y-4553 . . . Speedenamel Deep Green
Y-242 Glid-Tone Stain—Hon. Maple	Y-1250 . . . Japalac Delphinium	Y-3407 Spread Satin Pinefrost Green	Y-4554 . . . Speedenamel Med. Green
Y-243 . . . Glid-Tone Stain—Fr. Prov.	Y-1255 . . . Japalac Light Ivory	Y-3410 . . . Spread Satin Spray Blue	Y-4556 . . . Speedenamel Fire Red
Y-244 . . . Glid-Tone Stain—Mod. Red Mahogany	Y-1256 . . . Japalac Vermilion	Y-3413 . . . Spread Satin Bone White	Y-4559 . . . Speedenamel Lt. Yellow
Y-245 . . . Glid-Tone Stain—Walnut	Y-1260 . . . Japalac Rose Pink	Y-3415 . . . Spread Satin Blossom Pink	Y-4560 . . . Speedenamel Med. Yellow
Y-246 . . . Glid-Tone Stain—Wheat	Y-1263 . . . Japalac Botany Brown	Y-3416 . . . Spread Primer Sealer	Y-4561 . . . Speedenamel Light Gray
Y-247 . . . Glid-Tone Stain—Blonde	Y-1267 . . . Japalac Ribbon Blue	Y-3418 Spread Satin Dec. Tint White (Pastel Tint Base)	Y-4562 . . . Speedenamel Mach. Gray
Y-248 Glid-Tone Stain—Brown Mah.	Y-1270 . . . Japalac Lemon Yellow	Y-3434 Spread Satin Charcoal Black	Y-4564 . . . Speedenamel Imp. Blue
Y-249 . . . Glid-Tone Stain—Platinum	Y-1271 . . . Japalac Greenbrier	Y-3441 . . . Spread Satin Cheer	Y-4565 . . . Speedenamel Bright Red
Y-250 . . . Glid-Tone Stain—Suntan	Y-1280 . . . Japalac Deep Tint Base	Y-3443 . . . Spread Satin Cotton Candy	Y-4566 . . . Speedenamel Light Green
Y-252 . . . Glid-Tone Stain—Maple	Y-1287 . . . Japalac Int. Tint Base	Y-3447 . . . Spread Satin Sandy Beige	Y-4569 . . . Speedenamel Hydra Blue
Y-254 . . . Glid-Tone Stain—Cherry	Y-1750 . . . (N-T) Neutral Toner	Y-3449 . . . Spread Satin Oyster White	Y-4570 . . . Speedenamel Red Oxide Metal Primer
Y-258 Glid-Tone Stain—Fruitwood	Y-1751 . . . (F-R) Fast Red	Y-3452 . . . Spread Satin Silver Tint	Y-4571 . . . Speedenamel Spring Gr.
Y-259 Glid-Tone Stain—Butternut	Y-1752 . . . (Y-OX) Yellow Oxide	Y-3453 . . . Spread Satin Celadon Green	Y-4572 . . . Speedenamel Neutral Gray
Y-260 Glid-Tone Regrain Gr. Coat	Y-1753 . . . (L-Y) Lemon Yellow	Y-3467 . . . Spread Satin Pebble Beach	Y-4573 . . . Speedenamel EZC Green
Y-262 . . . Glid-Tone Stain Charcoal	Y-1754 . . . (YE-G) Yellow Green	Y-3470 Spread Satin Ceil. Flat White	Y-4575 . . . Speedenamel Tint White
Y-266 . . . Glid-Tone Stain Sagebrush	Y-1755 . . . (T-GR) Thalo Green	Y-3472 Spread Satin Medallion Gold	Y-4576 . . . Speedenamel Deep Orange
Y-267 Glid-Tone Stain Pinewood Gr.	Y-1756 . . . (T-BL) Thalo Blue	Y-3475 . . . Spread Patch	Y-4580 . . . Speedenamel Deep Tint Base
Y-290 . . . Glid-Tone St. Ext. Extender	Y-1757 . . . (VIO) Violet	Y-3477 . . . Spread Satin Biscayne Blue	Y-4587 . . . Speedenamel Int. Tint Base
Y-292 Glid-Tone Stain Ext. Charcoal	Y-1758 . . . (R-O) Rich Orange	Y-3478 . . . Spread Satin Aquaglow	Y-4600 . . . Spread Lustre White
Y-293 . . . Glid-Tone St. Ext. Fr. Prov.	Y-1782 . . . (BLK) Black	Y-3479 Spread Satin Sherwood Green	Y-4618 . . . Spread Lustre Tinting White
Y-294 Glid-Tone Stain Ext. Cherry	Y-1786 . . . (OX-R) Oxide Red	Y-3480 . . . Spread Satin Dramatone Tint. Base	Y-4641 . . . Spread Lustre Crocus Yellow
Y-295 Glid-Tone Stain Ext. Walnut	Y-1800 Endurance House Paint White	Y-3482 . . . Spread Satin Beaver Brown	Y-4643 . . . Spread Lustre Cotton Candy
Y-296 Glid-Tone St. Ext. Sagebrush	Y-1802 Endurance House Paint Black	Y-3484 . . . Spread Satin Cherry Red	Y-4647 . . . Spread Lustre Sahara
Y-298 Glid-Tone St. Ext. Fruitwood	Y-1813 . . . End. H.P. Tobacco Brown	Y-3487 Spread Satin Int. Tinting Base	Y-4649 . . . Spread Lustre Oyster White
Y-299 Glid-Tone Stain Ext. Platinum	Y-1818 . . . End. H.P. Pastel Tint Base	Y-3501 . . . Spread Glide-On Bamboo	Y-4651 . . . Spread Lustre Congo Ivory
Y-470 . . . Rustmaster Primer	Y-1828 . . . End. H.P. Crylite Green	Y-3504 Spread Glide-On Silver Smoke	Y-4652 . . . Spread Lustre Silver Tint
Y-471 . . . Rustmaster Galv. Primer	Y-1851 . . . End. Basecoat Mildew & Fume Res.	Y-3506 . . . Spread Glide-On Tang Red	Y-4653 . . . Spread Lustre Celadon Green
Y-472 . . . Rustmaster Aluminum	Y-1855 . . . End. H.P. Castle Red	Y-3510 Spread Glide-On Jewel Green	Y-4655 . . . Spread Lustre Springtime
Y-473 . . . Rustmaster White	Y-1856 . . . End. H.P. Ivory	Y-3513 Spread Glide-On Gray Violet	Y-4657 . . . Spread Lustre Woodland
Y-476 . . . Rustmaster Black	Y-1857 . . . End. H.P. Cream	Y-3518 . . . Spread Glide-On Pastel	Y-4660 . . . Spread Lustre Zircon
Y-477 . . . Rustmaster Flat Black	Y-1859 . . . End. H.P. Light Gray	Y-3519 . . . Spread Glide-On Cascade	Y-4663 . . . Spread Lustre Smoky White
Y-478 . . . Rustmaster Suntone	Y-1860 . . . End. H.P. Medium Gray	Y-3525 . . . Spread Glide-On Non-Chalk White	Y-4665 . . . Spread Lustre Pink Haze
Y-479 . . . Rustmaster Royal Blue	Y-1861 . . . End. H.P. Shutter Green	Y-3580 . . . Spread Glide-On Deep Tint Base	Y-4667 . . . Spread Lustre Pebble Beach
Y-480 . . . Rustmaster Greenfield	Y-1867 . . . End. H.P. Imperial White	Y-3587 Spread Glide-On Int. Tint Base	Y-4672 . . . Spread Lustre Medallion Gold
Y-481 . . . Rustmaster Flame Red	Y-1871 . . . End. H.P. Dark Blue	Y-3600 . . . Spread Latex H.P. White	Y-4677 . . . Spread Lustre Biscayne Blue
Y-482 . . . Rustmaster Slate	Y-1872 . . . End. H.P. Dark Walnut	Y-3603 . . . Spread Latex H.P. Taffy	Y-4678 . . . Spread Lustre Aquaglow
Y-500 . . . Endurance House Paint Barn Red	Y-1877 . . . End. H.P. Int. Tint Base	Y-3606 Spread Latex H.P. Dover Gray	Y-4679 . . . Spread Lustre Sherwood Gr.
Y-507 . . . Glid-Tone Stain Exterior Antique Base Coat	Y-1886 . . . End. H.P. Light Canary	Y-3607 . . . Spread Latex H.P. Boyberry	Y-4680 . . . Spread Lustre Dramatone Tinting Base
Y-508 . . . Glid-Tone Stain Antique Patina Glaze	Y-1887 . . . End. H.P. Deep Tint Base	Y-3608 . . . Spread Latex H.P. Bark	Y-4682 . . . Spread Lustre Beaver Brown
Y-549 Glid-Tone Stain Antique Kit	Y-1887 . . . End. H.P. Pastel Green	Y-3612 Spread Latex H.P. Evergreen	Y-4684 . . . Spread Lustre Cherry Red
Y-555 Gliddencoat En. Und. White	Y-1892 . . . End. H.P. Non-Chalk. White	Y-3613 . . . Spread Latex H.P. Onyx	Y-4687 . . . Spread Lustre Tinting Base
Y-651 . . . Glid-Tone Stain Marbleizing Kit	Y-1971 . . . Blackaid	Y-3616 . . . Spread Latex H.P. Polo Tan	Y-5700 . . . Brush-Day-Lite Super White
Y-652 Glid-Tone Stain Venetian Kit	Y-1955 . . . Spread Crete	Y-3620 Spread Lat. H.P. CapeCod Red	Y-5713 . . . Brush-Day-Lite A. Flat Buhrstone
Y-653 . . . V-1 Base	Y-2200 . . . Everon House Paint White	Y-3625 . . . Spread H.P. Tinting White	Y-5718 . . . Brush-Day-Lite A. Flat Tinting White
Y-654 . . . V-2 Gold	Y-2217 . . . Craftsman H.P. Mild. Resis.	Y-3651 . . . Spread Prime Coat No. 1	Y-5747 . . . Brush-Day-Lite A. Flat Taupe
Y-657 . . . M-1 Base	Y-2218 Craftsman House Paint White	Y-4000 Japalac Spray Enamel White	Y-5780 . . . Brush-Day-Lite A. Flat Dramatone Tinting Base
Y-592 All-Purpose Metalite Alum. Pt.	Y-2240 Craftsman Non-Chalk. White	Y-4001 Japalac Spray En. Flat Black	Y-5787 . . . Brush-Day-Lite A. Intermediate Tinting Base
Y-596 . . . Stock Farm Paint White	Y-2718 Endurance Velvet Pastel Base	Y-4002 Japalac Spray En. Gloss Bl.	40-W-735 . . . Craftsman Gloss Enamel White
Y-700 Glid-Tone Natural Wood Filler	Y-2750 . . . End. Velvet H.P. White	Y-4003 . . . Japalac Spray Enamel Delphinium	12-W-710 . . . Craftsman Semi-Gloss Enamel White
Y-800 . . . Poly. Florenamel White	Y-2751 End. Vel. H.P. Mayflower Yel.	Y-4004 . . . Japalac Spray Enamel Dawn Gray	184-W-175 . . . Craftsman House Paint Primer
Y-818 . . . Poly. Florenamel Pastel Tint Base	Y-2752 End. Vel. H.P. Sterling Gray	Y-4005 . . . Japalac Spray Enamel Bud Green	2-W-705 . . . Craftsman Non-Chalking Trim White
Y-841 . . . Craftsman Flor. Deck Red	Y-2756 End. Vel. H.P. Cottage Ivory	Y-4006 . . . Japalac Spray Enamel Vermillion	19-W-770 . . . Craftsman Alkyd Flat Wall Finish White
Y-842 . . . Craftsman Flor. Deck Gray	Y-2758 End. Vel. H.P. Granada Red		39-W-740 . . . Craftsman Enamel Undercoat
Y-843 . . . Craftsman Flor. Tile Green	Y-2759 End. Vel. H.P. Shrub Green		
Y-844 . . . Craftsman Flor. Dark Oka	Y-2761 End. Vel. H.P. Brown Antique		
Y-880 . . . Poly. Flor. Deep Tint Base	Y-2764 . . . End. Velvet Shadow Green		
Y-887 Poly. Florenamel Int. Tint Base	Y-2765 End. Vel. H.P. Oxford Gray		
Y-891 . . . Poly. Florenamel Tile Red	Y-2766 . . . End. Velvet H.P. Safari		
Y-892 . . . Poly. Florenamel Tile Green	Y-2780 . . . End. Velvet Deep Tint Base		
	Y-2787 . . . End. Velvet Int. Tint Base		
	Y-3000 . . . Spread Flat White		

THE GLIDDEN COMPANY

National Headquarters
900 Union Commerce Building
Cleveland, Ohio 44115

SALES OFFICES AND FACTORIES: New York • San Francisco • Los Angeles
Minneapolis • Dallas • Chicago • St. Louis • New Orleans • Cleveland
Atlanta • Portland • Reading • Canada: Toronto and Montreal
Branches in principal cities throughout the United States and Canada

ZONE

No. 19-MVII

EFFECTIVE JULY 29, 1966

SUBJECT TO CHANGE WITHOUT NOTICE



MAINTENANCE FINISHES

PRICE LIST

THE GLIDDEN COMPANY

NATIONAL HEADQUARTERS, CLEVELAND, OHIO U.S.A.

Factories from Coast to Coast

Branches in Principal Cities

Glidden

MAINTENANCE FINISHES PRICE LIST No. 19 MVII

	Code	Gals.	Qts.	Pts.	½ Pts.		Code	Gals.	Qts.	Pts.	½ Pts.
Ad-elite Paint and Varnish						White and Colors	Y-1800	6.43	1.93	—	—
Remover	Y-70	3.81	1.28	.76	.51	Crylight Green	Y-1828	6.95	2.06	—	—
Aluminum, Metallite All-Purpose	Y-592	5.48	1.69	1.00	.65	Dark Walnut	Y-1872	6.24	1.88	—	—
Athletic Field Marking Paint.						Dark Blue	Y-1871	6.24	1.88	—	—
White	Y-5330	4.80	—	—	—	Shutter Green	Y-1861	7.19	2.12	—	—
Blockaid	Y-1971	12½-lb.	2.55	50-lb.	8.42	\$Pastel Tint White (124 oz.)					
Brush-Day-Lite						(31 oz.)	Y-1818	\$ 6.21	\$ 1.88	—	—
Alkyd Primer-Sealer, White	Y-5016	5.05	—	—	—	\$Intermediate Tint Base					
Alkyd Flat Enamel						(122 oz.) (30.5 oz.)	Y-1877	\$ 5.96	\$ 1.81	—	—
Super White and Colors	Y-5700	5.22	1.63	—	—	\$Deep Tint Base (120 oz.)					
\$Pastel Tint White (124 oz.)						(30 oz.)	Y-1880	\$ 5.74	\$ 1.76	—	—
(31 oz.)	Y-5718	4.58	1.47	—	—	Endurance Non-Chalking Trim,					
\$Intermediate Tint Base,						White	Y-1892	6.43	1.93	1.12	—
White (122 oz.) (31.5 oz.)	Y-5787	4.47	1.45	—	—	Endurance Imperial, One-Coat					
\$Deep Tint Base, White						White	Y-1867	7.36	2.16	—	—
(120 oz.) (30 oz.)	Y-5780	4.38	1.42	—	—	Endurance Velvet, White and					
Deep Colors—Ready-Mixed						Colors	Y-2750	5.75	1.76	—	—
Ebony Black	Y-5734	5.35	1.63	—	—	Pastel Tint Base (124 oz.)					
Federal Blue	Y-5791	8.25	2.38	—	—	(31 oz.)	Y-2718	5.63	1.73	—	—
Victoria Purple	Y-5792	10.30	2.88	—	—	Intermediate Tint Base					
Falcon Brown	Y-5793	5.60	1.68	—	—	(122 oz.) (30.5 oz.)	Y-2787	5.28	1.68	—	—
Tiber Green	Y-5794	7.70	2.14	—	—	Deep Tint Base (120 oz.)					
Scarlet Red	Y-5795	9.80	2.74	—	—	(30 oz.)	Y-2780	5.05	1.62	—	—
Sun Yellow	Y-5796	7.70	2.14	—	—	Everon House Paint, White	Y-2200	5.22	1.65	—	—
Citrus Orange	Y-5797	7.70	2.14	—	—	Exterior Alkyd Flat	19-W-760	5.50	—	—	—
Eggshell Stipple Enamel,						Fast Dry Primer White	45-W-775	6.40	—	—	—
White	85-W-29	6.50	—	—	—	Filler Block Sealer	Y-1952	—	7.40 50-lb. bag	—	—
Eggshell Enamel, White	Y-5086	5.70	—	—	—	Floor and Trim Varnish	Y-5000	5.91	—	—	—
Enamel Undercoat, White	39-W-740	4.37	—	—	—	Florenamel (Polyurethane),					
Gloss Enamel, White	Y-5058	5.90	—	—	—	Colors and White	Y-800	6.46	1.94	—	—
Latex Semi-Gloss Enamel,						\$Pastel Tint White (124 oz.)					
White	Y-5800	6.35	—	—	—	(31 oz.)	Y-818	\$ 5.96	\$ 1.81	—	—
Masonry Block Filler, White	Y-5317	4.20	—	—	—	\$Intermediate Tint Base					
PVA Primer-Sealer, White	Y-5019-C	4.35	—	—	—	(122 oz.) (30.5 oz.)	Y-887	\$ 5.79	\$ 1.78	—	—
Semi-Gloss Enamel						\$Deep Tint Base (120 oz.)					
Super White	Y-5600	5.90	—	—	—	(30 oz.)	Y-880	\$ 5.61	\$ 1.73	—	—
Ready-Mixed Colors	Y-5601	6.26	—	—	—	Glid-Cool					
\$Pastel Tinting White						White	Y-5076	7.25	—	—	—
(124 oz.) (31 oz.)	Y-5618	\$ 5.80	—	—	—	Reducer	Y-5084	4.60	—	—	—
\$Intermediate Tint Base						Glid-Crete					
(122 oz.) (30.5 oz.)	Y-5687	\$ 5.79	—	—	—	Complete Unit	Y-5561	29.75	in 5-gal. container	—	—
\$Deep Tint Base (120 oz.)						Gliddencoat Enamel Undercoat,					
(30 oz.)	Y-5680	\$ 5.65	—	—	—	White	Y-555	5.07	1.59	—	—
Deep Colors—Ready-Mixed						Glid Kote (F-A-L)					
Ebony Black	Y-5634	4.85	1.49	—	—	Clear Toner	134-C-216	4.35	—	—	—
Federal Blue	Y-5691	7.55	2.14	—	—	Sanding Sealer	134-T-244	4.75	—	—	—
Victoria Purple	Y-5692	9.35	2.62	—	—	Clear Synthetic Finish					
Falcon Brown	Y-5693	5.20	1.55	—	—	Satin (2725)	2-VB-1720	5.50	—	—	—
Tiber Green	Y-5694	6.70	1.98	—	—	Clear Synthetic Finish					
Scarlet Red	Y-5695	8.85	2.49	—	—	Gloss (2780)	2-VB-1727	5.50	—	—	—
Sun Yellow	Y-5696	6.70	1.98	—	—	Catalyst	297-C-202	2 oz. .50 — 10 oz. 1.80	—	—	—
Citrus Orange	Y-5697	6.70	1.98	—	—	Glid-Strip Paint and Varnish					
		Tube	Qts.			Remover	Y-74	5.93	1.81	—	—
		1 oz.				Glid-Tile "100"					
	Code	per				Block Filler, White	Y-5591	11.50	—	—	—
	Tube	Tube				Block Filler Converter	Y-5592	—	3.85	2.10	—
Dramatone Multi-Purpose Tinting						Chromate Metal Primer	Y-5251	10.40	—	—	—
Colors						Chromate Metal Primer					
(N-T) Neutral Toner	Y-1750	.53	3.65	—	—	Converter	Y-5252	6.80	—	—	—
(F-R) Fast Red	Y-1751	.53	10.88	—	—	Cleaner	Y-5568	3.70	—	—	—
(Y-OX) Yellow Oxide	Y-1752	.53	3.65	—	—	Enamel Converter	Y-5595	9.70	—	—	—
(L-Y) Lemon Yellow	Y-1753	.53	7.53	—	—	Tinting White Enamel	Y-5594	10.30	—	—	—
(Y-E-G) Yellow Green	Y-1754	.53	6.17	—	—	White Enamel	Y-5593	10.70	—	—	—
(T-G-R) Thalo Green	Y-1755	.53	5.00	—	—	Glid-Tile Epoxides					
(T-B-L) Thalo Blue	Y-1756	.53	5.00	—	—	Gloss White Enamel	Y-5596	16.20	—	—	—
(VIO) Violet	Y-1757	.53	7.53	—	—	Enamel Converter	Y-5597	15.65	—	—	—
(R-O) Rich Orange	Y-1758	.53	7.53	—	—	Semi-Gloss White Enamel	Y-5598	15.85	—	—	—
(BLK) Black	Y-1782	.53	3.65	—	—	Spatter Converter	Y-5599	15.90	—	—	—
(OX-R) Oxide Red	Y-1786	.53	5.00	—	—	Glaze Clear Gloss	Y-5505	13.95	—	—	—
Duo-Tex Fire Retardant Paint,						Glaze Clear Semi-Gloss	Y-5506	13.95	—	—	—
White	Y-4821	8.70	—	—	—	Glaze Converter	Y-5507	11.80	—	—	—
Endurance Barn Paint, Red	Y-500	4.79	1.52	—	—	Sealer	Y-5503	10.70	—	—	—
Endurance House Paint						Sealer Converter	Y-5504	9.70	—	—	—
Exterior Basecoat, White	Y-1851	6.43	1.93	—	—	Deep Tint Converter	Y-5509	15.25	—	—	—

Where available, deduct 10 cents from 1-gallon prices for 5's and drums.

\$Short Filled To Allow Addition of Colorant. Prices Shown are for Untinted Bases.
Tinted Bases Will Be Higher Priced Depending Upon Amount of Colorant Added.

GLD027815

Glidden

MAINTENANCE FINISHES PRICE LIST No. 19 MVII

	Code	Gals.	Qts.	Pts.	½ Pts.		Code	Gals.	Qts.	Pts.	½ Pts.
Glid-Tone Gloss Varnish	Y-1	6.54	1.96	—	—	Romark Reflectorized					
Glid-Tone Redwood Finish, Clear	Y-30	6.25	1.88	—	—	White	Y-5528	(Prices upon request)			
Glid-Tone Redwood Stain	Y-31	4.07	1.34	—	—	Yellow	Y-5529	(Prices upon request)			
Glid-Tone Regrain Ground Coat,						Romark Traffic Paint					
White	Y-260	—	1.75	—	—	White	Y-5526	6.10	—	—	—
Glid-Tone Satin Sheen Varnish	Y-47	6.10	1.93	—	—	Yellow	Y-5527	6.10	—	—	—
Glid-Tone Spar Varnish	Y-48	6.89	2.05	—	—	Rustmaster (consumer)					
Glid-Tone Varnish Stain						Primer	Y-4030	1.33	in 13 oz. Spray Can		
Colors	Y-1201	5.46	1.69	—	—	Primer	Y-470	6.46	1.94	—	—
Glid-Tone Wood Filler	Y-700	4.93	1.63	—	—	Galvanized Primer, White	Y-471	6.46	1.94	—	—
Glid-Tone Wood Stain						White and Colors	Y-475	6.46	1.94	—	—
Colors	Y-242	4.69	1.49	—	—	Rustmaster Tank and Structural					
Glid-Tone Wood Stains and						Enamel					
Extender—Exterior	Y-290	4.35	1.41	—	—	Aluminum, Diffuse	Y-5227	7.90	—	—	—
Hi Temperature Silicones						Black	Y-5222	6.44	—	—	—
Hi Temperature Silicone						Galvanized Primer White	Y-5229	6.40	—	—	—
Black	282-B-400	27.50	—	—	—	Light Gray	Y-5226	7.90	—	—	—
Hi Temperature Silicone						Primer	Y-585	6.50	—	—	—
Aluminum	282-E-400	17.50	—	—	—	Tinting White	Y-5221	7.90	—	—	—
Hi Temperature Silicone						White	Y-5220	7.90	—	—	—
Primer	282-Y-400	18.50	—	—	—	Sanding Sealer, Quick Drying	Y-5035	4.25	—	—	—
House Paint, White	Y-5018	5.20	—	—	—	Sani-Giene, White	Y-5069	7.25	—	—	—
House Paint Primer, White	Y-5051	5.20	—	—	—	Silicone Drivall, Clear	Y-534	3.99	—	—	—
Insulcap, White	Y-5116	4.95	—	—	—	Silicone Slick Spray	Y-58	2.08	in 16 oz. Spray Can		
								1.12	in 6 oz. Spray Can		
	Code	Gals.	Qts.	Pts.	½ Pts.	¼ Pts.					
Japalac Enamel							Speedenamel				
White and Colors	Y-1217	7.13	2.11	—	—	—	Black	Y-4551	4.73	1.51	—
\$Pastel Tint White (124 oz.)							Bright Red	Y-4565	7.19	2.12	—
(31 oz.)	Y-1218	\$ 7.05	\$ 2.08	—	—	—	Deep Green	Y-4553	5.80	1.82	—
\$Intermediate Tint Base							Deep Orange	Y-4576	6.59	1.98	—
(122 oz.) (30.5 oz.)	Y-1287	\$ 6.81	\$ 2.02	—	—	—	EZC Green	Y-4573	5.59	1.72	—
\$Deep Tint Base (120 oz.)							Fire Red	Y-4556	7.08	2.15	—
(30 oz.)	Y-1280	\$ 6.56	\$ 1.96	—	—	—	Hydro Blue	Y-4569	6.29	1.89	—
Japalac Screen Enamel, Black	Y-1222	3.69	1.25	—	—	—	Imperial Blue	Y-4564	5.89	1.80	—
Japalac Spray Enamel							Light Gray	Y-4561	5.66	1.74	—
White and Colors	Y-4000	1.15	in 13 oz. Spray Can				Light Green	Y-4566	5.83	1.79	—
							Light Yellow	Y-4559	7.74	2.25	—
							Machine Gray	Y-4562	5.13	1.61	—
							Mahogany Brown	Y-4577	4.76	1.46	—
							Medium Green	Y-4554	5.94	1.81	—
							Medium Yellow	Y-4560	7.89	2.29	—
							Neutral Gray	Y-4572	5.66	1.74	—
							Orange	Y-4552	7.34	2.16	—
							Primer	Y-4570	5.53	1.71	.95
							Spring Green	Y-4571	5.59	1.72	—
							\$Pastel Tinting White				
							(124 oz.) (31 oz.)	Y-4575	6.06	1.83	—
							\$Intermediate Tint Base				
							(122 oz.) (30.5 oz.)	Y-4587	5.92	1.76	—
							\$Deep Tint Base (120 oz.)				
							(30 oz.)	Y-4580	5.68	1.68	—
							White	Y-4550	6.13	1.86	—
							Speedenamel Q.D.				
							Black	111-B-16	4.95	—	—
							Bright Red	111-R-13	5.95	—	—
							Light Gray	111-E-27	5.75	—	—
							Machine Gray (7B)	111-E-28	5.30	—	—
							Medium Green	111-G-25	6.40	—	—
							White	111-W-12	6.35	—	—
							Flat Black	111-B-701	4.40	—	—
							Speedwall Interior Basecoat,				
							White	Y-4516	5.05	1.59	—
							Spray-Day-Lite				
							Alkyd Flat Enamel, White	Y-5067	4.00	—	—
							Eggshell Enamel, White	Y-1180	4.45	—	—
							Spred Crete	Y-1955	12-lb bag 3.64	25-lb. bag 4.65	
							Spred Satin				
							High Hiding White and Colors	Y-3400	5.33	1.71	—
							Ceiling Flat White	Y-3470	5.33	1.71	—
							Beaver Brown	Y-3482	5.33	1.71	—
							Charcoal Black	Y-3434	5.33	1.71	—
							Cherry Red	Y-3484	7.12	2.06	—

Where available, deduct 10 cents from 1-gallon prices for 5's and drums.

\$Short Filled To Allow Addition of Colorant. Prices Shown are for Untinted Bases.
Tinted Bases Will Be Higher Priced Depending Upon Amount of Colorant Added.

Glidden

MAINTENANCE FINISHES PRICE LIST No. 19 MVII

	Code	Gals.	Qts.	Pts.	½ Pts.		Code	Gals.	Qts.	Pts.	½ Pts.
\$Decorator Tinting White (Pastel) (124 oz.) (31 oz.)	Y-3418	5.21	1.65	—	—	\$Intermediate Tint Base (122 oz.) (30.5 oz.)	Y-5187	4.35	—	—	—
\$Intermediate Tint Base White (122 oz.) (30.5 oz.)	Y-3487	4.88	1.55	—	—	\$Deep Tint Base (120 oz.) (30 oz.)	Y-5180	4.20	—	—	—
\$Deep Tint Base White (120 oz.) (30 oz.)	Y-3480	4.68	1.53	—	—	Vinyl-Cote					
Spred Flat White	Y-3000	4.76	—	—	—	Aluminum (Double Compart- ment)	Y-5282	8.30	—	—	—
Spred Glide-On						Brown Lead	Y-5296	8.30	—	—	—
White and Colors	Y-3525	5.20	1.62	—	—	High Build Metallic	Y-5285	8.30	—	—	—
\$Pastel Tint White (124 oz.) (31 oz.)	Y-3518	5.10	1.60	—	—	Light Grey	Y-5283	8.30	—	—	—
\$Intermediate Tint Base (122 oz.) (30.5 oz.)	Y-3587	4.81	1.53	—	—	*Metal Conditioning Primer Complete Unit	Y-5290	35.00	in 5-gal. container		
\$Deep Tint Base (120 oz.) (30 oz.)	Y-3580	4.50	1.45	—	—	Metal Conditioning Primer Base	Y 5291	6.95	—	—	—
Spred House Paint						Metal Conditioning Primer Acid	Y-5292	3.69	—	—	—
Primecoat	Y-3651	6.53	1.95	—	—	Metal Conditioning Primer Reducer	Y-5293	5.00	—	—	—
White and Colors	Y-3600	6.53	1.95	—	—	Red Anti-Fouling	Y-5297	15.90	—	—	—
\$White Tint Base (124 oz.) (31 oz.)	Y-3625	6.41	1.93	—	—	Red Lead	Y-5295	8.30	—	—	—
Spred Lustre Semi-gloss Enamel						Ship Bottom Red Lead	Y-5294	7.90	—	—	—
Super White	Y-4600	6.38	1.94	—	—	Spray Reducer	Y-5289	3.80	—	—	—
Ready-Mixed Colors	Y-4600	6.26	1.89	—	—	White	Y-5280	8.30	—	—	—
Charcoal Black	Y-4634	6.26	1.89	—	—	Vinyl Cote Hi-Mill System					
Beaver Brown	Y-4682	6.26	1.89	—	—	Primer	178-R-12	6.45	—	—	—
Cherry Red	Y-4684	8.12	2.35	—	—	White	178-W-7	7.40	—	—	—
\$Pastel Tinting White (124 oz.) (31 oz.)	Y-4618	6.18	1.87	—	—	Light Gray	178-E-14	7.70	—	—	—
\$Deep Tint Base (120 oz.) (30 oz.)	Y-4680	5.65	1.74	—	—	Aluminum (Double Compart- ment)	178-E-15	7.50	—	—	—
\$Intermediate Tint Base (122 oz.) (30.5 oz.)	Y-4687	5.79	1.78	—	—	Reducer	178-C-13	3.55	—	—	—
Spred Patch	Y-3475	6.00	1.82	—	—	Wood Finishing Kits					
Spred Brush and Roller Cleaner	Y-60	3.73	1.26	—	—	Antique Kit	Y-549	Complete 2.79			
Spred Primer-Sealer, White	Y-3416	5.18	1.62	—	—	Components of Kit Available Separately					
Spred Surfacing	Y-66	3.83	1.28	—	—	Antique Base Coat	Y-507	—	—	1.27	—
Spred Stipple Texture, White	Y-3090	5.53	1.71	—	—	Patina Green	Y-508	—	—	—	.85
Stadium Seat Enamel						Marbleizing Kit	Y-651	Complete 3.76			
Gray	Y-5089	5.66	—	—	—	Components of Kit Available Separately					
Green	Y-5088	5.94	—	—	—	M-1 Base	Y-657	—	—	—	.72
Stipple Gloss White	11-W-707	5.95	—	—	—	Venetian Gold Kit	Y-652	Complete 5.00			
Stipple Flat White	19-W-752	5.70	—	—	—	Components of Kit Available Separately					
Stipple Semi-Gloss White	41-W-705	6.30	—	—	—	V-1 Base	Y-653	—	—	—	.61
Stock Farm, White	Y-596	5.11	—	—	—	V-2 Gold	Y-654	—	—	—	.94
Surface Bond	Y-55	5.20	1.63	—	—	X-Pert Liquid Plastic Clear Gloss	Y-51	6.66	1.99	—	—
Ultra Flat Latex						X-Pert Liquid Plastic Satin Sheen	Y-37	7.88	2.29	—	—
Super White	Y-5100	4.55	—	—	—	X-Pert Satin Sheen Polyurethane Clear Spray	Y-4035	13 oz.—1.28			
Ready-Mixed Colors	Y-5100	4.55	—	—	—	X-Pert Spray Oil Stains	Y-4081	4 oz.—.62			
\$Pastel Tinting White (124 oz.) (31 oz.)	Y-5118	4.45	—	—	—						

Where available, deduct 10 cents from 1-gallon prices for 5's and drums.

\$Short Filled To Allow Addition of Colorant. Prices Shown are for Untinted Bases.
Tinted Bases Will Be Higher Priced Depending Upon Amount of Colorant Added.

*Metal Conditioning Primer is handled as a unit consisting of 4 gals. Y-5291 in a 5 gal. container and 1 gal. (glass) of Y-5292. Order Y-5293 Reducer separately.

TERMS AND CONDITIONS

GENERAL

This price list supersedes all previous lists, terms and other arrangements granted prior to this date. All prices, terms and conditions covered in this price list are subject to change without notice. The Glidden Company reserves the right to select its customers and to accept or refuse any order for any reason.

Although the formulations and recommendations contained in this price list have been established through careful evaluation, users of Glidden points are urged to obtain specific information concerning their painting requirements. Seller's liability shall in no event exceed invoice value of this material, which is warranted only to conform to formula or sample. Seller hereby expressly excludes all other express or implied warranties whatsoever.

Any tax, customs, import or export duties, or any other governmental charge on the production, sale or shipment (or any combination of these several) of the products listed in this price list or upon the materials from which they are produced, and whether imposed by Federal, State, Municipal, or other governmental authorities, and hereafter becoming effective, shall be added to the prices printed herein.

TERMS

Our terms for products in this price list, unless otherwise noted, are 30 days net, 1 per cent discount if cash payment is received by the 10th day of the month following date of invoice. All shipments of paint products are forwarded F.O.B. our factories or distributing points. Orders of 24 gallons or more will be shipped freight allowed cheapest route if freight bills are submitted with remittance or not later than due date of invoice; orders for less than 24 gallons will be shipped F.O.B. Shipping Point with no allowance for freight.

ORDERING

Always give post office address and complete shipping directions, naming the carrier. To insure prompt attention, all orders should be addressed to The Glidden Company and not to a representative.

RETURNED GOODS

No goods may be returned to us for any reason without our permission. When goods are returned to us for reasons other than our error in filling customer's order, the customer will receive a credit in the amount of the billed price of the goods returned to us less a handling charge of 10% and the goods returned to us will be shipped F.O.B. our warehouse as designated by us.

SHORTAGES AND CLAIMS

Shortages or errors in packing or invoicing must be reported immediately upon receipt of goods to enable proper checking and adjustment.

All claims for losses and damages en route must be filled by the customer with the carrier. Be sure to have a proper official of the transportation company inspect all instances where there is concealed damage and report to them promptly all shortages and goods received in damaged condition, obtaining their notation on the freight bill to avoid inconveniences, and the making of affidavits at a later date.

The manufacture, sale and delivery of all products is contingent upon strikes, fires, acts of God, acts of governmental authorities, delays or any other causes beyond control and we may cancel orders for said products undelivered because of any such causes.

GLD027817

CODE NUMBER AND DESCRIPTION

Y-1 . . . Glid-Tone Gloss Varnish	Y-887 Poly. Florenamel Int. Tint Base	Y-2766 . . . End. Velvet H.P. Safari	Y-4002 Japalac Spray En. Gloss Bl.
Y-30 Glid-Tone Redwood Cl. Finish	Y-891 . . . Poly. Florenamel Tile Red	Y-2780 . . . End. Velvet Deep Tint Base	Y-4003 . . . Japalac Spray Enamel
Y-31 . . . Glid-Tone Redwood Stain	Y-892 . . . Poly. Florenamel Tile Green	Y-2787 . . . End. Velvet Int. Tint Base	Delphinium
Y-37 Xpert Satin Sheen	Y-983 Poly. Florenamel Harbor Gray	Y-3000 Spread Flat White	Y-4004 . . . Japalac Spray Enamel
Y-47 Glid-Tone Satin Sheen Varnish	Y-894 Poly. Florenamel Chat. Gray	Y-3040 Craftsman Latex	Dawn Gray
Y-48 . . . Glid-Tone Spar Varnish	Y-895 Poly. Florenamel Spice Wood	Y-3050 Craftsman Latex Pt.	Y-4005 . . . Japalac Spray Enamel
Y-50 Rockspar Varnish	Y-1201 Glid-Tone Var. Stain, Dk. Oak	Alaska White	Bud Green
Y-51 Xpert Clear Gloss	Y-1202 Glid-Tone Var. Stain, Walnut	Y-3051 Craftsman Latex Pt.	Y-4006 . . . Japalac Spray Enamel
Y-55 Surface Bond	Y-1203 Glid-Tone Varn. Stain, Mah.	Tusk Ivory	Vermilion
Y-58 Silicone Slick Spray	Y-1207 . . . Japalac Brilliant Black	Y-3052 Craftsman Latex Pt.	Y-4008 . . . Japalac Spray Aluminum
Y-60 . Spread Brush & Roller Cleaner	Y-1208 . . . Japalac Flat Black	Spearmint	Y-4009 . . . Japalac Spray Gold
Y-66 Spread Surface	Y-1212 . . . Japalac Bud Green	Y-3053 Craftsman Latex Pt. Azalea	Y-4010 Japalac Spray Clear Plastic
Y-70 . Adelite Paint & Var. Remover	Y-1217 . . . Japalac Ultra White	Y-3054 Craftsman Latex Pt.	Y-4011 Japalac Spray Copper Tone
Y-74 Glid-Strip Paint & Var. Remover	Y-1218 . . . Japalac Pastel Tint Base	Pewter Gray	Y-4015 . . . Japalac Spray Enamel
Y-242 Glid-Tone Stain—Hon. Maple	Y-1219 . . . Japalac Dawn Gray	Y-3055 . . . Craftsman Latex Pt. Aqua	Lemon Yellow
Y-243 . Glid-Tone Stain—Fr. Prov.	Y-1222 . . . Japalac Screen Black	Y-3056 . . . Craftsman Latex Pt. Hemp	Y-4016 . . . Japalac Spray Enamel
Y-244 . . . Glid-Tone Stain—	Y-1246 . . . Japalac Rich Blue	Y-3057 Craftsman Latex Pt.	Greenbrier
Mod. Red Mahogany	Y-1250 . . . Japalac Delphinium	Brook Blue	Y-4017 . . . Japalac Spray Flat White
Y-245 . Glid-Tone Stain—Walnut	Y-1255 . . . Japalac Light Ivory	Y-3090 Spread Stip. Text. Bone White	Y-4019 . . . Japalac Spray Tan Bark
Y-246 . Glid-Tone Stain—Wheat	Y-1256 . . . Japalac Vermilion	-3400 Spread Sat. High Hiding White	Y-4030 . . . Rustmaster Primer
Y-247 . Glid-Tone Stain—Blonde	Y-1260 . . . Japalac Rose Pink	Y-3401 . . . Spread Satin Pale Ivory	Y-4516 . . . Interior Base Coat
Y-248 Glid-Tone Stain—Brown Mah.	Y-1263 . . . Japalac Botany Brown	Y-3405 Spread Satin Confetti Yellow	Y-4550 . . . Speedenamel White
Y-249 . Glid-Tone Stain—Platinum	Y-1267 . . . Japalac Ribbon Blue	Y-3407 Spread Satin Pinefrost Green	Y-4551 . . . Speedenamel Black
Y-250 . Glid-Tone Stain—Suntan	Y-1270 . . . Japalac Lemon Yellow	Y-3410 . . . Spread Satin Spray Blue	Y-4552 . . . Speedenamel Orange
Y-252 . Glid-Tone Stain—Maple	Y-1271 . . . Japalac Greenbrier	Y-3413 . . . Spread Satin Bone White	Y-4553 . . . Speedenamel Deep Green
Y-254 . Glid-Tone Stain—Cherry	Y-1280 . . . Japalac Deep Tint Base	Y-3415 . . . Spread Satin Blossom Pink	Y-4554 . . . Speedenamel Med. Green
Y-258 Glid-Tone Stain—Fruitwood	Y-1287 . . . Japalac Int. Tint Base	Y-3416 . . . Spread Primer Sealer	Y-4555 . . . Speedenamel Fire Red
Y-259 Glid-Tone Stain—Butternut	Y-1750 . . . (N-T) Neutral Toner	Y-3418 Spread Satin Dec. Tint White	Y-4559 . . . Speedenamel Lt. Yellow
Y-260 Glid-Tone Regrain Gr. Coat	Y-1751 . . . (F-R) Fast Red	Pastel Tint Base)	Y-4560 . . . Speedenamel Med. Yellow
Y-262 . Glid-Tone Stain Charcoal	Y-1752 . . . (Y-OX) Yellow Oxide	Y-3434 Spread Satin Charcoal Black	Y-4561 . . . Speedenamel Light Gray
Y-266 . Glid-Tone Stain Sagebrush	Y-1753 . . . (L-Y) Lemon Yellow	Y-3441 . . . Spread Satin Cheer	Y-4562 . . . Speedenamel Mach. Gray
Y-267 Glid-Tone Stain Pinewood Gr.	Y-1754 . . . (YE-G) Yellow Green	Y-3443 . . . Spread Satin Cotton Candy	Y-4564 . . . Speedenamel Imp. Blue
Y-290 Glid-Tone St. Ext. Extender	Y-1755 . . . (T-GR) Thalo Green	Y-3447 . . . Spread Satin Sandy Beige	Y-4565 . . . Speedenamel Bright Red
Y-292 Glid-Tone Stain Ext. Charcoal	Y-1756 . . . (T-BL) Thalo Blue	Y-3449 . . . Spread Satin Oyster White	Y-4566 . . . Speedenamel Light Green
Y-293 . Glid-Tone St. Ext. Fr. Prov.	Y-1757 . . . (VIO) Violet	Y-3452 . . . Spread Satin Silver Tint	Y-4569 . . . Speedenamel Hydro Blue
Y-294 Glid-Tone Stain Ext. Cherry	Y-1758 . . . (R-O) Rich Orange	Y-3453 . . . Celadon Green	Y-4570 . . . Speedenamel Red Oxide
Y-295 Glid-Tone Stain Ext. Walnut	Y-1782 (BLK) Black	Y-3467 . . . Spread Satin Pebble Beach	Metal Primer
Y-296 Glid-Tone St. Ext. Sagebrush	Y-1786 . . . (OX-R) Oxide Red	Y-3470 Spread Satin Ceil. Flat White	Y-4571 . . . Speedenamel Spring Gr.
Y-298 Glid-Tone St. Ext. Fruitwood	Y-1800 Endurance House Paint White	Y-3472 Spread Satin Medallion Gold	Y-4572 Speedenamel Neutral Gray
Y-299 Glid-Tone Stain Ext. Platinum	Y-1802 Endurance House Paint Black	Y-3475 . . . Spread Patch	Y-4573 . . . Speedenamel EZC Green
Y-470 . . . Rustmaster Primer	Y-1813 . . . End. H.P. Tobacco Brown	Y-3477 . . . Spread Satin Biscayne Blue	Y-4575 . . . Speedenamel Tint White
Y-471 . . . Rustmaster Galv. Primer	Y-1818 . . . End H.P. Pastel Tint Base	Y-3478 . . . Spread Satin Aquaglow	Y-4576 . . . Speedenamel Deep Orange
Y-472 . . . Rustmaster Aluminum	Y-1828 . . . End. H.P. Crylite Green	Y-3479 Spread Satin Sherwood Green	Y-4580 Speedenamel Deep Tint Base
Y-475 . . . Rustmaster White	Y-1851 . . . End. Basecoat Mildew & Fume Res.	Y-3480 . . . Spread Satin Dramatone	Y-4587 . . . Speedenamel Int. Tint Base
Y-476 . . . Rustmaster Black	Y-1855 . . . End. H.P. Castle Red	Y-3482 . . . Spread Satin Beaver Brown	Y-4600 . . . Spread Lustre White
Y-477 . . . Rustmaster Flat Black	Y-1856 . . . End. H.P. Ivory	Y-3484 . . . Spread Satin Cherry Red	Y-4618 . . . Spread Lustre Tinting White
Y-478 . . . Rustmaster Suntone	Y-1857 . . . End. H.P. Cream	Y-3487 Spread Satin Int. Tinting Base	Y-4641 . . . Spread Lustre Crocus Yellow
Y-479 . . . Rustmaster Royal Blue	Y-1861 . . . End. H.P. Shutter Green	Y-3501 . . . Spread Glide-On Bamboo	Y-4643 . . . Spread Lustre Cotton Candy
Y-480 . . . Rustmaster Greenfield	Y-1867 . . . End. H.P. Imperial White	Y-3504 Spread Glide-On Silver Smoke	Y-4647 . . . Spread Lustre Sahara
Y-481 . . . Rustmaster Flame Red	Y-1871 . . . End. H.P. Dark Blue	Y-3506 . . . Spread Glide-On Tang Red	Y-4649 . . . Spread Lustre Oyster White
Y-482 . . . Rustmaster Slate	Y-1872 . . . End. H.P. Dark Walnut	Y-3510 Spread Glide-On Jewel Green	Y-4651 . . . Spread Lustre Congo Ivory
Y-500 . . . Endurance House Paint	Y-1877 . . . End. H.P. Int. Tint Base	Y-3513 Spread Glide-On Gray Violet	Y-4652 . . . Spread Lustre Silver Tint
Barn Red	Y-1886 . . . End. H.P. Light Canary	Y-3516 Spread Glide-On Mist Brown	Y-4653 Spread Lustre Celadon Green
Y-507 . Glid-Tone Stain Exterior	Y-1880 . . . End. H.P. Deep Tint Base	Y-3518 . . . Spread Glide-On Pastel	Y-4655 . . . Spread Lustre Springtime
Antique Base Coat	Y-1887 . . . End. H.P. Pastel Green	Y-3519 . . . Spread Glide-On Cascade	Y-4657 . . . Spread Lustre Woodland
Y-508 . Glid-Tone Stain Antique	Y-1892 . . . End. H.P. Non-Chalk. White	Y-3525 . . . Spread Glide-On Non-Chalk	Y-4660 . . . Spread Lustre Zircon
Patina Glaze	Y-1971 Blockaid	White	Y-4663 . . . Spread Lustre Smoky White
Y-549 Glid-Tone Stain Antique Kit	Y-1955 Spread Crete	Y-3580 . . . Spread Glide-On Deep Tint	Y-4665 . . . Spread Lustre Pink Haze
Y-555 Gliddencoat En. Und. White	Y-2200 . . . Everon House Paint White	Base	Y-4667 . . . Spread Lustre Pebble Beach
Y-651 . . . Glid-Tone Stain	Y-2217 . . . Craftsman H.P. Mild. Resis.	Y-3587 Spread Glide-On Int. Tint Base	Y-4672 Spread Lustre Medallion Gold
Marbleizing Kit	Y-2218 Craftsman House Paint White	Y-3600 . . . Spread Latex H.P. White	Y-4677 . . . Spread Lustre Biscayne Blue
Y-652 Glid-Tone Stain Venetian Kit	Y-2240 Craftsman Non-Chalk. White	Y-3603 . . . Spread Latex H.P. Taffy	Y-4678 . . . Spread Lustre Aquaglow
Y-653 V-1 Base	Y-2718 Endurance Velvet Pastel Base	Y-3606 Spread Latex H.P. Dover Gray	Y-4679 . . . Spread Lustre Sherwood Gr.
Y-654 V-2 Gold	Y-2750 . . . End. Velvet H.P. White	Y-3607 . . . Spread Latex H.P. Bayberry	Y-4680 . . . Spread Lustre Dramatone
Y-657 M-1 Base	Y-2751 End. Vel. H.P. Mayflower Yel.	Y-3608 . . . Spread Latex H.P. Bark	Tinting Base
Y-592 All-Purpose Metalite Alum. Pt.	Y-2752 End. Vel. H.P. Sterling Gray	Y-3612 Spread Latex H.P. Evergreen	Y-4682 . . . Spread Lustre Beaver Brown
Y-596 . . . Stock Farm Paint White	Y-2756 End. Vel. H.P. Cottage Ivory	Y-3613 . . . Spread Latex H.P. Onyx	Y-4684 . . . Spread Lustre Cherry Red
Y-700 Glid-Tone Natural Wood Filler	Y-2758 End. Vel. H.P. Granada Red	Y-3616 . . . Spread Latex H.P. Polo Tan	Y-4687 . . . Spread Lustre Tinting Base
Y-800 . . . Poly. Florenamel White	Y-2759 End. Vel. H.P. Shrub Green	Y-3620 Spread Lat. H.P. CapeCod Red	Y-5000 . . . Floor & Trim Varnish
Y-818 . . . Poly. Florenamel Pastel	Y-2761 End. Vel. H.P. Brown Antique	Y-3625 . . . Spread H.P. Tinting White	Y-5005 . . . Brush-Day-Lite Enamel
Tint Base	Y-2764 . . . End. Velvet Shadow Green	Y-3651 . . . Spread Prime Coat No. 1	Undercoat, White
Y-841 . . . Craftsman Flor. Deck Red	Y-2765 End. Vel. H.P. Oxford Gray	Y-4000 Japalac Spray Enamel White	Y-5013 . . . Polyurethane Floor Finish,
Y-842 . . . Craftsman Flor. Deck Gray		Y-4001 Japalac Spray En. Flat Black	Clear
Y-843 . . . Craftsman Flor. Tile Green			Y-5016 . . . Brush-Day-Lite Alkyd
Y-844 . . . Craftsman Flor. Dark Oka			Primer Sealer, White
Y-880 . . . Poly. Flor. Deep Tint Base			Y-5018 . . . House Paint, White
			Y-5019-C . . . Brush-Day-Lite PVA
			Primer-Sealer, White

CODE NUMBER AND DESCRIPTION

Y-5035 Sanding Sealer Quick Drying	Y-5257 Converter	Y-5591 Glid-Tile "100" Black Filler, White	Y-5734 Brush-Day-Lite Deep Color Alkyd Flat Ebony Black
Y-5051 House Paint Primer, White	Y-5280 Vinyl-Cote White Enamel	Y-5592 Glid-Tile "100" Black Filler Converter	Y-5791 Brush-Day-Lite Deep Color Alkyd Flat Federal Blue
Y-5058 Brush-Day-Lite Gloss, White	Y-5282 Vinyl-Cote Aluminum	Y-5593 Glid-Tile "100" White Enamel	Y-5792 Brush-Day-Lite Deep Color Alkyd Flat Victoria Purple
Y-5067 Spray-Day-Lite Alkyd Flat Enamel, White	Y-5283 Vinyl-Cote Light Gray	Y-5594 Glid-Tile "100" Tinting White Enamel	Y-5793 Brush-Day-Lite Deep Color Alkyd Flat Falcon Brown
Y-5069 Sani-Giene Enamel, White	Y-5285 Vinyl-Cote High-Build Metallic	Y-5595 Glid-Tile "100" Enamel Converter	Y-5794 Brush-Day-Lite Deep Color Alkyd Flat Tiber Green
Y-5076 Glid-Cool, White	Y-5289 Vinyl-Cote Spray Reducer	Y-5596 Glid-Tile Epoxide Gloss White Enamel	Y-5795 Brush-Day-Lite Deep Color Alkyd Flat Scarlet Red
Y-5084 Glid-Cool Reducer	Y-5290 Vinyl-Cote Mtl. Con. Primer Complete Unit	Y-5597 Glid-Tile Epoxide Enamel Converter	Y-5796 Brush-Day-Lite Deep Color Alkyd Flat Sun Yellow
Y-5086 Brush-Day-Lite Eggshell, Enamel, White	Y-5291 Vinyl-Cote Metal Conditioning Primer Base	Y-5598 Glid-Tile Epoxide Semi-Gloss White Enamel	Y-5797 Brush-Day-Lite Deep Color Alkyd Flat Citrus Orange
Y-5089 Stadium Seat Enamel, White	Y-5292 Vinyl-Cote Metal Conditioning Primer Acid	Y-5599 Glid-Tile Epoxide Spatter Converter	Y-5800 White Latex Semi-Gloss
Y-5100 Ultra Flat Latex, Super White	Y-5293 Vinyl-Cote Metal Conditioning Primer Reducer	Y-5600 Brush-Day-Lite Semi-Gloss, White	2-VB-1720 Glid-Kote (F.A.L.) Clear Synthetic Finish Flat
Y-5101 Ultra Flat Latex, Dutch Ivory	Y-5294 Vinyl-Cote Ship Bottom Red Lead	Y-5605 Brush-Day-Lite Semi-Gloss, Dutch Ivory	2-VB-1727 Glid-Kote (F.A.L.) Clear Synthetic Finish Gloss
Y-5107 Ultra Flat Latex, Mint Green	Y-5295 Vinyl-Cote Red Lead	Y-5601 Brush-Day-Lite Semi-Gloss, Jonquil	11-E-27 Speedenamel Q.D., Light Light Gray
Y-5113 Ultra Flat Latex, Buhrstone	Y-5296 Vinyl-Cote Brown Lead	Y-5607 Brush-Day-Lite Semi-Gloss, Mint Green	11-W-707 Stipple Gloss White
Y-5116 Insulcap, White	Y-5297 Vinyl-Cote Red Anti-Fouling	Y-5610 Brush-Day-Lite Semi-Gloss, Ocean Spray	19-W-752 Stipple Flat White
Y-5118 Pastel Tint Base	Y-5317 Brush-Day-Lite Masonry Block Filler, White	Y-5612 Brush-Day-Lite Semi-Gloss, Chelsea Blue	19-W-760 Exterior Alkyd Flat
Y-5143 Ultra Flat Latex, Cloud Pink	Y-5330 Athletic Field Marking Paint, White	Y-5613 Brush-Day-Lite Semi-Gloss, Buhrstone	19-W-761 Pigmented Surface Band
Y-5167 Ultra Flat Latex, Beige	Y-5370 Painter, Latex, White	Y-5618 Brush-Day-Lite Semi-Gloss, Pastel Tint Base	39-W-740 Enamel Undercoat White
Y-5180 Ultra Flat Latex Deep Tint Base, White	Y-5371 Painter Latex, Warm Ivory	Y-5634 Brush-Day-Lite Deep Color Semi-Gloss Ebony Black	41-W-705 Stipple Semi-Gloss White
Y-5187 Ultra Flat Latex Intermediate Tint Base, White	Y-5372 Painter Latex, Pastel Green	Y-5643 Brush-Day-Lite Semi-Gloss, Cloud Pink	45-W-775 Fast Dry Primer White
Y-5027 Stadium Seat Enamel Green	Y-5375 Painter Latex, Blue Aqua	Y-5652 Brush-Day-Lite Semi-Gloss, Mist Gray	56-B-700 Neoprene Asphalt Black
Y-5215 LifeMaster Chemical Resistant Primer	Y-5377 Painter Latex, Blue Tone	Y-5667 Brush-Day-Lite Semi-Gloss, Beige	85-W-29 Eggshell Stipple White En.
Y-5216 LifeMaster Chemical Resistant White	Y-5378 Painter Latex, Sunshine Yel.	Y-5678 Brush-Day-Lite Semi-Gloss, Aqua Surf	111-B-16 Speedenamel Q.D., Black Fire Red
Y-5220 Rustmaster, T & S Enamel White	Y-5379 Painter Latex, Bone White	Y-5680 Brush-Day-Lite Semi-Gloss, Deep Tint White	111-B-701 Flat Black
Y-5221 Rustmaster T & S Enamel Tinting White	Y-5503 Glid-Tile Epoxide Sealer	Y-5687 Brush-Day-Lite Semi-Gloss, Intermediate Tint White	111-R-13 Speedenamel, O.D.,
Y-5222 Rustmaster T & S Enamel, Black	Y-5504 Glid-Tile Epoxide Sealer Converter	Y-5691 Brush-Day-Lite Deep Color Semi-Gloss Federal Blue	111-E-28 Speedenamel Q.D., Mach. Gray
Y-5224 Rustmaster T & S Enamel, Bright Green	Y-5505 Glid-Tile Epoxide Glaze Clear Gloss	Y-5692 Brush-Day-Lite Deep Color Semi-Gloss Victoria Purple	111-G-25 Speedenamel Q.D., Med. Green
Y-5226 Rustmaster T & S Enamel, Light Gray	Y-5506 Glid-Tile Epoxide Glaze Clear Semi-Gloss	Y-5693 Brush-Day-Lite Deep Color Semi-Gloss Falcon Brown	111-W-12 Speedenamel Q.D., White
Y-5227 Rustmaster T & S Enamel, Aluminum Diffuse	Y-5507 Glid-Tile Epoxide Glaze Converter	Y-5694 Brush-Day-Lite Deep Color Semi-Gloss Sarclet Red	134-C-216 Glid-Kote (F.A.L.) Clear Toner
Y-5229 Rustmaster T & S Galvanized Primer, White	Y-5508 Clear Lacquer Floor Finish	Y-5697 Brush-Day-Lite Deep Color Semi-Gloss Sun Yellow	134-T-244 Glid-Kote (F.A.L.) Sanding Sealer
Y-5240 Nu-Pon Cote Hkigh-Build, Enamel, White	Y-5509 Glid-Tile Epoxide Deep Tint Converter	Y-5697 Brush-Day-Lite Deep Color Semi-Gloss Citrus Orange	135-C-775 Neoprene Asphalt Reducer
Y-5242 Nu-Pon Cote High-Build, Enamel, Converter	Y-5510 Romark Crosswalk Paint, White		178-W-7 Vinyl Cote Hi-Mill White
Y-5243 Nu-Pon Cote High-Build Enamel, Light Gray	Y-5511 Romark Crosswalk Paint, Yellow		178-R-12 Vinyl Cote Hi-Mill Primer
Y-5244 Nu-Pon Cote High-Build Enamel, Medium Gray	Y-5526 Romark Traffic Paint, White		178-C-13 Vinyl Cote Hi-Mill Reducer
Y-5250 Nu-Pon Cote High-Build Enamel, Tinting Chromate	Y-5527 Romark Traffic Paint, Yellow		178-E-14 Vinyl Cote Hi-Mill Light Gray
Y-5251 Nu-Pon Cote Chromate Metal Primer	Y-5528 Romark Reflectorized, White		178-E-15 Vinyl Cote Hi-Mill Aluminum (Double Compartment)
Y-5252 Nu-Pon Cote Chromate Metal Primer Converter	Y-5529 Romark Reflectorized, Yellow		282-B-400 Hi Temp. Silicone Black
Y-5253 Nu-Pon-Cote High Build Clear	Y-5561 Glid-Crete Complete Unit		282-E-400 Hi Temp. Silicone Alum.
Y-5256 Self-Priming Mastic	Y-5562 Glid-Crete Converter		282-Y-400 Hi Temp. Silicone Primer
	Y-5563 Glid-Crete Base Resin		297-C-202 Glid-Kote (F.A.L.) Catalyst
	Y-5567 Nu-Pon Cote Floor & Dado Enamel, Med. Gray		NA-62 Gascote Neoprene Asphalt Black
	Y-5568 Nu-Pon Cote Cleaning Solvent		
	Y-5570 Nu-Pon Metallite Primer		
	Y-5571 Nu-Pon Cote Floor & Dado Enamel, Light Gray		

THE GLIDDEN COMPANY

National Headquarters
900 Union Commerce Building
Cleveland, Ohio 44115

SALES OFFICES AND FACTORIES: New York • San Francisco • Los Angeles
Minneapolis • Dallas • Chicago • St. Louis • New Orleans • Cleveland
Atlanta • Portland • Reading • Canada: Toronto and Montreal
Branches in principal cities throughout the United States and Canada

Glidden

**INTERIOR WALL, CEILING AND
WOODWORK FINISHES**

SPRED SATIN Y-3400 LINE

(100% Latex Interior Paint)

Original 100% latex base paint for interior walls, ceilings, woodwork. Excellent for masonry, interior plaster, porous wallboards, acoustical tile, wallpaper. The ideal latex paint for schools, hospitals, residences, offices, motels, hotels, apartments, housing projects, etc. Extremely fast, easy application; self priming, cuts painting time in half. No disagreeable odor. Guaranteed washable. May be tinted with DRAMATONE Tinting Colors.

3400	High Hiding White	7.25	2.38	—	—
3470	Ceiling Flat White and Ready-Mixed Colors	7.25	2.38	—	—
\$3418	Decorator Tinting White (Pastel Tint Base) (124 oz.) (31 oz.)	7.08	2.30	—	—
\$3480	Deep Tint Base (120 oz.) (30 oz.)	6.59	2.13	—	—
\$3487	Intermediate Tint Base (122 oz.) (30.5 oz.) For Tinting Special Colors	6.65	2.18	—	—

SPRED SATIN DEEP COLORS

3434	Charcoal Black	7.25	2.38	—	—
3482	Beaver Brown	7.25	2.38	—	—
3484	Cherry Red	9.20	2.73	—	—

APPLICATION—Brush, Roller, Spray

DRYING TIME—20 minutes; may be recoated in 4 hours

THINNER—Water

COVERAGE—Up to 500 Sq. Ft. per gallon over most surfaces

***CRAFTSMAN LATEX PAINT Y-3050 LINE**

A specially formulated ready-to-use interior latex paint for application by brush or roller for plaster, wallboard, acoustical tile, masonry and wallpaper.

***SPRED STIPPLE TEXTURE AND BLOCK FILLER
Y-3090**

(Silicated Latex for Masonry and Dry-Wall Construction)

Ready to use on new or old surfaces. Gives all the advantages of texture and all the beauty of paint in one application. Hides irregular surfaces on plaster, wallboard, masonry blocks and wallpaper, seals spackled nail heads and tape joints. Easily applied with brush or roller. May be stippled or lightly textured in a variety of patterns and techniques. Especially made for texturing and stippling and for filling masonry blocks, pores and voids, to eliminate "pinholing" in finish coat, to assure better water repellency and to develop excellent appearance on interior and exterior masonry. May be tinted with DRAMATONE Tinting Colors.

Bone White

6.98 2.24

APPLICATION—Brush for texturing, followed by stipple brush, sponge, trowel, whisk broom, comb, etc., as desired. Use roller for stipple effect. Brush, roll or spray when used as a block filler

DRYING TIME—Overnight

THINNER—Water

COVERAGE—Texturing and filling blocks—75 to 100 Sq. Ft. per gallon. Stippling—175 to 200 Sq. Ft. per gallon

*AVAILABLE IN 5-GAL. CANS
AT 10c PER GALLON LESS THAN 1-GAL. PRICES.
\$SHORT FILLED TO ALLOW ADDITION OF COLORANT.

GLD027796

Glidden

SUGGESTED RETAIL PRICE LIST No. 88-VIII

SPRED FLAT Y-3000
(OIL EMULSION INTERIOR PAINT)

One gallon makes six quarts of paint when mixed with two quarts of water. Easy to apply over wallpaper, new or old plaster, wallboard, painted surfaces, cement and rough tile walls. Has limited washability

White

6.58

2.09

—

—

APPLICATION—Brush, Roller, Spray**DRYING TIME**—30 minutes; recoat 4 to 12 hours, depending upon surface**THINNER**—Water**COVERAGE**—Up to 650 Sq. Ft. per gallon**BRUSH-DAY-LITE ALKYD FLAT ENAMEL**
Y-5700 LINE

Beautiful, completely washable, flat alkyd enamel for interior wall surfaces, including plaster, wood, concrete, wallboard and metal. Can be applied quickly with a wide brush or roller. Flows out smoothly. One coat is usually sufficient. Colors match SPRED SATIN

White and Colors

6.88

2.24

—

—

APPLICATION—Brush, Roller, Spray**DRYING TIME**—4 hours; overnight for recoating**THINNER**—Mineral Spirits or Turpentine**COVERAGE**—Up to 550 Sq. Ft. per gallon**\$5718** Tinting White (Pastel Tint Base) (124 oz.) (31 oz.)

5.68

1.94

—

—

\$5787 Intermediate Tint Base (122 oz.) (30.5 oz.)

5.58

1.89

—

—

\$5780 Deep Tint Base (120 oz.) (30 oz.)
For Tinting Brush-Day-Lite Alkyd Flat Enamel Colors

5.48

1.84

—

—

19-W-770 Craftsman Alkyd Flat Wall Finish White

—

—

—

—

UNDERCOATERS AND PRIMERS FOR
WALLS, CEILINGS AND WOODWORK**SPRED PRIMER-SEALER Y-3416**
(A Latex Vapor-Barrier)

An excellent latex primer for porous surfaces of dry-wall construction, plaster, masonry and asbestos covered pipes. Seals high-suction plaster, most water stains, "hot spots" and discolored surfaces. Assures positive sealing and holdout for succeeding finishing coats of either latex or oil base paints. May be intermixed with latex paints for color, or tinted with DRAMATONE Tinting Colors. An approved vapor barrier which helps to prevent outside paint failures

6.68

2.18

—

—

APPLICATION—Brush, Roller, Spray**THINNER**—Water**DRYING TIME**—20 minutes; may be recoated in 4 hours**COVERAGE**—Up to 400 Sq. Ft. per gallon on plaster; 100 Sq. Ft. per gallon on porous wallboard

*AVAILABLE IN 5-GAL. CANS
AT 10c PER GALLON LESS THAN 1-GAL. PRICES.
§SHORT FILLED TO ALLOW ADDITION OF COLORANT.

PAGE 3

GL 0027797

Glidden

REGISTERED TRADE PRICE LIST 88 V11

***GLIDDENCOAT (White Enamel Undercoat) Y-555**

A perfect enamel undercoat for woodwork. Produces a firm opaque film to hold out succeeding coats of finishing enamel, making it possible to secure full luster and depth of gloss. Works easily, flows evenly without showing brush marks and requires only light sanding. Can be tinted with DRAMATONE Tinting Colors

APPLICATION—Brush, Spray

DRYING TIME—Overnight for sanding and recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—500 Sq. Ft. per gallon

39-W-740 Craftsman Enamel Undercoat

***SPEED-WALL ALKYD INTERIOR BASECOAT Y-4516**

A ready-to-use, low odor, alkyd-type primer-sealer for new and old interior wall surfaces of plaster, masonry or wallboard. Also for previously painted walls in poor condition and patched areas. Its remarkable ease of brushing and exceptional filling, sealing, hiding and alkali-resisting properties are gained through the use of special resins, pigments and oils

APPLICATION—Brush, Roller, Spray

DRYING TIME—Overnight for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—Up to 450 Sq. Ft. per gallon

ENAMELS — SEMI-GLOSS

**SPRED LUSTRE SEMI-GLOSS ENAMEL
Y-4600 LINE**

(Interior-Exterior Washable Alkyd Enamel)

Ready to use. Covers most surfaces in One Coat. Requires no other primer on new plaster or new wood. Ideal for kitchens, bathrooms, hallways, walls, furniture, plaster, woodwork and metal. Washes like tile. Colors match SPRED SATIN. May be tinted with DRAMATONE Tinting Colors.

4600 Super White	8.58	2.64	1.50	—
4600 Ready-Mixed Colors	8.48	2.59	—	—
\$4618 Tinting White (Pastel Tint Base) (124 oz.) (31 oz.)	8.38	2.54	—	—
\$4680 Deep Tint Base (120 oz.) (30 oz.)	7.73	2.39	—	—
\$4687 Intermediate Tint Base (122 oz.) (30.5 oz.) For Tinting Special Colors	7.98	2.44	—	—

*AVAILABLE IN 5-GAL. CANS
AT 10c PER GALLON LESS THAN 1-GAL. PRICES.
§SHORT FILLED TO ALLOW ADDITION OF COLORANT.

PAGE 4

GLD027798

Glidden

SUGGESTED RETAIL PRICE LIST No. 88-VIII

SPRED LUSTRE DEEP COLORS

4634 Charcoal Black	8.48	2.59	—	—
4682 Beaver Brown	8.48	2.59	—	—
4684 Cherry Red	11.08	3.24	—	—

APPLICATION—Brush, Roller, Spray

DRYING TIME—Dust free 3 to 4 hours; recoat overnight

THINNER—Mineral Spirits or Turpentine

COVERAGE—Approx. 550 Sq. Ft. per gallon

***CRAFTSMAN SEMI-GLOSS ENAMEL WHITE
12-W-710**

ENAMELS—GLOSS

JAPALAC ENAMEL 1000 LINE

(QUICK-DRYING, ALKYD GLOSS)

An extra-durable, alkyd enamel in brilliant colors that cover in ONE COAT. Bright hues and muted tones give new life and sparkle to old surfaces—walls, ceilings, woodwork and furniture. JAPALAC Quick-Drying Alkyd Enamel is formulated for the finest enameling inside and outdoors. It looks, wears and washes like baked enamel. Colors may be tinted with DRAMATONE Tinting Colors.

Ultra White, Brilliant Black, Flat Black and Colors	10.18	2.99	1.70	1.14	.73
§1218 Pastel Tint Base (124 oz.) (31 oz.)	9.98	2.94	—	—	—
§1280 Deep Tint Base (120 oz.) (30 oz.)	9.58	2.84	—	—	—
§1287 Intermediate Tint Base (122 oz.) (30.5 oz.) For Tinting Special Colors	9.78	2.89	—	—	—

APPLICATION—Brush, Roller, Spray

DRYING TIME—4 to 6 hours; 24 hours for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—Approx. 500 Sq. Ft. per gallon

***CRAFTSMAN GLOSS ENAMEL WHITE 40-W-735**

A quality gloss enamel recommended for interior use on woodwork, furniture, kitchen and bathroom walls and cabinets

*AVAILABLE IN 5-GAL. CANS
AT 10c PER GALLON LESS THAN 1-GAL. PRICES.
§SHORT FILLED TO ALLOW ADDITION OF COLORANT.

Gals. Qts. Pts. ½ Pts.

8.48 2.59 — —
8.48 2.59 — —
11.08 3.24 — —

— — — —

Gals. Qts. Pts. ½ Pts. ¼ Pts.

10.18 2.99 1.70 1.14 .73
9.98 2.94 — — —
9.58 2.84 — — —
9.78 2.89 — — —

Gals. Qts. Pts. ½ Pts.

— — — —

PAGE 3

01002700

Glidden

REGISTERED PATENT PRICE IS NO. 88 V. 11

DRAMATONE MULTI-PURPOSE TINTING COLORS Y-1750 LINE

(FOR TINTING LATEX, ALKYD AND OTHER PAINTS)

Tinting colors for use with SPRED SATIN Latex Paint, Alkyd Semi-Gloss Enamel, Alkyd Flat Enamel and Other Paints. See Dramatone displays for wide range of colors.

1750 (N-T) Neutral Toner	.71	—	—	—
1751 (F-R) Fast Red	.71	—	—	—
1752 (Y-OX) Yellow Oxide	.71	—	—	—
1753 (L-Y) Lemon Yellow	.71	—	—	—
1754 (YE-G) Yellow Green	.71	—	—	—
1755 (T-GR) Thalo Green	.71	—	—	—
1756 (T-BL) Thalo Blue	.71	—	—	—
1757 (VIO) Violet	.71	—	—	—
1758 (R-O) Rich Orange	.71	—	—	—
1782 (BLK) Black	.71	—	—	—
1786 (OX-R) Oxide Red	.71	—	—	—

Gals.	Qts.	Pts.	½ Pts.
1.oz. Per tube	Qts.		

WOOD FINISHING MATERIALS

WOOD STAINS, FILLERS. FINISH STAINS

*Glid-Tone Redwood Stain Y-31

A penetrating flat Redwood Stain and Sealer designed especially to protect and beautify natural exterior wood such as siding, shingles, shakes, panels, doors, fences, picnic tables and yard furniture. If gloss finish is desired use Clear Redwood Finish Y-30

APPLICATION—Brush, Spray

DRYING TIME—Overnight

THINNER—Mineral Spirits, Turpentine, VM & P Naphtha

COVERAGE—First Coat on rough, new wood: 200-300 Sq. Ft. per gallon. Finished Wood: 300-400 Sq. Ft. per gallon, first coat. 2nd Coat: Up to 600 Sq. Ft. per gallon. 3rd Coat: Up to 800 Sq. Ft. per gallon.

Gals.	Qts.	Pts.	½ Pts.
5.68	1.89	—	—

GLID-TONE WOOD STAIN Y-242 LINE

An all-purpose, pigmented wiping stain for all types of wood, plywood and veneer, exterior and interior surfaces. Especially suitable for knotty pine wood paneling in recreation rooms. Excellent for use on new or old furniture, woodwork, cabinets, wall paneling and floors. GLID-TONE Stain heightens the beauty of the wood grain. Holds color evenly. May be coated with varnish, shellac or lacquer. May be tinted with DRAMATONE Tinting Colors to produce additional beautiful colors.

Stains, All Colors

APPLICATION—Wiping Cloth, Brush

DRYING TIME—12 hours

THINNER—Mineral Spirits....

6.38	1.99	1.25	.84

*AVAILABLE IN 5-GAL. CANS
AT 10c PER GALLON LESS THAN 1-GAL. PRICES.

PAGE 6

GLD027800



SUGGESTED RETAIL PRICE LISTING

	Gals.	Qts.	Pts.	½ Pts.
GLID-TONE RE-GRAIN GROUND COAT Y-260 An enamel undercoater that produces a firm, opaque film, renews worn out finishes as described in "Step 1" in the Glid-Tone Re-Grain Process folder. For more detailed information see Glid-Tone Re-Grain Process Folder	—	2.49	1.35	.93
GLID-TONE VARNISH STAIN Y-1201-02-03 Stains and varnishes in one operation. Dries quickly, to a high lustre. For use on furniture, woodwork and floors. Unusually waterproof APPLICATION —Brush, Spray DRYING TIME —4 to 6 hours; 24 hours for recoating THINNER —Mineral Spirits or Turpentine COVERAGE —600 Sq. Ft. per gallon	7.68	2.48	1.40	.94
GLID-TONE WOOD FILLER Y-700 For use on all open-grained wood such as oak, chestnut, walnut and mahogany. Has pure sillex base and will not shrink or break away from the pores of the wood when dry. Furnished in paste form. Must be reduced with naphtha or turpentine... APPLICATION —Brush, Cloth THINNER —Turpentine, Naphtha	6.48	2.19	—	.84
XPERT SPRAY OIL STAINS Y-4801 LINE Permanent pigment stains for staining new wood. They give traditional-modern tones for interior and exterior wood surfaces	(4 oz.) .86	—	—	—
WOOD FINISHING KITS AND AVAILABLE COMPONENTS				
549 ANTIQUE KIT This beautiful antique finish may be applied directly over old finishes or on new, unfinished wood Components of Kit available separately:	(per kit) 3.95	—	—	—
507 Antique Base Coat	—	—	1.85	—
508 Patina Glaze	—	—	—	1.24
651 MARBLEIZING KIT This is a beautiful finish which can be used in many areas of the home. Colors are available in the tones and hues of authentic marble Components of Kit available separately:	(per kit) 5.29	—	—	—
657 M-1 Base	—	—	—	.94
652 VENETIAN GOLD KIT A lavish and elegant finish which may be applied to almost any sound surface. It is a dramatic accent for feature walls, table tops, doors, furniture and decorative panels Components of Kit available separately:	(per kit) 6.99	—	—	—
653 V-1 Base	—	—	—	.79
654 V-2 Gold	—	—	—	1.24

Glidden

CLEAR VARNISHES AND FLOOR SEALERS

GLID-TONE GLOSS VARNISH Y-1

A deluxe, general-purpose interior varnish. Epoxy resins give it extreme abrasion resistance, durability and lasting beauty. Excellent on all interior wood surfaces, bar and tabletops, woodwork, furniture and floors. Especially suitable over newly stained woodwork where Glid-Tone Stains have been applied. May be rubbed.....

APPLICATION—Brush

DRYING TIME—6 to 8 hours

THINNER—Mineral Spirits or Turpentine

COVERAGE—650 Sq. Ft. per gallon

Gals.

Qts.

Pts.

½ Pts.

9.18

2.79

1.55

.99

GLID-TONE SATIN SHEEN VARNISH Y-47

A new satin sheen varnish that dries free from all cloudiness and preserves the natural beauty of the wood. Excellent for use over GLID-TONE stains and for all interior work where a dull finish or rubbed effect is desired. Sufficiently pale for use over light modern stains. DO NOT USE ON FLOORS

APPLICATION—Brush

DRYING TIME—2 hours

THINNER—Mineral Spirits or Turpentine

COVERAGE—650 Sq. Ft. per gallon

8.38

2.59

1.45

.94

GLID-TONE SPAR VARNISH Y-43

Extra durable spar varnish for exterior surfaces exposed to weather. Recommended as the finest varnish available for exterior use—spars, hulls, decks, house sidings, paneling, porch ceilings, outdoor furniture, etc. Makes perfect finish over Glid-Tone Stain on exterior surfaces

APPLICATION—Brush

DRYING TIME—8 hours; 48 hours for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—650 Sq. Ft. per gallon

9.78

2.89

1.65

1.19

*ROCKSPAR VARNISH Y-50

Heavy bodied varnish for all interior surfaces. One coat equivalent to two coats of ordinary varnish. No shrinkage on drying. Dries with deep high gloss

APPLICATION—Brush

DRYING TIME—Overnight; 24 hours for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—Up to 700 Sq. Ft. per gallon

8.18

2.59

1.50

.94

*AVAILABLE IN 5-GAL. CANS
AT 10c PER GALLON LESS THAN 1-GAL. PRICES.

Glidden

REGISTERED TRADE MARK OF THE GLIDDEN COMPANY

CLEAR WOOD FINISHES POLYURETHANE

*GLID-TONE POLYURETHANE REDWOOD FINISH CLEAR Y-30

A brilliant gloss finish for redwood, red cedar, pine and other exterior wood surfaces. Mildew and fume resistant. Provides a tough, erosion resistant film that maintains flexibility and resists checking, cracking, hardening

APPLICATION—Brush, Spray

DRYING TIME—Overnight

THINNER—Mineral Spirits, Turpentine, VM & P Naphtha

COVERAGE—First Coat on rough, new wood: 200-300 Sq. Ft. per gallon. Finished Wood: 300-400 Sq. Ft. per gallon. Second Coat: 500-600 Sq. Ft. per gallon. Third Coat: 600-800 Sq. Ft. per gallon.

XPRT POLYURETHANE LIQUID PLASTIC SATIN SHEEN Y-27

Clear plastic satin-sheen finish for interior-exterior use. Outwears conventional interior finishes two to one. Provides 25% more durability for exteriors. For use on floors, furniture, paneling or exterior redwood, doors, shutters, etc. Not recommended over shellac, lacquer sanding sealers, lacquer or for large areas of exterior siding

XPRT POLYURETHANE LIQUID PLASTIC CLEAR GLOSS Y-31

Clear, high gloss plastic finish that will outwear conventional lacquers and varnishes two to one for interior use. Gives up to 25% greater durability for exteriors. May be used on floors, furniture, paneling or exterior redwood, cedar doors, etc. Not recommended over shellac, lacquer sanding sealers, lacquer or for large areas of exterior siding

XPRT SATIN SHEEN POLYURETHANE CLEAR Y-32

A clear, low-gloss polyurethane protective coating for finishing wood surface

METAL PROTECTIVE PRIMERS AND ENAMELS

APALAC SCREEN ENAMEL Y-122

Gloss black, solid-covering enamel for exterior screens, wood and metal sash, wrought iron, decorative lamps, etc. Also ideal for interior ironwork, pipes, grills, furnaces, stoves, heaters, andirons, etc. Will not clog screen mesh. Resists weather and protects metal from rusting

APPLICATION—Brush, Spray or Special Applicator

DRYING TIME—6 to 8 hours

THINNER—Mineral Spirits or Turpentine

COVERAGE—600 Sq. Ft. per gallon

*METALLITE ALL-PURPOSE ALUMINUM Y-592

An extremely smooth, chrome-like aluminum finish for use on radiators, furnace jackets, airducts, hot water tanks and heaters, pipes and other interior surfaces. Will not tarnish under ordinary conditions. It maintains its brilliance. Makes an excellent sealer over asphalt. Retards corrosion caused by fumes and moisture. Withstands heat up to 500°F. Hides with one coat. Easily cleaned. Reflects light...

APPLICATION—Brush, Roller, Spray

DRYING TIME—2 to 4 hours; 24 hours for recoating

THINNER—Mineral Spirits or Turpentine

COVERAGE—650 Sq. Ft. per gallon

Gals.	Qts.	Pts.	½ Pts.
8.48	2.59	—	—
11.38	3.39	1.85	—
9.48	2.89	1.65	—
(13 oz.) 1.79	—	—	—
5.38	1.84	1.15	.74
7.38	2.29	1.35	.89

*AVAILABLE IN 5-GAL. CANS
AT 10¢ PER GALLON LESS THAN 1-GAL. PRICES.

PAGE 9

010027802