

SHIFT TEAM TWO
SAFETY MEETING
MARCH 29, 1989

I. SAFETY ORDER S-125 - ASBESTOS

- A. Jerry Smith opened the meeting with an introduction of the Safety Order on Asbestos. He went into a discussion of the properties of asbestos and its uses. Also discussed were the potential health hazards involved with exposure to asbestos and the permissible exposure limit (PEL).
- B. Ron Henderson lead a discussion on the general practices involved in handling asbestos as written in S-125.
- C. Jimbo Ryan talked about the definitions contained in the Safety Order.
- D. Ray Malonson explained the DFMC work practices involved as defined in the Safety Order.

ACTION ITEM: Jerry Smith volunteered to contact the Industrial Hygiene Department and inquire about the BPA Control Room ventilation requirements regarding asbestos fibers.

- E. Ray Malonson also discussed the requirements for demolition and renovation of asbestos materials as contained in S-125.

ACTION ITEM: Ray Malonson agreed to notify the Industrial Hygiene Department concerning the asbestos removal which took place in the BPAM area approximately two years ago and request the air monitoring results.

- F. Enrico DeSalle discussed the sections contained in S-125 concerning asbestos disposal and also the section involving Annual Medical Exams and Employee Training.

LAM 024154

Page 1 of 2

ABS-007334

SHIFT TEAM TWO
SAFETY MEETING CONT.

ATTENDEES: E. DESALLE
R. HENDERSON
R. MALONSON
J. MCGUIGAN
J. RYAN
J. SMITH

LAM 024155

Page 2 of 2

ABS-007335