FILE NAME: Chrysler (CHRY)

DATE: 1978 Apr 24

DOC#: CHRY138

DOCUMENT DESCRIPTION: Memo RE Special Asbestos Survey with Results

Name & Department		File Code / Division	Date / Plant/Office	CIMS Number
			April 24, 1978	
T. Enders	Plant Manager	Stamping & Assembly Division	Trenton Chemical Plant/Office	453-02-00 CIMS Number
D. P. Glazier	Industrial Hygiene	Employee & Ind. Relations	Chrysler Center	417-05-19

Subject: SPECIAL ASBESTOS SURVEY

On April 10 and 11, 1978, Mr. T. Carapezza and the writer investigated employee exposure to airborne asbestos at the locations listed on the attached data sheet. Airborne concentrations of asbestos dust were found to be well below the OSHA Permissible Exposure Limit at the operations investigated. It should be noted that the recent installation of local exhaust ventilation at the load-unload work station has resulted in a tenfold reduction in employee exposure.

Daniel P. Glazier

DANIEL P. GLAZIER
Industrial Hygienist

dms
Attachment

cc: L. F. Andre
G. D. Benson
F. A. Burnett
G. C. Hill
E. R. Lombard
N. McCallum
W. M. O'Brien
G. A. Sattelmeier

ALL-STATE LEGAL®
PLAINTIFF'S EXHIBIT
WK
CHRSD36