I.V. 200, 202, 204, 210, 213, 261 C.V. D.V.

CG 20 CODE BT-425-D PKG. _____

→MAY -0·81- Ξ1038

EST. WGT. 2866 LBS.

STD. HRS. _____ TIME _____ M

PROCESSES		APPROVED BY
( ) BT-425-D	(F)	AJC 06-27-77
( )	( )	DCG 06-30-77
( )	( )	MTW 07-01-77
( )	( )	
TYPED BY		
emw070677		

NON-BLEEDING

EQUIPMENT		NAME: MONASTRAL® BLUE BF	USE LBS.	N CODE	ACCT. LBS.
		NOTE: For processing N-8900-A, N-8802-A & N-8510-A; preset water meter per chart for water addition to full totes. Use mode 4 for full totes & mode 1 for stumping totes.			
SV 1	1	Run 2-3" (±200 G) water into V-200			
	2	Use Station # 3 & pump in		8900-A	325
		Gals of Water			
		Sequencer Steps			
		LOT 6 11 16 #100% %			
		140 Stump 325 19.4	1675		
		Total 325 # 100%			
	3	Use Station # 3 & pump in		8802-A	115
		Gals of Water			
		Sequencer Steps			
		LOT 6 11 16 #100% %			
		114 Stump 115 18.6	618		
		Total 115 # 100%			
	4	Use Station # 3 & pump in		8510-A	2160
		Gals of Water			
		Sequencer Steps			
		LOT 6 11 16 #100% %			
		738-A 50 20 25 298 11.9	2580		
		741-A 50 20 25 353 14.1	2580		
		748 50 20 50 293 11.7	2500		
		753A 25 10 15 281 11.1	2500		
		741B 25 10 40 306 12.3	2500		
		737 25 10 25 225 9.0	2500		
		755A 35 10 35 305 12.2	2500		
		738C Stump 162 10.6	962		
		Total 7160# 100%			
	5	After last tote pumped, run in 100 gals of water & pump into SV to clean system			
	6	Start agitator & stir 5 min			
	7	Record: pH 10.0 (8.5-10.0)			
	8	If necessary, adj to pH 8.5-10.0 Assume 50%		7-D	
		& Record: pH Assume 77%		27-D	
			VMW		

EQUIPMENT		PAGE 2 CG 20 CODE BT-425-D (F) EST. WGT. 2866 LBS.	USE LBS.	N CODE	ACCT. LBS.
313 2	9	Run 24" (355 G) water into V-313			
	10	Turn on agitator & heat to 80-100°F			
	11	Sift in (±1 min per bag)	320	530-A	320
	12	Stir 5 min & Record: pH (10.0-10.5)			
	13	Stir an additional 15 min or longer to dissolve for S 16			
304 3	14	Run 10" (122 G) water into V-304			
	15	Dump in & stir to dissolve for S 17	100	20-A	100
SV 4	16	Run V-313 thru 20 mesh screen into SV & stir 5 min			
	17	Run in V-304 in 5-10 min & stir 15 min			
	18	Record: pH 9.9 (9.0-10.0)			
	19	Flood to 77 " & stop agitator			

SV	200	202	204	210	213	261
S 19	77"	87"	88"	74"	52"	60"
Gal	5205	5150	5174	5143	5153	5220

START	FIN	OPTR
3PM	8:30PM	282
8:30PM	10:05PM	201

DUP050097453

5/4

N-8862-A, N-8863-A, N-8900-A

HIGH SOLIDS PRESSCAKE

- NEWPORT SHIPPING THE ABOVE IN PRESSCAKE OR SLURRY FORM
- AFTER REMOVING TOTE LID, CHECK TOTE CONTENTS AS TO WHETHER MATERIAL IS IN PRESSCAKE OR SLURRY FORM
- IF PRESSCAKE FORM, PRESET WATER METER AT 250 GAL WATER USE MODE # 4 FOR PUMPING FULL TOTES & MODE # 1 FOR STUMPING TOTES
- IF SLURRY FORM, TREAT AS PER CARD

DUP050097454