

A U T O M O T I V E D A T A B O O K B U L L E T I N #1-921

October 9, 1992

	FRONT FMSI NO.	SYSTEM F/R	REAR FMSI NO.
ACURA			
1993, Integra	7445-D409**	D/D	7443-D564**
1993, NSX	7382-D503**	D/D	7383-D504**
BUICK			
1993, Riviera	7384-D505**	D/D	7387-D508**
1993, Roadmaster	7214A-D52	D/BH	2134BTT-S652
1993, Skylark	7385-D506**	D/BH	2164-553
CADILLAC			
1993, DeVille	7384-D505**	D/N	1394-S636
1993, Eldorado	7384-D505**	D/D	7387-D508**
1993, Limousine	7259-D369**	D/BH	2134BTT-S652
1993, Seville	7384-D505**	D/D	7387-D508**
CHEVROLET			
1993, Caprice	7214A-D52	D/BH	2117BTT-S650
	OR	/BH	2134BTT-S652
1993, Caprice Wagon	7214A-D52	D/BH	2134BTT-S652
1993, Cavalier	7385-D506**	D/BH	2164-553
1993, Lumina APV	7384-D505**	D/N	1394-S636
EATON			
Front Axle			
15 x 4 ES	1443TT-S664 (Note #25)	A/	
FORD			
1993, Festiva	7291-D402**	D/N	1406-595
1993, Mustang 2.3L	7072B-D237	D/BH	2151T-569*
1993, Mustang GT 5.0L	7379A-D421	D/BH	2151T-569*
1993, Probe	7463-D583**	D/N	1407-S667*
	(Notes #9 & 22)		(Note #28)
	OR	/D	7464-D584**
			(Notes #10 & 23)
1993, Tempo	7411A-D257	D/N	1350-501*
1993, Thunderbird	7304A-D417	D/N	1396-S618
1993, Thunderbird Super Coupe	7304A-D417	D/D	7239A-D545
FORD TRUCK			
1993, Bronco	7361-D375**	D/BH	2141AT-582
1993, Explorer	7125A-D387	D/BH	2089AT-581
1993, E-150	7361-D375**	D/BH	2141AT-582
1993, E-250	7436-D557**	D/BH	2146T-316
	OR	/BH	2140AT-314
1993, E-350	7436-D557**	D/BH	2140AT-314
	OR	/BH	2171T-583*

SEE DISCLAIMER AT END OF BULLETIN

FMSI® and FMS® are registered trademarks of the Friction Materials Standards Institute, Inc.

Copyright® by Friction Materials Standards Institute, Inc.

	FRONT FMSI NO.	SYSTEM F/R	REAR FMSI NO.
<u>FORD TRUCK (con't)</u>			
1993, F-150	7361-D375**	D/BH	2141AT-582
1993, F-250	7330-D450**	D/BH	2146T-316
	OR	/BH	2140AT-314
1993, F-350	7330-D450**	D/BH	2140AT-314
	OR	/BH	2171T-583*
1993, F-450 Chassis	7299-D411**	D/D	7299-D411**
1993, Ranger	7125A-D387	D/BH	2151T-569
	OR	/BH	2089AT-581
<u>HONDA (See Corrections)</u>			
1993, Civic Delsol	7439-D560**	D/N	1379-S639*
	OR	/D	7443-D564**
1993, Civic 4Dr (Exc. EX)	7439-D560**	D/N	1379-S639*
	OR	/N	1364-576*
1993, Civic 4Dr EX	7445-D409**	D/D	7443-D564**
1993, Prelude (Exc. SR)	7448-D568**	D/D	7418-D537**
1989-88, Civic CRX Si	7178-D273**	D/N	1379-546*
1987-86, Civic CRX Si	7162-D256**	D/N	1379-546*
<u>ISUZU</u>			
1992, Trooper	7459-D579** (Notes #5 & 18)	D/D	7460-D580** (Notes #6 & 19)
<u>MAZDA</u>			
1993, Miata	7337-D525**	D/D	7338-D458**
1993, MX3	7353-D473**	D/N	8104-S659*
	OR	/D	7453-D573**
1993, MX6	7463-D583**	D/N	1407-S667*
	OR	/D	7464-D584**
1993, RX7	7465-D585** (Notes #11 & 24)	D/D	7186-D482**
1993, Navajo	7125A-D387	D/BH	2089AT-581
1993, Protege	7219-D466**	D/N	8104-S659*
	OR	D/D	7338-D458**
1993, 323	7219-D466**	D/N	8104-S659*
1993, 626	7463-D583**	D/N	1407-S667*
	OR	/D	7464-D584**
1993, 929	7431-D552**	D/D	7432-D553**
1993, MPV 2WD	7429-D550**	D/BH	2172-609*
1993, MPV 4WD	7430-D551**	D/BH	2172-609*
1993, B2200	7454-D574**	D/N	1344-565*
1993, B2600 2WD	7454-D574**	D/N	1344-565*
1993, B2600 4WD	7220-D320**	D/BH	2172-S626*
<u>MERCEDES</u>			
1992-91, 300 SD	7458-D578** (Notes #4 & 17)	D/D	7374-D495**
1992-91, 300 SE	7458-D578**	D/D	7374-D495**
1992-91, 400 SE	7457-D577** (Notes #3 & 16)	D/D	7374-D495**
1992-91, 500 SEL	7457-D577**	D/D	7374-D495**
1992-91, 600 SEL	7457-D577**	D/D	7374-D495**
<u>MERCURY</u>			
1993, Capri	7240-D348**	D/D	7257-D366**
1993, Topaz	7411A-D257	D/N	1350-501*
1993, Villager	7456-D576** (Notes #2 & 15)	D/N	1452-S665 (Notes #12 & 26)

	FRONT FMSI NO.	SYSTEM F/R	REAR FMSI NO.
<u>MITSUBISHI</u>			
1993, 3000 GT	7412-D530**	D/D	7272-D383**
1993, 3000 GT VR4	7413-D531**	D/D	7414-D532**
1993, Diamante	7412-D530**	D/D	7272-D383**
1993, Eclipse	7365-D484**	D/D	7415-D533**
1993, Eclipse 4WD	7412-D530**	D/D	7415-D533**
1993, Galant	7365-D484**	D/N	1415-610*
OR 7412-D530**		D/D	7415-D533**
<u>NISSAN</u>			
1993, Quest	7456-D576**	D/N	1452-S665
<u>OLDSMOBILE</u>			
1993, Achieva	7385-D506**	D/BH	2164-553
1993, Cutlass Ciera	7136-D215**	D/N	1394-S636
1993, Silhouette APV	7384-D505**	D/N	1394-S636
<u>PONTIAC</u>			
1993, Grand Am	7385-D506**	D/BH	2164-553
1993, Sunbird	7385-D506**	D/BH	2164-553
1993, Transport	7384-D505**	D/N	1394-S636
<u>ROCKWELL</u>			
Disc Brakes ADB 1760	7455-D575**	D/D	7455-D575**
	(Notes #1 & 14)		
ADB 1540	7172-D267**	D/	
ADB 1560	7173-D268**	D/D	7173-D268**
<u>SUZUKI</u>			
1992, Sidekick 2DR	7305-D418**	D/N	1440-S641*
1992, Swift	7331-D451**	D/N	1414-608*
1992, Swift GT/GTI	7332-D452**	D/D	7180-D277**
<u>TOYOTA</u>			
1993, MR2 Turbo	7462-D582**	D/	
	(Notes #8 & 21)		
<u>VOLKSWAGEN</u>			
1993, Eurovan	7461-D581**	D/N	1453-S666*
	(Notes #7 & 20)		(Notes #13 & 27)
1993-92, Fox (Exc. Wagon)	7242-D350**	D/N	1354-559
1993-92, Fox Wagon	7242-D350**	D/N	1402-495
1993, Passat	7143-D227**	D/D	7234-D340**
OR 7177-D227**		D/	

C O M M E N T S

Existing lining used with new shoe:

<u>Lining</u>	<u>Assembly</u>	<u>Application</u>
1443TT	1443TT-S664	Eaton Front Axle 15 x 4 ES
1407	1407-S667	1993 Ford Probe Rear
		1993 Mazda MX6 Rear
		1993 Mazda 626 Rear

C O R R E C T I O N S

Honda - Catalog lists 7162-D256 for front of Honda Civic CRX Si 1989-86. Correct front brakes are 1989-88, 7178-D273 and 1987-86, 7162-D256.

DISC BRAKE LINING ASSIGNMENTS

Note #1	<u>FMSI 7455</u>	7455-D575
	59.0 x 30.4 x 294	2 IM
	63.5 x 20.9 x 294	2
	(2.32 x 1.197 x 11.58)	
	(2.50 x .823 x 11.58)	
Note #2	<u>FMSI 7456</u>	7456-D576
	45.3 x 15.8 x 144.3	2 IM
	45.3 x 15.8 x 144.3	2
	(1.78 x .622 x 5.68)	
	(1.78 x .622 x 5.68)	
Note #3	<u>FMSI 7457</u>	7457-D577
	67.1 x 17.8 x 96.3	4 IM
	(2.64 x .701 x 3.79)	
Note #4	<u>FMSI 7458</u>	7458-D578
	62.0 x 17.4 x 86.4	4 IM
	(2.44 x .685 x 3.40)	
Note #5	<u>FMSI 7459</u>	7459-D579
	47.5 x 16.5 x 122.7	4 IM
	(1.87 x .650 x 4.83)	
Note #6	<u>FMSI 7460</u>	7460-D580
	37.3 x 15.8 x 94.5	4 IM
	(1.47 x .622 x 3.72)	
Note #7	<u>FMSI 7461</u>	7461-D581
	53.8 x 17.9 x 87.1	4 IM
	(2.12 x .705 x 3.43)	
Note #8	<u>FMSI 7462</u>	7462-D582
	48.5 x 15.6 x 117.3	4 IM
	(1.91 x .614 x 4.62)	
Note #9	<u>FMSI 7463</u>	7463-D583
	42.7 x 16.1 x 117.9	2 IM
	42.7 x 15.0 x 117.9	2
	(1.68 x .634 x 4.64)	
	(1.68 x .591 x 4.64)	
Note #10	<u>FMSI 7464</u>	7464-D584
	35.0 x 13.6 x 89.9	4 IM
	(1.38 x .535 x 3.54)	
Note #11	<u>FMSI 7465</u>	7465-D585
	49.3 x 14.8 x 105.2	2 IM
	49.3 x 14.8 x 105.2	2
	(1.94 x .582 x 4.14)	
	(1.94 x .582 x 4.14)	

DRUM BRAKE LINING ASSIGNMENTS

Note #12	<u>FMSI 1452</u>		1452-S665
	250.0dd - 55.2 x 6.3 x 248.7		4 - 40
	(9.84 - 2.17 x .248 x 9.79)		
Note #13	<u>FMSI 1453</u>		1453-S666
	270.0dd - 55.0 x 5.8 x 226.0		2 Bonded
	270.0 - 55.0 x 5.8 x 279.4		2
	(10.63 - 2.17 x .228 x 8.90)		
	(10.63 - 2.17 x .228 x 11.00)		

DISC BRAKE SHOE ASSIGNMENTS

Note #14	<u>FMS D575</u>	7455-D575	Rockwell Axle
	296.0 x 7.9		
	296.0 x 6.4		
	(11.65 x .311)		
	(11.65 x .250)		
Note #15	<u>FMS D576</u>	7456-D576	Mercury Nissan
	188.0 x 5.9		
	188.0 x 5.9		
	(7.40 x .232)		
	(7.40 x .232)		
Note #16	<u>FMS D577</u>	7457-D577	Mercedes
	97.8 x 4.6		
	(3.85 x .181)		
Note #17	<u>FMS D578</u>	7458-D578	Mercedes
	87.9 x 4.6		
	(3.46 x .181)		
Note #18	<u>FMS D579</u>	7459-D579	Isuzu
	137.7 x 6.0		
	(5.42 x .236)		
Note #19	<u>FMS D580</u>	7460-D580	Isuzu
	109.7 x 7.0		
	(4.32 x .276)		
Note #20	<u>FMS D581</u>	7461-D581	Volkswagen
	91.4 x 5.1		
	(3.60 x .201)		
Note #21	<u>FMS D582</u>	7462-D582	Toyota
	141.0 x 5.6		
	(5.55 x .220)		
Note #22	<u>FMS D583</u>	7463-D583	Ford Mazda
	131.6 x 6.1		
	131.6 x 5.1		
	(5.18 x .240)		
	(5.18 x .201)		
Note #23	<u>FMS D584</u>	7464-D584	Ford Mazda
	100.1 x 5.7		
	(3.94 x .224)		

DISC BRAKE SHOE ASSIGNMENTS (Con't)

Note #24	<u>FMS D585</u>			
	106.9 x 5.6	7465-D585	Mazda	
	106.9 x 4.6			
	(4.21 x .220)			
	(4.21 x .181)			

DRUM BRAKE SHOE ASSIGNMENTS

Note #25	<u>FMS S664</u>	1443TT-S664	Eaton
	15.00 x 4.00		
Note #26	<u>FMS S665</u>	1452-S665	Mercury
	250.0 x 55.0		Nissan
	(9.84 x 2.17)		
Note #27	<u>FMS S666</u>	1453-S666	Volkswagen
	270.0dd x 55.0		
	(10.63 x 2.17)		
Note #28	<u>FMS S667</u>	1407-S667	Ford
	228.6dd x 30.0		Mazda
	(9.00 x 1.18)		

CLUTCH FACING APPLICATIONS BY MODELTOYOTA

1977-71, Celica	8036A
	(Note #29)
1974-71, Corona	8036A
1976-72, Corona MK III	8036A
1980-81, 4 Runner	8036A
1980-71, Pickup	8036A

CLUTCH FACING ASSIGNMENTS

Note #29	<u>FMSI 8036A</u>			
	8.86 x 6.30 x .137	16 Gr A Str	-	16

The data shown in this bulletin has been supplied by sources considered to be reliable. While we believe that such information is correct, the Institute cannot and does not accept any responsibility or liability for errors or omissions, or harm resulting therefrom.

The data shown in this bulletin indicates dimensions only and in no way refers to quality of any materials that may be embodied in the product or particular application involved, and moreover SINCE FIELD CONDITIONS AND OTHER FACTS MAY NECESSARILY VARY FROM ONE APPLICATION TO ANOTHER, FRICTION MATERIALS SUPPLIERS AND INSTALLERS SHOULD RELY ULTIMATELY AND SOLELY UPON THEIR OWN EXPERTISE AND JUDGMENT AS TO QUALITY AND DIMENSIONAL SIZE. Under no circumstances should replacement items be used when they do not appear to fit, nor be "forced" to fit, nor be modified in the field instead of obtaining a proper sized item from a supplier. If such items are modified in the field to fit, the Institute specifically disclaims all liability and responsibility for any harm resulting therefrom.

If any error or omission is noted in this bulletin, it should be reported immediately to the Friction Materials Standards Institute, Inc., 588 Monroe Turnpike, Monroe, Connecticut 06468.