PCB EUROPE

PCB CONTROL SUMMARY

SPECIAL PROCEDURE FOR SALES, ORDER PROCESSING

AND DISTRIBUTION OF DIELECTRIC AROCLOR, PYROCLOR

AND OTHER PRODUCTS OF GROUP 1.2.



x These products are identified by the 3rd & 4th digits of the Unified Finished Product Code.

Brussels,
August 8, 1973
JNH/ad

MONS 078895

SPECIAL PROCEDURE FOR SALES AND DISTRIBUTION OF

PRODUCTS IN GROUP 16 (Aroclor, Pyroclor, etc.)

PURPOSE

This procedure is to ensure adherence to corporate policy on Polychlorinated Biphenyls (PCB's) which some studies have shown may be persistent, an environmental contaminant and, possibly, injurious to certain forms of bird, aquatic and animal life.

Use of these products must be restricted to applications which can be controlled so that entry into the environment does not occur and to applications in which it cannot come into contact with food, animal feedstuffs or pharmaceuticals.

The products concerned are generally sold under the brand names Aroclor and Pyroclor but it is possible that in some cases the product will be identified as MCS xxx or SPE xxx.

The procedure applies to the following departments :

.	Functional Product Groups	- Marketing - Field Sales - Product & Process Technology
.	M I C C	- Administration - Field Sales - Distribution
.	Corporate	- Sales Service - Distribution - Legal

A. CUSTOMER APPROVAL (New Customers)

a) Local Sales Office / Representative / Agent must ensure that the customer is a reputable company making capacitors and/or transformers.

b) Local Sales / Representative / Agent applies to the Functional Product Groups, Marketing, Brussels to obtain approval to submit the PCB warning letter to be signed by the customer.

c) When the original of the signed PCB warning letter is received by the Functional Product Groups, Marketing Group, Brussels, the customer will be put on the approved customer list.

d) The original of the signed warning letter will be passed by the Functional Product Groups, Marketing Group, Brussels, to the corporate legal department to keep in the Company safe.

B. ORDER HANDLING INSTRUCTIONS CONCERNING ALL PRODUCTS[M] OF GROUP 16 (Aroclor, Pyroclor, etc.)

M) (Identified by the 3rd and 4th digits of the codes in the Unified Finished Product Code Book).

Sales orders are handled according to the DSO manual but the special problems associated with PCB's have made it necessary to superimpose certain special instructions to ensure a correct implementation of the company's policy. So far as Sales Service Managers (Brussels and London) and Sales Services Supervisors (DSO's Europe) are concerned, these instructions are repeated herewith.

a) Check that order as received from Sales Correspondent contains the important reference to SDI/INC/01 (see attachment A) which is the special instruction relating to the critical warning statement on documents.

b) Ensure that the warning statement is either typed on confirmations of orders, invoices and Bills of Lading,

or alternatively is covered by the special printed label (now available in most European languages).

c) Ensure that under this warning statement the following clause is typed :

" shipment of these goods is subject to the attached PCB clause "

d) Ensure that the list of products concerned is correctly and widely promulgated throughout their department, and the significance of the list explained. (The list of products concerned forms an integral feature of SDI/INC/01), but other products may be added from time to time.

e) Personally ensure that these instructions are carried out on each individual order.

Additional Instructions to Sales Service, Brussels :

1) Ensure that each customer on the "approved customer list" is identified in the special customers code book against which each order is to be checked.

2) Ensure that each product concerned (and listed in the SDI/INC/01) is identified in the unified product code book against which each order is checked.

Additional Instructions to Sales Service, London :

Supervisors in Domestic Order Entry Section and Overseas Documentation Section are personally responsible for checking documentation.

C. ORDER PREPARATION AND SHIPPING

a) The order Processing Group at Newport will check that the customer's name appears on the approved customer list before executing the order.

b) All shipping documentation is subject to a Special Documentary Instruction SDI/INC/01. (Attachment A). Printed stickers are available in French, Dutch, Italian, Swedish, Spanish, German, Portuguese, Russian and Finnish. (See attachment B).

c) Hauliers, shippers and agents should be provided with an emergency telephone number to be used in the event of a leakage or other problems.

D. CUSTOMER RETURNS

Responsibility for arranging collection and returns from customers rests with Sales Service Supervisor in each country. He cooperates with the Salesman and Customer in providing drums, etc. for the return and follows the attached procedure. (See attachment D).

Control of returns to Purle Bros. is exercised by Sales Service / Distribution in cooperation with Newport plant, (F J Roberts) who will ensure that maximum use is made of our contractual arrangements with Purle for our Newport PCB waste.

E. SAMPLES

a) For industry, samples will only be supplied to approved customers. Any industrial company who is not an approved customer and who needs for compatibility work has to obtain these from an approved customer. If the quality has to be guaranteed by Monsanto, we will ship the sample direct from our plant to the industrial company but only after we have received the order from the approved customer. We will invoice the approved customer for the sample we delivered on his behalf.

b) For governmental agencies, universities, institutes, etc., who are engaged in toxicological studies or analytical work on PCB's, we will supply samples but only after the agency / university / institute has signed a declaration indicating the purpose to which the sample will be put . (See attachment E).

Process and Product Technology Department at Louvain-la-Neuve (H.A. Vodden) are responsible for administering supplies of these samples required for toxicological / analytical work.
They will keep a log of all samples issued which includes the lot number from which the samples was taken in the case of samples for feeding trials.

S.D.I. SPECIAL DOCUMENTARY INSTRUCTION UK MESA SHIPMENTS

SDI / INC / 01

APPLIES TO ALL PRODUCTS OF GROUP 16

(eg. Aroclors , Pyroclors, etc.)

Per Appendix I attached
Per Appendix II attached

All despatches from any source of supply or manufacture :

All district sales offices Europe (for their own particular country) and field sales, Brussels (for agents countries and direct sales, Europe, plus rest of world) to have typed on all sales orders on line next below the product code, in the appropriate language:

"shipment of these goods is subject to the attached PCB clause "

Under the standard European sales services order and billing systems, this will therefore automatically appear on :

a) Sales Office - order acknowledgement / confirmations
b) Plants / Despatch Locations - work sets
c) Billing Centre - Invoice sets

ACTION

1. District Sales Office / Field Sales Office :

a) No order will be accepted unless customer is on approved list.

b) Customer order / product card to be signalled that clause is required to be typed at the sales service operation.

c) When sending out the customer order acknowledgement / confirmation sales services to attach warning label in the appropriate local language.

d) When district Sales Offices (on duo-billing) send out invoices (received from billing centres on shipments or prepared by themselved on local stock disposals) Sales Services to attach warning label in appropriate language.

2. Plant / Despatch Locations :

Plant / Warehouse distribution will proceed :

a) Domestic local despatches - attach warning label in appropriate local language to advise notes.

b) Sea shipments - instruct shipping agents to have bills/ lading claused (including tankers ro-ro etc.) (Also including return shipments).

"Important

This product contain polychlorinated biphenyls (PCB's) which some studies have shown may be persistant, an environmental contaminant and, possibly, injurious to certain forms of bird, aquatic and animal life. Prevent any entry into the environment through spills, leakage, disposal vapourisation, re-use of containers or otherwise.

Spills, leakages and waste product must be collected.

During shipment avoid spills and leakages into inland waterways and the sea.

Keep away from food, animal feedstuffs and pharmaceuticals."

All advice notes and bills/lading to include the following emergency telephone numbers :

Monsanto Chemicals Ltd.,Newport,Mon.,U.K. -Tel. (0633) 72221

Monsanto Europe S.A., Brussels, Belgium -Tel. (02) 19.11.01

3. Billing Centres

a) Domestic local despatches - attach warning label in appropriate language to all invoices.

b) Shipments - attach warning label in language of country of destination to all invoices.

N.B.: Warning labels are available as follows :

a) English only

b) The following languages - (Side by side with English), French, Dutch, Italian, Swedish, Spanish, German, Portuguese, Russian, Finnish.

All locations will obtain supplies of their appropriate label (English only, or English plus local language) from sales services, Brussels.

APPENDIX I SDI/INC/01

ALL PRODUCTS OF GROUP 16

POLYCHLORINATED BIPHENYLS (PCB's) AS AT NOVEMBER 1st, 1973

47.16.1040.016	Aroclor 1016	ex. USA
017	MCS 1479	ex. USA
225	Aroclor 1221	ex. USA
230	Aroclor 1232	ex. USA
240	Aroclor 1242	ex. USA
332	Aroclor 1242	ex. U.K. (drums)
336	Aroclor 1242	ex. U.K. (bulk)
338	Aroclor 1242 EI	ex. U.K. (drums)
339	Aroclor 1242 EI	ex. U.K. (bulk)
342	Aroclor 1248	ex. U.K.
352	Aroclor 1254	ex. U.K.
362	Aroclor 1342	ex. U.K. (drums)
369	Aroclor 1342	ex. U.K. (bulk)
47.16.1050.210	Inerteen 70-30	ex. USA or U.K.
215	Inerteen 100-42	ex. USA or U.K.
216	Inerteen 5420lCM	ex. USA or U.K.
302	Pyranol A 13 B3 B-3	ex. USA or U.K.
622	Pyroclor 1	ex. U.K. (drums)
629	Pyroclor 1	ex. U.K. (bulk)
641	Pyroclor 5	ex. U.K. (drums)
649	Pyroclor 5	ex. U.K. (bulk)
661	Pyroclor 15	ex. U.K. (drums)
669	Pyroclor 15	ex. U.K. (bulk)

PCB APPROVED CUSTOMER LIST (1)

Issued October 30, 1972
Reviewed July 27, 1973

COUNTRY	CUSTOMER	LOCATION	PRODUCT
ARGENTINA	Elecond	Capital Federal	Aroclor
	Miron	Capital	Aroclor
	Nazario J. Rivera	Capital Federal	Aroclor
BELGIUM	ACEC	Charleroi	Aroclor/ Pyroclor
	ACEC	Ghent	Pyroclor
	Pauwels	Mechelen	Pyroclor
	SITEC	Overijse	Pyroclor
FINLAND	Nokia	Tampere	Aroclor
	Stroemberg	Vaasa	Aroclor / Pyroclor
INDIA	Amar	Bombay	Aroclor
	Asian Electronics	Bombay	Aroclor
	Asia Transformers	Vapi	Pyroclor
	Bharat Bijlee	Bombay	Pyroclor
	Bharat Heavy Electricals	Ranipur	Aroclor / Pyroclor
	Dnyana Prabodhinee	Poona	Aroclor
	Electric Transformer & Equipment	Sanatnager	Pyroclor
	Electro Components	Poona	Aroclor
	Electro Mech. Equipment	Calcutta	Aroclor

PCB APPROVED CUSTOMER LIST

COUNTRY	CUSTOMER	LOCATION	PRODUCT
INDIA (Cont')	Faraday Capacitor	Poona	Aroclor
	Hind Rectifiers	Bombay	Aroclor
	Keshwani Industries	Bombay	Aroclor
	Khatau Junker	Bombay	Aroclor
	Kirloskar Electric	Bangalore	Pyroclor
	Ravindras	Madras	Aroclor
	Shakti Capacitors	Sangli	Aroclor
	Shrenik	Bombay	Aroclor
	Shyam Udyog	Bombay	Aroclor
	Yash Udyog	Sawantwadi	Aroclor
	Yesha	Baroda	Aroclor
ISRAEL	Elco	Tel Aviv	Aroclor / Pyroclor
ITALY	C.G.E.	Novara	Aroclor
NORWAY	Westinghouse National Industri	Dramen	Aroclor
SPAIN	Bianchi	Pasajes	Aroclor
	Lifasa	Barcelona	Aroclor
	Rovina	Madrid	Aroclor
	Westinghouse	Cordoba	Pyroclor
SWEDEN	Liljeholmen	Stockholm	Aroclor

PCB APPROVED CUSTOMER LIST

COUNTRY	CUSTOMER	LOCATION	PRODUCT
SWITZERLAND	Brown Boveri	Zürich	Pyroclor
	Micafil	Zürich	Aroclor
TURKEY	Eregli Demir Ve Celik	Ankara	Pyroclor
FRANCE	Alsthom Savoisienne	St. Ouen-Paris	Aroclor
U.K.	Aberdare	Dewsbury	Pyroclor
	BICC	Helsby	Aroclor
	Bonar Long	Dundee	Pyroclor
	Brittains	Leek	Aroclor
	Brush	Loughborough	Pyroclor
	Capacitors	Birmingham	Aroclor
	Dubilier	North Acton	Aroclor
	E.R.A.	Leatherhead	Aroclor
	Foster Transformers	London	Pyroclor
	GEC Transformers	Thanet	Pyroclor
	A.H. Hunt	New Addington	Aroclor
	Johnson & Philips	Haverhill	Aroclor
	Lindley Thompson	Slough	Pyroclor
	Lucas Aerospace	Coventry	Aroclor
	Nelson Transformers	Burnely	Pyroclor
	Parsons Peebles Ltd	West Lothian	Pyroclor
	Parsons Peebles Ltd	Edinburgh	Pyroclor
	Plessey	Bathgate	Aroclor
	Pye TMC	Kings Lynn	Aroclor
	R.I.C. Capacitors	Romsey	Aroclor
	South Wales Switchgear	Treforest	Pyroclor
	Transformers & Rectifiers	Guildford	Pyroclor

PCB APPROVED CUSTOMER LIST

COUNTRY	CUSTOMER	LOCATION	PRODUCT
U.K. (Cont')	Westinghouse Brake & Signal Co.	Chippenham	Aroclor
	Woden Transformers	Bilston	Pyroclor
	Yorkshire Electric	Dewsbury	Pyroclor

MONS 078908

FINNISH

Monsanto

TÄRKEÄÄ KLOORIDIFENYYLIT 42%-54% (tai 60%) PCB

TÄMÄ tuote sisältää POLYKLOORATTUJA BIFENYYLEJÄ (PCB), jotka eräät tutkimukset ovat osoittaneet haitallisiksi, ympäristöön saastuttaviksi ja mahdollisesti vahingollisiksi eräille lintu-, vesieläin- ja muille eläinlajeille.
VÄLTTÄKÄÄ YMPÄRISTÖN SAASTUTTAMISTA ESTÄMÄLLÄ LAIKKYMINEN, VUOTO, JÄTEKAATO, HÖYRYNMUODOSTUMINEN, TÄMÄKIÄN UUDELLEEN KÄYTTÖ TAI VASTAAVA VAARA.
LAIKKYNYT, VUOTANUT TAI JÄTETUOTE TULEE OTTAA TALTEEN.
TÄMÄN tuotteen käytön tulee rajoittua vain valvottuihin käyttökohteisiin, jotta aineen joutumista ympäristöön ei tapahdu, ja sellaisiin käyttötarkoituksiin, joissa aine ei joudu koskatuksiin elintarvikkeiden, rehujen tai lääkeaineiden kanssa.

IMPORTANT **CHLORODIPHENYLS (42 % - 54 %) (or 60 %) (PCB)**

This product contains POLYCHLORINATED BIPHENYLS (PCB's) which some studies have shown may be persistent, an environmental contaminant and, possibly, injurious to certain forms of bird, aquatic and animal life.
PREVENT ANY ENTRY INTO THE ENVIRONMENT THROUGH SPILLS, LEAKAGE, DISPOSAL, VAPOURISATION, RE-USE OF CONTAINERS OR OTHERWISE.
SPILLS, LEAKAGES AND WASTE PRODUCT MUST BE COLLECTED.
Use of this product must be restricted to applications which can be controlled so that entry into the environment does not occur and to applications in which it cannot come into contact with food, animal feedstuffs or pharmaceuticals.

MONS 078909

REVISED

PROCEDURE FOR RETURN OF POLYCHLORINATED BIPHENYL (PCB) CONTAINING MATERIALS - CONTINENTAL EUROPE

1. All returns of PCB containing materials are to follow this procedure.

2. When a customer notifies that the material is available for return, first obtain approval for disposal of the material from the Manager, Functional Product Groups, Europe -PJA MARSH.

3. To obtain approval, a PCB disposal request must be forwarded. Copy of the PCB disposal request form is attached.

4. Manager, Functional Product Groups, will indicate approval or otherwise to the originator of the request, and will send one copy of the request to the Manager, Manufacturing Accounting.

5. The Functional Products Salesman in cooperation with the Sales Services Supervisor, will make arrangements with the customer for the documentation and containers to be used for the return.

6. For liquid products, closed, top-bung steel drums of 16 gauge minimum steel construction with polythene gaskets should be used.

   For solid products, open-top drums with sealed lid and a strong ring clamp closure must be used.

7. Each container must be marked with the stick-on return label bearing the St. Andrew's cross in the left hand corner provided for this purpose, see exhibit D attached. These labels are obtainable from Brussels literature Dept., Mme J. Rase. In addition all shipping documentation should follow the special documentary instructions SDI/INC/01.

8. Customer returns will normally be directed to the Newport Plant.

9. All returned materials must be the subject of an RDGF form and must follow the Returned and Damaged Goods Movement and Disposal Determination Procedure N° H1.

MONS 078910

.../...

For continental European returns requests for issue of the RDGF are made to Production and Inventory Planning Coordinator, RE Van Assche, Brussels. The RDGF copies in all cases will be issued to CJ Smith, Production Planning Supervisor, Newport and JF Cullip, Freight Supervisor, Corporate Distribution, London.

UK customer returns will be coordinated by London DSO direct with CJ Smith / GT Jones, Foreman, Manufacturing, Newport plant.

10. When both,PCB disposal request has been approved and copy of RDGF received Salesman / Sales Supervisor must inspect the containers and load prior to despatch from customer premises to disposal point.

11. Customer returns in Spain should be coordinated with the Monzon plant.

12. All above precautions must be communicated to the carrier transporting the goods and his agreement to adhere to them obtained.

C.R. PERRY

Monsanto Industrial Chemicals Company - Functional Products Group

PCB DISPOSAL REQUEST

Product name :

Plant of Origin :

Quantity :

Condition :

Customers Name and Location :

Disposal Grouping Point : Antwerp/Newport

Transport Company Name :

RGDF Form Number :

Estimated Disposal Costs for Consignment :


	Local Currency	$
(a) Transport :		
(b) Incineration		
(c) Other costs (specify)		
TOTAL		

Date :

Approved

PJA MARSH

MONS 078912



EMERGENCY TELEPHONE
MONSANTO EUROPE SA BRUSSELS, BELGIUM : (02) 19.11.01
MONSANTO CHEMICALS LTD NEWPORT, MON., UK : (0633) 72221

-D-

PRODUCT

n

FOR SPECIAL TREATMENT
POUR TRAITEMENT SPECIAL
ZUR SPEZIELLEN BEHANDLUNG
PER SPECIALE TRATTEMENTO
VOOR SPECIALE BEHANDELING

RETURN TO :
RETOURNEZ A :
ZURUCKSENDEN AN :
RITORNARE A :
TERUGZENDEN NAAR :

DESTINATION

GR NET

IMPORTANT CHLORINATED BIPHENYLS (42 % - 54 %) (see 69 %) (PCB)

This product contains POLYCHLORINATED BIPHENYLS (PCB's) which cause studies have shown may be persistent, an environmental contaminant and, possibly, injurious to certain forms of bird, aquatic and animal life.

PREVENT ANY ENTRY INTO THE ENVIRONMENT THROUGH SPILLS, LEAKAGE, DISPOSAL, VAPORISATION, RE-USE OF CONTAINERS OR OTHERWISE.

SPILLS, LEAKAGES AND WASTE PRODUCT MUST BE COLLECTED

HARMFUL SUBSTANCE IF TAKEN INTERNALLY OR IF IN PROLONGED CONTACT WITH THE SKIN. CAUSES IRRITATION OF SKIN AND EYES.

DURING SHIPMENT AVOID SPILLS AND LEAKAGE INTO INLAND WATERWAYS AND THE SEA.

Store away from food, animal foodstuffs and pharmaceuticals
Keep container tightly closed.
Do not eat or smoke when using
Avoid breathing vapours, mist or fumes.
Do not wear contaminated clothing.
Wash product from skin with soap and water
Wash eyes by flushing with water.

IMPORTANT CHLORODIPHENYLS (42 % - 54 %) (approx 69 %) (PCB)

Questo prodotto contiene POLICLOROBIFENILI PCB, che secondo i risultati di alcuni studi potrebbero essere persistenti e contaminare l'ambiente, e probabilmente nocivi per alcune specie di uccelli, e di vita animale ed acquatica.

PREVENIRE LA PENETRAZIONE NELL'AMBIENTE A CAUSA DI PERDITE, FUGHE, SCARICHI, EVAPORAZIONE, RIUTILIZZO DEI CONTENITORI OD ALTRO.

LE PERDITE, FUGHE O SCARTI DEVONO ESSERE RACCOLTI

SOSTANZA NOCIVA PER INGESTIONE O PER CONTATTO PROLUNGATO CON LA PELLE

IRRITANTE PER LA PELLE E GLI OCCHI

DURANTE IL TRASPORTO EVITARE PERDITE E TRABOCCHI IN ACQUE INTERNE E NEL MARE

Mantenere lontano da prodotti farmaceutici e alimenti umani e per animali.
Mantenere il recipiente ben chiuso
Non mangiare o fumare durante l'impiego
Evitare di respirare le esalazioni
Non indossare indumenti contaminati dal prodotto.
Lavare la pelle con acqua e sapone, dopo il contatto.
Lavare abbondantemente gli occhi con acqua

IMPORTANT BIPHENYLES CHLORES (42 % - 54 %) (ou 69 %) (PCB)

Ce produit contient des BIPHENYLES CHLORES qui, selon certaines études, pourraient être persistants, constituer l'environnement et, de ce fait, être nocifs pour certaines espèces d'oiseaux, de vie animale et de vie aquatique.

EMPECHER QUIL NE SE REPANDE DANS L'ENVIRONNEMENT PAR SUITE DE FUITES, DEVERSEMENTS, PROCEDES D'ELIMINATION, VAPORISATION, RE-UTILISATION DES RECIPIENTS, ETC. LES PERTES, FUITES ET DECHETS DOIVENT ETRE RECUEILLIS

SUBSTANCE NOCIVE PAR INGESTION OU PAR CONTACT PROLONGE AVEC LA PEAU.

IRRITANT POUR LA PEAU ET LES YEUX.

DURANT LE TRANSPORT EVITER DEVERSEMENTS ET PERTES DANS LES COURS D'EAU ET LA MER.

Tenir à l'écart d'emmentation humaine et animale et des produits pharmaceutiques
Tenir le récipient bien fermé
Ne pas manger ni ne pas fumer pendant l'utilisation
Eviter de respirer les émanations
Ne pas porter de vêtements souillés par le produit
Laver la peau avec de l'eau et du savon
Rincer abondamment les yeux avec de l'eau

WICHTIG CHLORIERTE BIPHENYLE (42 % - 54 %) (oder 69 %) (PCB)

Dieses Produkt enthält POLYCHLORIERTE BIPHENYLE (PCB's). Untersuchungen haben gezeigt dass diese Produkte die Umwelt dauerhaft verunreinigen und möglicherweise für bestimmte Vogelarten sowie Land- und Wassertieren schädlich sein können

JEGLICHES EINDRINGEN IN DIE UMWELT DURCH VERSCHÜTTEN, LECKAGEN, VERDAMPFEN, WIEDERGEBRAUCH VON BEHÄLTERN ODER ANDERES IST ZU VERHINDERN

VERSCHÜTTETES UND ABFÄLLE MÜSSEN GESAMMELT WERDEN

GESUNDHEITSSCHÄDLICH BEI VERSCHLUCKEN ODER BEI LÄNGERER BERÜHRUNG MIT DER HAUT

REIZT HAUT UND AUGEN

VERSCHÜTTEN ODER LECKAGEN IN FLÜSSE ODER SEEN WÄHREND DES TRANSPORTES VERMEIDEN

Von Nahrungsmitteln, Tierfutter und Pharmazeutika fernhalten
Behälter dicht geschlossen halten
Bei der Arbeit nicht essen oder rauchen
Einhalb nicht einatmen
Kontaminierte Kleidung nicht wiederverwenden
Nach Hautkontakt sofort gründlich mit Wasser und Seife waschen
Nach Augenkontakt mit viel Wasser spülen

BELANGRIJK GECHLOREERDE DIFENYLS (42 % - 54 %) (of 69 %) (PCB)

Dit product bevat GEPOLYCHLOREERDE BIFENYLEN (PCB's) waarvan enige studies hebben aangetoond, dat zij persistent en milieuverontreinigend zijn en dat zij kunnen zijn van nadelige invloed zijnde voor bepaalde vogels, dieren en het totale water leven.

MEET DAT HET PRODUKT IN HET MILIEU GERAAKT DOOR MORSEN, LEKKAGE, VERMETIGEN VERDAMPEN, HERGEBRUIKEN VAN CONTAINERS ENZ.

GEMORS, LEKKAGES EN VERSPILD PRODUKT MOETEN VERZAMELD WORDEN

SCHADELIJKE SUBSTANTIE WANNEER GEABSORBEERD OF BIJ LANGDURIG KONTAKT MET DE HUID.

VERDORZAAKT IRRITATIE VAN HUID EN OGEN.

VERHUD GEMORS EN LEKKAGES IN BINNENWATEREN EN ZEE GEDURENDE VERSCHEPING

Remmer verwijderd van voedsel, dierlijk voedsel en farmaceutica.
Hou container hermetisch gesloten
Eet niet rook tijdens gebruik
Vermijd inademen van dampen, nevels en verbrandingen
Draag geen verontreinigde kleding
Verwijder produkt van de huid door wassen met zeep en water
Was ogen met stromend water

MONS 078913

REQUEST TO MONSANTO COMPANY
FOR SAMPLE QUANTITY OF PRODUCT
CONTAINING POLYCHLORINATED BIPHENYL ("PCB")

1. Name and address of organization making request :_____

_____

_____

_____

2. PCB product requested :_____

3. Quantity requested :_____

4. Reason for request :_____

_____

_____

_____

5. Use to which sample of PCB-containing product will be put :_____

_____

_____

_____

6. Disposition to be made of any unused portion of sample :_____

_____

_____

_____

The undersigned organisation represents that : the foregoing statements are true ; it understands that if Monsanto elects to supply the requested sample of a PCB-containing product, Monsanto does so in reliance on the truth and accuracy of the foregoing statements ; the person(s) designated by the undersigned organisation who will be working with the sample is (are) aware that PCB's have been identified as a potential hazard to the environment and that regulations concerning their use or disposition are contemplated or may exist ; that the label accompanying any sample will be read and cautions and instruction thereon will be observed ; and that care is required in the disposition of PCB-containing products so as to avaoid any adverse effect on human health and the environment.

NAME OF ORGANISATION :

_____

By_____

(Authorised Signature)

Title_____

Date_____

MONS 078915