



Save

Calidria ASBESTOS

UNION CARBIDE CORPORATION • MINING & METALS DIVISION • P.O. BOX 579 • NIAGARA FALLS, N. Y. 14302 • TEL: 716-278-3376

July 15, 1975

**PLAINTIFF'S
EXHIBIT**

UC-610

Mr. Howard R. Dilg
Purchasing Agent
H. B. Fuller Company
315 South Hicks Road
Palatine, IL 60067

Dear Mr. Dilg:

Enclosed, as you requested, is a Material Safety Data sheet covering Union Carbide's "Calidria" asbestos products. We trust this will satisfy your requirements.

Also enclosed are spectrographic analyses of two products, High Purity and T-135. The High Purity analysis is typical for products used by H. B. Fuller. Please note that no mercury was found on a unit whose detectability is 0.006%.

Please let us know if we can be of any further assistance.

Very truly yours,

Edward J. Kleber
Sales Representative

EJK:cjb
Enclosures

SPECTROGRAPHIC ANALYSES OF CALIDRIA HIGH PURITY AND T-135 ASBESTOS

Element	Per Cent Detected		Limit of Detection
	High Purity	T-135	
Silver	-	-	0.001
Aluminum	0.08-0.8	0.08-0.8	0.003
Arsenic	-	-	0.006
Gold	-	-	0.002
Boron	-	-	0.006
Barium	0.02-0.2	-	0.003
Beryllium	-	-	0.001
Bismuth	-	-	0.003
Calcium	0.02-0.2	0.02-0.2	0.006
Columbium	-	0.02-0.2	0.01
Cadmium	-	-	0.003
Cobalt	0.004-0.04	0.003-0.03	0.003
Chromium	0.08-0.8	0.08-0.8	0.003
Copper	0.0004-0.004	0.003-0.03	0.0003
Iron	0.4-4.0	0.2-2.0	0.006
Gallium	-	-	0.01
Germanium	-	-	0.005
Hafnium	-	-	0.03
Mercury	-	-	0.006
Indium	-	-	0.03
Iridium	-	-	0.03
Lithium	-	-	0.1
Magnesium	Major	Major	0.001
Manganese	0.08-0.8	0.04-0.4	0.003
Molybdenum	-	-	0.003
Sodium	-	-	0.1
Nickel	0.1-1.0	0.08-0.8	0.003
Osmium	-	-	0.03
Phosphorus	-	-	0.08
Lead	0.003-0.03	0.01-0.1	0.001
Palladium	-	-	0.005
Platinum	-	-	0.005
Rhodium	-	-	0.02
Antimony	-	-	0.01
Silicon	Major	Major	0.003
Tin	0.003-0.03	0.008-0.08	0.002
Strontium	-	-	0.03
Tantalum	-	-	0.01
Thorium	-	-	0.03
Titanium	-	Major	0.003
Thallium	-	-	0.2
Uranium	-	-	0.1
Vanadium	-	-	0.003
Tungsten	-	-	0.01
Zinc	-	-	0.02
Zirconium	-	-	0.006