Section	Rule
244.103	402(b)
244.104	402(c)
244.105	402(d)
244.106	402(e)
244.107	402(f)
244.108	402(g)
244.109	402(h)
244.121	403
244.141	404(a)
244.142	404(b)
244.143	404(c)
244.144	404(d)
244.145	404(e)
244.161	405(a)
244.162	405(b)
244.163	405(c)
244.164	405(d)
244.165	405(e)
244.166	405(f)
244.167	406(a)
244.168	406(b)
244.169	407
Appendix A	Added in Codification
Appendix B	Added in Codification
Appendix C	404(a)
Appendix D	Tables 1 and 2 - Part IV

Appendix C
Past Compliance Dates

Rule 404(a)

The current version of these rules became effective April 19, 1976. Episode action plans were required by October 19, 1976.

Appendix D

Required Emission Reduction Actions** Sulfur Dioxide, Particulate, Product, Nitrogen Dioxide, and Carbon Monoxide

YELLOW ALERT

1) The Agency shall notify the public by radio and/or television that a Yellow Alert is in effect; that the public is required to take action in accordance with these regulations; that the public is requested to avoid the unnecessary use of automobiles and of electricity; and that persons suffering from respiratory or heart conditions should take appropriate precautions.

2) Electric power generating stations shall effect the maximum feasible reduction of emissions by utilizing fuels which have low ash content and less than 1.0% sulfur by weight (1.5% in the case of fuel oil), provided, however, that emission from such stations shall not exceed the applicable emission standards and limitations of 35 Ill. Adm. Code 214; by limiting soot blowing and boiler lancing, where essential, to periods of maximum atmospheric turbulence; by diverting power generation to stations outside the area for which the Alert is in effect; or by any other means approved by the Agency. Such actions will be in accordance with the Yellow Alert Plan if such plan has been approved for that station.

3) Facilities having fuel combustion emission sources with a total rated capacity in excess of 10 million btu/hr and burning coal and/or fuel oil shall reduce emissions by utilizing fuels which have low ash content and less than 1.0% sulfur weight (1.5% in the case of fuel oil) provided, however, that emissions from such facilities shall not exceed the applicable emission standards and limitations of 35 Ill. Adm. Code 214; by limiting soot blowing and boiler lancing, where essential, to periods of high atmospheric turbulence; or by any other means approved by the Agency. If fuels of low ash and sulfur content are not available, such facilities with the exemption of residences, hospitals, and other essential facilities as designated by the Agency, shall curtail fuel burning to the maximum degree consistent with avoiding injury to persons or severe damage to property. Such actions will be in accordance with the Yellow Alert Plan if such plan has been approved for that facility.

4) Facilities engaged in manufacturing required to submit Yellow Alert plans shall curtail or defer production and allied operations to the extent necessary to avoid emissions in excess of those which would be discharged if the facility were operated in accord with the limitations prescribed by the regulations limiting emissions, insofar as such reductions can be achieved without creating injury to persons or severe damage to property. Such reductions shall be made notwithstanding any variance or program of delayed compliance with the regulations, and shall be in accord with the Yellow Alert plan if such plan has been approved for that facility.

5) All open burning and all incineration except as provided below are provided. Certain burning of explosive or pathological wastes may be exempted from this restriction by the Agency in writing upon specific written application.

6) Incinerators meeting the emission standards and limitations of this Chapter may be operated only during the hours of maximum atmospheric turbulence as designated by the Agency.

RED ALERT

1) All actions required during the Yellow Alert shall be continued.

**During each stage only those actions which cause a reduction of emissions of contaminants for which such stage has been declared are required. c.f. 35 Ill. Adm. Code 244.102 through 244.109, and 244.163(b).